BLM LIBRARY
88064931

PUBLIC INSPECTION COPY
PLEASE RETURN TO:
Area Oil Shale Office
U.S. Geological Survey
131 North 6th St. Suite 300
Grand Junction, CO 81501

Rio Blanco Oil Shale Company

MODULAR DEVELOPMENT PHASE MONITORING REPORT FOUR

Volume 2 of 2

December 1978 – May 1979

Mid-Year Report

Gulf Oil Corporation / Standard Oil Company (Indiana)
A General Partnership
9725 East Hampden Avenue, Denver, Colorado 80231

88064931

TN
859
.C64
R56
Dec 78-
May 79
V.2

BLM Library
D-553A, Building 50
Denver Federal Center
P. O. Box 25047
Denver, CO 80225-0047

RIO BLANCO OIL SHALE COMPANY
MODULAR DEVELOPMENT PHASE
MONITORING REPORT 4

December 1978 - May 1979

MID-YEAR REPORT

Prepared by:
RIO BLANCO OIL SHALE COMPANY
DENVER, COLORADO

August 31, 1979

APPENDICES

BLM Library
D-555A, Building 50
Denver Federal Center
P. O. Box 25047
Denver, CO 80225-0047

APPENDIX 2-1

Air Quality Data

APPENDIX 2-1.1

Gaseous Constituents Data - Sites 1 and 3*

* missing data indicated by 999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	1	1	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.031
78	12	1	2	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.033
78	12	1	3	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.033
78	12	1	4	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.033
78	12	1	5	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.033
78	12	1	6	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.033
78	12	1	7	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.033
78	12	1	8	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.032
78	12	1	9	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.033
78	12	1	10	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.033
78	12	1	11	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.033
78	12	1	12	0.01	99.999	0.5	0.01	99.999	0.039	0.01	0.01	0.032
78	12	1	13	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.032
78	12	1	14	999.99	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.037
78	12	1	15	999.99	99.999	999.9	0.01	99.999	0.043	0.01	0.01	0.037
78	12	1	16	0.01	99.999	999.9	0.01	99.999	0.045	0.01	0.01	0.037
78	12	1	17	0.01	99.999	0.5	0.01	99.999	0.046	0.01	0.01	0.037
78	12	1	18	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.037
78	12	1	19	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.042
78	12	1	20	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.042
78	12	1	21	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.042
78	12	1	22	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.040
78	12	1	23	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.039
78	12	1	24	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.038
78	12	2	1	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.037
78	12	2	2	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.036
78	12	2	3	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.031
78	12	2	4	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.029
78	12	2	5	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.028
78	12	2	6	0.01	0.005	0.5	0.01	0.005	0.031	0.01	0.01	0.027
78	12	2	7	0.01	0.005	0.5	0.01	0.005	0.032	0.01	0.01	0.027
78	12	2	8	0.01	0.005	0.5	0.01	0.005	0.031	0.01	0.01	0.027
78	12	2	9	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.028
78	12	2	10	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.029
78	12	2	11	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.031
78	12	2	12	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.033
78	12	2	13	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.034
78	12	2	14	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.035
78	12	2	15	0.01	99.999	0.5	0.01	0.005	0.042	0.01	0.01	0.036
78	12	2	16	999.99	99.999	0.5	0.01	0.005	0.041	0.01	0.01	0.037
78	12	2	17	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.036
78	12	2	18	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.031
78	12	2	19	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.031
78	12	2	20	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.031
78	12	2	21	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.032
78	12	2	22	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.032
78	12	2	23	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.032
78	12	2	24	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.031

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	3	1	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.032
78	12	3	2	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.033
78	12	3	3	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
78	12	3	4	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.027
78	12	3	5	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.029
78	12	3	6	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.030
78	12	3	7	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.026
78	12	3	8	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.027
78	12	3	9	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.028
78	12	3	10	999.99	0.006	0.5	999.99	0.005	0.042	0.01	0.01	0.031
78	12	3	11	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.037
78	12	3	12	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.038
78	12	3	13	999.99	99.999	999.9	999.99	0.005	0.044	0.01	0.01	0.039
78	12	3	14	999.99	99.999	999.9	999.99	0.005	0.044	0.01	0.01	0.039
78	12	3	15	999.99	99.999	0.5	0.01	0.005	0.044	0.01	0.01	0.038
78	12	3	16	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.036
78	12	3	17	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.031
78	12	3	18	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.032
78	12	3	19	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.029
78	12	3	20	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.029
78	12	3	21	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.031
78	12	3	22	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.030
78	12	3	23	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.030
78	12	3	24	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.031
78	12	4	1	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.032
78	12	4	2	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.031
78	12	4	3	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.030
78	12	4	4	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.031
78	12	4	5	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.031
78	12	4	6	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.030
78	12	4	7	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.029
78	12	4	8	0.01	0.011	0.5	0.01	0.005	0.029	0.01	0.01	0.029
78	12	4	9	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.032
78	12	4	10	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.034
78	12	4	11	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.035
78	12	4	12	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.036
78	12	4	13	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.037
78	12	4	14	999.99	99.999	999.9	0.01	0.005	0.043	0.01	0.01	0.036
78	12	4	15	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.036
78	12	4	16	0.01	99.999	0.5	0.01	99.999	0.042	0.01	0.01	0.036
78	12	4	17	0.01	99.999	0.5	0.01	99.999	0.040	0.01	0.01	0.034
78	12	4	18	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.033
78	12	4	19	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.033
78	12	4	20	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.032
78	12	4	21	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.032
78	12	4	22	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.033
78	12	4	23	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.032
78	12	4	24	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.031

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	5	1	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.031
78	12	5	2	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.030
78	12	5	3	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.030
78	12	5	4	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.030
78	12	5	5	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.030
78	12	5	6	0.01	0.005	0.5	0.01	0.005	0.034	0.01	0.01	0.029
78	12	5	7	0.01	0.005	0.5	0.01	0.005	0.033	0.01	0.01	0.027
78	12	5	8	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.032
78	12	5	9	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.038
78	12	5	10	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.041
78	12	5	11	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.041
78	12	5	12	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.039
78	12	5	13	0.01	99.999	0.5	0.01	99.999	0.038	0.01	0.01	0.035
78	12	5	14	0.01	99.999	0.5	0.01	99.999	0.037	0.01	0.01	0.035
78	12	5	15	0.01	99.999	999.9	0.01	99.999	0.040	0.01	0.01	0.036
78	12	5	16	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.036
78	12	5	17	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.036
78	12	5	18	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.035
78	12	5	19	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.033
78	12	5	20	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.033
78	12	5	21	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.033
78	12	5	22	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.033
78	12	5	23	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.032
78	12	5	24	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.032
78	12	6	1	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.032
78	12	6	2	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.032
78	12	6	3	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.032
78	12	6	4	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.032
78	12	6	5	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.032
78	12	6	6	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.032
78	12	6	7	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.032
78	12	6	8	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.032
78	12	6	9	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.032
78	12	6	10	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.032
78	12	6	11	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.033
78	12	6	12	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.033
78	12	6	13	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.033
78	12	6	14	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.034
78	12	6	15	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.034
78	12	6	16	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.033
78	12	6	17	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.032
78	12	6	18	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.028
78	12	6	19	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.026
78	12	6	20	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.025
78	12	6	21	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.023
78	12	6	22	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.022
78	12	6	23	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.023
78	12	6	24	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.023

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	7	1	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.022
78	12	7	2	0.01	0.005	0.5	0.01	0.005	0.030	0.01	0.01	0.026
78	12	7	3	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.032
78	12	7	4	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.033
78	12	7	5	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.034
78	12	7	6	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.032
78	12	7	7	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.029
78	12	7	8	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.027
78	12	7	9	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.033
78	12	7	10	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.034
78	12	7	11	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.035
78	12	7	12	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.035
78	12	7	13	999.99	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.036
78	12	7	14	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.036
78	12	7	15	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.037
78	12	7	16	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.036
78	12	7	17	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.032
78	12	7	18	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.029
78	12	7	19	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.025
78	12	7	20	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.027
78	12	7	21	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.027
78	12	7	22	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.026
78	12	7	23	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.030
78	12	7	24	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.029
78	12	8	1	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.029
78	12	8	2	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.029
78	12	8	3	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.029
78	12	8	4	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.029
78	12	8	5	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.028
78	12	8	6	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.028
78	12	8	7	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.028
78	12	8	8	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.028
78	12	8	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	12	8	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	12	8	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	12	8	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	12	8	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	12	8	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	12	8	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	12	8	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	12	8	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
78	12	8	18	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	99.999
78	12	8	19	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.033
78	12	8	20	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.034
78	12	8	21	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.033
78	12	8	22	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.034
78	12	8	23	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.031
78	12	8	24	0.01	0.009	0.5	0.01	0.005	0.035	0.01	0.01	0.030

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	9	1	0.01	0.005	0.5	0.01	0.005	0.037	0.01	0.01	0.032
78	12	9	2	0.01	0.012	0.5	0.01	0.005	0.034	0.01	0.01	0.031
78	12	9	3	0.01	0.009	0.5	0.01	0.005	0.033	0.01	0.01	0.031
78	12	9	4	0.01	0.005	0.5	0.01	0.005	0.038	0.01	0.01	0.029
78	12	9	5	0.01	0.005	0.5	0.01	0.005	0.041	0.01	0.01	0.028
78	12	9	6	0.01	0.005	0.5	0.01	0.005	0.039	0.01	0.01	0.028
78	12	9	7	0.01	0.005	0.5	0.01	0.005	0.035	0.01	0.01	0.028
78	12	9	8	0.01	0.005	0.5	0.01	0.005	0.040	0.01	0.01	0.027
78	12	9	9	0.01	0.020	0.5	0.01	0.011	0.033	0.01	0.01	0.030
78	12	9	10	0.01	0.015	0.5	0.01	0.009	0.036	0.01	0.01	0.036
78	12	9	11	0.01	0.013	0.5	0.01	0.009	0.039	0.01	0.01	0.037
78	12	9	12	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.039
78	12	9	13	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.041
78	12	9	14	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.040
78	12	9	15	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.040
78	12	9	16	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.037
78	12	9	17	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.029
78	12	9	18	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.026
78	12	9	19	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.032
78	12	9	20	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.031
78	12	9	21	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.028
78	12	9	22	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.028
78	12	9	23	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.029
78	12	9	24	0.01	0.007	0.5	0.01	0.005	0.035	0.01	0.01	0.028
78	12	10	1	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.029
78	12	10	2	0.01	0.005	0.5	0.01	0.005	0.045	0.01	0.01	0.031
78	12	10	3	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.029
78	12	10	4	0.01	0.005	0.5	0.01	0.005	0.043	0.01	0.01	0.027
78	12	10	5	0.01	0.005	0.5	0.01	0.005	0.036	0.01	0.01	0.027
78	12	10	6	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.024
78	12	10	7	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.024
78	12	10	8	0.01	99.999	0.5	0.01	0.012	0.023	0.01	0.01	0.026
78	12	10	9	0.01	99.999	0.5	0.01	0.005	0.038	0.01	0.01	0.029
78	12	10	10	0.01	99.999	0.5	0.01	0.005	0.040	0.01	0.01	0.028
78	12	10	11	0.01	99.999	0.5	0.01	0.005	0.043	0.01	0.01	0.032
78	12	10	12	0.01	99.999	0.5	0.01	0.005	0.043	0.01	0.01	0.035
78	12	10	13	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.038
78	12	10	14	999.99	99.999	999.9	999.99	99.999	0.045	0.01	0.01	0.039
78	12	10	15	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.040
78	12	10	16	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.039
78	12	10	17	0.01	99.999	0.5	0.01	99.999	0.044	0.01	0.01	0.031
78	12	10	18	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.028
78	12	10	19	0.01	99.999	0.5	0.01	99.999	0.049	0.01	0.01	0.029
78	12	10	20	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.028
78	12	10	21	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.030
78	12	10	22	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.029
78	12	10	23	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.033
78	12	10	24	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.031

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	11	1	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.031
78	12	11	2	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.032
78	12	11	3	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.032
78	12	11	4	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.033
78	12	11	5	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.033
78	12	11	6	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.034
78	12	11	7	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.033
78	12	11	8	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.033
78	12	11	9	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.037
78	12	11	10	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.037
78	12	11	11	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.041
78	12	11	12	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.042
78	12	11	13	0.01	99.999	999.9	0.01	99.999	0.049	0.01	0.01	0.043
78	12	11	14	999.99	99.999	0.5	999.99	99.999	0.045	0.01	0.01	0.044
78	12	11	15	999.99	99.999	0.5	999.99	99.999	0.050	0.01	0.01	0.044
78	12	11	16	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.039
78	12	11	17	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.028
78	12	11	18	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.027
78	12	11	19	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.028
78	12	11	20	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.026
78	12	11	21	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.026
78	12	11	22	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.028
78	12	11	23	0.01	0.005	0.5	0.01	0.005	0.047	0.01	0.01	0.030
78	12	11	24	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.030
78	12	12	1	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.033
78	12	12	2	0.01	0.005	0.5	0.01	0.005	0.042	0.01	0.01	0.033
78	12	12	3	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.033
78	12	12	4	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.032
78	12	12	5	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.033
78	12	12	6	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.029
78	12	12	7	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.029
78	12	12	8	0.01	99.999	0.5	0.01	99.999	0.043	0.01	0.01	0.028
78	12	12	9	0.01	99.999	0.5	0.01	99.999	0.045	0.01	0.01	0.034
78	12	12	10	0.01	99.999	0.5	0.01	99.999	0.051	0.01	0.01	0.038
78	12	12	11	0.01	99.999	0.5	0.01	99.999	0.052	0.01	0.01	0.042
78	12	12	12	0.01	99.999	999.9	0.01	99.999	0.052	0.01	0.01	0.044
78	12	12	13	999.99	99.999	0.5	999.99	99.999	0.052	0.01	0.01	0.044
78	12	12	14	0.01	99.999	0.5	0.01	99.999	0.053	0.01	0.01	0.044
78	12	12	15	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.045
78	12	12	16	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.044
78	12	12	17	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.034
78	12	12	18	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.034
78	12	12	19	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.035
78	12	12	20	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.034
78	12	12	21	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.035
78	12	12	22	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.030
78	12	12	23	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.031
78	12	12	24	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.028

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	13	1	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.027
78	12	13	2	0.01	0.005	0.5	0.01	0.005	0.048	0.01	0.01	0.032
78	12	13	3	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.031
78	12	13	4	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.030
78	12	13	5	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.030
78	12	13	6	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.032
78	12	13	7	0.01	0.005	0.5	0.01	0.005	0.052	0.01	0.01	0.034
78	12	13	8	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.030
78	12	13	9	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.038
78	12	13	10	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.039
78	12	13	11	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.042
78	12	13	12	0.01	99.999	0.5	0.01	99.999	0.048	0.01	0.01	0.044
78	12	13	13	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.046
78	12	13	14	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.046
78	12	13	15	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.046
78	12	13	16	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.036
78	12	13	17	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.036
78	12	13	18	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.033
78	12	13	19	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.036
78	12	13	20	0.01	99.999	0.5	0.01	99.999	99.999	0.01	0.01	0.036
78	12	13	21	0.01	0.005	0.5	0.01	0.005	99.999	0.01	0.01	0.035
78	12	13	22	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.032
78	12	13	23	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.032
78	12	13	24	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.031
78	12	14	1	0.01	0.005	0.5	0.01	0.005	0.044	0.01	0.01	0.031
78	12	14	2	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.031
78	12	14	3	0.01	0.005	0.5	0.01	0.005	0.046	0.01	0.01	0.030
78	12	14	4	0.01	0.005	0.5	0.01	0.005	0.049	0.01	0.01	0.031
78	12	14	5	0.01	0.009	0.5	0.01	0.005	0.041	0.01	0.01	0.029
78	12	14	6	0.01	0.005	0.5	0.01	0.005	0.050	0.01	0.01	0.031
78	12	14	7	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.032
78	12	14	8	0.01	0.005	0.5	0.01	0.005	0.051	0.01	0.01	0.033
78	12	14	9	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.037
78	12	14	10	999.99	99.999	0.5	999.99	99.999	0.044	0.01	0.01	0.040
78	12	14	11	999.99	99.999	999.9	999.99	99.999	0.043	0.01	0.01	0.043
78	12	14	12	999.99	99.999	0.5	999.99	99.999	0.048	0.01	0.01	0.047
78	12	14	13	999.99	99.999	0.5	999.99	99.999	0.052	0.01	0.01	0.049
78	12	14	14	999.99	99.999	0.5	999.99	99.999	0.052	0.01	0.01	0.048
78	12	14	15	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.049
78	12	14	16	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.047
78	12	14	17	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.037
78	12	14	18	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
78	12	14	19	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.036
78	12	14	20	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.037
78	12	14	21	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.036
78	12	14	22	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.034
78	12	14	23	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.035
78	12	14	24	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.037

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	15	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.036
78	12	15	2	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.035
78	12	15	3	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.034
78	12	15	4	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
78	12	15	5	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.034
78	12	15	6	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.034
78	12	15	7	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
78	12	15	8	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.034
78	12	15	9	999.99	0.014	0.5	999.99	0.006	0.043	0.01	0.01	0.038
78	12	15	10	999.99	0.007	0.5	999.99	0.005	0.050	0.01	0.01	0.042
78	12	15	11	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.045
78	12	15	12	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
78	12	15	13	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
78	12	15	14	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
78	12	15	15	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.050
78	12	15	16	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.050
78	12	15	17	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.041
78	12	15	18	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.036
78	12	15	19	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.034
78	12	15	20	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.037
78	12	15	21	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.042
78	12	15	22	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.040
78	12	15	23	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
78	12	15	24	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.033
78	12	16	1	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.032
78	12	16	2	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.033
78	12	16	3	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.032
78	12	16	4	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	16	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	16	6	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	16	7	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.032
78	12	16	8	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.032
78	12	16	9	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.035
78	12	16	10	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.036
78	12	16	11	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.038
78	12	16	12	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.041
78	12	16	13	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	16	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
78	12	16	15	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
78	12	16	16	999.99	0.009	0.5	999.99	0.005	0.041	0.01	0.01	0.041
78	12	16	17	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.036
78	12	16	18	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
78	12	16	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
78	12	16	20	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.035
78	12	16	21	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.033
78	12	16	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.034
78	12	16	23	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.035
78	12	16	24	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	17	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.034
78	12	17	2	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
78	12	17	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.031
78	12	17	4	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
78	12	17	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.029
78	12	17	6	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.026
78	12	17	7	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.025
78	12	17	8	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.022
78	12	17	9	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.028
78	12	17	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.034
78	12	17	11	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
78	12	17	12	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.037
78	12	17	13	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
78	12	17	14	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.038
78	12	17	15	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.040
78	12	17	16	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.038
78	12	17	17	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.036
78	12	17	18	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.034
78	12	17	19	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.033
78	12	17	20	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.034
78	12	17	21	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.034
78	12	17	22	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.029
78	12	17	23	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.031
78	12	17	24	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.031
78	12	18	1	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.031
78	12	18	2	999.99	0.005	0.5	999.99	0.005	0.034	0.01	0.01	0.031
78	12	18	3	999.99	0.005	0.5	999.99	0.005	0.033	0.01	0.01	0.031
78	12	18	4	999.99	0.005	0.5	999.99	0.005	0.032	0.01	0.01	0.030
78	12	18	5	999.99	0.005	0.5	999.99	0.005	0.032	0.01	0.01	0.025
78	12	18	6	999.99	0.005	0.5	999.99	0.005	0.031	0.01	0.01	0.019
78	12	18	7	999.99	0.005	0.5	999.99	0.005	0.030	0.01	0.01	0.017
78	12	18	8	999.99	0.005	0.5	999.99	0.005	0.028	0.01	0.01	0.015
78	12	18	9	999.99	0.005	0.5	999.99	0.005	0.030	0.01	0.01	0.018
78	12	18	10	999.99	0.005	0.5	999.99	0.005	0.033	0.01	0.01	0.023
78	12	18	11	999.99	0.005	0.5	999.99	0.005	0.031	0.01	0.01	0.025
78	12	18	12	999.99	0.005	0.5	999.99	0.005	0.029	0.01	0.01	0.024
78	12	18	13	999.99	0.005	0.5	999.99	0.005	0.030	0.01	0.01	0.024
78	12	18	14	999.99	0.005	999.9	999.99	0.005	0.039	0.01	0.01	0.027
78	12	18	15	999.99	0.005	0.5	999.99	0.005	0.034	0.01	0.01	0.027
78	12	18	16	999.99	0.005	0.5	999.99	0.005	0.035	0.01	0.01	0.027
78	12	18	17	999.99	0.005	0.5	999.99	0.005	0.036	0.01	0.01	0.023
78	12	18	18	999.99	0.005	0.5	999.99	0.005	0.036	0.01	0.01	0.019
78	12	18	19	999.99	0.005	0.5	999.99	0.005	0.036	0.01	0.01	0.024
78	12	18	20	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.020
78	12	18	21	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.029
78	12	18	22	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.027
78	12	18	23	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.033
78	12	18	24	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.035

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM
78	12	19	1	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.036
78	12	19	2	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
78	12	19	3	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
78	12	19	4	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.037
78	12	19	5	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
78	12	19	6	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.037
78	12	19	7	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.039
78	12	19	8	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.040
78	12	19	9	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
78	12	19	10	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
78	12	19	11	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
78	12	19	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
78	12	19	13	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
78	12	19	14	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
78	12	19	15	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
78	12	19	16	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
78	12	19	17	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
78	12	19	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.044
78	12	19	19	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
78	12	19	20	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.041
78	12	19	21	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.042
78	12	19	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.040
78	12	19	23	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
78	12	19	24	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
78	12	20	1	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.034
78	12	20	2	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.033
78	12	20	3	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.037
78	12	20	4	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.038
78	12	20	5	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.037
78	12	20	6	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.034
78	12	20	7	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.033
78	12	20	8	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.032
78	12	20	9	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.036
78	12	20	10	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
78	12	20	11	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.040
78	12	20	12	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	12	20	13	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.041
78	12	20	14	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.042
78	12	20	15	999.99	0.005	0.5	999.99	0.005	0.049	0.03	0.01	0.042
78	12	20	16	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.042
78	12	20	17	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	12	20	18	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.040
78	12	20	19	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.036
78	12	20	20	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
78	12	20	21	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.034
78	12	20	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.033
78	12	20	23	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.032
78	12	20	24	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.034

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	21	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
78	12	21	2	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.032
78	12	21	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
78	12	21	4	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
78	12	21	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	21	6	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.032
78	12	21	7	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	21	8	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.031
78	12	21	9	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.034
78	12	21	10	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.037
78	12	21	11	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	12	21	12	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	21	13	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	21	14	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	21	15	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	21	16	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.042
78	12	21	17	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.041
78	12	21	18	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.039
78	12	21	19	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.040
78	12	21	20	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
78	12	21	21	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.035
78	12	21	22	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.031
78	12	21	23	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	21	24	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	22	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
78	12	22	2	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.031
78	12	22	3	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.029
78	12	22	4	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.028
78	12	22	5	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.031
78	12	22	6	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
78	12	22	7	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.029
78	12	22	8	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.026
78	12	22	9	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.030
78	12	22	10	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
78	12	22	11	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.042
78	12	22	12	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	22	13	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
78	12	22	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
78	12	22	15	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
78	12	22	16	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
78	12	22	17	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.041
78	12	22	18	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.034
78	12	22	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
78	12	22	20	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.033
78	12	22	21	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.040
78	12	22	22	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
78	12	22	23	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
78	12	22	24	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.038

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	23	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.039
78	12	23	2	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.039
78	12	23	3	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.037
78	12	23	4	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
78	12	23	5	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.040
78	12	23	6	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	12	23	7	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
78	12	23	8	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
78	12	23	9	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
78	12	23	10	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	23	11	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
78	12	23	12	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
78	12	23	13	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
78	12	23	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
78	12	23	15	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
78	12	23	16	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
78	12	23	17	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.038
78	12	23	18	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
78	12	23	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
78	12	23	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.034
78	12	23	21	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.034
78	12	23	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.037
78	12	23	23	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
78	12	23	24	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.037
78	12	24	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.038
78	12	24	2	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	24	3	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.039
78	12	24	4	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.034
78	12	24	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	24	6	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.029
78	12	24	7	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.028
78	12	24	8	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.026
78	12	24	9	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	24	10	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.038
78	12	24	11	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	24	12	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	24	13	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	24	14	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	24	15	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	24	16	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	24	17	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.042
78	12	24	18	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.039
78	12	24	19	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.035
78	12	24	20	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
78	12	24	21	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.030
78	12	24	22	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.030
78	12	24	23	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.031
78	12	24	24	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	25	1	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.036
78	12	25	2	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.035
78	12	25	3	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.033
78	12	25	4	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	25	5	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.029
78	12	25	6	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.028
78	12	25	7	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.029
78	12	25	8	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.027
78	12	25	9	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.031
78	12	25	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.036
78	12	25	11	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.039
78	12	25	12	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
78	12	25	13	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	25	14	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	25	15	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
78	12	25	16	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
78	12	25	17	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
78	12	25	18	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.036
78	12	25	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.035
78	12	25	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.035
78	12	25	21	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.036
78	12	25	22	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.033
78	12	25	23	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.033
78	12	25	24	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.032
78	12	26	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
78	12	26	2	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
78	12	26	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.036
78	12	26	4	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.034
78	12	26	5	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.034
78	12	26	6	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
78	12	26	7	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.033
78	12	26	8	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.030
78	12	26	9	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
78	12	26	10	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.038
78	12	26	11	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.040
78	12	26	12	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.041
78	12	26	13	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
78	12	26	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.042
78	12	26	15	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
78	12	26	16	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.043
78	12	26	17	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.036
78	12	26	18	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.035
78	12	26	19	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.034
78	12	26	20	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.032
78	12	26	21	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.031
78	12	26	22	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.032
78	12	26	23	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
78	12	26	24	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	27	1	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.032
78	12	27	2	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
78	12	27	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
78	12	27	4	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.032
78	12	27	5	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.032
78	12	27	6	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
78	12	27	7	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
78	12	27	8	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.031
78	12	27	9	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.031
78	12	27	10	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.038
78	12	27	11	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	27	12	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
78	12	27	13	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.044
78	12	27	14	999.99	0.005	999.9	999.99	0.005	0.048	0.01	0.01	0.044
78	12	27	15	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
78	12	27	16	999.99	0.005	0.5	999.99	0.005	0.050	0.04	0.01	0.045
78	12	27	17	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
78	12	27	18	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
78	12	27	19	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	27	20	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	27	21	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	27	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
78	12	27	23	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
78	12	27	24	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	28	1	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
78	12	28	2	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
78	12	28	3	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
78	12	28	4	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
78	12	28	5	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
78	12	28	6	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.038
78	12	28	7	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
78	12	28	8	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.038
78	12	28	9	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.038
78	12	28	10	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.039
78	12	28	11	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
78	12	28	12	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
78	12	28	13	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
78	12	28	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
78	12	28	15	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
78	12	28	16	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
78	12	28	17	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
78	12	28	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
78	12	28	19	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.045
78	12	28	20	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
78	12	28	21	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
78	12	28	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
78	12	28	23	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
78	12	28	24	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	29	1	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
78	12	29	2	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
78	12	29	3	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.032
78	12	29	4	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.026
78	12	29	5	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.027
78	12	29	6	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.025
78	12	29	7	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.029
78	12	29	8	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.033
78	12	29	9	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
78	12	29	10	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
78	12	29	11	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
78	12	29	12	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
78	12	29	13	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
78	12	29	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
78	12	29	15	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
78	12	29	16	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
78	12	29	17	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
78	12	29	18	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
78	12	29	19	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.039
78	12	29	20	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.038
78	12	29	21	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.038
78	12	29	22	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.039
78	12	29	23	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
78	12	29	24	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.036
78	12	30	1	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.037
78	12	30	2	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.037
78	12	30	3	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.038
78	12	30	4	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.037
78	12	30	5	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.037
78	12	30	6	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.036
78	12	30	7	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.036
78	12	30	8	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.036
78	12	30	9	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.037
78	12	30	10	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.037
78	12	30	11	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.038
78	12	30	12	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.040
78	12	30	13	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.041
78	12	30	14	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.042
78	12	30	15	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
78	12	30	16	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
78	12	30	17	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.036
78	12	30	18	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.034
78	12	30	19	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.032
78	12	30	20	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.032
78	12	30	21	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.029
78	12	30	22	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.031
78	12	30	23	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	30	24	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.033

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
78	12	31	1	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
78	12	31	2	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
78	12	31	3	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.034
78	12	31	4	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
78	12	31	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.032
78	12	31	6	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.036
78	12	31	7	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
78	12	31	8	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.037
78	12	31	9	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.037
78	12	31	10	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.039
78	12	31	11	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.040
78	12	31	12	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
78	12	31	13	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
78	12	31	14	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
78	12	31	15	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
78	12	31	16	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
78	12	31	17	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.040
78	12	31	18	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
78	12	31	19	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.034
78	12	31	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
78	12	31	21	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.040
78	12	31	22	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.039
78	12	31	23	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.039
78	12	31	24	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.040
79	1	1	1	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	1	2	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
79	1	1	3	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.034
79	1	1	4	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.033
79	1	1	5	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.033
79	1	1	6	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.032
79	1	1	7	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.032
79	1	1	8	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.032
79	1	1	9	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.033
79	1	1	10	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.037
79	1	1	11	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
79	1	1	12	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	1	13	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	1	14	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.039
79	1	1	15	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.039
79	1	1	16	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	1	17	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.035
79	1	1	18	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.033
79	1	1	19	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.034
79	1	1	20	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.034
79	1	1	21	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.034
79	1	1	22	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.033
79	1	1	23	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
79	1	1	24	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.030

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	2	1	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
79	1	2	2	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
79	1	2	3	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
79	1	2	4	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
79	1	2	5	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.031
79	1	2	6	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.031
79	1	2	7	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.032
79	1	2	8	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.030
79	1	2	9	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
79	1	2	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.037
79	1	2	11	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	2	12	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.040
79	1	2	13	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.040
79	1	2	14	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	2	15	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	2	16	999.99	0.005	0.5	999.99	0.005	0.047	0.12	0.01	0.041
79	1	2	17	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
79	1	2	18	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.037
79	1	2	19	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.034
79	1	2	20	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
79	1	2	21	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.036
79	1	2	22	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.033
79	1	2	23	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.034
79	1	2	24	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.032
79	1	3	1	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.034
79	1	3	2	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.034
79	1	3	3	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.035
79	1	3	4	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.032
79	1	3	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.027
79	1	3	6	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
79	1	3	7	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.034
79	1	3	8	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.027
79	1	3	9	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.027
79	1	3	10	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.031
79	1	3	11	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.036
79	1	3	12	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	3	13	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	3	14	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
79	1	3	15	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	3	16	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
79	1	3	17	999.99	0.011	0.5	999.99	0.005	0.032	0.01	0.01	0.038
79	1	3	18	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.031
79	1	3	19	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.030
79	1	3	20	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.035
79	1	3	21	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.027
79	1	3	22	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
79	1	3	23	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.032
79	1	3	24	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.035

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	4	1	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.039
79	1	4	2	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.039
79	1	4	3	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
79	1	4	4	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.035
79	1	4	5	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
79	1	4	6	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.031
79	1	4	7	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.033
79	1	4	8	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.032
79	1	4	9	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.033
79	1	4	10	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.037
79	1	4	11	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.039
79	1	4	12	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	4	13	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
79	1	4	14	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	99.999
79	1	4	15	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	99.999
79	1	4	16	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.042
79	1	4	17	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.040
79	1	4	18	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.041
79	1	4	19	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.039
79	1	4	20	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.038
79	1	4	21	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
79	1	4	22	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.037
79	1	4	23	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.032
79	1	4	24	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.029
79	1	5	1	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.032
79	1	5	2	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.033
79	1	5	3	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.031
79	1	5	4	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.028
79	1	5	5	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.028
79	1	5	6	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.028
79	1	5	7	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.028
79	1	5	8	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.022
79	1	5	9	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.025
79	1	5	10	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
79	1	5	11	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	99.999
79	1	5	12	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.039
79	1	5	13	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.043
79	1	5	14	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.042
79	1	5	15	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.042
79	1	5	16	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.043
79	1	5	17	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.043
79	1	5	18	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	5	19	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.041
79	1	5	20	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.040
79	1	5	21	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.035
79	1	5	22	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.026
79	1	5	23	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.022
79	1	5	24	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.027

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	6	1	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.033
79	1	6	2	999.99	0.005	0.5	999.99	0.005	0.034	0.01	0.01	0.035
79	1	6	3	999.99	0.005	0.5	999.99	0.005	0.033	0.01	0.01	0.037
79	1	6	4	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.038
79	1	6	5	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.036
79	1	6	6	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.039
79	1	6	7	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.039
79	1	6	8	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.036
79	1	6	9	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.039
79	1	6	10	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.041
79	1	6	11	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.042
79	1	6	12	999.99	0.005	0.5	999.99	0.005	0.035	0.01	0.01	0.043
79	1	6	13	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.044
79	1	6	14	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.045
79	1	6	15	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	99.999
79	1	6	16	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	99.999
79	1	6	17	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	6	18	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.037
79	1	6	19	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
79	1	6	20	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.031
79	1	6	21	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.032
79	1	6	22	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.031
79	1	6	23	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
79	1	6	24	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.030
79	1	7	1	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.030
79	1	7	2	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.033
79	1	7	3	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
79	1	7	4	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.034
79	1	7	5	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.036
79	1	7	6	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.036
79	1	7	7	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
79	1	7	8	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	7	9	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.038
79	1	7	10	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	99.999
79	1	7	11	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	99.999
79	1	7	12	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	99.999
79	1	7	13	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.047
79	1	7	14	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.049
79	1	7	15	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.049
79	1	7	16	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.049
79	1	7	17	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.043
79	1	7	18	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.042
79	1	7	19	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.042
79	1	7	20	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.042
79	1	7	21	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.042
79	1	7	22	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.041
79	1	7	23	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.038
79	1	7	24	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.040

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	8	1	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.038
79	1	8	2	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.037
79	1	8	3	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	1	8	4	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	1	8	5	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	1	8	6	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.036
79	1	8	7	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	1	8	8	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.039
79	1	8	9	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.041
79	1	8	10	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
79	1	8	11	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.046
79	1	8	12	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	1	8	13	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	1	8	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.048
79	1	8	15	999.99	0.005	999.9	999.99	0.005	0.049	0.01	0.01	0.047
79	1	8	16	999.99	0.007	0.5	999.99	0.005	0.045	0.01	0.01	0.048
79	1	8	17	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	8	18	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.044
79	1	8	19	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
79	1	8	20	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
79	1	8	21	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.030
79	1	8	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.031
79	1	8	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.031
79	1	8	24	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.032
79	1	9	1	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
79	1	9	2	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.031
79	1	9	3	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.029
79	1	9	4	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.029
79	1	9	5	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.031
79	1	9	6	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.034
79	1	9	7	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
79	1	9	8	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.031
79	1	9	9	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.038
79	1	9	10	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.038
79	1	9	11	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.039
79	1	9	12	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	9	13	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	99.999
79	1	9	14	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.046
79	1	9	15	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.045
79	1	9	16	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.045
79	1	9	17	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.042
79	1	9	18	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.043
79	1	9	19	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.045
79	1	9	20	999.99	0.005	0.5	999.99	0.005	0.035	0.01	0.01	0.046
79	1	9	21	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.042
79	1	9	22	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.033
79	1	9	23	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.032
79	1	9	24	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.048

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

---------- SITE 1 ---------- ------- SITE 3 -- --

YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	10	1	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.047
79	1	10	2	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.044
79	1	10	3	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.037
79	1	10	4	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.037
79	1	10	5	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	10	6	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.045
79	1	10	7	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.043
79	1	10	8	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.047
79	1	10	9	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.046
79	1	10	10	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.042
79	1	10	11	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.040
79	1	10	12	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	10	13	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	10	14	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	10	15	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	10	16	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	10	17	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.039
79	1	10	18	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.034
79	1	10	19	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.032
79	1	10	20	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.031
79	1	10	21	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	10	22	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.039
79	1	10	23	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.035
79	1	10	24	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.033
79	1	11	1	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.029
79	1	11	2	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.028
79	1	11	3	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.034
79	1	11	4	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.036
79	1	11	5	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.032
79	1	11	6	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.031
79	1	11	7	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.038
79	1	11	8	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.038
79	1	11	9	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.036
79	1	11	10	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
79	1	11	11	999.99	0.005	0.5	999.99	0.005	0.032	0.01	0.01	0.038
79	1	11	12	999.99	0.005	0.5	999.99	0.005	0.030	0.01	0.01	0.038
79	1	11	13	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.038
79	1	11	14	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.037
79	1	11	15	999.99	0.005	0.5	999.99	0.005	0.031	0.01	0.01	0.037
79	1	11	16	999.99	99.999	0.5	999.99	99.999	0.037	0.01	0.01	0.037
79	1	11	17	999.99	99.999	0.5	999.99	99.999	0.040	0.01	0.01	0.036
79	1	11	18	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.035
79	1	11	19	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.034
79	1	11	20	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.032
79	1	11	21	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.031
79	1	11	22	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.034
79	1	11	23	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.034
79	1	11	24	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.033

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	12	1	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.034
79	1	12	2	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.033
79	1	12	3	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.033
79	1	12	4	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.034
79	1	12	5	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.033
79	1	12	6	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.034
79	1	12	7	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.033
79	1	12	8	999.99	0.005	0.5	999.99	0.005	0.036	0.01	0.01	0.033
79	1	12	9	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.032
79	1	12	10	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.034
79	1	12	11	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.035
79	1	12	12	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.036
79	1	12	13	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.038
79	1	12	14	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	12	15	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	12	16	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
79	1	12	17	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.039
79	1	12	18	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
79	1	12	19	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	12	20	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
79	1	12	21	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
79	1	12	22	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.039
79	1	12	23	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.038
79	1	12	24	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.039
79	1	13	1	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.035
79	1	13	2	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.031
79	1	13	3	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.034
79	1	13	4	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.034
79	1	13	5	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.033
79	1	13	6	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.032
79	1	13	7	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.030
79	1	13	8	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.029
79	1	13	9	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.034
79	1	13	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.036
79	1	13	11	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.040
79	1	13	12	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	13	13	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	13	14	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	13	15	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	13	16	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	13	17	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	13	18	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	13	19	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	13	20	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
79	1	13	21	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
79	1	13	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.037
79	1	13	23	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.038
79	1	13	24	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	14	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
79	1	14	2	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.036
79	1	14	3	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.035
79	1	14	4	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.035
79	1	14	5	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.034
79	1	14	6	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.034
79	1	14	7	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.033
79	1	14	8	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.033
79	1	14	9	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
79	1	14	10	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.039
79	1	14	11	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	14	12	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	14	13	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	14	14	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	14	15	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	14	16	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	14	17	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	14	18	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	14	19	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	14	20	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	14	21	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
79	1	14	22	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	14	23	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	14	24	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	15	1	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	15	2	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
79	1	15	3	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
79	1	15	4	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	15	5	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	15	6	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.040
79	1	15	7	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.040
79	1	15	8	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
79	1	15	9	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
79	1	15	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
79	1	15	11	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	15	12	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	15	13	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	15	14	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	15	15	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
79	1	15	16	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	15	17	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	15	18	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	15	19	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	15	20	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	15	21	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	15	22	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	15	23	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
79	1	15	24	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	16	1	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	16	2	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	16	3	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	16	4	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
79	1	16	5	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
79	1	16	6	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	16	7	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
79	1	16	8	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	16	9	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.039
79	1	16	10	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.039
79	1	16	11	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	16	12	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
79	1	16	13	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	16	14	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.044
79	1	16	15	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	1	16	16	999.99	0.005	999.9	999.99	0.005	0.050	0.01	0.01	0.046
79	1	16	17	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.041
79	1	16	18	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.039
79	1	16	19	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.038
79	1	16	20	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	16	21	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.033
79	1	16	22	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
79	1	16	23	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.034
79	1	16	24	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
79	1	17	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
79	1	17	2	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.033
79	1	17	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
79	1	17	4	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.034
79	1	17	5	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
79	1	17	6	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.030
79	1	17	7	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.029
79	1	17	8	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.028
79	1	17	9	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.027
79	1	17	10	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.030
79	1	17	11	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.035
79	1	17	12	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.036
79	1	17	13	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	99.999
79	1	17	14	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	17	15	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.041
79	1	17	16	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.039
79	1	17	17	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.036
79	1	17	18	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.032
79	1	17	19	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.033
79	1	17	20	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.031
79	1	17	21	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.027
79	1	17	22	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.024
79	1	17	23	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.027
79	1	17	24	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.034

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	18	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.026
79	1	18	2	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.025
79	1	18	3	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.021
79	1	18	4	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.020
79	1	18	5	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.019
79	1	18	6	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.020
79	1	18	7	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.018
79	1	18	8	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.017
79	1	18	9	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.026
79	1	18	10	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.033
79	1	18	11	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
79	1	18	12	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
79	1	18	13	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
79	1	18	14	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	18	15	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	18	16	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	18	17	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.039
79	1	18	18	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.038
79	1	18	19	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.040
79	1	18	20	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.038
79	1	18	21	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.031
79	1	18	22	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.027
79	1	18	23	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.028
79	1	18	24	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.029
79	1	19	1	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.024
79	1	19	2	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.029
79	1	19	3	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.030
79	1	19	4	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.024
79	1	19	5	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.023
79	1	19	6	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.028
79	1	19	7	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.025
79	1	19	8	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.025
79	1	19	9	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.035
79	1	19	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	19	11	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.043
79	1	19	12	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.044
79	1	19	13	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.045
79	1	19	14	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	19	15	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	1	19	16	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	1	19	17	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
79	1	19	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	1	19	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
79	1	19	20	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.038
79	1	19	21	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
79	1	19	22	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.038
79	1	19	23	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.035
79	1	19	24	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.034

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	20	1	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
79	1	20	2	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.035
79	1	20	3	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
79	1	20	4	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.037
79	1	20	5	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.037
79	1	20	6	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.037
79	1	20	7	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
79	1	20	8	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	20	9	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.039
79	1	20	10	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.041
79	1	20	11	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.044
79	1	20	12	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.044
79	1	20	13	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
79	1	20	14	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	1	20	15	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	20	16	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.045
79	1	20	17	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.039
79	1	20	18	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.036
79	1	20	19	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.036
79	1	20	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.036
79	1	20	21	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.034
79	1	20	22	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.033
79	1	20	23	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.035
79	1	20	24	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.034
79	1	21	1	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.033
79	1	21	2	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.034
79	1	21	3	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.032
79	1	21	4	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.031
79	1	21	5	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
79	1	21	6	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.032
79	1	21	7	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
79	1	21	8	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.033
79	1	21	9	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.036
79	1	21	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.038
79	1	21	11	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.042
79	1	21	12	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.043
79	1	21	13	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.044
79	1	21	14	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	21	15	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	1	21	16	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	21	17	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
79	1	21	18	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.040
79	1	21	19	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.039
79	1	21	20	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.037
79	1	21	21	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.036
79	1	21	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.037
79	1	21	23	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.041
79	1	21	24	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	22	1	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	22	2	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.042
79	1	22	3	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
79	1	22	4	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	22	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
79	1	22	6	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
79	1	22	7	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
79	1	22	8	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	22	9	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	1	22	10	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	1	22	11	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.046
79	1	22	12	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	1	22	13	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.046
79	1	22	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
79	1	22	15	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.043
79	1	22	16	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.040
79	1	22	17	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
79	1	22	18	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
79	1	22	19	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.033
79	1	22	20	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.034
79	1	22	21	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.033
79	1	22	22	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.032
79	1	22	23	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.033
79	1	22	24	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.033
79	1	23	1	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.034
79	1	23	2	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	99.999
79	1	23	3	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	99.999
79	1	23	4	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	99.999
79	1	23	5	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	99.999
79	1	23	6	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	99.999
79	1	23	7	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	99.999
79	1	23	8	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	99.999
79	1	23	9	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	99.999
79	1	23	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.037
79	1	23	11	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.039
79	1	23	12	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.042
79	1	23	13	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
79	1	23	14	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
79	1	23	15	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
79	1	23	16	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
79	1	23	17	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.041
79	1	23	18	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.038
79	1	23	19	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.038
79	1	23	20	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.036
79	1	23	21	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.036
79	1	23	22	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.037
79	1	23	23	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.034
79	1	23	24	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	24	1	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.034
79	1	24	2	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.035
79	1	24	3	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.034
79	1	24	4	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.035
79	1	24	5	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.036
79	1	24	6	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.036
79	1	24	7	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.036
79	1	24	8	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.034
79	1	24	9	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.037
79	1	24	10	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.040
79	1	24	11	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.041
79	1	24	12	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.043
79	1	24	13	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
79	1	24	14	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	24	15	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	24	16	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	24	17	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	24	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.044
79	1	24	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	1	24	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.043
79	1	24	21	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.043
79	1	24	22	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
79	1	24	23	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	1	24	24	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.041
79	1	25	1	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.042
79	1	25	2	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.038
79	1	25	3	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.034
79	1	25	4	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.033
79	1	25	5	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.030
79	1	25	6	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.028
79	1	25	7	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.030
79	1	25	8	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.028
79	1	25	9	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.032
79	1	25	10	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
79	1	25	11	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.041
79	1	25	12	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	1	25	13	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.048
79	1	25	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	1	25	15	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	1	25	16	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	1	25	17	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.049
79	1	25	18	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	1	25	19	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.043
79	1	25	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
79	1	25	21	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.029
79	1	25	22	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.032
79	1	25	23	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.031
79	1	25	24	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.030

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RADSC AIR QUALITY

---------- SITE 1 ---------- ------- SITE 3 -- --

YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	26	1	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.029
79	1	26	2	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.029
79	1	26	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
79	1	26	4	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.039
79	1	26	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.039
79	1	26	6	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.039
79	1	26	7	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.038
79	1	26	8	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
79	1	26	9	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
79	1	26	10	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.039
79	1	26	11	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.040
79	1	26	12	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.041
79	1	26	13	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	1	26	14	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	26	15	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	26	16	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	26	17	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
79	1	26	18	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
79	1	26	19	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.042
79	1	26	20	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
79	1	26	21	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.038
79	1	26	22	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.037
79	1	26	23	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.037
79	1	26	24	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.034
79	1	27	1	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.035
79	1	27	2	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.035
79	1	27	3	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	27	4	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.036
79	1	27	5	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	27	6	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
79	1	27	7	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
79	1	27	8	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.034
79	1	27	9	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
79	1	27	10	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.040
79	1	27	11	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.043
79	1	27	12	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	27	13	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	1	27	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	1	27	15	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	1	27	16	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	1	27	17	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.046
79	1	27	18	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.044
79	1	27	19	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.044
79	1	27	20	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.041
79	1	27	21	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.041
79	1	27	22	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.040
79	1	27	23	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.037
79	1	27	24	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	28	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	1	28	2	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	1	28	3	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.040
79	1	28	4	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.041
79	1	28	5	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.040
79	1	28	6	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.040
79	1	28	7	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.040
79	1	28	8	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.040
79	1	28	9	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.043
79	1	28	10	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.044
79	1	28	11	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
79	1	28	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	1	28	13	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	1	28	14	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	1	28	15	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	1	28	16	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	1	28	17	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	1	28	18	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.046
79	1	28	19	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.041
79	1	28	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
79	1	28	21	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.037
79	1	28	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	1	28	23	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.041
79	1	28	24	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.038
79	1	29	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
79	1	29	2	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	1	29	3	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.037
79	1	29	4	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
79	1	29	5	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.035
79	1	29	6	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.033
79	1	29	7	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.034
79	1	29	8	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.032
79	1	29	9	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.039
79	1	29	10	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	29	11	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
79	1	29	12	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	1	29	13	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
79	1	29	14	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	1	29	15	999.99	99.999	999.9	999.99	99.999	0.052	0.01	0.01	0.047
79	1	29	16	999.99	99.999	999.9	999.99	99.999	0.052	0.01	0.01	0.047
79	1	29	17	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.045
79	1	29	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	1	29	19	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.041
79	1	29	20	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.041
79	1	29	21	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.042
79	1	29	22	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.043
79	1	29	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.043
79	1	29	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.043

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	1	30	1	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.042
79	1	30	2	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.040
79	1	30	3	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
79	1	30	4	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
79	1	30	5	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.040
79	1	30	6	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.041
79	1	30	7	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.040
79	1	30	8	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
79	1	30	9	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.041
79	1	30	10	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	1	30	11	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.045
79	1	30	12	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.047
79	1	30	13	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	1	30	14	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	99.999
79	1	30	15	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	99.999
79	1	30	16	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	30	17	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.041
79	1	30	18	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.042
79	1	30	19	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.044
79	1	30	20	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.043
79	1	30	21	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.040
79	1	30	22	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.041
79	1	30	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.039
79	1	30	24	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.038
79	1	31	1	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.039
79	1	31	2	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	1	31	3	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	1	31	4	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.039
79	1	31	5	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.040
79	1	31	6	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.040
79	1	31	7	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.040
79	1	31	8	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	1	31	9	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.040
79	1	31	10	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.042
79	1	31	11	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	31	12	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	31	13	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	1	31	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	1	31	15	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	1	31	16	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	1	31	17	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	1	31	18	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	31	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	31	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	1	31	21	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.046
79	1	31	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.045
79	1	31	23	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
79	1	31	24	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.043

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	1	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.040
79	2	1	2	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.037
79	2	1	3	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.036
79	2	1	4	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
79	2	1	5	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.036
79	2	1	6	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.036
79	2	1	7	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.035
79	2	1	8	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.039
79	2	1	9	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.042
79	2	1	10	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
79	2	1	11	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.047
79	2	1	12	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.047
79	2	1	13	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	2	1	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	2	1	15	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	1	16	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	1	17	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.048
79	2	1	18	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.046
79	2	1	19	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.047
79	2	1	20	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.046
79	2	1	21	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.047
79	2	1	22	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	1	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.045
79	2	1	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.041
79	2	2	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	2	2	2	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.035
79	2	2	3	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.037
79	2	2	4	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.034
79	2	2	5	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
79	2	2	6	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.032
79	2	2	7	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.037
79	2	2	8	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.030
79	2	2	9	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.041
79	2	2	10	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.043
79	2	2	11	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	2	2	12	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	2	13	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	2	14	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	2	15	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
79	2	2	16	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.050
79	2	2	17	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.048
79	2	2	18	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.048
79	2	2	19	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
79	2	2	20	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	2	21	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
79	2	2	22	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.048
79	2	2	23	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	2	2	24	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.046

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	3	1	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.042
79	2	3	2	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.041
79	2	3	3	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.042
79	2	3	4	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.041
79	2	3	5	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.039
79	2	3	6	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.037
79	2	3	7	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
79	2	3	8	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.035
79	2	3	9	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
79	2	3	10	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.040
79	2	3	11	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	2	3	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	2	3	13	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	3	14	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	3	15	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	3	16	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	3	17	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.044
79	2	3	18	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.043
79	2	3	19	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.044
79	2	3	20	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.043
79	2	3	21	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.039
79	2	3	22	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.039
79	2	3	23	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.042
79	2	3	24	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.042
79	2	4	1	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.040
79	2	4	2	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.041
79	2	4	3	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.043
79	2	4	4	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	2	4	5	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	2	4	6	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.042
79	2	4	7	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.043
79	2	4	8	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.038
79	2	4	9	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	2	4	10	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
79	2	4	11	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	2	4	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	2	4	13	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	2	4	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.048
79	2	4	15	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	2	4	16	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.049
79	2	4	17	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	4	18	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.043
79	2	4	19	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.042
79	2	4	20	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.043
79	2	4	21	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.043
79	2	4	22	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.043
79	2	4	23	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.043
79	2	4	24	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.041

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	5	1	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.040
79	2	5	2	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	2	5	3	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.039
79	2	5	4	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.038
79	2	5	5	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	2	5	6	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	2	5	7	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	2	5	8	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	2	5	9	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
79	2	5	10	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
79	2	5	11	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.046
79	2	5	12	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.047
79	2	5	13	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	2	5	14	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	5	15	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	5	16	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	5	17	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	2	5	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	2	5	19	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.044
79	2	5	20	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.042
79	2	5	21	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.043
79	2	5	22	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.045
79	2	5	23	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.047
79	2	5	24	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.042
79	2	6	1	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.038
79	2	6	2	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.038
79	2	6	3	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.039
79	2	6	4	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
79	2	6	5	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.034
79	2	6	6	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.034
79	2	6	7	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
79	2	6	8	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.035
79	2	6	9	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.038
79	2	6	10	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.042
79	2	6	11	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
79	2	6	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	2	6	13	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	6	14	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.050
79	2	6	15	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.050
79	2	6	16	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
79	2	6	17	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.048
79	2	6	18	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.045
79	2	6	19	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.043
79	2	6	20	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.037
79	2	6	21	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.040
79	2	6	22	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.037
79	2	6	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.041
79	2	6	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.041

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	7	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.040
79	2	7	2	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.038
79	2	7	3	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.034
79	2	7	4	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.036
79	2	7	5	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
79	2	7	6	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.036
79	2	7	7	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.042
79	2	7	8	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.045
79	2	7	9	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	2	7	10	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	2	7	11	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	2	7	12	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	2	7	13	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	99.999
79	2	7	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	2	7	15	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	2	7	16	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	2	7	17	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
79	2	7	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	2	7	19	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	2	7	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	2	7	21	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	2	7	22	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	2	7	23	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
79	2	7	24	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
79	2	8	1	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.039
79	2	8	2	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.039
79	2	8	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.039
79	2	8	4	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.036
79	2	8	5	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
79	2	8	6	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.037
79	2	8	7	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.036
79	2	8	8	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.036
79	2	8	9	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.040
79	2	8	10	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.041
79	2	8	11	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	2	8	12	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	2	8	13	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	2	8	14	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	8	15	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	8	16	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	8	17	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.044
79	2	8	18	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.042
79	2	8	19	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.039
79	2	8	20	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.038
79	2	8	21	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.041
79	2	8	22	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.042
79	2	8	23	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.044
79	2	8	24	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.039

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	9	1	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.037
79	2	9	2	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.037
79	2	9	3	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.036
79	2	9	4	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.037
79	2	9	5	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.038
79	2	9	6	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.038
79	2	9	7	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.039
79	2	9	8	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.035
79	2	9	9	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
79	2	9	10	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.042
79	2	9	11	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	2	9	12	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	9	13	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	9	14	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	2	9	15	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	2	9	16	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	2	9	17	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	2	9	18	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.047
79	2	9	19	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.045
79	2	9	20	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.043
79	2	9	21	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.040
79	2	9	22	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.041
79	2	9	23	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.041
79	2	9	24	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.038
79	2	10	1	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.037
79	2	10	2	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.035
79	2	10	3	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.035
79	2	10	4	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.034
79	2	10	5	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.035
79	2	10	6	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.035
79	2	10	7	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.036
79	2	10	8	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.037
79	2	10	9	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.042
79	2	10	10	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.046
79	2	10	11	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.050
79	2	10	12	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	2	10	13	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	2	10	14	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	2	10	15	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	2	10	16	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	2	10	17	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.050
79	2	10	18	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.048
79	2	10	19	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.045
79	2	10	20	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.045
79	2	10	21	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.042
79	2	10	22	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.041
79	2	10	23	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.040
79	2	10	24	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.040

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	11	1	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.038
79	2	11	2	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.038
79	2	11	3	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.039
79	2	11	4	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.038
79	2	11	5	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.037
79	2	11	6	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.038
79	2	11	7	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.039
79	2	11	8	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.037
79	2	11	9	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.039
79	2	11	10	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.044
79	2	11	11	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.048
79	2	11	12	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.052
79	2	11	13	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.052
79	2	11	14	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.053
79	2	11	15	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	99.999
79	2	11	16	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	99.999
79	2	11	17	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.052
79	2	11	18	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.046
79	2	11	19	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.045
79	2	11	20	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.045
79	2	11	21	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.038
79	2	11	22	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.037
79	2	11	23	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.037
79	2	11	24	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.036
79	2	12	1	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.033
79	2	12	2	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.033
79	2	12	3	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.035
79	2	12	4	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.037
79	2	12	5	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.037
79	2	12	6	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.036
79	2	12	7	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.035
79	2	12	8	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.034
79	2	12	9	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.037
79	2	12	10	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.042
79	2	12	11	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.050
79	2	12	12	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.056
79	2	12	13	999.99	0.005	0.5	999.99	0.005	0.065	0.01	0.01	0.057
79	2	12	14	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.01	0.056
79	2	12	15	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.055
79	2	12	16	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	2	12	17	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.049
79	2	12	18	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.049
79	2	12	19	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.054
79	2	12	20	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.052
79	2	12	21	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.051
79	2	12	22	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.050
79	2	12	23	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.049
79	2	12	24	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.047

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	13	1	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.045
79	2	13	2	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.048
79	2	13	3	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.049
79	2	13	4	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.050
79	2	13	5	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.049
79	2	13	6	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.045
79	2	13	7	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.042
79	2	13	8	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.040
79	2	13	9	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.049
79	2	13	10	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	2	13	11	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	2	13	12	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	2	13	13	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.053
79	2	13	14	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.053
79	2	13	15	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.053
79	2	13	16	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	2	13	17	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.054
79	2	13	18	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.055
79	2	13	19	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.048
79	2	13	20	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.050
79	2	13	21	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.049
79	2	13	22	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.049
79	2	13	23	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.051
79	2	13	24	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.047
79	2	14	1	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.048
79	2	14	2	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.050
79	2	14	3	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.048
79	2	14	4	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.047
79	2	14	5	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.045
79	2	14	6	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.041
79	2	14	7	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.044
79	2	14	8	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	14	9	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	14	10	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	14	11	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	14	12	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	14	13	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
79	2	14	14	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	2	14	15	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.053
79	2	14	16	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	2	14	17	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	14	18	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	14	19	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.052
79	2	14	20	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.053
79	2	14	21	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	2	14	22	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	2	14	23	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.050
79	2	14	24	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	15	1	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	2	15	2	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.045
79	2	15	3	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.041
79	2	15	4	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.043
79	2	15	5	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.038
79	2	15	6	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
79	2	15	7	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.037
79	2	15	8	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.039
79	2	15	9	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.043
79	2	15	10	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.046
79	2	15	11	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	15	12	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.052
79	2	15	13	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.052
79	2	15	14	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.052
79	2	15	15	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.053
79	2	15	16	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.053
79	2	15	17	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	2	15	18	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.044
79	2	15	19	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.038
79	2	15	20	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.040
79	2	15	21	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.040
79	2	15	22	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.039
79	2	15	23	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.042
79	2	15	24	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.044
79	2	16	1	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.044
79	2	16	2	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.041
79	2	16	3	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.040
79	2	16	4	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.041
79	2	16	5	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.038
79	2	16	6	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.035
79	2	16	7	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.032
79	2	16	8	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.037
79	2	16	9	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.045
79	2	16	10	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.050
79	2	16	11	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	2	16	12	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.053
79	2	16	13	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	2	16	14	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.054
79	2	16	15	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.054
79	2	16	16	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.01	0.054
79	2	16	17	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.053
79	2	16	18	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.051
79	2	16	19	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.043
79	2	16	20	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.041
79	2	16	21	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.042
79	2	16	22	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.041
79	2	16	23	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.044
79	2	16	24	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.043

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	17	1	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.039
79	2	17	2	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.034
79	2	17	3	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.038
79	2	17	4	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.044
79	2	17	5	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.048
79	2	17	6	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.046
79	2	17	7	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.042
79	2	17	8	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.041
79	2	17	9	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	2	17	10	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	17	11	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.050
79	2	17	12	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.050
79	2	17	13	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	17	14	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.050
79	2	17	15	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.050
79	2	17	16	999.99	0.005	0.5	999.99	0.005	0.059	999.99	0.01	0.052
79	2	17	17	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	2	17	18	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.040
79	2	17	19	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.038
79	2	17	20	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.036
79	2	17	21	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.038
79	2	17	22	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.038
79	2	17	23	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.038
79	2	17	24	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.037
79	2	18	1	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.035
79	2	18	2	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.036
79	2	18	3	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.037
79	2	18	4	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.033
79	2	18	5	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.035
79	2	18	6	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.038
79	2	18	7	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.037
79	2	18	8	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.040
79	2	18	9	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.045
79	2	18	10	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.047
79	2	18	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	18	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	19	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	19	11	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	2	19	12	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.050
79	2	19	13	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.050
79	2	19	14	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	19	15	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	19	16	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	19	17	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	19	18	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	2	19	19	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	2	19	20	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.043
79	2	19	21	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
79	2	19	22	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.024
79	2	19	23	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.020
79	2	19	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.023
79	2	20	1	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.021
79	2	20	2	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.026
79	2	20	3	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.034
79	2	20	4	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.033
79	2	20	5	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.031
79	2	20	6	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.044
79	2	20	7	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.045
79	2	20	8	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
79	2	20	9	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.047
79	2	20	10	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.047
79	2	20	11	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	2	20	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	2	20	13	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	99.999
79	2	20	14	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	20	15	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	20	16	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	20	17	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.050
79	2	20	18	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.044
79	2	20	19	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.037
79	2	20	20	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.037
79	2	20	21	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.033
79	2	20	22	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.033
79	2	20	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.035
79	2	20	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.035

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	21	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.031
79	2	21	2	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.031
79	2	21	3	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.030
79	2	21	4	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.034
79	2	21	5	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.034
79	2	21	6	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.036
79	2	21	7	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
79	2	21	8	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.042
79	2	21	9	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.044
79	2	21	10	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.047
79	2	21	11	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	2	21	12	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.048
79	2	21	13	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	21	14	999.99	0.005	999.9	999.99	0.005	0.054	0.01	0.01	0.049
79	2	21	15	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.049
79	2	21	16	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.048
79	2	21	17	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.048
79	2	21	18	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	21	19	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	21	20	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.049
79	2	21	21	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	2	21	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	2	21	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	2	21	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	2	22	1	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	2	22	2	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.044
79	2	22	3	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.045
79	2	22	4	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	2	22	5	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
79	2	22	6	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.035
79	2	22	7	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.035
79	2	22	8	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.033
79	2	22	9	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
79	2	22	10	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.044
79	2	22	11	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	2	22	12	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	2	22	13	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
79	2	22	14	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
79	2	22	15	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	22	16	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	2	22	17	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	22	18	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.050
79	2	22	19	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.046
79	2	22	20	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.041
79	2	22	21	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.040
79	2	22	22	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.042
79	2	22	23	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.040
79	2	22	24	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.041

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	23	1	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.041
79	2	23	2	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.040
79	2	23	3	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.041
79	2	23	4	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.044
79	2	23	5	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.041
79	2	23	6	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.041
79	2	23	7	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.042
79	2	23	8	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.041
79	2	23	9	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.042
79	2	23	10	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	2	23	11	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.050
79	2	23	12	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	23	13	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	23	14	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	23	15	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	2	23	16	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	2	23	17	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.050
79	2	23	18	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.048
79	2	23	19	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.039
79	2	23	20	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.036
79	2	23	21	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.038
79	2	23	22	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.035
79	2	23	23	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.030
79	2	23	24	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.030
79	2	24	1	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.040
79	2	24	2	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.049
79	2	24	3	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.051
79	2	24	4	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.047
79	2	24	5	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.044
79	2	24	6	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.041
79	2	24	7	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.040
79	2	24	8	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.039
79	2	24	9	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.046
79	2	24	10	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.052
79	2	24	11	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.053
79	2	24	12	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.053
79	2	24	13	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.054
79	2	24	14	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.054
79	2	24	15	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.054
79	2	24	16	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.055
79	2	24	17	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.054
79	2	24	18	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.046
79	2	24	19	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.042
79	2	24	20	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.043
79	2	24	21	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.041
79	2	24	22	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.041
79	2	24	23	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.040
79	2	24	24	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.040

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	25	1	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.038
79	2	25	2	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.037
79	2	25	3	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.038
79	2	25	4	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.038
79	2	25	5	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.037
79	2	25	6	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.039
79	2	25	7	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.040
79	2	25	8	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.043
79	2	25	9	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.047
79	2	25	10	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.050
79	2	25	11	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.053
79	2	25	12	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.054
79	2	25	13	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	2	25	14	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.054
79	2	25	15	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.054
79	2	25	16	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.053
79	2	25	17	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	2	25	18	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.047
79	2	25	19	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.037
79	2	25	20	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.036
79	2	25	21	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.039
79	2	25	22	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.041
79	2	25	23	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.038
79	2	25	24	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.036
79	2	26	1	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.036
79	2	26	2	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.040
79	2	26	3	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.037
79	2	26	4	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.036
79	2	26	5	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.033
79	2	26	6	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.037
79	2	26	7	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.039
79	2	26	8	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.037
79	2	26	9	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.039
79	2	26	10	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.042
79	2	26	11	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.048
79	2	26	12	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.056
79	2	26	13	999.99	99.999	0.5	999.99	0.005	0.063	0.01	0.01	0.056
79	2	26	14	999.99	99.999	0.5	999.99	99.999	0.063	0.01	0.01	0.056
79	2	26	15	999.99	0.006	0.5	999.99	0.005	0.064	0.01	0.01	0.057
79	2	26	16	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.056
79	2	26	17	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.053
79	2	26	18	999.99	0.006	0.5	999.99	0.005	0.059	0.01	0.01	0.049
79	2	26	19	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.01	0.042
79	2	26	20	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.01	0.045
79	2	26	21	999.99	0.006	0.5	999.99	0.005	0.053	0.01	0.01	0.040
79	2	26	22	999.99	0.006	0.5	999.99	0.005	0.053	0.01	0.01	0.042
79	2	26	23	999.99	0.006	0.5	999.99	0.005	0.062	0.01	0.01	0.041
79	2	26	24	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.035

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	2	27	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	27	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	2	28	12	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.053
79	2	28	13	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.052
79	2	28	14	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	2	28	15	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	2	28	16	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
79	2	28	17	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.048
79	2	28	18	999.99	0.006	0.5	999.99	0.005	0.055	0.01	0.01	0.047
79	2	28	19	999.99	0.006	0.5	999.99	0.005	0.055	0.01	0.01	0.046
79	2	28	20	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.01	0.045
79	2	28	21	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.01	0.044
79	2	28	22	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.01	0.040
79	2	28	23	999.99	0.006	0.5	999.99	0.005	0.057	0.01	0.01	0.034
79	2	28	24	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.041

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	1	1	999.99	0.006	0.5	999.99	0.005	0.055	0.01	0.01	0.046
79	3	1	2	999.99	0.006	0.5	999.99	0.005	0.055	0.01	0.01	0.045
79	3	1	3	999.99	0.006	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	3	1	4	999.99	0.006	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	3	1	5	999.99	0.006	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	3	1	6	999.99	0.006	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	3	1	7	999.99	0.006	0.5	999.99	0.005	0.052	0.01	0.01	0.043
79	3	1	8	999.99	0.006	0.5	999.99	0.005	0.051	0.01	0.01	0.044
79	3	1	9	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	3	1	10	999.99	0.006	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	3	1	11	999.99	0.006	0.5	999.99	0.005	0.056	0.09	0.01	0.050
79	3	1	12	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	3	1	13	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.053
79	3	1	14	999.99	0.006	0.5	999.99	0.005	0.060	0.02	0.01	0.053
79	3	1	15	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	3	1	16	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.054
79	3	1	17	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.053
79	3	1	18	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.051
79	3	1	19	999.99	0.006	0.5	999.99	0.005	0.059	0.01	0.01	0.051
79	3	1	20	999.99	0.006	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	3	1	21	999.99	0.006	0.5	999.99	0.005	0.058	0.01	0.01	0.050
79	3	1	22	999.99	0.006	0.5	999.99	0.005	0.057	0.01	0.01	0.050
79	3	1	23	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.01	0.046
79	3	1	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.044
79	3	2	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	3	2	2	999.99	0.006	0.5	999.99	0.005	0.052	0.01	0.01	0.033
79	3	2	3	999.99	0.006	0.5	999.99	0.005	0.053	0.01	0.01	0.038
79	3	2	4	999.99	0.006	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	3	2	5	999.99	0.006	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	3	2	6	999.99	0.006	0.5	999.99	0.005	0.053	0.01	0.01	0.042
79	3	2	7	999.99	0.006	0.5	999.99	0.005	0.052	0.01	0.01	0.043
79	3	2	8	999.99	0.006	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	3	2	9	999.99	0.006	0.5	999.99	0.005	0.053	0.01	0.01	0.045
79	3	2	10	999.99	0.006	0.5	999.99	0.005	0.053	0.01	0.01	0.046
79	3	2	11	999.99	0.006	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	3	2	12	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	3	2	13	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.052
79	3	2	14	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.053
79	3	2	15	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.053
79	3	2	16	999.99	0.006	0.5	999.99	0.005	0.059	0.01	0.01	0.051
79	3	2	17	999.99	0.006	0.5	999.99	0.005	0.057	0.01	0.01	0.052
79	3	2	18	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	3	2	19	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.052
79	3	2	20	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.02	0.049
79	3	2	21	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.048
79	3	2	22	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	3	2	23	999.99	0.006	0.5	999.99	0.005	0.054	0.01	0.01	0.047
79	3	2	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	3	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.046
79	3	3	2	999.99	0.006	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	3	3	3	999.99	0.006	0.5	999.99	0.005	0.053	0.01	0.01	0.046
79	3	3	4	999.99	0.006	0.5	999.99	0.005	0.054	0.01	0.08	0.039
79	3	3	5	999.99	0.006	0.5	999.99	0.005	0.054	0.01	0.02	0.041
79	3	3	6	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.06	0.036
79	3	3	7	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.04	0.036
79	3	3	8	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.05	0.042
79	3	3	9	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.048
79	3	3	10	999.99	0.006	0.5	999.99	0.005	0.057	0.01	0.01	0.049
79	3	3	11	999.99	0.006	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	3	3	12	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.053
79	3	3	13	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.054
79	3	3	14	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.055
79	3	3	15	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	3	3	16	999.99	0.006	0.5	999.99	0.005	0.065	0.01	0.01	0.055
79	3	3	17	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.056
79	3	3	18	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.03	0.049
79	3	3	19	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.04	0.042
79	3	3	20	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.039
79	3	3	21	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.04	0.043
79	3	3	22	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.03	0.043
79	3	3	23	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.08	0.042
79	3	3	24	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.07	0.042
79	3	4	1	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.05	0.043
79	3	4	2	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.02	0.039
79	3	4	3	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.039
79	3	4	4	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.039
79	3	4	5	999.99	0.006	0.5	999.99	0.005	0.062	0.01	0.02	0.039
79	3	4	6	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.039
79	3	4	7	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.041
79	3	4	8	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.045
79	3	4	9	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.046
79	3	4	10	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.049
79	3	4	11	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.01	0.052
79	3	4	12	999.99	0.006	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	3	4	13	999.99	0.006	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	3	4	14	999.99	0.006	0.5	999.99	0.005	0.059	0.01	0.01	0.053
79	3	4	15	999.99	0.006	0.5	999.99	0.005	0.059	0.01	0.01	0.053
79	3	4	16	999.99	0.006	0.5	999.99	0.005	0.058	0.01	0.01	0.052
79	3	4	17	999.99	0.006	0.5	999.99	0.005	0.057	0.01	0.01	0.050
79	3	4	18	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.043
79	3	4	19	999.99	0.006	0.5	999.99	0.005	0.054	0.01	0.04	0.040
79	3	4	20	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.02	0.041
79	3	4	21	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.06	0.040
79	3	4	22	999.99	0.006	0.5	999.99	0.005	0.057	0.01	0.05	0.041
79	3	4	23	999.99	0.006	0.5	999.99	0.005	0.058	0.01	0.04	0.041
79	3	4	24	999.99	0.006	0.5	999.99	0.005	0.058	0.01	0.02	0.038

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	5	1	999.99	0.006	0.5	999.99	0.005	0.058	0.01	0.02	0.033
79	3	5	2	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.02	0.035
79	3	5	3	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.02	0.034
79	3	5	4	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.02	0.032
79	3	5	5	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.03	0.034
79	3	5	6	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.032
79	3	5	7	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.033
79	3	5	8	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.036
79	3	5	9	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.040
79	3	5	10	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	3	5	11	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.046
79	3	5	12	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.048
79	3	5	13	999.99	0.005	999.9	999.99	0.005	0.055	0.01	0.01	0.050
79	3	5	14	999.99	99.999	0.5	999.99	99.999	0.058	0.01	0.01	0.052
79	3	5	15	999.99	99.999	0.5	999.99	99.999	0.051	0.01	0.01	0.052
79	3	5	16	999.99	0.007	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	3	5	17	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.051
79	3	5	18	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	3	5	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
79	3	5	20	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.039
79	3	5	21	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.036
79	3	5	22	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.036
79	3	5	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.033
79	3	5	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.034
79	3	6	1	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.030
79	3	6	2	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.029
79	3	6	3	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.03	0.028
79	3	6	4	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.05	0.027
79	3	6	5	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.02	0.027
79	3	6	6	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.024
79	3	6	7	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.02	0.027
79	3	6	8	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.031
79	3	6	9	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.039
79	3	6	10	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	99.999
79	3	6	11	999.99	0.005	0.5	999.99	0.005	0.053	0.06	0.01	99.999
79	3	6	12	999.99	0.005	0.5	999.99	0.005	0.055	0.02	0.01	99.999
79	3	6	13	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.047
79	3	6	14	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.048
79	3	6	15	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.051
79	3	6	16	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.04	0.048
79	3	6	17	999.99	0.006	0.5	999.99	0.005	0.052	0.01	0.06	0.043
79	3	6	18	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.02	0.037
79	3	6	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	6	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	6	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	6	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	6	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	6	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	7	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	7	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	8	14	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.01	0.052
79	3	8	15	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.048
79	3	8	16	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.048
79	3	8	17	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.049
79	3	8	18	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.049
79	3	8	19	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.049
79	3	8	20	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.049
79	3	8	21	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.03	0.038
79	3	8	22	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.034
79	3	8	23	999.99	0.006	0.5	999.99	0.005	0.054	0.01	0.03	0.034
79	3	8	24	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.044

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RHOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	9	1	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.037
79	3	9	2	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.02	0.035
79	3	9	3	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.02	0.035
79	3	9	4	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.05	0.035
79	3	9	5	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.08	0.033
79	3	9	6	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.05	0.034
79	3	9	7	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.05	0.039
79	3	9	8	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.042
79	3	9	9	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.01	0.047
79	3	9	10	999.99	0.006	0.5	999.99	0.005	0.056	0.01	0.01	0.047
79	3	9	11	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.048
79	3	9	12	999.99	0.006	0.5	999.99	0.005	0.058	0.01	0.01	0.050
79	3	9	13	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.052
79	3	9	14	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.053
79	3	9	15	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.052
79	3	9	16	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.052
79	3	9	17	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.051
79	3	9	18	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.049
79	3	9	19	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.038
79	3	9	20	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.036
79	3	9	21	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.035
79	3	9	22	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.06	0.037
79	3	9	23	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.06	0.037
79	3	9	24	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.04	0.037
79	3	10	1	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.05	0.036
79	3	10	2	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.08	0.038
79	3	10	3	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.05	0.038
79	3	10	4	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.02	0.032
79	3	10	5	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.029
79	3	10	6	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.031
79	3	10	7	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.034
79	3	10	8	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.041
79	3	10	9	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.044
79	3	10	10	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.049
79	3	10	11	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.01	0.052
79	3	10	12	999.99	0.006	0.5	999.99	0.005	0.064	0.01	0.01	0.056
79	3	10	13	999.99	0.006	0.5	999.99	0.005	0.064	0.01	0.01	0.057
79	3	10	14	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.01	0.057
79	3	10	15	999.99	0.005	0.5	999.99	0.005	0.065	0.01	0.01	0.057
79	3	10	16	999.99	0.005	0.5	999.99	0.005	0.065	0.01	0.01	0.057
79	3	10	17	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.01	0.056
79	3	10	18	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.048
79	3	10	19	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.04	0.038
79	3	10	20	999.99	0.006	0.5	999.99	0.005	0.063	0.01	0.05	0.038
79	3	10	21	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.07	0.038
79	3	10	22	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.06	0.040
79	3	10	23	999.99	0.005	0.5	999.99	0.005	0.065	0.01	0.03	0.039
79	3	10	24	999.99	0.005	0.5	999.99	0.005	0.065	0.01	0.01	0.036

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	11	1	999.99	0.005	0.5	999.99	0.005	0.066	0.01	0.01	0.034
79	3	11	2	999.99	0.005	0.5	999.99	0.005	0.065	0.01	0.02	0.037
79	3	11	3	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.03	0.035
79	3	11	4	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.06	0.036
79	3	11	5	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.07	0.038
79	3	11	6	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.02	0.039
79	3	11	7	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.041
79	3	11	8	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.044
79	3	11	9	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.048
79	3	11	10	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.050
79	3	11	11	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	3	11	12	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.056
79	3	11	13	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.056
79	3	11	14	999.99	0.005	0.5	999.99	0.005	0.065	0.01	0.01	0.055
79	3	11	15	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.055
79	3	11	16	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.056
79	3	11	17	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.055
79	3	11	18	999.99	0.006	0.5	999.99	0.005	0.063	0.01	0.03	0.043
79	3	11	19	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.11	0.037
79	3	11	20	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.09	0.036
79	3	11	21	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.13	0.036
79	3	11	22	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.10	0.038
79	3	11	23	999.99	0.006	0.5	999.99	0.005	0.065	0.01	0.05	0.032
79	3	11	24	999.99	0.006	0.5	999.99	0.005	0.065	0.01	0.05	0.036
79	3	12	1	999.99	0.006	0.5	999.99	0.005	0.063	0.01	0.03	0.033
79	3	12	2	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.01	0.028
79	3	12	3	999.99	0.006	0.5	999.99	0.005	0.062	0.01	0.06	0.027
79	3	12	4	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.06	0.031
79	3	12	5	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.03	0.032
79	3	12	6	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.05	0.032
79	3	12	7	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.035
79	3	12	8	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.039
79	3	12	9	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.044
79	3	12	10	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.047
79	3	12	11	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	3	12	12	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.053
79	3	12	13	999.99	0.006	0.5	999.99	0.005	0.065	0.01	0.01	0.057
79	3	12	14	999.99	0.006	0.5	999.99	0.005	0.063	0.01	0.01	0.055
79	3	12	15	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.053
79	3	12	16	999.99	0.006	0.5	999.99	0.005	0.062	0.01	0.01	0.053
79	3	12	17	999.99	0.006	0.5	999.99	0.005	0.062	0.01	0.02	0.051
79	3	12	18	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.08	0.045
79	3	12	19	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.08	0.040
79	3	12	20	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.14	0.036
79	3	12	21	999.99	0.006	0.5	999.99	0.005	0.063	0.01	0.04	0.037
79	3	12	22	999.99	0.006	0.5	999.99	0.005	0.063	0.01	0.09	0.037
79	3	12	23	999.99	0.006	0.5	999.99	0.005	0.063	0.01	0.08	0.036
79	3	12	24	999.99	0.006	0.5	999.99	0.005	0.064	0.01	0.05	0.031

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	13	1	999.99	0.006	0.5	999.99	0.005	0.065	0.01	0.14	0.031
79	3	13	2	999.99	0.005	0.5	999.99	0.005	0.068	0.01	0.03	0.029
79	3	13	3	999.99	0.005	0.5	999.99	0.005	0.070	0.01	0.07	0.025
79	3	13	4	999.99	0.005	0.5	999.99	0.005	0.069	0.01	0.05	0.028
79	3	13	5	999.99	0.005	0.5	999.99	0.005	0.069	0.01	0.04	0.032
79	3	13	6	999.99	0.005	0.5	999.99	0.005	0.068	0.01	0.09	0.032
79	3	13	7	999.99	0.005	0.5	999.99	0.005	0.067	0.01	0.07	0.035
79	3	13	8	999.99	0.005	0.5	999.99	0.005	0.066	0.01	0.01	0.040
79	3	13	9	999.99	0.007	0.5	999.99	0.005	0.065	0.01	0.01	0.045
79	3	13	10	999.99	99.999	0.5	999.99	99.999	0.066	0.01	0.01	0.051
79	3	13	11	999.99	0.005	0.5	999.99	0.005	0.066	0.01	0.01	0.058
79	3	13	12	999.99	0.005	0.5	999.99	0.005	0.066	0.01	0.01	0.060
79	3	13	13	999.99	0.005	0.5	999.99	0.005	0.068	0.01	0.01	0.061
79	3	13	14	999.99	0.005	0.5	999.99	0.005	0.069	0.01	0.01	0.061
79	3	13	15	999.99	0.005	0.5	999.99	0.005	0.067	0.01	0.01	0.059
79	3	13	16	999.99	0.005	0.5	999.99	0.005	0.066	0.01	0.01	0.058
79	3	13	17	999.99	0.006	0.5	999.99	0.005	0.064	0.01	0.01	0.055
79	3	13	18	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.04	0.043
79	3	13	19	999.99	0.006	0.5	999.99	0.005	0.059	0.01	0.05	0.034
79	3	13	20	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.05	0.034
79	3	13	21	999.99	0.006	0.5	999.99	0.005	0.060	0.01	0.10	0.032
79	3	13	22	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.08	0.032
79	3	13	23	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.04	0.035
79	3	13	24	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.10	0.034
79	3	14	1	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.04	0.034
79	3	14	2	999.99	0.006	0.5	999.99	0.005	0.062	0.01	0.05	0.033
79	3	14	3	999.99	0.006	0.5	999.99	0.005	0.062	0.01	0.04	0.034
79	3	14	4	999.99	0.006	0.5	999.99	0.005	0.063	0.01	0.01	0.033
79	3	14	5	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.02	0.026
79	3	14	6	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.03	0.030
79	3	14	7	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.02	0.033
79	3	14	8	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.038
79	3	14	9	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.043
79	3	14	10	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.050
79	3	14	11	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	3	14	12	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	3	14	13	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.053
79	3	14	14	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.053
79	3	14	15	999.99	99.999	0.5	999.99	99.999	0.062	0.01	0.01	0.054
79	3	14	16	999.99	99.999	0.5	999.99	99.999	0.060	0.01	0.01	0.054
79	3	14	17	999.99	99.999	0.5	999.99	99.999	0.060	0.01	0.01	0.053
79	3	14	18	999.99	99.999	0.5	999.99	99.999	0.060	0.01	0.01	0.049
79	3	14	19	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.034
79	3	14	20	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.034
79	3	14	21	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.035
79	3	14	22	999.99	0.005	0.5	999.99	0.005	0.063	0.01	0.04	0.035
79	3	14	23	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.04	0.033
79	3	14	24	999.99	0.005	0.5	999.99	0.005	0.064	0.01	0.10	0.029

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	15	1	999.99	0.006	0.5	999.99	0.005	0.065	0.01	0.06	0.031
79	3	15	2	999.99	0.006	0.5	999.99	0.005	0.064	0.01	0.01	0.022
79	3	15	3	999.99	0.006	0.5	999.99	0.005	0.061	0.01	0.01	0.022
79	3	15	4	999.99	0.005	0.5	999.99	0.005	0.062	0.01	0.01	0.022
79	3	15	5	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.04	0.028
79	3	15	6	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.05	0.030
79	3	15	7	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.027
79	3	15	8	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.036
79	3	15	9	999.99	99.999	0.5	999.99	99.999	0.051	0.01	0.01	0.042
79	3	15	10	999.99	99.999	0.5	999.99	99.999	0.053	0.01	0.01	0.045
79	3	15	11	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.050
79	3	15	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.051
79	3	15	13	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.051
79	3	15	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.052
79	3	15	15	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.052
79	3	15	16	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	3	15	17	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	3	15	18	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.044
79	3	15	19	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.032
79	3	15	20	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.05	0.032
79	3	15	21	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.10	0.029
79	3	15	22	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.10	0.026
79	3	15	23	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.13	0.021
79	3	15	24	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.05	0.018
79	3	16	1	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.11	0.022
79	3	16	2	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.09	0.023
79	3	16	3	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.09	0.023
79	3	16	4	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.02	0.026
79	3	16	5	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.05	0.024
79	3	16	6	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.13	0.023
79	3	16	7	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.05	0.024
79	3	16	8	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.028
79	3	16	9	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.046
79	3	16	10	999.99	99.999	0.5	999.99	99.999	0.058	0.01	0.01	0.051
79	3	16	11	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.052
79	3	16	12	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.054
79	3	16	13	999.99	0.005	0.5	999.99	0.005	0.061	0.01	0.01	0.054
79	3	16	14	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.01	0.053
79	3	16	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	16	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	16	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	16	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	16	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	16	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	16	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	16	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	16	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	16	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	17	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	17	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	18	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	19	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	3	19	14	999.99	0.006	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	3	19	15	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.051
79	3	19	16	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.051
79	3	19	17	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.01	0.050
79	3	19	18	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.049
79	3	19	19	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.01	0.033
79	3	19	20	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.032
79	3	19	21	999.99	0.005	0.5	999.99	0.005	0.058	0.01	0.02	0.031
79	3	19	22	999.99	0.005	0.5	999.99	0.005	0.059	0.01	0.05	0.031
79	3	19	23	999.99	0.005	0.5	999.99	0.005	0.060	0.01	0.07	0.030
79	3	19	24	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.03	0.033
79	3	20	1	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.040
79	3	20	2	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.036
79	3	20	3	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.032
79	3	20	4	999.99	0.006	0.5	999.99	0.005	0.045	0.01	0.01	0.030
79	3	20	5	999.99	0.005	0.5	999.99	0.005	0.043	0.01	0.01	0.026
79	3	20	6	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.028
79	3	20	7	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.030
79	3	20	8	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.035
79	3	20	9	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.043
79	3	20	10	999.99	0.009	0.5	999.99	0.006	0.052	0.01	0.01	0.042
79	3	20	11	999.99	99.999	0.5	999.99	99.999	0.051	0.01	0.01	0.044
79	3	20	12	999.99	99.999	0.5	999.99	99.999	0.053	0.01	0.01	0.046
79	3	20	13	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.048
79	3	20	14	999.99	99.999	0.5	999.99	99.999	0.058	0.01	0.01	0.050
79	3	20	15	999.99	99.999	0.5	999.99	99.999	0.058	0.01	0.01	0.049
79	3	20	16	999.99	99.999	0.5	999.99	99.999	0.057	0.01	0.01	0.048
79	3	20	17	999.99	0.005	0.5	999.99	99.999	0.056	0.01	0.01	0.049
79	3	20	18	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.046
79	3	20	19	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.042
79	3	20	20	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.041
79	3	20	21	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.037
79	3	20	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.036
79	3	20	23	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.032
79	3	20	24	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.025

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	21	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.019
79	3	21	2	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.027
79	3	21	3	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.030
79	3	21	4	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.032
79	3	21	5	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.029
79	3	21	6	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.020
79	3	21	7	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.022
79	3	21	8	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
79	3	21	9	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.040
79	3	21	10	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.040
79	3	21	11	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.040
79	3	21	12	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.042
79	3	21	13	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.043
79	3	21	14	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.044
79	3	21	15	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.044
79	3	21	16	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.046
79	3	21	17	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.044
79	3	21	18	999.99	0.005	999.9	999.99	0.005	0.056	0.01	0.01	0.042
79	3	21	19	999.99	0.005	999.9	999.99	0.005	0.052	0.01	0.01	0.041
79	3	21	20	999.99	0.005	999.9	999.99	0.005	0.058	0.01	0.01	0.047
79	3	21	21	999.99	0.005	999.9	999.99	0.005	0.060	0.01	0.01	0.050
79	3	21	22	999.99	0.005	999.9	999.99	0.005	0.059	0.01	0.01	0.045
79	3	21	23	999.99	0.005	999.9	999.99	0.005	0.059	0.01	0.01	0.034
79	3	21	24	999.99	0.005	999.9	999.99	0.005	0.058	0.01	0.01	0.028
79	3	22	1	999.99	0.005	999.9	999.99	0.005	0.057	0.01	0.01	0.028
79	3	22	2	999.99	0.005	999.9	999.99	0.005	0.056	0.01	0.01	0.031
79	3	22	3	999.99	0.005	999.9	999.99	0.005	0.054	0.01	0.01	0.031
79	3	22	4	999.99	0.005	999.9	999.99	0.005	0.052	0.01	0.01	0.035
79	3	22	5	999.99	0.005	999.9	999.99	0.005	0.046	0.01	0.01	0.035
79	3	22	6	999.99	0.005	999.9	999.99	0.005	0.043	0.01	0.01	0.037
79	3	22	7	999.99	0.005	999.9	999.99	0.005	0.042	0.01	0.01	0.036
79	3	22	8	999.99	0.005	999.9	999.99	0.005	0.043	0.01	0.01	0.036
79	3	22	9	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.038
79	3	22	10	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.042
79	3	22	11	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.046
79	3	22	12	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.048
79	3	22	13	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.048
79	3	22	14	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.047
79	3	22	15	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.047
79	3	22	16	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.047
79	3	22	17	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.047
79	3	22	18	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.041
79	3	22	19	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.028
79	3	22	20	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.032
79	3	22	21	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.02	0.033
79	3	22	22	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.033
79	3	22	23	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.03	0.032
79	3	22	24	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.03	0.033

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	23	1	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.03	0.030
79	3	23	2	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.06	0.029
79	3	23	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.04	0.032
79	3	23	4	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.05	0.030
79	3	23	5	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.03	0.035
79	3	23	6	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.02	0.028
79	3	23	7	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.026
79	3	23	8	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.028
79	3	23	9	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.035
79	3	23	10	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.046
79	3	23	11	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.051
79	3	23	12	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.051
79	3	23	13	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.052
79	3	23	14	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.051
79	3	23	15	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.052
79	3	23	16	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.051
79	3	23	17	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.052
79	3	23	18	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.048
79	3	23	19	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.05	0.044
79	3	23	20	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.038
79	3	23	21	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.04	0.030
79	3	23	22	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.031
79	3	23	23	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.02	0.029
79	3	23	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.04	0.033
79	3	24	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.03	0.035
79	3	24	2	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.033
79	3	24	3	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.04	0.033
79	3	24	4	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.034
79	3	24	5	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.02	0.029
79	3	24	6	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.02	0.028
79	3	24	7	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.031
79	3	24	8	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.036
79	3	24	9	999.99	0.005	999.9	999.99	0.005	0.057	0.01	0.01	0.039
79	3	24	10	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.048
79	3	24	11	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.055
79	3	24	12	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.056
79	3	24	13	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.055
79	3	24	14	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.054
79	3	24	15	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.055
79	3	24	16	999.99	99.999	999.9	999.99	99.999	0.053	0.01	0.01	0.053
79	3	24	17	999.99	0.005	999.9	999.99	0.005	0.053	0.01	0.01	0.052
79	3	24	18	999.99	0.005	999.9	999.99	0.005	0.053	0.01	0.01	0.045
79	3	24	19	999.99	0.005	999.9	999.99	0.005	0.058	0.01	0.05	0.036
79	3	24	20	999.99	0.005	999.9	999.99	0.005	0.058	0.01	0.03	0.035
79	3	24	21	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.05	0.031
79	3	24	22	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.02	0.027
79	3	24	23	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.06	0.023
79	3	24	24	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.11	0.020

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	25	1	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.04	0.020
79	3	25	2	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.07	0.023
79	3	25	3	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.03	0.022
79	3	25	4	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.05	0.024
79	3	25	5	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.04	0.027
79	3	25	6	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.05	0.021
79	3	25	7	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.025
79	3	25	8	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.035
79	3	25	9	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.048
79	3	25	10	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.053
79	3	25	11	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.054
79	3	25	12	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.055
79	3	25	13	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.055
79	3	25	14	999.99	0.005	999.9	999.99	0.005	0.056	0.01	0.01	0.055
79	3	25	15	999.99	0.005	999.9	999.99	0.005	0.052	0.01	0.01	0.052
79	3	25	16	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.052
79	3	25	17	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.050
79	3	25	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	3	25	19	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.02	0.031
79	3	25	20	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.03	0.037
79	3	25	21	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.02	0.038
79	3	25	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	3	25	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.02	0.031
79	3	25	24	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.04	0.021
79	3	26	1	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.07	0.022
79	3	26	2	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.03	0.024
79	3	26	3	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.06	0.024
79	3	26	4	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.03	0.033
79	3	26	5	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.029
79	3	26	6	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.11	0.027
79	3	26	7	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.033
79	3	26	8	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
79	3	26	9	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.047
79	3	26	10	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.051
79	3	26	11	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.053
79	3	26	12	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.053
79	3	26	13	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.051
79	3	26	14	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.052
79	3	26	15	999.99	99.999	999.9	999.99	99.999	99.999	0.01	0.01	0.053
79	3	26	16	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.053
79	3	26	17	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.052
79	3	26	18	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.051
79	3	26	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	3	26	20	999.99	0.005	0.5	999.99	0.009	0.047	0.01	0.03	0.028
79	3	26	21	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.028
79	3	26	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.02	0.023
79	3	26	23	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.021
79	3	26	24	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.03	0.020

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	27	1	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.04	0.020
79	3	27	2	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.03	0.020
79	3	27	3	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.03	0.019
79	3	27	4	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	0.051
79	3	27	5	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.03	0.042
79	3	27	6	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.04	0.029
79	3	27	7	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.05	0.035
79	3	27	8	999.99	0.005	999.9	999.99	0.005	0.055	0.01	0.01	0.050
79	3	27	9	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.054
79	3	27	10	999.99	99.999	0.5	999.99	99.999	0.053	0.01	0.01	0.058
79	3	27	11	999.99	99.999	0.5	999.99	99.999	0.052	0.01	0.01	0.059
79	3	27	12	999.99	99.999	0.5	999.99	99.999	0.053	0.01	0.01	0.058
79	3	27	13	999.99	99.999	0.5	999.99	99.999	99.999	0.01	0.01	0.056
79	3	27	14	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.056
79	3	27	15	999.99	0.005	999.9	999.99	0.005	0.050	0.01	0.01	0.056
79	3	27	16	999.99	0.005	999.9	999.99	0.005	0.054	0.01	0.01	0.054
79	3	27	17	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.052
79	3	27	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.051
79	3	27	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.050
79	3	27	20	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.049
79	3	27	21	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.048
79	3	27	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.046
79	3	27	23	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.046
79	3	27	24	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.045
79	3	28	1	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.043
79	3	28	2	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	3	28	3	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.041
79	3	28	4	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.033
79	3	28	5	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.036
79	3	28	6	999.99	0.005	0.5	999.99	0.005	0.034	0.01	0.01	0.030
79	3	28	7	999.99	0.005	0.5	999.99	0.005	0.032	0.01	0.01	0.030
79	3	28	8	999.99	0.005	0.5	999.99	0.005	0.033	0.01	0.01	0.024
79	3	28	9	999.99	0.005	0.5	999.99	0.005	0.037	0.01	0.01	0.036
79	3	28	10	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.039
79	3	28	11	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.040
79	3	28	12	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.041
79	3	28	13	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.043
79	3	28	14	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.042
79	3	28	15	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.042
79	3	28	16	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
79	3	28	17	999.99	0.005	0.5	999.99	0.005	0.041	0.01	0.01	0.041
79	3	28	18	999.99	0.005	0.5	999.99	0.005	0.040	0.01	0.01	0.041
79	3	28	19	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.035
79	3	28	20	999.99	0.005	0.5	999.99	0.005	0.031	0.01	0.01	0.026
79	3	28	21	999.99	0.005	0.5	999.99	0.005	0.039	0.01	0.01	0.023
79	3	28	22	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.025
79	3	28	23	999.99	0.005	0.5	999.99	0.005	0.030	0.01	0.01	0.025
79	3	28	24	999.99	0.005	0.5	999.99	0.005	0.035	0.01	0.01	0.026

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	29	1	999.99	0.005	0.5	999.99	0.005	0.034	0.01	0.01	0.021
79	3	29	2	999.99	0.005	0.5	999.99	0.005	0.038	0.01	0.01	0.032
79	3	29	3	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.04	0.027
79	3	29	4	999.99	0.005	0.5	999.99	0.005	0.042	0.01	0.01	0.025
79	3	29	5	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.038
79	3	29	6	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	3	29	7	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.054
79	3	29	8	999.99	0.005	0.5	999.99	0.005	0.057	0.01	0.01	0.054
79	3	29	9	999.99	0.005	0.5	999.99	0.005	0.056	0.01	0.01	0.053
79	3	29	10	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	99.999
79	3	29	11	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	99.999
79	3	29	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	99.999
79	3	29	13	999.99	0.005	0.5	999.99	0.005	0.053	999.99	0.01	0.050
79	3	29	14	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.051
79	3	29	15	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.049
79	3	29	16	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.048
79	3	29	17	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.045
79	3	29	18	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.046
79	3	29	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.039
79	3	29	20	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.032
79	3	29	21	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.02	0.025
79	3	29	22	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.021
79	3	29	23	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.022
79	3	29	24	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.022
79	3	30	1	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.02	0.030
79	3	30	2	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.029
79	3	30	3	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.04	0.028
79	3	30	4	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.07	0.028
79	3	30	5	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.07	0.027
79	3	30	6	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.04	0.030
79	3	30	7	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.05	0.027
79	3	30	8	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.041
79	3	30	9	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.045
79	3	30	10	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.046
79	3	30	11	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.047
79	3	30	12	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.047
79	3	30	13	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.047
79	3	30	14	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.047
79	3	30	15	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.047
79	3	30	16	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.047
79	3	30	17	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.048
79	3	30	18	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.046
79	3	30	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.048
79	3	30	20	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.036
79	3	30	21	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.035
79	3	30	22	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.035
79	3	30	23	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.028
79	3	30	24	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.02	0.018

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	3	31	1	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.01	0.017
79	3	31	2	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.040
79	3	31	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.045
79	3	31	4	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.044
79	3	31	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.043
79	3	31	6	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.046
79	3	31	7	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.045
79	3	31	8	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.046
79	3	31	9	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.047
79	3	31	10	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.048
79	3	31	11	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.050
79	3	31	12	999.99	0.005	0.5	999.99	0.005	0.052	0.01	999.99	0.053
79	3	31	13	999.99	0.005	0.5	999.99	0.005	0.054	0.01	999.99	0.055
79	3	31	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.055
79	3	31	15	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.054
79	3	31	16	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.053
79	3	31	17	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.052
79	3	31	18	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.01	0.043
79	3	31	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.05	0.033
79	3	31	20	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.038
79	3	31	21	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.02	0.041
79	3	31	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.042
79	3	31	23	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.045
79	3	31	24	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.040
79	4	1	1	999.99	0.005	0.5	999.99	0.005	0.044	0.01	0.01	0.040
79	4	1	2	999.99	0.005	0.5	999.99	0.005	0.045	0.01	0.06	0.029
79	4	1	3	999.99	0.005	0.5	999.99	0.005	0.048	0.01	0.03	0.029
79	4	1	4	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.030
79	4	1	5	999.99	0.005	0.5	999.99	0.005	0.046	0.01	0.01	0.027
79	4	1	6	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.033
79	4	1	7	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.01	0.043
79	4	1	8	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.049
79	4	1	9	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.050
79	4	1	10	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.051
79	4	1	11	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.052
79	4	1	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.052
79	4	1	13	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.053
79	4	1	14	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.053
79	4	1	15	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.053
79	4	1	16	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.053
79	4	1	17	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.052
79	4	1	18	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.052
79	4	1	19	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.037
79	4	1	20	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.032
79	4	1	21	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.035
79	4	1	22	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.037
79	4	1	23	999.99	0.005	0.5	999.99	0.005	0.047	0.01	0.06	0.035
79	4	1	24	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.051

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	2	1	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.045
79	4	2	2	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.02	0.036
79	4	2	3	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.08	0.033
79	4	2	4	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.04	0.039
79	4	2	5	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.05	0.039
79	4	2	6	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.03	0.041
79	4	2	7	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.04	0.042
79	4	2	8	999.99	0.005	0.5	999.99	0.005	0.051	0.01	0.01	0.042
79	4	2	9	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.047
79	4	2	10	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.051
79	4	2	11	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.052
79	4	2	12	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.052
79	4	2	13	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.052
79	4	2	14	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.052
79	4	2	15	999.99	0.005	0.5	999.99	0.005	99.999	0.01	0.01	0.052
79	4	2	16	999.99	99.999	999.9	999.99	99.999	0.050	0.01	0.01	0.051
79	4	2	17	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.051
79	4	2	18	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.051
79	4	2	19	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.047
79	4	2	20	999.99	0.005	0.5	999.99	0.005	0.050	0.01	0.01	0.039
79	4	2	21	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.040
79	4	2	22	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	4	2	23	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	4	2	24	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.038
79	4	3	1	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.038
79	4	3	2	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.039
79	4	3	3	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.032
79	4	3	4	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.030
79	4	3	5	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.034
79	4	3	6	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.033
79	4	3	7	999.99	0.005	0.5	999.99	0.005	0.052	0.01	0.01	0.039
79	4	3	8	999.99	0.005	0.5	999.99	0.005	0.049	0.01	0.01	0.044
79	4	3	9	999.99	0.005	0.5	999.99	0.005	0.053	0.01	0.01	0.047
79	4	3	10	999.99	0.005	0.5	999.99	0.005	0.054	0.01	0.01	0.051
79	4	3	11	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	99.999
79	4	3	12	999.99	0.005	0.5	999.99	0.005	0.055	0.01	0.01	99.999
79	4	3	13	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	99.999
79	4	3	14	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	99.999
79	4	3	15	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	99.999
79	4	3	16	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.052
79	4	3	17	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.051
79	4	3	18	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.050
79	4	3	19	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.042
79	4	3	20	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.033
79	4	3	21	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.031
79	4	3	22	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.037
79	4	3	23	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.030
79	4	3	24	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.032

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	4	1	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.031
79	4	4	2	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.038
79	4	4	3	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.032
79	4	4	4	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.030
79	4	4	5	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.031
79	4	4	6	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.033
79	4	4	7	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.033
79	4	4	8	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.040
79	4	4	9	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.050
79	4	4	10	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.050
79	4	4	11	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.051
79	4	4	12	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.051
79	4	4	13	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.052
79	4	4	14	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.053
79	4	4	15	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.053
79	4	4	16	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.051
79	4	4	17	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.051
79	4	4	18	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.049
79	4	4	19	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.040
79	4	4	20	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.028
79	4	4	21	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.027
79	4	4	22	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.021
79	4	4	23	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.020
79	4	4	24	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.028
79	4	5	1	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.032
79	4	5	2	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.026
79	4	5	3	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.032
79	4	5	4	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.022
79	4	5	5	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.024
79	4	5	6	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.022
79	4	5	7	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.028
79	4	5	8	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.045
79	4	5	9	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.049
79	4	5	10	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.051
79	4	5	11	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.051
79	4	5	12	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.052
79	4	5	13	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.053
79	4	5	14	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.051
79	4	5	15	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.051
79	4	5	16	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.050
79	4	5	17	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.051
79	4	5	18	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.050
79	4	5	19	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.033
79	4	5	20	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.028
79	4	5	21	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.030
79	4	5	22	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.030
79	4	5	23	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.032
79	4	5	24	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.023

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	6	1	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.020
79	4	6	2	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.016
79	4	6	3	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.014
79	4	6	4	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.012
79	4	6	5	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.014
79	4	6	6	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.013
79	4	6	7	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.022
79	4	6	8	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.036
79	4	6	9	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.051
79	4	6	10	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.053
79	4	6	11	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.053
79	4	6	12	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.053
79	4	6	13	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.056
79	4	6	14	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.057
79	4	6	15	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.060
79	4	6	16	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.060
79	4	6	17	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.059
79	4	6	18	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.057
79	4	6	19	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.034
79	4	6	20	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.026
79	4	6	21	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.030
79	4	6	22	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.028
79	4	6	23	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.032
79	4	6	24	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.030
79	4	7	1	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.026
79	4	7	2	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.028
79	4	7	3	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.032
79	4	7	4	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.028
79	4	7	5	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.021
79	4	7	6	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.018
79	4	7	7	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.028
79	4	7	8	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.050
79	4	7	9	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.059
79	4	7	10	999.99	0.005	0.5	999.99	0.005	0.069	999.99	999.99	0.065
79	4	7	11	999.99	0.005	0.5	999.99	0.005	0.071	999.99	999.99	0.068
79	4	7	12	999.99	0.005	0.5	999.99	0.005	0.071	999.99	999.99	0.069
79	4	7	13	999.99	0.005	0.5	999.99	0.005	0.066	999.99	999.99	0.065
79	4	7	14	999.99	0.005	0.5	999.99	0.005	0.065	999.99	999.99	0.064
79	4	7	15	999.99	0.005	0.5	999.99	0.005	0.068	999.99	999.99	0.065
79	4	7	16	999.99	0.005	0.5	999.99	0.005	0.068	999.99	999.99	0.066
79	4	7	17	999.99	0.005	0.5	999.99	0.005	0.070	999.99	999.99	0.066
79	4	7	18	999.99	0.005	0.5	999.99	0.005	0.069	999.99	999.99	0.063
79	4	7	19	999.99	0.005	0.5	999.99	0.005	0.065	999.99	999.99	0.057
79	4	7	20	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.039
79	4	7	21	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.036
79	4	7	22	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.028
79	4	7	23	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.027
79	4	7	24	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.027

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	8	1	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.028
79	4	8	2	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.028
79	4	8	3	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.029
79	4	8	4	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.029
79	4	8	5	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.026
79	4	8	6	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.027
79	4	8	7	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.034
79	4	8	8	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.045
79	4	8	9	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.055
79	4	8	10	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.058
79	4	8	11	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.061
79	4	8	12	999.99	0.005	0.5	999.99	0.005	0.065	999.99	999.99	0.065
79	4	8	13	999.99	0.005	0.5	999.99	0.005	0.071	999.99	999.99	0.066
79	4	8	14	999.99	0.005	0.5	999.99	0.005	0.069	999.99	999.99	0.070
79	4	8	15	999.99	0.005	0.5	999.99	0.005	0.070	999.99	999.99	0.070
79	4	8	16	999.99	0.005	0.5	999.99	0.005	0.071	999.99	999.99	0.070
79	4	8	17	999.99	0.005	0.5	999.99	0.005	0.068	999.99	999.99	0.069
79	4	8	18	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.065
79	4	8	19	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.041
79	4	8	20	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.036
79	4	8	21	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.035
79	4	8	22	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.032
79	4	8	23	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.033
79	4	8	24	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.035
79	4	9	1	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.032
79	4	9	2	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.023
79	4	9	3	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.020
79	4	9	4	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.019
79	4	9	5	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.023
79	4	9	6	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.027
79	4	9	7	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.032
79	4	9	8	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.042
79	4	9	9	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.053
79	4	9	10	999.99	0.005	0.5	999.99	0.005	99.999	999.99	999.99	0.056
79	4	9	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	0.061
79	4	9	12	999.99	0.005	999.9	999.99	0.005	99.999	999.99	999.99	0.061
79	4	9	13	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.057
79	4	9	14	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	99.999
79	4	9	15	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	99.999
79	4	9	16	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.055
79	4	9	17	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.055
79	4	9	18	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.051
79	4	9	19	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.045
79	4	9	20	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.029
79	4	9	21	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.031
79	4	9	22	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.029
79	4	9	23	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.029
79	4	9	24	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.036

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	10	1	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.030
79	4	10	2	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.028
79	4	10	3	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.034
79	4	10	4	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.036
79	4	10	5	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.041
79	4	10	6	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.038
79	4	10	7	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.038
79	4	10	8	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.037
79	4	10	9	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.035
79	4	10	10	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.035
79	4	10	11	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	99.999
79	4	10	12	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	99.999
79	4	10	13	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.045
79	4	10	14	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.043
79	4	10	15	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.043
79	4	10	16	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.044
79	4	10	17	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.046
79	4	10	18	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.044
79	4	10	19	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.040
79	4	10	20	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.043
79	4	10	21	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.043
79	4	10	22	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.042
79	4	10	23	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.043
79	4	10	24	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.041
79	4	11	1	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.041
79	4	11	2	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.041
79	4	11	3	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.042
79	4	11	4	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.042
79	4	11	5	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.042
79	4	11	6	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.042
79	4	11	7	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.043
79	4	11	8	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.043
79	4	11	9	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	99.999
79	4	11	10	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.043
79	4	11	11	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.046
79	4	11	12	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.046
79	4	11	13	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.047
79	4	11	14	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.047
79	4	11	15	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.048
79	4	11	16	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.048
79	4	11	17	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.047
79	4	11	18	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.046
79	4	11	19	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.041
79	4	11	20	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.037
79	4	11	21	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.046
79	4	11	22	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.046
79	4	11	23	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.033
79	4	11	24	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.027

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	12	1	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.023
79	4	12	2	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.025
79	4	12	3	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.027
79	4	12	4	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.032
79	4	12	5	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.026
79	4	12	6	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.038
79	4	12	7	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.038
79	4	12	8	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.047
79	4	12	9	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.051
79	4	12	10	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.051
79	4	12	11	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.052
79	4	12	12	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.053
79	4	12	13	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.052
79	4	12	14	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.050
79	4	12	15	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.052
79	4	12	16	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.053
79	4	12	17	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.053
79	4	12	18	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.051
79	4	12	19	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.045
79	4	12	20	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.042
79	4	12	21	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.034
79	4	12	22	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.038
79	4	12	23	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.032
79	4	12	24	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.031
79	4	13	1	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.023
79	4	13	2	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.022
79	4	13	3	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.023
79	4	13	4	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.024
79	4	13	5	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.018
79	4	13	6	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.019
79	4	13	7	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.027
79	4	13	8	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.035
79	4	13	9	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.049
79	4	13	10	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.049
79	4	13	11	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.049
79	4	13	12	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.049
79	4	13	13	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.049
79	4	13	14	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.049
79	4	13	15	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.049
79	4	13	16	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.049
79	4	13	17	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.048
79	4	13	18	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.047
79	4	13	19	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.036
79	4	13	20	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.024
79	4	13	21	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.025
79	4	13	22	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.021
79	4	13	23	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.022
79	4	13	24	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.021

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	14	1	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.021
79	4	14	2	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.022
79	4	14	3	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.022
79	4	14	4	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.023
79	4	14	5	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.024
79	4	14	6	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.024
79	4	14	7	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.029
79	4	14	8	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.036
79	4	14	9	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.046
79	4	14	10	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.048
79	4	14	11	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.049
79	4	14	12	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.048
79	4	14	13	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.048
79	4	14	14	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.050
79	4	14	15	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.051
79	4	14	16	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.052
79	4	14	17	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.053
79	4	14	18	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.052
79	4	14	19	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.039
79	4	14	20	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.032
79	4	14	21	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.031
79	4	14	22	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.030
79	4	14	23	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.031
79	4	14	24	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.031
79	4	15	1	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.031
79	4	15	2	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.030
79	4	15	3	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.024
79	4	15	4	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.023
79	4	15	5	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.021
79	4	15	6	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.021
79	4	15	7	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.036
79	4	15	8	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.051
79	4	15	9	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.054
79	4	15	10	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.055
79	4	15	11	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.056
79	4	15	12	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.057
79	4	15	13	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.059
79	4	15	14	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.062
79	4	15	15	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.064
79	4	15	16	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.064
79	4	15	17	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.063
79	4	15	18	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.061
79	4	15	19	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.041
79	4	15	20	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.038
79	4	15	21	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.038
79	4	15	22	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.036
79	4	15	23	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.039
79	4	15	24	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.030

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	16	1	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.023
79	4	16	2	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.023
79	4	16	3	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.027
79	4	16	4	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.030
79	4	16	5	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.030
79	4	16	6	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.024
79	4	16	7	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.033
79	4	16	8	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.058
79	4	16	9	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.063
79	4	16	10	999.99	0.005	0.5	999.99	0.005	0.066	999.99	999.99	0.065
79	4	16	11	999.99	0.005	0.5	999.99	0.005	0.068	999.99	999.99	0.066
79	4	16	12	999.99	0.005	0.5	999.99	0.005	0.067	999.99	999.99	0.067
79	4	16	13	999.99	0.005	0.5	999.99	0.005	0.067	999.99	999.99	0.066
79	4	16	14	999.99	0.005	0.5	999.99	0.005	0.065	999.99	999.99	0.065
79	4	16	15	999.99	0.005	0.5	999.99	0.005	0.065	999.99	999.99	0.065
79	4	16	16	999.99	0.005	0.5	999.99	0.005	0.067	999.99	999.99	0.066
79	4	16	17	999.99	0.005	0.5	999.99	0.005	0.069	999.99	999.99	0.069
79	4	16	18	999.99	0.005	0.5	999.99	0.005	0.066	999.99	999.99	0.067
79	4	16	19	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.043
79	4	16	20	999.99	0.005	0.5	999.99	0.005	0.066	999.99	999.99	0.040
79	4	16	21	999.99	0.005	0.5	999.99	0.005	0.068	999.99	999.99	0.037
79	4	16	22	999.99	0.005	0.5	999.99	0.005	0.068	999.99	999.99	0.029
79	4	16	23	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.034
79	4	16	24	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.033
79	4	17	1	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.029
79	4	17	2	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.028
79	4	17	3	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.028
79	4	17	4	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.024
79	4	17	5	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.022
79	4	17	6	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.028
79	4	17	7	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.033
79	4	17	8	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.059
79	4	17	9	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.061
79	4	17	10	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.061
79	4	17	11	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.062
79	4	17	12	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.063
79	4	17	13	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.062
79	4	17	14	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.062
79	4	17	15	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	99.999
79	4	17	16	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.058
79	4	17	17	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.057
79	4	17	18	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.054
79	4	17	19	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.049
79	4	17	20	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.051
79	4	17	21	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.032
79	4	17	22	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.027
79	4	17	23	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.026
79	4	17	24	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.021

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	18	1	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.020
79	4	18	2	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.020
79	4	18	3	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.026
79	4	18	4	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.029
79	4	18	5	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.032
79	4	18	6	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.033
79	4	18	7	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.049
79	4	18	8	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.053
79	4	18	9	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.055
79	4	18	10	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.056
79	4	18	11	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.056
79	4	18	12	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.056
79	4	18	13	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.056
79	4	18	14	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.056
79	4	18	15	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.056
79	4	18	16	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.054
79	4	18	17	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.055
79	4	18	18	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.054
79	4	18	19	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.045
79	4	18	20	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.038
79	4	18	21	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.045
79	4	18	22	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.053
79	4	18	23	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.048
79	4	18	24	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.037
79	4	19	1	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.052
79	4	19	2	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.056
79	4	19	3	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.051
79	4	19	4	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.042
79	4	19	5	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.029
79	4	19	6	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.029
79	4	19	7	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.037
79	4	19	8	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.061
79	4	19	9	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.063
79	4	19	10	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.062
79	4	19	11	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.062
79	4	19	12	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.062
79	4	19	13	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.062
79	4	19	14	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.061
79	4	19	15	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.061
79	4	19	16	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.061
79	4	19	17	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.059
79	4	19	18	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.053
79	4	19	19	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.031
79	4	19	20	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.028
79	4	19	21	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.030
79	4	19	22	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.030
79	4	19	23	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.025
79	4	19	24	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.026

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	20	1	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.024
79	4	20	2	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.025
79	4	20	3	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.023
79	4	20	4	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.022
79	4	20	5	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.023
79	4	20	6	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.025
79	4	20	7	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.031
79	4	20	8	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.044
79	4	20	9	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.047
79	4	20	10	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.051
79	4	20	11	999.99	0.005	0.5	999.99	0.005	99.999	999.99	999.99	0.058
79	4	20	12	999.99	99.999	999.9	999.99	99.999	0.059	999.99	999.99	0.059
79	4	20	13	999.99	99.999	999.9	999.99	99.999	0.060	999.99	999.99	0.059
79	4	20	14	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.059
79	4	20	15	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.058
79	4	20	16	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.059
79	4	20	17	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.059
79	4	20	18	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.058
79	4	20	19	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.046
79	4	20	20	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.034
79	4	20	21	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.034
79	4	20	22	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.034
79	4	20	23	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.037
79	4	20	24	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.029
79	4	21	1	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.027
79	4	21	2	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.024
79	4	21	3	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.026
79	4	21	4	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.030
79	4	21	5	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.026
79	4	21	6	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.023
79	4	21	7	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.034
79	4	21	8	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.044
79	4	21	9	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.056
79	4	21	10	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.060
79	4	21	11	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.061
79	4	21	12	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.062
79	4	21	13	999.99	0.005	0.5	999.99	0.005	0.065	999.99	999.99	0.065
79	4	21	14	999.99	0.005	0.5	999.99	0.005	0.065	999.99	999.99	0.065
79	4	21	15	999.99	0.005	0.5	999.99	0.005	0.065	999.99	999.99	0.065
79	4	21	16	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.064
79	4	21	17	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.063
79	4	21	18	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.061
79	4	21	19	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.043
79	4	21	20	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.039
79	4	21	21	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.039
79	4	21	22	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.035
79	4	21	23	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.034
79	4	21	24	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.037

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	22	1	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.034
79	4	22	2	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.032
79	4	22	3	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.034
79	4	22	4	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.029
79	4	22	5	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.028
79	4	22	6	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.025
79	4	22	7	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.037
79	4	22	8	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.056
79	4	22	9	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.056
79	4	22	10	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.058
79	4	22	11	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.060
79	4	22	12	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.061
79	4	22	13	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.062
79	4	22	14	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.063
79	4	22	15	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.064
79	4	22	16	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.063
79	4	22	17	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.063
79	4	22	18	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.060
79	4	22	19	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.038
79	4	22	20	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.033
79	4	22	21	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.035
79	4	22	22	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.036
79	4	22	23	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.033
79	4	22	24	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.027
79	4	23	1	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.026
79	4	23	2	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.029
79	4	23	3	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.034
79	4	23	4	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.037
79	4	23	5	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.036
79	4	23	6	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.034
79	4	23	7	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.037
79	4	23	8	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.055
79	4	23	9	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.059
79	4	23	10	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.062
79	4	23	11	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.064
79	4	23	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	23	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	23	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	23	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	23	16	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.062
79	4	23	17	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.060
79	4	23	18	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.058
79	4	23	19	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.052
79	4	23	20	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.040
79	4	23	21	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.035
79	4	23	22	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.034
79	4	23	23	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.036
79	4	23	24	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.037

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	24	1	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.030
79	4	24	2	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.038
79	4	24	3	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.038
79	4	24	4	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.046
79	4	24	5	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.047
79	4	24	6	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.038
79	4	24	7	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.040
79	4	24	8	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.049
79	4	24	9	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.049
79	4	24	10	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.052
79	4	24	11	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.059
79	4	24	12	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.061
79	4	24	13	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.062
79	4	24	14	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.062
79	4	24	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	24	16	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.060
79	4	24	17	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.059
79	4	24	18	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.061
79	4	24	19	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.061
79	4	24	20	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.057
79	4	24	21	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.052
79	4	24	22	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.051
79	4	24	23	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.057
79	4	24	24	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.053
79	4	25	1	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.050
79	4	25	2	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.045
79	4	25	3	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.043
79	4	25	4	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.039
79	4	25	5	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.018
79	4	25	6	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.021
79	4	25	7	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.037
79	4	25	8	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.053
79	4	25	9	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.051
79	4	25	10	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.052
79	4	25	11	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.054
79	4	25	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	25	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	25	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	25	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	25	16	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.060
79	4	25	17	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.059
79	4	25	18	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.058
79	4	25	19	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.041
79	4	25	20	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.030
79	4	25	21	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.031
79	4	25	22	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.032
79	4	25	23	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.031
79	4	25	24	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.030

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	26	1	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.030
79	4	26	2	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.028
79	4	26	3	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.027
79	4	26	4	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.025
79	4	26	5	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.025
79	4	26	6	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.028
79	4	26	7	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.034
79	4	26	8	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.048
79	4	26	9	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.051
79	4	26	10	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.054
79	4	26	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	26	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	26	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	26	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	26	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	4	26	16	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.062
79	4	26	17	999.99	0.005	0.5	999.99	0.005	0.071	999.99	999.99	0.068
79	4	26	18	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.063
79	4	26	19	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.044
79	4	26	20	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.042
79	4	26	21	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.040
79	4	26	22	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.039
79	4	26	23	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.039
79	4	26	24	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.031
79	4	27	1	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.027
79	4	27	2	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.026
79	4	27	3	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.024
79	4	27	4	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.025
79	4	27	5	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.030
79	4	27	6	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.030
79	4	27	7	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.036
79	4	27	8	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.038
79	4	27	9	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.046
79	4	27	10	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.056
79	4	27	11	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.057
79	4	27	12	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.059
79	4	27	13	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.061
79	4	27	14	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.062
79	4	27	15	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.063
79	4	27	16	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.059
79	4	27	17	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.055
79	4	27	18	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.051
79	4	27	19	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.045
79	4	27	20	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.033
79	4	27	21	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.037
79	4	27	22	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.036
79	4	27	23	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.038
79	4	27	24	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.027

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	28	1	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.018
79	4	28	2	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.034
79	4	28	3	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.040
79	4	28	4	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.025
79	4	28	5	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.021
79	4	28	6	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.030
79	4	28	7	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.038
79	4	28	8	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.049
79	4	28	9	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.050
79	4	28	10	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.045
79	4	28	11	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.049
79	4	28	12	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.054
79	4	28	13	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.054
79	4	28	14	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.054
79	4	28	15	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.056
79	4	28	16	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.056
79	4	28	17	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.057
79	4	28	18	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.057
79	4	28	19	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.041
79	4	28	20	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.030
79	4	28	21	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.032
79	4	28	22	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.032
79	4	28	23	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.033
79	4	28	24	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.033
79	4	29	1	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.031
79	4	29	2	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.030
79	4	29	3	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.024
79	4	29	4	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.028
79	4	29	5	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.028
79	4	29	6	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.029
79	4	29	7	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.038
79	4	29	8	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.048
79	4	29	9	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.052
79	4	29	10	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.055
79	4	29	11	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.057
79	4	29	12	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.057
79	4	29	13	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.057
79	4	29	14	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.056
79	4	29	15	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.054
79	4	29	16	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.054
79	4	29	17	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.054
79	4	29	18	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.051
79	4	29	19	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.041
79	4	29	20	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.040
79	4	29	21	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.037
79	4	29	22	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.037
79	4	29	23	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.029
79	4	29	24	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.027

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	4	30	1	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.023
79	4	30	2	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.025
79	4	30	3	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.021
79	4	30	4	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.025
79	4	30	5	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.028
79	4	30	6	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.030
79	4	30	7	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.036
79	4	30	8	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.044
79	4	30	9	999.99	99.999	0.5	999.99	99.999	99.999	999.99	999.99	0.051
79	4	30	10	999.99	99.999	999.9	999.99	99.999	0.058	999.99	999.99	0.058
79	4	30	11	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.058
79	4	30	12	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.057
79	4	30	13	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.057
79	4	30	14	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	99.999
79	4	30	15	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.055
79	4	30	16	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.054
79	4	30	17	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.053
79	4	30	18	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.052
79	4	30	19	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.037
79	4	30	20	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.034
79	4	30	21	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.033
79	4	30	22	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.027
79	4	30	23	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.021
79	4	30	24	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.021
79	5	1	1	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.025
79	5	1	2	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.028
79	5	1	3	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.032
79	5	1	4	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.030
79	5	1	5	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.036
79	5	1	6	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.035
79	5	1	7	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.026
79	5	1	8	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.040
79	5	1	9	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.048
79	5	1	10	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.048
79	5	1	11	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.049
79	5	1	12	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.051
79	5	1	13	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.052
79	5	1	14	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.052
79	5	1	15	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.048
79	5	1	16	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.050
79	5	1	17	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.052
79	5	1	18	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.053
79	5	1	19	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.042
79	5	1	20	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.047
79	5	1	21	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.039
79	5	1	22	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.026
79	5	1	23	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.022
79	5	1	24	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.026

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	2	1	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.026
79	5	2	2	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.020
79	5	2	3	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.016
79	5	2	4	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.017
79	5	2	5	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.017
79	5	2	6	999.99	0.005	0.5	999.99	0.005	0.035	999.99	999.99	0.015
79	5	2	7	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.027
79	5	2	8	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.037
79	5	2	9	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.046
79	5	2	10	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.047
79	5	2	11	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.041
79	5	2	12	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.040
79	5	2	13	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.052
79	5	2	14	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.054
79	5	2	15	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.053
79	5	2	16	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.051
79	5	2	17	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.042
79	5	2	18	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.041
79	5	2	19	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.039
79	5	2	20	999.99	0.005	0.5	999.99	0.005	0.034	999.99	999.99	0.036
79	5	2	21	999.99	0.005	0.5	999.99	0.005	0.037	999.99	999.99	0.035
79	5	2	22	999.99	0.005	0.5	999.99	0.005	0.035	999.99	999.99	0.032
79	5	2	23	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.034
79	5	2	24	999.99	0.005	0.5	999.99	0.005	0.033	999.99	999.99	0.032
79	5	3	1	999.99	0.005	0.5	999.99	0.005	0.033	999.99	999.99	0.030
79	5	3	2	999.99	0.005	0.5	999.99	0.005	0.034	999.99	999.99	0.031
79	5	3	3	999.99	0.005	0.5	999.99	0.005	0.034	999.99	999.99	0.029
79	5	3	4	999.99	0.005	0.5	999.99	0.005	0.033	999.99	999.99	0.029
79	5	3	5	999.99	0.005	0.5	999.99	0.005	0.034	999.99	999.99	0.032
79	5	3	6	999.99	0.005	0.5	999.99	0.005	0.034	999.99	999.99	0.031
79	5	3	7	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.034
79	5	3	8	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.036
79	5	3	9	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.035
79	5	3	10	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.038
79	5	3	11	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.038
79	5	3	12	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.039
79	5	3	13	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.040
79	5	3	14	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.041
79	5	3	15	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.041
79	5	3	16	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.043
79	5	3	17	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.041
79	5	3	18	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.040
79	5	3	19	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.029
79	5	3	20	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.011
79	5	3	21	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.012
79	5	3	22	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.012
79	5	3	23	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.016
79	5	3	24	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.019

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	4	1	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.019
79	5	4	2	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.017
79	5	4	3	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.013
79	5	4	4	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.011
79	5	4	5	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.008
79	5	4	6	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.013
79	5	4	7	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.021
79	5	4	8	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.029
79	5	4	9	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.036
79	5	4	10	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.043
79	5	4	11	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.045
79	5	4	12	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.047
79	5	4	13	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.046
79	5	4	14	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.045
79	5	4	15	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.045
79	5	4	16	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.045
79	5	4	17	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.043
79	5	4	18	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.043
79	5	4	19	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.034
79	5	4	20	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.029
79	5	4	21	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.022
79	5	4	22	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.030
79	5	4	23	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.029
79	5	4	24	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.024
79	5	5	1	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.018
79	5	5	2	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.016
79	5	5	3	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.013
79	5	5	4	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.016
79	5	5	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	5	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	6	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	6	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	7	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	8	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	8	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	9	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	10	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	10	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	11	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	12	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	12	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	13	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	14	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	14	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	14	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	10	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.049
79	5	15	11	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.051
79	5	15	12	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	99.999
79	5	15	13	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.055
79	5	15	14	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.054
79	5	15	15	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	17	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	18	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	19	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	20	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	21	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	22	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	23	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	15	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	16	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	16	13	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.057
79	5	16	14	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.057
79	5	16	15	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.056
79	5	16	16	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.057
79	5	16	17	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.056
79	5	16	18	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.055
79	5	16	19	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.045
79	5	16	20	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.028
79	5	16	21	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.027
79	5	16	22	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.022
79	5	16	23	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.020
79	5	16	24	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.015
79	5	17	1	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.018
79	5	17	2	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.015
79	5	17	3	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.013
79	5	17	4	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.012
79	5	17	5	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.013
79	5	17	6	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.017
79	5	17	7	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.032
79	5	17	8	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.044
79	5	17	9	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.054
79	5	17	10	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.053
79	5	17	11	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.052
79	5	17	12	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.053
79	5	17	13	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.056
79	5	17	14	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.057
79	5	17	15	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.057
79	5	17	16	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	17	17	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.056
79	5	17	18	999.99	0.005	0.5	999.99	0.005	0.064	999.99	999.99	0.058
79	5	17	19	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.050
79	5	17	20	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.045
79	5	17	21	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.039
79	5	17	22	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.039
79	5	17	23	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.040
79	5	17	24	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.039

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	18	1	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.039
79	5	18	2	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.040
79	5	18	3	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.037
79	5	18	4	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.033
79	5	18	5	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.028
79	5	18	6	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.021
79	5	18	7	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.026
79	5	18	8	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.052
79	5	18	9	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.054
79	5	18	10	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.054
79	5	18	11	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.055
79	5	18	12	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.055
79	5	18	13	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.055
79	5	18	14	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.054
79	5	18	15	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.053
79	5	18	16	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.053
79	5	18	17	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.055
79	5	18	18	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.057
79	5	18	19	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.047
79	5	18	20	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.038
79	5	18	21	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.042
79	5	18	22	999.99	0.005	0.5	999.99	0.005	0.063	999.99	999.99	0.045
79	5	18	23	999.99	0.005	0.5	999.99	0.005	0.065	999.99	999.99	0.038
79	5	18	24	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.035
79	5	19	1	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.037
79	5	19	2	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.031
79	5	19	3	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.030
79	5	19	4	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.029
79	5	19	5	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.029
79	5	19	6	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.033
79	5	19	7	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.047
79	5	19	8	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.056
79	5	19	9	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.058
79	5	19	10	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.057
79	5	19	11	999.99	0.005	0.5	999.99	0.005	0.062	999.99	999.99	0.058
79	5	19	12	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.058
79	5	19	13	999.99	0.005	0.5	999.99	0.005	0.061	999.99	999.99	0.057
79	5	19	14	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.055
79	5	19	15	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.054
79	5	19	16	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.054
79	5	19	17	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.054
79	5	19	18	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.052
79	5	19	19	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.036
79	5	19	20	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.030
79	5	19	21	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.031
79	5	19	22	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.032
79	5	19	23	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.032
79	5	19	24	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.030

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	20	1	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.029
79	5	20	2	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.025
79	5	20	3	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.024
79	5	20	4	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.026
79	5	20	5	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.027
79	5	20	6	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.029
79	5	20	7	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.038
79	5	20	8	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.042
79	5	20	9	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.044
79	5	20	10	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.047
79	5	20	11	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.051
79	5	20	12	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.054
79	5	20	13	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.055
79	5	20	14	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.054
79	5	20	15	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.054
79	5	20	16	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.054
79	5	20	17	999.99	0.005	0.5	999.99	0.005	0.058	999.99	999.99	0.053
79	5	20	18	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.052
79	5	20	19	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.037
79	5	20	20	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.030
79	5	20	21	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.031
79	5	20	22	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.030
79	5	20	23	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.026
79	5	20	24	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.028
79	5	21	1	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.025
79	5	21	2	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.025
79	5	21	3	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.023
79	5	21	4	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.020
79	5	21	5	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.023
79	5	21	6	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	99.999
79	5	21	7	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.031
79	5	21	8	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.043
79	5	21	9	999.99	99.999	0.5	999.99	99.999	99.999	999.99	999.99	0.048
79	5	21	10	999.99	0.005	999.9	999.99	0.005	0.054	999.99	999.99	0.049
79	5	21	11	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.051
79	5	21	12	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.052
79	5	21	13	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.052
79	5	21	14	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.049
79	5	21	15	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.047
79	5	21	16	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.046
79	5	21	17	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.048
79	5	21	18	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.048
79	5	21	19	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.045
79	5	21	20	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.029
79	5	21	21	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.026
79	5	21	22	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.023
79	5	21	23	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.022
79	5	21	24	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.022

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	22	1	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.026
79	5	22	2	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.020
79	5	22	3	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.020
79	5	22	4	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.023
79	5	22	5	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.023
79	5	22	6	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.027
79	5	22	7	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.033
79	5	22	8	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.042
79	5	22	9	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.048
79	5	22	10	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.047
79	5	22	11	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.046
79	5	22	12	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.045
79	5	22	13	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.046
79	5	22	14	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.045
79	5	22	15	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.044
79	5	22	16	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.043
79	5	22	17	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.043
79	5	22	18	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.043
79	5	22	19	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.037
79	5	22	20	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.025
79	5	22	21	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.026
79	5	22	22	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.029
79	5	22	23	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.029
79	5	22	24	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.023
79	5	23	1	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.023
79	5	23	2	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.020
79	5	23	3	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.019
79	5	23	4	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.021
79	5	23	5	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.019
79	5	23	6	999.99	0.005	0.5	999.99	0.005	0.037	999.99	999.99	0.020
79	5	23	7	999.99	0.005	0.5	999.99	0.005	0.034	999.99	999.99	0.029
79	5	23	8	999.99	0.005	0.5	999.99	0.005	0.035	999.99	999.99	0.034
79	5	23	9	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.037
79	5	23	10	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.043
79	5	23	11	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.044
79	5	23	12	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.046
79	5	23	13	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.047
79	5	23	14	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.045
79	5	23	15	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.044
79	5	23	16	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.043
79	5	23	17	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.041
79	5	23	18	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.037
79	5	23	19	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.022
79	5	23	20	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.021
79	5	23	21	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.035
79	5	23	22	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.040
79	5	23	23	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.040
79	5	23	24	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.032

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	24	1	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.026
79	5	24	2	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.022
79	5	24	3	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.023
79	5	24	4	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.019
79	5	24	5	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.018
79	5	24	6	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.023
79	5	24	7	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.027
79	5	24	8	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.039
79	5	24	9	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.046
79	5	24	10	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.048
79	5	24	11	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.046
79	5	24	12	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.046
79	5	24	13	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.048
79	5	24	14	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.046
79	5	24	15	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.042
79	5	24	16	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.039
79	5	24	17	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.042
79	5	24	18	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.039
79	5	24	19	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.039
79	5	24	20	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.033
79	5	24	21	999.99	0.005	0.5	999.99	0.005	0.037	999.99	999.99	0.025
79	5	24	22	999.99	0.005	0.5	999.99	0.005	0.032	999.99	999.99	0.021
79	5	24	23	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.011
79	5	24	24	999.99	0.005	0.5	999.99	0.005	0.033	999.99	999.99	0.009
79	5	25	1	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.013
79	5	25	2	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.011
79	5	25	3	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.016
79	5	25	4	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.015
79	5	25	5	999.99	0.005	0.5	999.99	0.005	0.033	999.99	999.99	0.013
79	5	25	6	999.99	0.005	0.5	999.99	0.005	0.033	999.99	999.99	0.014
79	5	25	7	999.99	0.005	0.5	999.99	0.005	0.032	999.99	999.99	0.018
79	5	25	8	999.99	0.005	0.5	999.99	0.005	0.037	999.99	999.99	0.023
79	5	25	9	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.026
79	5	25	10	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.037
79	5	25	11	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.041
79	5	25	12	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.042
79	5	25	13	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.040
79	5	25	14	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.040
79	5	25	15	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.042
79	5	25	16	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.042
79	5	25	17	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.044
79	5	25	18	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.043
79	5	25	19	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.029
79	5	25	20	999.99	0.005	0.5	999.99	0.005	0.035	999.99	999.99	0.016
79	5	25	21	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.019
79	5	25	22	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.018
79	5	25	23	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.015
79	5	25	24	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.014

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	26	1	999.99	0.005	0.5	999.99	0.005	0.038	999.99	999.99	0.011
79	5	26	2	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.010
79	5	26	3	999.99	0.005	0.5	999.99	0.005	0.034	999.99	999.99	0.011
79	5	26	4	999.99	0.005	0.5	999.99	0.005	0.034	999.99	999.99	0.011
79	5	26	5	999.99	0.005	0.5	999.99	0.005	0.031	999.99	999.99	0.010
79	5	26	6	999.99	0.005	0.5	999.99	0.005	0.031	999.99	999.99	0.012
79	5	26	7	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.023
79	5	26	8	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.033
79	5	26	9	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.037
79	5	26	10	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.042
79	5	26	11	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.044
79	5	26	12	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.044
79	5	26	13	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.046
79	5	26	14	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.050
79	5	26	15	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.050
79	5	26	16	999.99	0.005	0.5	999.99	0.005	0.056	999.99	999.99	0.051
79	5	26	17	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.050
79	5	26	18	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.049
79	5	26	19	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.036
79	5	26	20	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.025
79	5	26	21	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.026
79	5	26	22	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.027
79	5	26	23	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.028
79	5	26	24	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.027
79	5	27	1	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.027
79	5	27	2	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.023
79	5	27	3	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.011
79	5	27	4	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.008
79	5	27	5	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.010
79	5	27	6	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.015
79	5	27	7	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.025
79	5	27	8	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.040
79	5	27	9	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.048
79	5	27	10	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.049
79	5	27	11	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.048
79	5	27	12	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.048
79	5	27	13	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.045
79	5	27	14	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.042
79	5	27	15	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.031
79	5	27	16	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.027
79	5	27	17	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.043
79	5	27	18	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	0.029
79	5	27	19	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.016
79	5	27	20	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.023
79	5	27	21	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.025
79	5	27	22	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.015
79	5	27	23	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.011
79	5	27	24	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	28	1	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	2	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	3	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	4	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	5	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	6	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	7	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	28	13	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	99.999
79	5	28	14	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	99.999
79	5	28	15	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	99.999
79	5	28	16	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	99.999
79	5	28	17	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	99.999
79	5	28	18	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	99.999
79	5	28	19	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	99.999
79	5	28	20	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	99.999
79	5	28	21	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	99.999
79	5	28	22	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	99.999
79	5	28	23	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	99.999
79	5	28	24	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	99.999
79	5	29	1	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	99.999
79	5	29	2	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	99.999
79	5	29	3	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	99.999
79	5	29	4	999.99	0.005	0.5	999.99	0.005	0.050	999.99	999.99	99.999
79	5	29	5	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	99.999
79	5	29	6	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	99.999
79	5	29	7	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	99.999
79	5	29	8	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	29	9	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	29	10	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	29	11	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	29	12	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	29	13	999.99	99.999	999.9	999.99	99.999	99.999	999.99	999.99	99.999
79	5	29	14	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	99.999
79	5	29	15	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	99.999
79	5	29	16	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	99.999
79	5	29	17	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.046
79	5	29	18	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.045
79	5	29	19	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.045
79	5	29	20	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.040
79	5	29	21	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.028
79	5	29	22	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.035
79	5	29	23	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.041
79	5	29	24	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.030

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC AIR QUALITY

				SITE 1						SITE 3		
YR	MN	DY	HR	SULFUR DIOXIDE (PPM)	NITROGEN OXIDES (PPM)	CARBON MONOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	NITRIC OXIDE (PPM)	OZONE (PPM)	SULFUR DIOXIDE (PPM)	HYDROGEN SULFIDE (PPM)	OZONE (PPM)
79	5	30	1	999.99	0.005	0.5	999.99	0.005	0.039	999.99	999.99	0.020
79	5	30	2	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.023
79	5	30	3	999.99	0.005	0.5	999.99	0.005	0.037	999.99	999.99	0.023
79	5	30	4	999.99	0.005	0.5	999.99	0.005	0.037	999.99	999.99	0.034
79	5	30	5	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.038
79	5	30	6	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.040
79	5	30	7	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.041
79	5	30	8	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.043
79	5	30	9	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.043
79	5	30	10	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.043
79	5	30	11	999.99	0.005	0.5	999.99	0.005	0.048	999.99	999.99	0.045
79	5	30	12	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.046
79	5	30	13	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.048
79	5	30	14	999.99	0.005	0.5	999.99	0.005	0.055	999.99	999.99	0.050
79	5	30	15	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.052
79	5	30	16	999.99	0.005	0.5	999.99	0.005	0.057	999.99	999.99	0.052
79	5	30	17	999.99	0.005	0.5	999.99	0.005	0.059	999.99	999.99	0.054
79	5	30	18	999.99	0.005	0.5	999.99	0.005	0.060	999.99	999.99	0.055
79	5	30	19	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.047
79	5	30	20	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.046
79	5	30	21	999.99	0.005	0.5	999.99	0.005	0.045	999.99	999.99	0.044
79	5	30	22	999.99	0.005	0.5	999.99	0.005	0.043	999.99	999.99	0.037
79	5	30	23	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.019
79	5	30	24	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.016
79	5	31	1	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.015
79	5	31	2	999.99	0.005	0.5	999.99	0.005	0.042	999.99	999.99	0.017
79	5	31	3	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.019
79	5	31	4	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.018
79	5	31	5	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.022
79	5	31	6	999.99	0.005	0.5	999.99	0.005	0.036	999.99	999.99	0.022
79	5	31	7	999.99	0.005	0.5	999.99	0.005	0.040	999.99	999.99	0.032
79	5	31	8	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.037
79	5	31	9	999.99	0.005	0.5	999.99	0.005	0.041	999.99	999.99	0.040
79	5	31	10	999.99	0.005	0.5	999.99	0.005	0.044	999.99	999.99	0.042
79	5	31	11	999.99	0.005	0.5	999.99	0.005	0.047	999.99	999.99	0.045
79	5	31	12	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.046
79	5	31	13	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.048
79	5	31	14	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.049
79	5	31	15	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.049
79	5	31	16	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.050
79	5	31	17	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.050
79	5	31	18	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.051
79	5	31	19	999.99	0.005	0.5	999.99	0.005	0.049	999.99	999.99	0.042
79	5	31	20	999.99	0.005	0.5	999.99	0.005	0.046	999.99	999.99	0.024
79	5	31	21	999.99	0.005	0.5	999.99	0.005	0.051	999.99	999.99	0.030
79	5	31	22	999.99	0.005	0.5	999.99	0.005	0.052	999.99	999.99	0.031
79	5	31	23	999.99	0.005	0.5	999.99	0.005	0.054	999.99	999.99	0.030
79	5	31	24	999.99	0.005	0.5	999.99	0.005	0.053	999.99	999.99	0.032

APPENDIX 2-1.2

Particulate Data - Sites 1, 2, and 3

Appendix 2-1.2

SIXTH QUARTER MDP PARTICULATE DATA (ug/m^3)
(December 1978 - February 1979)

Date	Site 1	Site 2	Site 3
12/02	--	--	6
12/05	--	5	7
12/08	--	--	4
12/11	4	3	3
12/14	--	5	4
12/17	4	--	7
12/20	7	5	7
12/23	3	4	14
12/26	4	4	5
12/29	2	--	13
1/01	7	6	--
1/04	5	12	65
1/07	5	6	8
1/10	3	2	7
1/13	3	--	7
1/16	1	2	4
1/19	4	6	4
1/22	7	4	16
1/25	4	3	20
1/28	7	6	7
1/31	5	3	5
2/03	6	4	6
2/06	3	2	11
2/09	3	--	17
2/12	6	4	27
2/15	4	8	14
2/18	3	--	6
2/21	4	4	9
2/24	3	--	3
2/27	8	8	10
Maximum Value	8	12	65
Minimum Value	1	2	3
Geo. Mean	4	4	8

APPENDIX 2-1.2

SEVENTH QUARTER MDP PARTICULATE DATA (ug/m^3)
(March - May 1979)

Date	Site 1	Site 2	Site 3
3/02	3	5	6
3/05	13	7	-
3/08	7	7	15
3/11	13	11	29
3/14	19	21	80
3/17	4	6	9
3/20	3	2	7
3/23	5	8	13
3/26	8	11	12
3/29	1	--	5
4/01	3	3	3
4/04	6	6	14
4/07	15	15	55
4/10	2	1	5
4/13	5	5	15
4/16	13	19	31
4/19	32	17	--
4/22	34	33	59
4/25	13	12	33
4/28	20	21	41
5/01	14	11	23
5/04	9	11	15
5/07	7	3	9
5/10	2	4	7
5/13	19	14	33
5/16	31	28	87
5/19	29	31	86
5/22	23	26	94
5/25	3	5	15
5/28	11	16	16
5/31	7	8	22
Maximum Value	34	33	94
Minimum Value	1	1	3
Geo. Mean	8	9	19

APPENDIX 2-2

Meteorological Data

APPENDIX 2-2.1

Meteorological Data - Site 1*

* missing data indicated by 999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	1	1	13.8	246	21.6	222	0.7	0.3	-0.4	D	-3.2	0.0	RB	1
78	12	1	2	12.4	219	22.4	220	0.8	0.5	-0.3	D	-2.9	0.0	RB	1
78	12	1	3	16.1	237	27.8	222	1.0	0.6	-0.4	D	-2.8	0.0	RB	1
78	12	1	4	13.7	235	24.9	221	0.8	0.5	-0.3	D	-2.7	0.0	RB	1
78	12	1	5	14.5	243	24.2	222	1.2	0.9	-0.3	D	-3.2	0.0	RB	1
78	12	1	6	12.9	241	21.4	219	0.7	0.4	-0.3	D	-2.9	0.0	RB	1
78	12	1	7	12.9	247	19.8	219	0.7	0.4	-0.4	D	-3.2	0.0	RB	1
78	12	1	8	11.2	236	20.3	221	1.0	0.6	-0.4	D	-2.9	0.06	RB	1
78	12	1	9	10.0	225	19.6	218	1.1	0.7	-0.4	D	999.9	0.09	RB	1
78	12	1	10	11.1	236	18.4	219	1.0	0.6	-0.4	D	-1.8	0.17	RB	1
78	12	1	11	8.4	220	15.4	221	0.8	0.3	-0.4	D	-1.2	0.16	RB	1
78	12	1	12	8.9	234	14.4	223	-1.1	0.6	-0.4	D	-1.1	0.29	RB	1
78	12	1	13	7.1	63	8.1	51	-0.2	-0.6	-0.4	D	-0.4	99.99	RB	1
78	12	1	14	9.8	42	11.2	38	-2.9	-3.3	-0.4	D	-3.0	99.99	RB	1
78	12	1	15	6.3	55	7.8	51	-3.7	-4.1	-0.4	D	-4.1	99.99	RB	1
78	12	1	16	5.3	20	7.0	25	-3.9	-4.3	-0.4	D	-4.2	99.99	RB	1
78	12	1	17	6.7	53	8.8	53	-4.0	-4.3	-0.3	D	-3.4	0.0	RB	1
78	12	1	18	5.9	68	8.6	64	-4.2	-4.5	-0.3	D	-3.8	0.0	RB	1
78	12	1	19	7.9	45	10.3	40	-4.6	-4.9	-0.3	D	-4.5	0.0	RB	1
78	12	1	20	10.6	18	13.3	17	-4.9	-5.3	-0.3	D	-5.1	0.0	RB	1
78	12	1	21	9.8	11	12.3	9	-5.4	-5.8	-0.4	D	999.9	0.0	RB	1
78	12	1	22	8.8	7	11.6	5	-5.6	-6.0	-0.4	D	-5.9	0.0	RB	1
78	12	1	23	11.6	11	14.4	9	-5.6	-6.0	-0.4	D	-6.0	0.0	RB	1
78	12	1	24	12.6	8	15.3	9	-5.7	-6.0	-0.4	D	-6.0	0.0	RB	1
78	12	2	1	11.1	6	13.4	3	-5.9	-6.3	-0.4	D	-6.4	0.0	RB	1
78	12	2	2	12.4	6	15.3	2	-6.2	-6.5	-0.4	D	-7.0	0.0	RB	1
78	12	2	3	13.8	12	16.7	6	-7.2	-7.5	-0.4	D	-8.4	0.0	RB	1
78	12	2	4	14.0	13	16.7	7	-8.3	-8.6	-0.4	D	-9.8	0.0	RB	1
78	12	2	5	8.4	30	10.3	19	-9.3	-9.6	-0.3	D	-10.5	0.0	RB	1
78	12	2	6	8.1	46	9.9	39	-11.3	-11.7	-0.4	D	-12.0	0.0	RB	1
78	12	2	7	11.7	30	13.8	23	-12.7	-13.1	-0.4	D	-14.0	0.0	RB	1
78	12	2	8	9.3	12	11.0	13	-13.3	-13.7	-0.4	D	-14.6	99.99	RB	1
78	12	2	9	8.5	9	8.9	10	-13.3	-13.7	-0.5	D	999.9	99.99	RB	1
78	12	2	10	9.4	14	10.4	12	-13.5	-14.0	-0.5	D	-15.3	99.99	RB	1
78	12	2	11	6.3	20	6.8	20	-13.0	-13.5	-0.5	D	-15.5	99.99	RB	1
78	12	2	12	5.9	43	6.5	35	-12.8	-13.1	-0.4	D	-14.9	99.99	RB	1
78	12	2	13	12.5	18	13.9	15	-13.0	-13.6	-0.6	D	-16.1	99.99	RB	1
78	12	2	14	10.1	6	11.0	5	-13.1	-13.7	-0.6	D	-16.6	99.99	RB	1
78	12	2	15	5.0	63	5.7	57	-13.1	-13.6	-0.5	D	-15.3	99.99	RB	1
78	12	2	16	4.0	99	5.0	89	-13.7	-14.2	-0.4	D	-15.3	0.10	RB	1
78	12	2	17	2.3	98	3.3	71	-14.3	-14.6	-0.3	D	-16.2	0.01	RB	1
78	12	2	18	1.9	181	1.7	106	-15.1	-15.1	0.0	E	-17.0	0.0	RB	1
78	12	2	19	2.5	284	2.9	0	-15.1	-15.1	0.0	E	-17.7	0.0	RB	1
78	12	2	20	4.2	303	4.9	350	-15.8	-15.4	0.4	E	-18.9	0.01	RB	1
78	12	2	21	5.3	314	6.7	348	-16.1	-16.0	0.1	E	999.9	0.01	RB	1
78	12	2	22	2.7	318	3.7	343	-16.0	-16.3	-0.2	E	999.9	0.01	RB	1
78	12	2	23	5.5	288	5.1	322	-16.4	-16.1	0.3	E	-19.8	0.01	RB	1
78	12	2	24	7.1	286	8.7	329	-17.3	-16.0	1.3	F	-21.1	0.01	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	3	1	2.7	291	3.7	339	-16.9	-16.5	0.4	E	-21.0	0.01	RB	1
78	12	3	2	6.1	289	6.4	326	-16.0	-15.7	0.4	E	-20.3	0.01	RB	1
78	12	3	3	3.8	281	4.0	318	-15.7	-15.8	-0.1	E	-18.9	0.01	RB	1
78	12	3	4	2.6	305	2.4	348	-15.9	-15.8	0.1	E	-18.2	0.01	RB	1
78	12	3	5	2.0	219	1.4	253	-15.9	-15.7	0.2	E	-18.1	0.01	RB	1
78	12	3	6	1.6	241	2.0	183	-16.0	-15.7	0.3	E	-18.1	0.01	RB	1
78	12	3	7	2.4	182	2.4	196	-15.5	-15.0	0.5	E	-17.6	0.0	RB	1
78	12	3	8	1.2	8	2.7	183	-15.7	-15.1	0.5	E	-17.7	0.06	RB	1
78	12	3	9	2.1	202	2.9	181	-14.4	-14.5	-0.1	E	-17.0	0.40	RB	1
78	12	3	10	3.0	127	2.9	178	-12.9	-12.9	0.0	E	999.9	0.67	RB	1
78	12	3	11	3.1	68	3.3	126	-11.9	-11.9	0.0	E	-14.9	0.78	RB	1
78	12	3	12	3.3	126	4.2	158	-10.3	-10.6	-0.3	D	-14.0	0.84	RB	1
78	12	3	13	7.3	227	8.8	227	-9.3	-10.0	-0.7	D	-15.1	0.83	RB	1
78	12	3	14	7.7	240	10.4	237	-9.1	-9.7	-0.6	D	-14.9	0.67	RB	1
78	12	3	15	7.3	234	10.8	234	-9.1	-9.7	-0.5	D	-15.2	0.44	RB	1
78	12	3	16	6.7	238	10.4	242	-9.7	-9.9	-0.2	E	-15.0	0.13	RB	1
78	12	3	17	6.0	230	8.7	241	-10.1	-10.0	0.1	E	-15.2	0.01	RB	1
78	12	3	18	6.6	224	11.9	220	-11.2	-11.0	0.3	E	-14.9	0.0	RB	1
78	12	3	19	5.7	213	9.3	222	-10.4	-10.6	-0.2	E	-14.6	0.0	RB	1
78	12	3	20	4.0	281	7.0	259	-9.8	-9.9	-0.1	E	-13.9	0.0	RB	1
78	12	3	21	4.9	192	7.2	203	-10.0	-10.2	-0.2	E	-11.9	0.0	RB	1
78	12	3	22	4.0	155	4.8	161	-10.1	-10.0	0.2	E	999.9	0.0	RB	1
78	12	3	23	2.9	321	4.5	209	-9.6	-9.4	0.2	E	-11.8	0.0	RB	1
78	12	3	24	3.6	130	6.0	159	-9.1	-9.0	0.1	E	-11.6	0.0	RB	1
78	12	4	1	2.6	134	3.5	166	-8.9	-8.4	0.4	E	-11.5	0.0	RB	1
78	12	4	2	2.6	313	2.8	149	-9.6	-8.9	0.7	E	-11.5	0.0	RB	1
78	12	4	3	2.5	38	3.6	171	-8.4	-7.8	0.7	E	-11.3	0.0	RB	1
78	12	4	4	1.9	352	2.1	85	-9.2	-8.0	1.2	F	-11.3	0.0	RB	1
78	12	4	5	2.4	21	3.8	108	-9.4	-8.8	0.6	E	-11.3	0.0	RB	1
78	12	4	6	2.2	302	3.0	138	-8.6	-8.5	0.2	E	-11.0	0.0	RB	1
78	12	4	7	2.5	312	2.3	336	-9.0	-8.5	0.5	E	-10.9	0.0	RB	1
78	12	4	8	4.4	192	9.2	191	-7.3	-6.4	0.9	F	-9.7	0.05	RB	1
78	12	4	9	5.8	199	8.9	202	-4.4	-4.6	-0.2	E	-7.9	0.22	RB	1
78	12	4	10	8.0	190	9.9	206	-3.3	-3.5	-0.2	E	999.9	0.50	RB	1
78	12	4	11	8.7	175	9.9	186	-2.2	-2.6	-0.5	D	-7.9	0.64	RB	1
78	12	4	12	9.8	179	12.0	186	-1.5	-2.1	-0.6	D	-7.3	0.43	RB	1
78	12	4	13	12.1	187	15.1	199	-1.6	-2.3	-0.7	D	-7.8	0.80	RB	1
78	12	4	14	10.9	191	14.7	211	-1.4	-2.0	-0.6	D	-7.3	0.67	RB	1
78	12	4	15	15.9	243	24.9	231	-0.9	-1.1	-0.3	D	-6.4	0.39	RB	1
78	12	4	16	22.7	247	34.1	235	-0.7	-0.8	-0.1	E	-5.6	0.08	RB	1
78	12	4	17	21.7	247	34.1	226	-0.9	-1.3	-0.3	D	-5.1	0.01	RB	1
78	12	4	18	15.9	236	25.5	221	-0.8	-1.1	-0.3	D	-4.8	0.0	RB	1
78	12	4	19	12.8	230	22.3	220	-0.7	-1.0	-0.3	D	-4.8	0.0	RB	1
78	12	4	20	13.1	220	24.0	220	-0.9	-1.2	-0.3	D	-4.8	0.0	RB	1
78	12	4	21	15.0	216	26.8	220	-0.9	-1.2	-0.3	D	-4.7	0.0	RB	1
78	12	4	22	14.2	222	26.3	220	-1.1	-1.3	-0.3	D	999.9	0.0	RB	1
78	12	4	23	15.8	212	29.8	219	-1.0	-1.2	-0.3	D	-4.2	0.0	RB	1
78	12	4	24	17.4	211	33.2	217	-1.5	-1.8	-0.3	D	-4.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	5	1	17.0	213	32.9	215	-1.5	-1.8	-0.3	D	-4.6	0.0	RB	1
78	12	5	2	15.5	212	28.8	217	-1.5	-1.8	-0.3	D	-4.5	0.0	RB	1
78	12	5	3	13.9	215	27.4	217	-1.4	-1.7	-0.4	D	-4.5	0.0	RB	1
78	12	5	4	13.9	210	25.6	217	-1.3	-1.7	-0.3	D	-4.8	0.0	RB	1
78	12	5	5	11.2	223	20.5	219	-1.3	-1.6	-0.4	D	-5.0	0.0	RB	1
78	12	5	6	6.2	249	10.8	246	-1.3	-1.6	-0.2	E	-4.6	0.0	RB	1
78	12	5	7	5.7	316	8.7	311	-2.5	-2.8	-0.2	E	-3.7	0.0	RB	1
78	12	5	8	15.1	269	20.1	268	-3.4	-3.7	-0.4	D	-5.1	99.99	RB	1
78	12	5	9	7.2	354	9.6	344	-4.8	-5.2	-0.4	D	-5.4	99.99	RB	1
78	12	5	10	5.3	54	6.7	43	-6.0	-6.3	-0.4	D	999.9	99.99	RB	1
78	12	5	11	5.1	359	6.2	354	-6.6	-7.0	-0.4	D	-7.3	99.99	RB	1
78	12	5	12	7.1	51	8.0	48	-7.8	-8.2	-0.4	D	-8.6	99.99	RB	1
78	12	5	13	9.8	29	11.3	23	-8.7	-9.1	-0.4	D	-9.8	99.99	RB	1
78	12	5	14	10.7	17	12.0	13	-9.8	-10.3	-0.5	D	-11.3	99.99	RB	1
78	12	5	15	11.0	14	12.9	10	-11.3	-11.8	-0.5	D	-12.8	99.99	RB	1
78	12	5	16	10.3	20	11.8	17	-12.0	-12.5	-0.4	D	-13.4	99.99	RB	1
78	12	5	17	11.2	21	13.0	20	-12.9	-13.3	-0.4	D	-14.2	0.0	RB	1
78	12	5	18	14.2	30	16.4	26	-13.7	-14.1	-0.4	D	-15.5	0.0	RB	1
78	12	5	19	15.0	30	17.8	27	-14.5	-15.0	-0.4	D	-16.4	0.0	RB	1
78	12	5	20	15.0	17	17.5	15	-15.1	-15.6	-0.4	D	-17.3	0.0	RB	1
78	12	5	21	12.3	14	14.6	11	-15.5	-15.9	-0.4	D	-17.7	0.0	RB	1
78	12	5	22	11.8	9	13.7	6	-15.8	-16.2	-0.4	D	-18.2	0.0	RB	1
78	12	5	23	9.7	4	12.0	0	-16.1	-16.5	-0.4	D	999.9	0.0	RB	1
78	12	5	24	11.4	359	13.7	356	-16.0	-16.4	-0.4	D	-18.0	0.0	RB	1
78	12	6	1	11.3	357	13.9	356	-15.8	-16.1	-0.4	D	-17.6	0.0	RB	1
78	12	6	2	11.3	355	13.5	354	-15.4	-15.8	-0.4	D	-17.2	0.0	RB	1
78	12	6	3	13.3	348	15.8	349	-15.3	-15.7	-0.4	D	-17.3	0.0	RB	1
78	12	6	4	12.7	356	15.3	356	-15.4	-15.8	-0.4	D	-17.2	0.0	RB	1
78	12	6	5	13.2	8	16.1	9	-15.6	-15.9	-0.3	D	-17.2	0.0	RB	1
78	12	6	6	13.2	7	16.4	7	-15.8	-16.1	-0.3	D	-17.3	0.0	RB	1
78	12	6	7	12.3	5	14.7	3	-15.7	-16.1	-0.4	D	-17.1	0.0	RB	1
78	12	6	8	12.2	14	14.8	11	-15.6	-16.0	-0.4	D	-17.0	99.99	RB	1
78	12	6	9	13.5	17	16.1	16	-15.5	-16.0	-0.5	D	-17.1	99.99	RB	1
78	12	6	10	11.8	13	13.3	13	-15.3	-15.8	-0.5	D	-16.9	99.99	RB	1
78	12	6	11	11.0	6	12.7	4	-14.9	-15.5	-0.6	D	999.9	99.99	RB	1
78	12	6	12	10.9	7	12.1	2	-14.7	-15.3	-0.6	D	-16.7	99.99	RB	1
78	12	6	13	10.7	5	11.9	3	-14.4	-15.0	-0.6	D	-16.2	99.99	RB	1
78	12	6	14	10.0	12	11.3	11	-14.1	-14.6	-0.5	D	-16.0	99.99	RB	1
78	12	6	15	7.3	21	8.1	16	-14.1	-14.6	-0.5	D	-16.0	99.99	RB	1
78	12	6	16	5.6	15	6.5	10	-14.2	-14.6	-0.4	D	-16.1	99.99	RB	1
78	12	6	17	5.2	306	6.4	315	-15.1	-15.5	-0.3	D	-17.3	0.0	RB	1
78	12	6	18	4.5	276	5.2	294	-15.5	-15.8	-0.3	D	-17.6	0.0	RB	1
78	12	6	19	4.1	278	5.1	289	-15.7	-15.8	-0.1	E	-17.7	0.0	RB	1
78	12	6	20	5.8	291	7.4	304	-16.1	-16.4	-0.3	D	-18.7	0.0	RB	1
78	12	6	21	6.7	296	7.7	298	-16.4	-16.5	-0.2	E	-19.2	0.0	RB	1
78	12	6	22	5.9	287	7.6	301	-16.9	-17.1	-0.2	E	-19.7	0.0	RB	1
78	12	6	23	3.3	341	4.7	331	-17.1	-17.3	-0.2	E	999.9	0.0	RB	1
78	12	6	24	3.3	318	4.3	348	-17.5	-17.8	-0.3	D	-19.5	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	7	1	1.3	241	2.1	79	-17.8	-18.0	-0.3	D	-19.5	0.0	RB	1
78	12	7	2	2.4	165	3.6	147	-18.5	-18.8	-0.2	E	-19.9	0.0	RB	1
78	12	7	3	1.9	143	2.6	85	-19.2	-19.4	-0.3	D	-20.6	0.0	RB	1
78	12	7	4	2.4	60	3.6	40	-20.0	-20.3	-0.3	D	-22.0	0.0	RB	1
78	12	7	5	2.9	46	4.6	34	-21.2	-21.5	-0.4	D	-23.5	0.0	RB	1
78	12	7	6	3.7	49	5.3	42	-22.0	-22.3	-0.3	D	-24.4	0.0	RB	1
78	12	7	7	1.7	12	5.2	40	-22.8	-22.8	0.0	E	-25.1	0.0	RB	1
78	12	7	8	4.0	5	5.4	29	-22.5	-22.7	-0.1	E	-24.9	99.99	RB	1
78	12	7	9	7.1	28	7.7	25	-22.1	-22.5	-0.4	D	-24.8	99.99	RB	1
78	12	7	10	8.3	33	9.1	30	-21.8	-22.3	-0.4	D	-25.1	99.99	RB	1
78	12	7	11	8.0	35	8.8	32	-21.5	-21.8	-0.3	D	999.9	99.99	RB	1
78	12	7	12	5.3	17	5.9	14	-20.8	-21.3	-0.5	D	-24.6	99.99	RB	1
78	12	7	13	5.6	23	6.2	24	-20.3	-20.6	-0.4	D	-24.4	0.59	RB	1
78	12	7	14	7.5	24	8.0	20	-20.2	-20.5	-0.4	D	-24.4	0.55	RB	1
78	12	7	15	9.3	22	10.3	21	-20.6	-21.0	-0.3	D	-24.8	0.38	RB	1
78	12	7	16	8.7	15	10.0	13	-21.4	-21.8	-0.4	D	-25.2	0.11	RB	1
78	12	7	17	3.8	341	5.6	23	-22.5	-22.6	-0.1	E	-25.5	0.01	RB	1
78	12	7	18	2.8	299	4.0	9	-23.0	-23.0	0.0	E	-25.6	0.01	RB	1
78	12	7	19	3.1	317	4.8	7	-23.1	-23.2	-0.1	E	-25.8	0.01	RB	1
78	12	7	20	5.1	298	5.1	341	-23.3	-23.3	0.0	E	-26.0	0.01	RB	1
78	12	7	21	5.3	299	4.8	339	-23.3	-23.3	0.0	E	-26.3	0.01	RB	1
78	12	7	22	3.8	307	5.1	344	-23.6	-23.7	-0.1	E	-26.4	0.01	RB	1
78	12	7	23	3.9	319	6.1	352	-24.0	-24.0	0.0	E	999.9	0.01	RB	1
78	12	7	24	4.5	307	5.3	353	-24.0	-23.9	0.1	E	-26.6	0.01	RB	1
78	12	8	1	5.7	293	5.0	324	-23.9	-23.9	0.0	E	-27.1	0.01	RB	1
78	12	8	2	5.6	295	5.8	330	-23.8	-23.5	0.3	E	-27.4	0.01	RB	1
78	12	8	3	5.0	294	4.5	336	-23.2	-23.1	0.0	E	-27.4	0.01	RB	1
78	12	8	4	5.2	292	4.5	329	-23.2	-23.0	0.1	E	-27.0	0.01	RB	1
78	12	8	5	4.0	290	2.7	344	-23.3	-23.2	0.2	E	-27.0	0.01	RB	1
78	12	8	6	1.5	248	1.2	230	-23.3	-23.3	0.1	E	-27.0	0.01	RB	1
78	12	8	7	1.3	266	1.1	206	-23.3	-23.3	0.1	E	-26.9	0.01	RB	1
78	12	8	8	2.3	223	2.1	197	-22.9	-22.9	0.0	E	-26.2	0.10	RB	1
78	12	8	9	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	12	8	10	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	12	8	11	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	12	8	12	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	12	8	13	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	12	8	14	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	12	8	15	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	12	8	16	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	12	8	17	999.9	999	999.9	999	999.9	999.9	999.9	=	999.9	99.99	RB	1
78	12	8	18	2.5	163	3.9	152	-19.4	-19.4	0.1	E	-25.9	0.01	RB	1
78	12	8	19	1.7	16	3.9	145	-19.8	-19.4	0.3	E	-25.9	0.01	RB	1
78	12	8	20	3.1	242	2.5	91	-19.7	-19.3	0.4	E	-25.4	0.01	RB	1
78	12	8	21	1.1	189	3.4	163	-19.4	-18.9	0.5	E	-25.0	0.01	RB	1
78	12	8	22	2.0	229	4.4	183	-19.1	-18.3	0.8	F	-24.9	0.01	RB	1
78	12	8	23	2.8	211	5.4	192	-18.4	-18.1	0.3	E	999.9	0.01	RB	1
78	12	8	24	2.2	87	3.8	168	-18.3	-17.8	0.5	E	-23.9	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	9	1	2.2	237	3.2	168	-17.8	-17.6	0.1	E	-23.4	0.0	RB	1
78	12	9	2	2.3	33	3.6	110	-17.6	-17.3	0.4	E	-23.3	0.0	RB	1
78	12	9	3	2.4	293	3.6	124	-18.3	-17.6	0.7	E	-23.0	0.0	RB	1
78	12	9	4	2.5	250	4.7	164	-17.3	-17.1	0.2	E	-22.5	0.0	RB	1
78	12	9	5	1.5	288	1.8	44	-17.3	-16.9	0.4	E	-22.1	0.0	RB	1
78	12	9	6	1.9	49	2.3	104	-17.7	-17.2	0.5	E	-22.1	0.0	RB	1
78	12	9	7	2.4	258	3.5	171	-17.0	-16.5	0.5	E	-21.1	0.0	RB	1
78	12	9	8	2.2	303	2.8	138	-15.9	-15.3	0.6	E	-20.9	0.04	RB	1
78	12	9	9	2.1	56	2.3	213	-16.6	-15.1	1.5	F	-20.6	0.15	RB	1
78	12	9	10	2.2	164	3.1	158	-14.8	-14.4	0.4	E	-19.6	0.28	RB	1
78	12	9	11	3.2	120	3.4	141	-12.5	-12.9	-0.3	D	999.9	0.57	RB	1
78	12	9	12	3.3	118	4.3	150	-11.0	-11.3	-0.3	D	-16.9	0.66	RB	1
78	12	9	13	3.2	120	3.6	131	-9.9	-10.3	-0.4	D	-15.6	0.50	RB	1
78	12	9	14	2.8	77	3.8	118	-9.7	-10.0	-0.3	D	-14.6	0.42	RB	1
78	12	9	15	3.5	98	4.2	112	-9.2	-9.6	-0.4	D	-14.5	0.38	RB	1
78	12	9	16	1.7	359	2.0	49	-9.2	-9.4	-0.2	E	-14.4	0.11	RB	1
78	12	9	17	3.1	284	2.4	303	-9.8	-9.9	-0.1	E	-14.3	0.01	RB	1
78	12	9	18	2.0	265	2.0	75	-9.9	-9.9	0.1	E	-14.3	0.0	RB	1
78	12	9	19	1.4	310	2.0	109	-10.2	-10.1	0.2	E	-14.3	0.0	RB	1
78	12	9	20	2.7	283	2.0	131	-10.6	-10.2	0.4	E	-14.4	0.0	RB	1
78	12	9	21	3.1	243	3.5	180	-10.6	-10.1	0.5	E	-14.5	0.0	RB	1
78	12	9	22	2.5	190	4.6	211	-9.6	-9.2	0.4	E	-13.5	0.0	RB	1
78	12	9	23	1.7	38	3.1	80	-11.3	-10.6	0.7	E	999.9	0.0	RB	1
78	12	9	24	2.9	256	1.7	322	-11.8	-11.0	0.8	F	-14.6	0.0	RB	1
78	12	10	1	3.3	182	2.9	186	-10.6	-9.3	1.3	F	-13.8	0.0	RB	1
78	12	10	2	2.6	264	4.2	157	-10.7	-9.4	1.3	F	-13.8	0.0	RB	1
78	12	10	3	1.6	306	2.5	238	-9.4	-8.4	1.0	F	-12.5	0.0	RB	1
78	12	10	4	2.1	56	2.9	16	-10.3	-9.2	1.2	F	-13.0	0.0	RB	1
78	12	10	5	3.3	297	2.6	297	-11.5	-9.6	1.9	F	-13.5	0.0	RB	1
78	12	10	6	3.5	222	3.2	353	-10.7	-9.1	1.6	F	-13.3	0.0	RB	1
78	12	10	7	3.1	79	4.1	300	-9.3	-7.5	1.8	F	-12.2	0.0	RB	1
78	12	10	8	2.0	155	3.2	165	-10.8	-8.5	2.2	G	-13.1	0.04	RB	1
78	12	10	9	3.0	336	3.3	356	-10.9	-10.7	0.2	E	-13.3	0.15	RB	1
78	12	10	10	3.9	329	6.1	258	-7.5	-6.8	0.7	E	-11.2	0.23	RB	1
78	12	10	11	3.6	2	5.9	302	-6.3	-6.2	0.2	E	999.9	0.29	RB	1
78	12	10	12	8.3	328	10.9	300	-6.4	-6.2	0.2	E	-10.4	0.60	RB	1
78	12	10	13	3.5	81	4.7	340	-7.4	-6.9	0.5	E	-11.0	0.41	RB	1
78	12	10	14	3.0	47	3.8	324	-7.5	-7.2	0.4	E	-11.0	0.40	RB	1
78	12	10	15	2.9	142	3.3	124	-8.2	-8.5	-0.3	D	-11.0	0.23	RB	1
78	12	10	16	2.5	120	3.3	117	-8.7	-8.7	0.0	E	-10.9	0.09	RB	1
78	12	10	17	3.3	233	2.3	222	-9.5	-9.3	0.2	E	-11.2	0.01	RB	1
78	12	10	18	3.5	212	3.1	165	-9.3	-9.1	0.2	E	-11.0	0.0	RB	1
78	12	10	19	4.1	211	3.5	170	-9.2	-8.9	0.3	E	-10.9	0.0	RB	1
78	12	10	20	4.5	212	4.5	172	-9.2	-8.9	0.3	E	-11.3	0.0	RB	1
78	12	10	21	4.6	216	5.5	184	-9.6	-9.1	0.5	E	-12.3	0.0	RB	1
78	12	10	22	5.5	226	5.9	185	-9.4	-9.2	0.2	E	-13.2	0.0	RB	1
78	12	10	23	3.9	238	3.7	187	-8.5	-8.4	0.0	E	999.9	0.0	RB	1
78	12	10	24	2.9	220	2.9	178	-8.2	-8.0	0.2	E	-15.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	11	1	2.7	184	2.6	200	-8.6	-8.1	0.5	E	-16.7	0.0	RB	1
78	12	11	2	2.5	188	4.8	201	-10.0	-8.5	1.6	F	-17.4	0.0	RB	1
78	12	11	3	2.0	347	2.3	181	-9.5	-8.4	1.1	F	-17.7	0.0	RB	1
78	12	11	4	1.9	351	1.3	235	-9.9	-8.2	1.6	F	-17.9	0.0	RB	1
78	12	11	5	2.0	358	2.3	255	-11.1	-9.1	2.1	G	-17.4	0.0	RB	1
78	12	11	6	2.3	200	1.4	31	-10.6	-8.6	2.0	G	-17.6	0.0	RB	1
78	12	11	7	1.9	4	2.1	351	-9.6	-8.2	1.4	F	-17.7	0.0	RB	1
78	12	11	8	3.3	199	1.4	33	-10.4	-9.0	1.5	F	-17.6	0.14	RB	1
78	12	11	9	1.3	285	1.9	113	-9.3	-8.0	1.2	F	-17.0	0.31	RB	1
78	12	11	10	1.2	23	3.2	158	-6.7	-5.9	0.8	F	-16.1	0.60	RB	1
78	12	11	11	1.8	76	3.8	187	-5.2	-4.5	0.7	E	999.9	0.66	RB	1
78	12	11	12	3.9	148	8.4	212	-2.5	-1.6	0.9	F	-12.8	0.70	RB	1
78	12	11	13	7.8	205	10.6	210	0.0	-0.5	-0.5	D	-14.8	0.67	RB	1
78	12	11	14	8.3	191	9.6	200	-0.3	-0.9	-0.6	D	-14.4	0.55	RB	1
78	12	11	15	7.8	185	9.6	189	-0.6	-1.0	-0.4	D	-15.6	0.37	RB	1
78	12	11	16	8.6	201	11.9	192	-0.9	-1.0	-0.1	E	-17.0	0.14	RB	1
78	12	11	17	4.6	193	7.7	187	-1.3	-1.3	0.1	E	-18.1	0.01	RB	1
78	12	11	18	5.6	195	8.4	188	-1.3	-1.1	0.2	E	-19.6	0.0	RB	1
78	12	11	19	6.4	217	10.7	199	-1.2	-0.7	0.5	E	-21.1	0.0	RB	1
78	12	11	20	4.5	208	7.8	196	-0.8	-0.9	0.0	E	-21.5	0.0	RB	1
78	12	11	21	2.4	211	6.6	176	-1.2	-0.9	0.3	E	-20.7	0.0	RB	1
78	12	11	22	3.5	168	4.8	167	-1.0	-1.0	0.0	E	-19.4	0.0	RB	1
78	12	11	23	5.7	176	7.9	171	-2.2	-2.1	0.1	E	999.9	0.0	RB	1
78	12	11	24	5.6	190	9.3	176	-2.7	-2.4	0.3	E	999.9	0.0	RB	1
78	12	12	1	2.3	144	3.8	146	-3.0	-3.0	0.0	E	-17.0	0.0	RB	1
78	12	12	2	3.3	199	4.2	136	-3.2	-3.1	0.2	E	-17.2	0.0	RB	1
78	12	12	3	2.9	195	4.7	185	-3.9	-3.6	0.3	E	-16.9	0.0	RB	1
78	12	12	4	2.7	161	6.1	198	-3.9	-3.7	0.2	E	-16.6	0.0	RB	1
78	12	12	5	2.4	292	4.1	307	-4.2	-3.8	0.4	E	-16.7	0.0	RB	1
78	12	12	6	3.4	310	4.6	328	-4.1	-4.0	0.1	E	-16.6	0.0	RB	1
78	12	12	7	4.1	106	5.5	132	-4.3	-4.2	0.1	E	-16.4	0.0	RB	1
78	12	12	8	2.3	320	4.8	138	-3.9	-3.6	0.3	E	-16.3	0.07	RB	1
78	12	12	9	2.5	106	4.1	128	-2.4	-2.5	0.0	E	-16.0	0.26	RB	1
78	12	12	10	6.9	207	11.1	214	-0.7	-1.1	-0.4	D	-14.3	0.48	RB	1
78	12	12	11	7.9	236	13.7	229	0.1	-0.4	-0.5	D	-13.2	0.62	RB	1
78	12	12	12	10.7	236	17.8	235	0.6	0.3	-0.3	D	999.9	0.70	RB	1
78	12	12	13	10.5	238	17.4	237	1.4	1.1	-0.3	D	-11.9	0.67	RB	1
78	12	12	14	9.9	241	15.0	240	1.7	1.3	-0.4	D	-11.3	0.58	RB	1
78	12	12	15	6.0	201	9.4	200	1.0	0.8	-0.2	E	-10.8	0.39	RB	1
78	12	12	16	3.6	96	4.6	53	-3.3	-2.9	0.4	E	-11.3	0.11	RB	1
78	12	12	17	2.9	217	2.4	71	-4.0	-3.6	0.4	E	-11.8	0.01	RB	1
78	12	12	18	2.5	318	2.7	78	-4.4	-4.2	0.2	E	-12.3	0.0	RB	1
78	12	12	19	5.3	218	3.3	211	-4.4	-3.8	0.6	E	-12.6	0.0	RB	1
78	12	12	20	5.0	346	7.0	358	-5.5	-5.1	0.4	E	-12.9	0.0	RB	1
78	12	12	21	3.3	97	5.3	25	-8.0	-8.1	-0.1	E	-13.4	0.0	RB	1
78	12	12	22	3.3	340	6.0	20	-8.6	-8.7	-0.1	E	-13.6	0.0	RB	1
78	12	12	23	4.1	310	5.6	14	-8.8	-8.7	0.1	E	-13.9	0.0	RB	1
78	12	12	24	2.3	272	3.3	57	-8.6	-8.4	0.1	E	999.9	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	12	13	1	3.1	297	3.8	38	-8.7	-8.5	0.2	E	-13.8	0.0	RB	1
78	12	13	2	4.1	306	5.5	21	-9.3	-8.8	0.5	E	-14.3	0.0	RB	1
78	12	13	3	3.9	294	3.3	349	-9.1	-9.0	0.1	E	-16.7	0.0	RB	1
78	12	13	4	2.9	284	2.2	323	-9.2	-9.2	0.0	E	-19.1	0.0	RB	1
78	12	13	5	5.0	248	3.1	228	-8.4	-8.7	-0.2	E	-19.4	0.01	RB	1
78	12	13	6	3.3	256	2.2	249	-7.9	-8.2	-0.3	D	-18.5	0.0	RB	1
78	12	13	7	1.8	27	2.5	97	-8.9	-8.5	0.3	E	-18.3	0.0	RB	1
78	12	13	8	1.6	302	1.4	50	-9.4	-9.1	0.4	E	-18.7	0.06	RB	1
78	12	13	9	1.3	30	1.6	28	-8.6	-8.2	0.4	E	-18.5	0.27	RB	1
78	12	13	10	2.3	81	2.5	59	-8.5	-8.5	-0.1	E	-17.6	0.48	RB	1
78	12	13	11	2.0	13	1.6	94	-7.9	-8.0	-0.1	E	-16.6	0.62	RB	1
78	12	13	12	2.0	37	1.3	62	-6.5	-6.6	-0.1	E	999.9	0.67	RB	1
78	12	13	13	3.4	61	3.1	89	-6.4	-6.4	0.0	E	-14.6	0.68	RB	1
78	12	13	14	2.5	68	1.8	44	-5.9	-5.8	0.1	E	-14.3	0.58	RB	1
78	12	13	15	2.5	61	2.3	85	-6.2	-6.3	-0.1	E	-14.1	0.35	RB	1
78	12	13	16	1.1	220	1.1	148	-6.6	-6.6	0.0	E	-13.9	0.13	RB	1
78	12	13	17	2.1	198	2.7	186	-7.3	-6.9	0.4	E	-13.9	0.01	RB	1
78	12	13	18	3.2	237	3.1	193	-7.0	-6.8	0.2	E	-13.8	0.0	RB	1
78	12	13	19	3.6	229	5.7	166	-6.5	-5.5	1.0	F	-13.8	0.0	RB	1
78	12	13	20	2.8	267	5.6	178	-5.9	-4.0	1.9	F	-14.0	0.0	RB	1
78	12	13	21	3.8	183	7.6	167	-2.9	-1.9	1.1	F	-15.5	0.0	RB	1
78	12	13	22	2.6	82	5.8	151	-5.2	-2.8	2.4	G	-14.6	0.0	RB	1
78	12	13	23	1.9	164	4.0	149	-6.5	-4.2	2.3	G	-14.1	0.0	RB	1
78	12	13	24	3.0	322	4.4	173	-6.0	-3.4	2.6	G	999.9	0.0	RB	1
78	12	14	1	4.9	194	7.8	176	-5.0	-3.6	1.4	F	999.9	0.0	RB	1
78	12	14	2	3.6	115	6.4	163	-7.4	-4.2	3.2	G	-13.1	0.0	RB	1
78	12	14	3	4.8	128	7.5	167	-6.6	-4.1	2.5	G	-12.8	0.0	RB	1
78	12	14	4	4.2	245	6.9	206	-5.4	-3.6	1.8	F	-12.1	0.0	RB	1
78	12	14	5	3.7	155	8.3	202	-6.6	-3.8	2.8	G	-12.3	0.0	RB	1
78	12	14	6	1.9	50	5.5	163	-7.3	-4.7	2.7	G	-12.6	0.0	RB	1
78	12	14	7	2.7	310	2.2	72	-6.6	-5.3	1.2	F	-12.3	0.0	RB	1
78	12	14	8	2.3	326	3.6	32	-7.0	-5.4	1.6	F	-12.5	0.07	RB	1
78	12	14	9	2.4	247	2.8	23	-5.1	-4.3	0.8	F	-12.1	0.26	RB	1
78	12	14	10	0.9	298	1.2	280	-2.7	-2.4	0.2	E	-11.6	0.47	RB	1
78	12	14	11	3.3	105	3.7	149	-1.5	-1.6	-0.1	E	-11.0	0.61	RB	1
78	12	14	12	6.1	173	7.0	193	0.7	0.1	-0.6	D	-10.5	0.68	RB	1
78	12	14	13	7.1	174	7.9	180	1.4	0.7	-0.7	D	999.9	0.66	RB	1
78	12	14	14	6.6	168	7.4	179	1.7	1.1	-0.6	D	-9.9	0.55	RB	1
78	12	14	15	6.1	175	6.6	180	1.1	0.6	-0.5	D	-9.8	0.37	RB	1
78	12	14	16	5.3	162	7.2	172	-0.8	-0.8	0.1	E	-9.8	0.09	RB	1
78	12	14	17	1.9	11	3.6	120	-2.8	-1.8	1.0	F	-9.8	0.0	RB	1
78	12	14	18	2.2	199	4.0	112	-3.1	-2.4	0.7	E	-10.0	0.0	RB	1
78	12	14	19	2.7	34	5.0	150	-3.9	-2.6	1.3	F	-11.1	0.0	RB	1
78	12	14	20	1.9	235	3.8	178	-3.4	-2.2	1.2	F	-11.5	0.0	RB	1
78	12	14	21	2.9	169	3.8	168	-3.0	-2.6	0.3	E	-12.4	0.0	RB	1
78	12	14	22	2.8	70	2.8	117	-5.0	-3.7	1.4	F	-11.6	0.0	RB	1
78	12	14	23	2.1	360	3.9	44	-5.3	-4.1	1.2	F	-11.6	0.0	RB	1
78	12	14	24	1.5	267	1.9	88	-4.7	-3.8	0.8	F	-12.3	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
78	12	15	1	2.5	252	4.8	219	-3.7	-3.0	0.7 E	999.9	0.01	RB	1
78	12	15	2	9.7	208	11.4	208	-2.8	-2.3	0.5 E	-13.5	0.01	RB	1
78	12	15	3	9.0	203	11.4	195	-3.6	-3.5	0.1 E	-12.6	0.0	RB	1
78	12	15	4	7.4	181	10.4	177	-4.3	-3.7	0.6 E	-12.4	0.0	RB	1
78	12	15	5	3.5	164	7.7	161	-4.5	-3.6	1.0 F	-12.4	0.0	RB	1
78	12	15	6	1.8	346	3.5	160	-4.3	-4.1	0.1 E	-12.5	0.0	RB	1
78	12	15	7	2.3	188	3.8	149	-5.0	-4.3	0.7 E	-12.8	0.0	RB	1
78	12	15	8	3.2	153	7.6	171	-4.7	-3.8	0.9 F	-12.5	0.08	RB	1
78	12	15	9	4.3	161	8.4	170	-3.3	-3.1	0.1 E	-12.1	0.26	RB	1
78	12	15	10	7.0	168	8.5	177	-1.4	-1.9	-0.4 D	-10.8	0.47	RB	1
78	12	15	11	4.7	204	5.8	211	-0.3	-0.7	-0.5 D	-10.6	0.62	RB	1
78	12	15	12	4.9	180	6.2	189	-0.5	-0.7	-0.2 E	-10.2	0.70	RB	1
78	12	15	13	8.8	246	12.4	238	0.0	-0.5	-0.5 D	999.9	0.66	RB	1
78	12	15	14	15.2	253	20.0	250	-0.7	-1.0	-0.3 D	-10.6	0.46	RB	1
78	12	15	15	15.1	252	20.6	254	-1.5	-1.7	-0.2 E	-11.2	0.20	RB	1
78	12	15	16	8.6	256	12.9	257	-2.0	-2.1	-0.1 E	-11.2	0.10	RB	1
78	12	15	17	5.5	239	9.6	254	-3.3	-3.2	0.2 E	-11.2	0.01	RB	1
78	12	15	18	8.3	259	13.8	266	-3.7	-3.4	0.3 E	-11.5	0.0	RB	1
78	12	15	19	13.4	273	21.4	275	-4.6	-4.0	0.5 E	-11.2	0.0	RB	1
78	12	15	20	20.2	272	29.1	276	-4.9	-4.7	0.3 E	-11.6	0.0	RB	1
78	12	15	21	11.3	343	17.0	312	-5.9	-5.9	0.1 E	-12.4	0.0	RB	1
78	12	15	22	4.5	278	6.6	290	-7.1	-6.8	0.3 E	-12.8	0.0	RB	1
78	12	15	23	2.7	324	4.8	27	-7.3	-7.1	0.2 E	-12.8	0.0	RB	1
78	12	15	24	4.2	75	7.6	64	-8.3	-8.5	-0.3 D	-12.6	0.0	RB	1
78	12	16	1	2.1	18	4.6	42	-9.7	-9.9	-0.2 E	999.9	0.0	RB	1
78	12	16	2	1.5	105	5.0	87	-10.3	-10.3	0.0 E	-13.9	0.0	RB	1
78	12	16	3	2.6	182	2.8	109	-10.5	-10.6	-0.1 E	-14.6	0.0	RB	1
78	12	16	4	2.7	216	2.0	163	-10.4	-10.4	0.1 E	-15.8	0.0	RB	1
78	12	16	5	1.8	209	1.5	134	-10.2	-10.1	0.1 E	-16.7	0.0	RB	1
78	12	16	6	2.2	185	3.7	130	-10.3	-10.3	0.0 E	-16.7	0.01	RB	1
78	12	16	7	2.9	225	2.4	184	-10.2	-10.4	-0.2 E	-17.0	0.01	RB	1
78	12	16	8	4.9	225	4.1	184	-10.1	-10.1	0.0 E	-18.0	0.12	RB	1
78	12	16	9	3.6	195	3.6	179	-9.2	-9.5	-0.3 D	-19.8	0.33	RB	1
78	12	16	10	3.3	169	3.7	180	-8.1	-8.5	-0.4 D	-21.1	0.47	RB	1
78	12	16	11	4.6	162	5.8	169	-6.5	-7.1	-0.6 D	-19.2	0.55	RB	1
78	12	16	12	6.8	168	8.3	182	-4.7	-5.4	-0.7 D	-16.0	0.72	RB	1
78	12	16	13	5.9	136	7.6	167	-4.5	-4.9	-0.4 D	999.9	0.62	RB	1
78	12	16	14	2.9	71	3.3	94	-5.4	-5.4	0.0 E	-14.5	0.54	RB	1
78	12	16	15	1.6	8	2.3	158	-5.4	-5.5	-0.1 E	-14.5	0.24	RB	1
78	12	16	16	0.9	209	2.9	169	-5.4	-5.3	0.1 E	-14.1	0.10	RB	1
78	12	16	17	1.5	215	3.3	176	-5.9	-5.7	0.2 E	-14.3	0.01	RB	1
78	12	16	18	2.8	154	4.5	180	-5.8	-5.3	0.5 E	-15.6	0.0	RB	1
78	12	16	19	2.7	185	4.3	195	-5.4	-4.9	0.5 E	-17.3	0.0	RB	1
78	12	16	20	6.6	206	8.9	200	-4.4	-4.1	0.3 E	-18.3	0.01	RB	1
78	12	16	21	3.7	201	5.0	179	-4.7	-4.5	0.3 E	-17.3	0.0	RB	1
78	12	16	22	2.8	351	2.4	130	-5.4	-4.2	1.2 F	-17.4	0.0	RB	1
78	12	16	23	2.4	320	2.5	71	-4.4	-3.9	0.5 E	-18.4	0.0	RB	1
78	12	16	24	2.2	52	3.9	130	-5.8	-4.5	1.3 F	-18.7	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	17	1	2.8	196	5.9	160	-4.3	-3.8	0.5	E	999.9	0.0	RB	1
78	12	17	2	3.9	170	7.1	160	-4.3	-3.9	0.4	E	-17.4	0.0	RB	1
78	12	17	3	6.2	169	9.1	164	-3.5	-3.1	0.4	E	-17.3	0.0	RB	1
78	12	17	4	3.8	163	6.7	150	-3.0	-2.2	0.7	E	-16.6	0.0	RB	1
78	12	17	5	3.8	165	7.9	156	-2.6	-1.8	0.8	F	-14.6	0.0	RB	1
78	12	17	6	4.8	177	9.3	160	-1.7	-0.8	1.0	F	-12.2	0.0	RB	1
78	12	17	7	5.0	155	9.6	136	-1.3	-0.7	0.6	E	-10.8	0.0	RB	1
78	12	17	8	3.3	134	7.6	130	-1.1	-0.5	0.7	E	-9.2	0.02	RB	1
78	12	17	9	4.1	186	8.4	170	-0.6	-0.2	0.5	E	-7.3	0.08	RB	1
78	12	17	10	10.9	197	17.8	199	-1.7	-2.0	-0.3	D	-4.4	0.12	RB	1
78	12	17	11	7.6	197	13.6	210	-0.8	-1.2	-0.4	D	-2.9	0.14	RB	1
78	12	17	12	8.1	204	13.3	220	-0.7	-1.2	-0.5	D	-2.3	0.15	RB	1
78	12	17	13	7.5	191	13.8	215	-0.6	-1.1	-0.4	D	-2.4	0.15	RB	1
78	12	17	14	5.9	131	10.4	167	-1.9	-1.8	0.1	E	999.9	0.16	RB	1
78	12	17	15	7.6	195	14.8	199	-0.6	-0.3	0.3	E	-3.0	0.18	RB	1
78	12	17	16	11.0	237	18.0	218	0.8	0.3	-0.4	D	-2.0	0.08	RB	1
78	12	17	17	10.7	214	20.9	215	1.1	0.7	-0.3	D	-1.9	0.01	RB	1
78	12	17	18	11.6	212	20.8	215	1.2	0.9	-0.3	D	-2.3	0.0	RB	1
78	12	17	19	9.3	220	17.8	216	1.2	0.9	-0.3	D	-1.9	0.0	RB	1
78	12	17	20	9.0	209	17.6	216	1.2	0.8	-0.3	D	-1.5	0.0	RB	1
78	12	17	21	9.0	197	15.7	205	0.5	0.3	-0.2	E	-0.6	0.0	RB	1
78	12	17	22	8.4	191	14.1	198	0.8	0.6	-0.1	E	-0.7	0.0	RB	1
78	12	17	23	10.2	199	16.8	205	1.5	1.4	-0.1	E	-1.8	0.0	RB	1
78	12	17	24	8.8	209	16.0	214	1.5	1.2	-0.3	D	-1.7	0.0	RB	1
78	12	18	1	6.1	193	11.4	202	1.3	1.0	-0.3	D	-1.4	0.0	RB	1
78	12	18	2	3.3	70	5.4	135	0.1	0.0	-0.1	E	999.9	0.0	RB	1
78	12	18	3	2.4	197	6.6	179	0.1	0.1	0.0	E	999.9	0.0	RB	1
78	12	18	4	5.3	156	8.9	172	0.5	0.5	0.0	E	-1.6	0.0	RB	1
78	12	18	5	4.9	182	10.7	205	1.1	1.1	0.0	E	-1.0	0.0	RB	1
78	12	18	6	6.4	191	11.9	198	1.1	1.0	-0.2	E	-0.3	0.0	RB	1
78	12	18	7	4.5	187	9.0	200	1.5	1.4	-0.2	E	-0.7	0.0	RB	1
78	12	18	8	6.2	197	11.7	194	1.6	1.6	-0.1	E	-0.3	0.01	RB	1
78	12	18	9	8.2	201	13.8	202	2.3	2.0	-0.3	D	-0.5	0.07	RB	1
78	12	18	10	9.1	205	15.9	209	2.3	1.9	-0.4	D	0.4	0.10	RB	1
78	12	18	11	7.7	202	13.9	209	1.8	1.5	-0.3	D	0.5	0.13	RB	1
78	12	18	12	5.8	205	11.0	206	1.8	1.4	-0.4	D	0.4	0.15	RB	1
78	12	18	13	8.6	199	14.8	203	1.9	1.5	-0.4	D	0.2	0.18	RB	1
78	12	18	14	10.6	207	19.0	214	1.1	0.8	-0.3	D	999.9	0.11	RB	1
78	12	18	15	8.6	223	14.6	222	0.6	0.4	-0.2	E	0.4	0.06	RB	1
78	12	18	16	9.3	212	15.4	211	0.5	0.2	-0.3	D	-0.1	0.03	RB	1
78	12	18	17	8.9	212	16.3	214	0.6	0.3	-0.3	D	-0.6	0.0	RB	1
78	12	18	18	9.0	212	16.3	208	0.5	0.3	-0.3	D	-0.9	0.0	RB	1
78	12	18	19	6.9	216	13.5	214	0.3	0.0	-0.2	E	-1.0	0.0	RB	1
78	12	18	20	8.8	213	16.6	214	0.3	0.1	-0.2	E	-1.4	0.0	RB	1
78	12	18	21	8.3	219	15.9	215	0.0	-0.3	-0.2	E	-1.4	0.0	RB	1
78	12	18	22	11.0	205	18.6	210	0.2	-0.1	-0.3	D	-1.6	0.0	RB	1
78	12	18	23	10.5	210	18.1	214	0.0	-0.3	-0.3	D	-1.9	0.0	RB	1
78	12	18	24	12.2	200	19.8	205	0.0	-0.4	-0.3	D	-2.1	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	19	1	12.4	204	21.2	212	0.0	-0.3	-0.3	D	-2.9	0.0	RB	1
78	12	19	2	13.3	201	21.4	209	0.1	-0.2	-0.3	D	999.9	0.0	RB	1
78	12	19	3	12.9	198	20.9	207	-0.2	-0.5	-0.3	D	-2.9	0.0	RB	1
78	12	19	4	13.0	203	21.1	208	-0.3	-0.7	-0.3	D	-3.0	0.0	RB	1
78	12	19	5	13.8	202	23.6	211	-0.3	-0.6	-0.3	D	-3.7	0.0	RB	1
78	12	19	6	13.5	207	24.3	216	-0.8	-1.2	-0.4	D	-4.6	0.0	RB	1
78	12	19	7	12.0	213	22.1	215	-1.4	-1.8	-0.4	D	-6.0	0.0	RB	1
78	12	19	8	12.5	206	21.7	214	-1.9	-2.3	-0.4	D	-6.6	0.04	RB	1
78	12	19	9	16.8	205	27.8	214	-2.3	-2.7	-0.4	D	-7.2	0.19	RB	1
78	12	19	10	16.2	200	25.5	209	-2.3	-2.7	-0.4	D	-8.6	0.26	RB	1
78	12	19	11	15.3	203	24.3	215	-1.9	-2.4	-0.5	D	-9.0	0.50	RB	1
78	12	19	12	14.7	220	25.8	220	-2.4	-2.8	-0.4	D	-9.6	0.44	RB	1
78	12	19	13	15.4	205	24.3	216	-2.4	-2.9	-0.5	D	-9.8	0.47	RB	1
78	12	19	14	13.8	208	22.9	216	-2.4	-2.9	-0.6	D	999.9	0.47	RB	1
78	12	19	15	12.1	209	19.5	220	-2.9	-3.5	-0.5	D	-10.9	0.30	RB	1
78	12	19	16	10.3	209	17.1	216	-4.1	-4.5	-0.4	D	-10.2	0.06	RB	1
78	12	19	17	10.4	234	16.9	226	-5.4	-5.8	-0.4	D	-8.8	0.0	RB	1
78	12	19	18	6.3	232	11.8	230	-5.7	-6.0	-0.3	D	-9.5	0.0	RB	1
78	12	19	19	2.9	207	6.9	195	-6.4	-6.5	-0.1	E	-10.0	0.0	RB	1
78	12	19	20	9.1	243	13.6	251	-5.4	-5.8	-0.3	D	-10.1	0.0	RB	1
78	12	19	21	8.2	280	11.5	276	-5.9	-6.3	-0.4	D	-9.5	0.0	RB	1
78	12	19	22	15.5	284	19.9	279	-6.7	-6.9	-0.2	E	-9.9	0.0	RB	1
78	12	19	23	12.5	285	16.5	279	-7.7	-7.6	0.1	E	-11.1	0.0	RB	1
78	12	19	24	9.8	245	12.0	251	-8.0	-7.9	0.0	E	-11.0	0.0	RB	1
78	12	20	1	11.4	244	15.4	250	-9.0	-8.9	0.1	E	-11.4	0.0	RB	1
78	12	20	2	13.4	246	16.3	252	-9.8	-9.9	-0.1	E	999.9	0.0	RB	1
78	12	20	3	10.9	248	14.7	253	-10.5	-10.8	-0.3	D	-14.5	0.0	RB	1
78	12	20	4	11.5	255	16.0	259	-10.8	-11.0	-0.3	D	-14.9	0.0	RB	1
78	12	20	5	18.0	259	24.1	259	-11.6	-11.8	-0.2	E	-15.4	0.0	RB	1
78	12	20	6	20.3	262	26.5	261	-12.2	-12.5	-0.3	D	-15.4	0.0	RB	1
78	12	20	7	16.7	253	22.8	254	-12.3	-12.5	-0.3	D	-16.0	0.0	RB	1
78	12	20	8	14.7	248	20.2	254	-11.9	-12.1	-0.2	E	-16.6	0.03	RB	1
78	12	20	9	13.2	240	17.5	249	-11.6	-11.5	0.0	E	-17.2	0.11	RB	1
78	12	20	10	12.1	237	16.3	243	-10.6	-11.0	-0.3	D	-16.7	0.35	RB	1
78	12	20	11	9.4	233	12.2	238	-8.8	-9.5	-0.7	D	-16.1	0.57	RB	1
78	12	20	12	7.7	234	9.2	236	-8.1	-8.8	-0.7	D	-15.9	0.51	RB	1
78	12	20	13	8.7	233	12.1	234	-8.1	-8.8	-0.7	D	-15.8	0.38	RB	1
78	12	20	14	10.8	244	14.3	242	-7.8	-8.4	-0.6	D	999.9	0.30	RB	1
78	12	20	15	8.2	244	11.6	241	-7.3	-7.8	-0.6	D	-14.9	0.25	RB	1
78	12	20	16	6.6	232	9.1	235	-7.2	-7.7	-0.5	D	-14.9	0.13	RB	1
78	12	20	17	4.6	218	6.4	214	-7.7	-8.1	-0.4	D	-14.0	0.01	RB	1
78	12	20	18	4.2	192	6.2	201	-8.1	-8.2	-0.2	E	-13.8	0.0	RB	1
78	12	20	19	2.4	91	3.9	109	-8.0	-8.2	-0.1	E	-13.5	0.0	RB	1
78	12	20	20	4.6	183	5.9	186	-7.8	-7.8	0.0	E	-14.2	0.0	RB	1
78	12	20	21	3.2	340	4.6	231	-7.7	-7.7	0.0	E	-14.6	0.0	RB	1
78	12	20	22	4.0	220	5.2	225	-7.4	-7.7	-0.3	D	-14.9	0.0	RB	1
78	12	20	23	10.0	263	14.2	260	-7.6	-7.8	-0.2	E	-14.9	0.0	RB	1
78	12	20	24	10.4	228	14.8	238	-8.2	-8.2	0.0	E	-14.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	12	21	1	8.9	210	12.6	251	-8.5	-8.4	0.1	E	-14.4	0.0	RB	1
78	12	21	2	3.2	92	4.2	153	-8.9	-8.7	0.1	E	999.9	0.0	RB	1
78	12	21	3	3.2	161	4.2	159	-8.8	-8.7	0.1	E	999.9	0.0	RB	1
78	12	21	4	3.9	283	4.4	292	-9.4	-9.4	0.0	E	-14.6	0.0	RB	1
78	12	21	5	1.8	246	2.6	350	-9.8	-9.6	0.3	E	-14.3	0.0	RB	1
78	12	21	6	2.6	173	4.2	150	-9.8	-9.5	0.3	E	-14.2	0.0	RB	1
78	12	21	7	3.1	249	3.1	158	-10.0	-9.3	0.8	F	-14.2	0.0	RB	1
78	12	21	8	5.7	207	8.6	193	-10.1	-9.8	0.3	E	-14.6	0.06	RB	1
78	12	21	9	3.8	174	5.0	189	-8.7	-8.9	-0.2	E	-14.3	0.26	RB	1
78	12	21	10	4.7	149	5.8	154	-7.4	-7.9	-0.5	D	-13.8	0.31	RB	1
78	12	21	11	4.7	104	4.8	110	-5.9	-6.1	-0.2	E	-13.5	0.59	RB	1
78	12	21	12	6.6	233	9.0	225	-4.0	-4.5	-0.5	D	-13.0	0.69	RB	1
78	12	21	13	6.0	250	8.1	239	-3.2	-3.8	-0.5	D	-11.8	0.64	RB	1
78	12	21	14	7.0	243	9.6	235	-3.0	-3.5	-0.5	D	-11.1	0.46	RB	1
78	12	21	15	6.1	227	8.8	226	-2.5	-3.1	-0.6	D	999.9	0.42	RB	1
78	12	21	16	5.6	218	8.1	213	-2.9	-3.4	-0.5	D	-10.6	0.12	RB	1
78	12	21	17	4.0	192	5.6	192	-3.7	-3.9	-0.2	E	-10.6	0.01	RB	1
78	12	21	18	6.6	198	8.1	193	-4.7	-4.6	0.1	E	-10.6	0.0	RB	1
78	12	21	19	5.1	201	7.0	189	-6.5	-5.8	0.7	E	-11.1	0.0	RB	1
78	12	21	20	5.0	239	4.3	228	-6.4	-5.4	1.0	F	-11.1	0.0	RB	1
78	12	21	21	5.5	293	7.3	286	-5.7	-5.5	0.2	E	-11.1	0.0	RB	1
78	12	21	22	5.4	300	7.6	255	-6.0	-5.6	0.4	E	-11.3	0.0	RB	1
78	12	21	23	4.0	317	3.8	331	-8.0	-7.3	0.7	E	-11.6	0.0	RB	1
78	12	21	24	3.9	203	4.3	247	-7.1	-6.3	0.8	F	-11.4	0.0	RB	1
78	12	22	1	3.3	263	4.4	255	-6.2	-6.2	0.0	E	-11.3	0.0	RB	1
78	12	22	2	3.8	175	5.3	181	-6.4	-6.3	0.1	E	-11.3	0.0	RB	1
78	12	22	3	2.0	249	3.4	211	-6.5	-6.3	0.2	E	999.9	0.0	RB	1
78	12	22	4	3.4	295	3.2	189	-7.6	-6.7	0.9	F	-11.6	0.0	RB	1
78	12	22	5	3.9	214	3.9	167	-7.3	-6.8	0.5	E	-11.5	0.0	RB	1
78	12	22	6	6.6	224	10.1	231	-6.5	-6.5	0.0	E	-11.2	0.0	RB	1
78	12	22	7	5.4	235	8.1	238	-6.4	-6.5	-0.1	E	-11.2	0.0	RB	1
78	12	22	8	3.6	198	4.1	202	-6.7	-6.4	0.3	E	-11.1	0.05	RB	1
78	12	22	9	3.3	194	4.9	182	-6.0	-6.1	0.0	E	-11.0	0.22	RB	1
78	12	22	10	6.1	176	6.5	184	-4.6	-5.1	-0.5	D	-10.8	0.44	RB	1
78	12	22	11	7.2	232	9.7	227	-3.8	-4.4	-0.6	D	-10.5	0.49	RB	1
78	12	22	12	7.8	248	9.4	238	-3.1	-3.6	-0.5	D	-10.5	0.63	RB	1
78	12	22	13	6.6	242	8.1	232	-2.5	-3.1	-0.6	D	-10.6	0.43	RB	1
78	12	22	14	6.8	204	9.2	209	-2.7	-3.4	-0.7	D	-10.4	0.28	RB	1
78	12	22	15	8.3	197	12.0	204	-3.5	-4.2	-0.6	D	999.9	0.20	RB	1
78	12	22	16	7.9	200	14.1	210	-4.9	-5.2	-0.3	D	-10.5	0.08	RB	1
78	12	22	17	8.5	191	13.6	200	-5.4	-5.4	0.0	E	-10.8	0.01	RB	1
78	12	22	18	9.1	153	10.1	159	-5.3	-5.3	0.0	E	-11.1	0.0	RB	1
78	12	22	19	4.5	179	7.2	214	-5.8	-5.5	0.3	E	-11.5	0.0	RB	1
78	12	22	20	3.5	232	7.3	235	-5.6	-5.4	0.2	E	-11.5	0.0	RB	1
78	12	22	21	3.6	2	5.4	17	-6.5	-6.0	0.5	E	-11.6	0.0	RB	1
78	12	22	22	4.8	12	6.3	273	-6.0	-5.3	0.7	E	-11.8	0.0	RB	1
78	12	22	23	15.3	251	21.8	249	-3.7	-3.9	-0.2	E	-12.1	0.0	RB	1
78	12	22	24	21.2	252	29.7	250	-3.8	-4.1	-0.3	D	-12.3	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	23	1	22.4	254	29.0	253	-3.9	-4.2	-0.3	D	-11.8	0.0	RB	1
78	12	23	2	21.3	258	28.4	257	-4.3	-4.5	-0.2	E	-11.5	0.0	RB	1
78	12	23	3	15.1	255	19.9	256	-4.9	-5.1	-0.2	E	999.9	0.0	RB	1
78	12	23	4	20.5	256	27.6	256	-5.6	-5.8	-0.2	E	-11.6	0.0	RB	1
78	12	23	5	26.0	262	32.3	261	-5.8	-6.0	-0.3	D	-11.2	0.0	RB	1
78	12	23	6	19.8	266	25.5	266	-6.0	-6.3	-0.3	D	-11.1	0.0	RB	1
78	12	23	7	22.8	282	28.6	278	-6.6	-7.0	-0.4	D	-10.6	0.0	RB	1
78	12	23	8	21.0	287	26.9	283	-7.2	-7.6	-0.3	D	-10.0	0.04	RB	1
78	12	23	9	15.8	325	19.4	320	-7.1	-7.5	-0.4	D	-9.3	0.17	RB	1
78	12	23	10	17.3	322	20.8	318	-6.1	-6.5	-0.4	D	-12.2	0.45	RB	1
78	12	23	11	19.0	327	22.2	323	-5.4	-5.8	-0.4	D	-16.1	0.61	RB	1
78	12	23	12	13.7	328	15.9	326	-5.1	-5.6	-0.5	D	-17.2	0.72	RB	1
78	12	23	13	14.6	359	16.3	355	-4.9	-5.5	-0.6	D	-17.5	0.70	RB	1
78	12	23	14	12.9	7	14.5	3	-5.0	-5.6	-0.6	D	-17.3	0.57	RB	1
78	12	23	15	7.8	349	9.1	344	-4.8	-5.4	-0.6	D	999.9	0.40	RB	1
78	12	23	16	3.9	91	4.0	84	-5.6	-6.0	-0.3	D	-16.5	0.12	RB	1
78	12	23	17	2.6	173	4.4	163	-6.3	-6.5	-0.2	E	-16.3	0.01	RB	1
78	12	23	18	4.0	215	6.8	196	-6.8	-6.6	0.2	E	-15.4	0.0	RB	1
78	12	23	19	3.3	227	6.5	229	-5.9	-5.9	0.0	E	-14.0	0.0	RB	1
78	12	23	20	4.7	213	8.1	221	-5.5	-5.7	-0.2	E	-12.4	0.0	RB	1
78	12	23	21	4.6	215	9.2	216	-6.1	-6.3	-0.3	D	-12.9	0.0	RB	1
78	12	23	22	4.8	209	7.8	219	-5.8	-6.1	-0.3	D	-13.1	0.0	RB	1
78	12	23	23	6.4	246	10.0	243	-5.2	-5.5	-0.3	D	-12.6	0.0	RB	1
78	12	23	24	9.9	252	14.1	249	-4.7	-5.0	-0.3	D	-12.2	0.0	RB	1
78	12	24	1	14.8	251	20.3	249	-4.4	-4.8	-0.4	D	-10.6	0.0	RB	1
78	12	24	2	14.0	240	20.5	241	-4.6	-4.9	-0.3	D	-10.4	0.0	RB	1
78	12	24	3	16.4	246	22.7	249	-4.6	-4.9	-0.3	D	999.9	0.0	RB	1
78	12	24	4	15.7	257	21.6	258	-4.3	-4.6	-0.2	E	-9.3	0.0	RB	1
78	12	24	5	4.9	223	9.0	303	-4.8	-4.8	-0.1	E	-9.5	0.0	RB	1
78	12	24	6	2.9	110	3.7	133	-5.2	-4.9	0.3	E	-9.6	0.0	RB	1
78	12	24	7	3.1	193	5.1	223	-4.9	-4.5	0.4	E	-9.3	0.0	RB	1
78	12	24	8	4.0	235	7.7	245	-4.4	-4.1	0.3	E	-8.9	0.05	RB	1
78	12	24	9	6.6	230	9.9	223	-2.8	-3.2	-0.3	D	-8.6	0.23	RB	1
78	12	24	10	8.9	238	11.9	232	-1.9	-2.4	-0.5	D	-8.3	0.47	RB	1
78	12	24	11	8.8	240	11.2	229	-1.2	-1.8	-0.6	D	-8.2	0.63	RB	1
78	12	24	12	7.4	221	9.2	218	-1.0	-1.6	-0.6	D	-8.0	0.51	RB	1
78	12	24	13	6.3	202	8.4	213	-0.5	-1.1	-0.6	D	-7.7	0.39	RB	1
78	12	24	14	6.5	209	8.8	217	0.8	0.0	-0.7	D	-7.0	0.63	RB	1
78	12	24	15	6.3	216	7.8	213	0.9	0.3	-0.6	D	999.9	0.51	RB	1
78	12	24	16	5.6	188	7.5	201	-0.8	-1.1	-0.2	E	-8.3	0.14	RB	1
78	12	24	17	6.7	187	8.9	183	-2.6	-2.7	-0.2	E	-9.2	0.01	RB	1
78	12	24	18	3.6	157	5.1	174	-3.5	-3.2	0.3	E	-9.5	0.0	RB	1
78	12	24	19	3.5	94	4.3	128	-3.2	-3.0	0.2	E	-9.0	0.0	RB	1
78	12	24	20	3.8	143	5.8	143	-3.1	-2.6	0.5	E	-8.8	0.0	RB	1
78	12	24	21	3.4	350	5.4	221	-2.8	-2.5	0.3	E	-9.0	0.0	RB	1
78	12	24	22	4.3	176	5.2	163	-3.0	-2.6	0.4	E	-9.5	0.0	RB	1
78	12	24	23	5.3	211	4.7	219	-3.1	-2.4	0.6	E	-9.8	0.0	RB	1
78	12	24	24	3.9	169	4.3	172	-3.4	-2.7	0.7	E	-10.0	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
78	12	25	1	3.5	148	5.4	217	-3.4	-3.4	0.0	E	-9.9	0.0	RB	1
78	12	25	2	4.1	185	6.8	166	-4.1	-3.5	0.6	E	-10.2	0.0	RB	1
78	12	25	3	4.0	153	5.5	257	-3.4	-3.2	0.2	E	999.9	0.0	RB	1
78	12	25	4	4.9	214	7.8	215	-3.2	-3.1	0.1	E	-9.9	0.0	RB	1
78	12	25	5	9.7	271	15.3	269	-3.4	-3.3	0.1	E	-10.2	0.0	RB	1
78	12	25	6	8.4	253	13.5	261	-3.7	-3.5	0.2	E	-10.2	0.0	RB	1
78	12	25	7	7.2	224	10.2	236	-4.0	-4.0	0.0	E	-10.5	0.0	RB	1
78	12	25	8	9.4	264	14.7	269	-4.1	-3.8	0.4	E	-10.9	0.05	RB	1
78	12	25	9	5.2	158	6.4	176	-3.6	-3.5	0.0	E	-10.9	0.24	RB	1
78	12	25	10	5.6	282	6.8	244	-2.8	-3.1	-0.4	D	-10.6	0.46	RB	1
78	12	25	11	9.6	262	11.4	257	-2.5	-3.0	-0.6	D	-10.6	0.61	RB	1
78	12	25	12	5.7	254	6.9	237	-1.9	-2.4	-0.5	D	-10.9	0.69	RB	1
78	12	25	13	9.2	266	11.1	262	-1.9	-2.4	-0.5	D	-11.3	0.68	RB	1
78	12	25	14	7.6	282	9.5	280	-2.3	-2.9	-0.5	D	-11.4	0.57	RB	1
78	12	25	15	8.4	221	11.8	226	-2.6	-3.2	-0.5	D	999.9	0.40	RB	1
78	12	25	16	11.5	248	16.3	248	-3.3	-3.5	-0.2	E	-13.0	0.13	RB	1
78	12	25	17	4.7	285	8.7	273	-4.7	-4.5	0.2	E	-13.2	0.01	RB	1
78	12	25	18	12.3	252	8.0	246	-4.1	-3.1	1.0	F	-14.2	0.0	RB	1
78	12	25	19	14.0	249	10.6	243	-4.2	-3.1	1.1	F	-14.1	0.0	RB	1
78	12	25	20	11.9	241	10.2	236	-4.4	-3.4	1.0	F	-14.0	0.0	RB	1
78	12	25	21	7.3	251	9.5	247	-4.8	-4.6	0.2	E	-14.3	0.0	RB	1
78	12	25	22	14.9	246	19.7	249	-5.3	-4.5	0.8	F	-14.4	0.0	RB	1
78	12	25	23	15.1	247	17.8	253	-5.6	-4.5	1.1	F	-14.5	0.0	RB	1
78	12	25	24	11.6	211	12.2	256	-6.4	-4.9	1.6	F	-14.9	0.0	RB	1
78	12	26	1	3.0	35	4.0	331	-8.3	-7.0	1.3	F	-15.2	0.0	RB	1
78	12	26	2	4.0	254	3.0	42	-8.4	-7.2	1.2	F	-17.5	0.0	RB	1
78	12	26	3	1.7	274	1.7	155	-7.7	-7.0	0.7	E	999.9	0.0	RB	1
78	12	26	4	2.4	268	1.5	221	-7.1	-6.7	0.4	E	-18.7	0.0	RB	1
78	12	26	5	2.2	314	1.4	248	-6.5	-6.4	0.1	E	-19.8	0.0	RB	1
78	12	26	6	2.2	279	1.6	129	-7.5	-6.9	0.6	E	-21.8	0.0	RB	1
78	12	26	7	2.7	188	5.2	158	-7.4	-6.9	0.5	E	-21.6	0.0	RB	1
78	12	26	8	1.9	216	2.9	176	-7.0	-6.9	0.1	E	-21.3	0.05	RB	1
78	12	26	9	1.5	103	2.8	209	-6.1	-5.8	0.3	E	-22.5	0.25	RB	1
78	12	26	10	1.8	72	2.9	158	-5.4	-5.1	0.3	E	-21.3	0.47	RB	1
78	12	26	11	3.9	186	5.2	196	-3.7	-3.9	-0.2	E	-19.6	0.58	RB	1
78	12	26	12	8.6	256	9.1	243	-3.6	-3.8	-0.3	D	-17.1	0.66	RB	1
78	12	26	13	7.8	258	7.4	249	-3.3	-3.6	-0.3	D	-16.5	0.70	RB	1
78	12	26	14	4.2	243	4.7	215	-2.7	-3.0	-0.3	D	-15.2	0.51	RB	1
78	12	26	15	2.8	112	3.3	149	-3.3	-3.2	0.1	E	999.9	0.40	RB	1
78	12	26	16	3.4	112	2.9	82	-4.9	-4.7	0.2	E	999.9	0.14	RB	1
78	12	26	17	4.2	234	4.8	183	-5.5	-5.3	0.2	E	-14.9	0.01	RB	1
78	12	26	18	7.9	229	11.6	211	-5.2	-5.0	0.2	E	-16.5	0.0	RB	1
78	12	26	19	5.1	211	8.6	193	-5.7	-5.4	0.2	E	-18.0	0.0	RB	1
78	12	26	20	3.7	161	8.2	161	-5.9	-5.3	0.6	E	-18.0	0.0	RB	1
78	12	26	21	4.1	156	6.8	164	-5.2	-5.0	0.2	E	-18.6	0.0	RB	1
78	12	26	22	5.0	181	8.0	186	-5.5	-5.3	0.3	E	-19.3	0.0	RB	1
78	12	26	23	2.9	183	6.3	181	-5.7	-5.4	0.2	E	-18.2	0.0	RB	1
78	12	26	24	4.3	201	7.3	191	-5.3	-5.2	0.1	E	-16.7	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	12	27	1	4.3	183	6.8	178	-5.4	-5.3	0.2	E	-16.0	0.0	RB	1
78	12	27	2	5.4	180	8.6	175	-5.9	-5.4	0.5	E	-15.8	0.0	RB	1
78	12	27	3	4.1	186	7.6	172	-5.8	-5.3	0.5	E	-16.1	0.0	RB	1
78	12	27	4	3.1	192	6.4	173	-5.6	-5.2	0.4	E	999.9	0.0	RB	1
78	12	27	5	3.1	187	5.2	170	-5.4	-5.0	0.4	E	-15.6	0.0	RB	1
78	12	27	6	3.8	195	5.9	186	-4.7	-4.6	0.1	E	-15.2	0.0	RB	1
78	12	27	7	2.7	184	4.6	175	-4.4	-4.5	-0.1	E	-15.0	0.0	RB	1
78	12	27	8	3.1	177	6.6	170	-4.6	-4.5	0.1	E	-14.6	0.05	RB	1
78	12	27	9	2.4	194	4.8	162	-3.6	-3.7	-0.2	E	-14.4	0.20	RB	1
78	12	27	10	7.9	175	10.3	181	-2.6	-3.1	-0.5	D	-13.3	0.37	RB	1
78	12	27	11	11.3	182	15.7	189	-1.9	-2.5	-0.6	D	-12.2	0.54	RB	1
78	12	27	12	11.7	185	15.8	193	-1.1	-1.8	-0.7	D	-11.4	0.58	RB	1
78	12	27	13	11.6	197	18.2	208	-0.9	-1.6	-0.7	D	-10.4	0.61	RB	1
78	12	27	14	7.0	232	12.0	225	-1.6	-2.2	-0.6	D	-10.0	0.42	RB	1
78	12	27	15	9.8	214	18.3	217	-2.1	-2.6	-0.5	D	-8.6	0.24	RB	1
78	12	27	16	9.6	222	18.0	221	-2.6	-3.0	-0.4	D	999.9	0.09	RB	1
78	12	27	17	10.5	241	17.4	224	-2.8	-3.1	-0.4	D	-8.6	0.01	RB	1
78	12	27	18	7.8	222	13.3	223	-2.9	-3.3	-0.3	D	-8.8	0.0	RB	1
78	12	27	19	8.6	232	16.2	219	-2.9	-3.2	-0.3	D	-9.0	0.0	RB	1
78	12	27	20	12.5	212	22.3	216	-2.9	-3.2	-0.3	D	-8.9	0.0	RB	1
78	12	27	21	13.3	207	23.3	217	-3.5	-3.8	-0.4	D	-7.8	0.0	RB	1
78	12	27	22	13.4	202	23.2	218	-3.2	-3.6	-0.4	D	-8.1	0.0	RB	1
78	12	27	23	13.6	206	24.9	215	-3.2	-3.5	-0.3	D	-8.6	0.0	RB	1
78	12	27	24	14.8	218	25.9	220	-3.2	-3.5	-0.3	D	-8.9	0.0	RB	1
78	12	28	1	13.8	236	22.0	220	-3.4	-3.8	-0.4	D	-8.7	0.0	RB	1
78	12	28	2	13.6	228	23.7	221	-3.6	-4.0	-0.4	D	-8.3	0.0	RB	1
78	12	28	3	12.0	218	21.8	218	-3.8	-4.1	-0.4	D	-7.9	0.0	RB	1
78	12	28	4	17.0	237	27.8	221	-4.2	-4.6	-0.4	D	999.9	0.0	RB	1
78	12	28	5	20.8	244	33.5	226	-4.2	-4.6	-0.4	D	-8.1	0.0	RB	1
78	12	28	6	18.2	246	27.8	225	-4.8	-5.2	-0.4	D	-8.3	0.0	RB	1
78	12	28	7	12.8	232	20.9	223	-5.1	-5.5	-0.3	D	-8.2	0.0	RB	1
78	12	28	8	13.1	221	24.3	219	-4.8	-5.2	-0.4	D	-7.9	0.08	RB	1
78	12	28	9	15.8	210	28.3	217	-3.7	-4.2	-0.5	D	-7.4	0.28	RB	1
78	12	28	10	13.8	216	25.4	218	-2.7	-3.4	-0.6	D	-7.5	0.49	RB	1
78	12	28	11	15.5	209	26.4	214	-2.0	-2.7	-0.7	D	-7.2	0.65	RB	1
78	12	28	12	17.4	202	28.7	211	-2.1	-2.7	-0.5	D	-7.0	0.72	RB	1
78	12	28	13	18.3	199	29.4	206	-2.0	-2.3	-0.3	D	-7.3	0.70	RB	1
78	12	28	14	18.2	198	29.0	204	-2.3	-2.5	-0.2	E	-7.5	0.64	RB	1
78	12	28	15	17.9	199	28.7	204	-3.1	-3.3	-0.3	D	-7.7	0.23	RB	1
78	12	28	16	16.1	196	25.7	205	-3.3	-3.5	-0.2	E	999.9	0.14	RB	1
78	12	28	17	13.5	199	22.8	206	-4.1	-4.3	-0.2	E	-8.8	0.01	RB	1
78	12	28	18	12.9	202	22.2	209	-4.7	-4.8	-0.1	E	-8.8	0.0	RB	1
78	12	28	19	11.8	203	21.0	210	-4.7	-4.9	-0.1	E	-8.6	0.0	RB	1
78	12	28	20	11.5	204	20.6	213	-4.8	-4.9	-0.2	E	-8.1	0.0	RB	1
78	12	28	21	11.9	202	20.8	214	-4.6	-4.6	-0.1	E	-8.1	0.0	RB	1
78	12	28	22	11.7	200	20.8	213	-4.3	-4.4	-0.1	E	-9.0	0.0	RB	1
78	12	28	23	11.3	199	20.3	211	-4.7	-4.8	-0.1	E	-8.4	0.0	RB	1
78	12	28	24	11.9	200	20.7	210	-4.7	-4.9	-0.1	E	-8.3	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	12	29	1	11.5	197	19.3	215	-4.8	-4.9	-0.1	E	-9.1	0.0	RB	1
78	12	29	2	7.9	204	16.3	213	-5.6	-5.6	0.0	E	-8.8	0.0	RB	1
78	12	29	3	8.9	201	17.6	208	-5.7	-5.6	0.1	E	-8.8	0.0	RB	1
78	12	29	4	8.5	204	17.1	210	-5.9	-5.9	0.0	E	999.9	0.0	RB	1
78	12	29	5	11.3	199	19.0	205	-5.9	-6.0	-0.1	E	-8.9	0.0	RB	1
78	12	29	6	12.2	200	21.0	209	-6.0	-6.1	-0.1	E	-9.5	0.0	RB	1
78	12	29	7	14.1	202	22.6	207	-5.9	-6.1	-0.2	E	-9.1	0.0	RB	1
78	12	29	8	13.5	197	22.4	205	-5.6	-5.8	-0.2	E	-9.2	0.06	RB	1
78	12	29	9	15.7	197	24.3	206	-4.3	-4.7	-0.5	D	-8.4	0.33	RB	1
78	12	29	10	15.5	197	24.1	205	-3.9	-4.4	-0.5	D	-8.7	0.33	RB	1
78	12	29	11	15.5	196	23.8	207	-3.8	-4.2	-0.4	D	-8.4	0.30	RB	1
78	12	29	12	18.5	197	28.0	207	-3.1	-3.5	-0.4	D	-8.0	0.51	RB	1
78	12	29	13	17.8	203	27.8	211	-3.1	-3.5	-0.4	D	-8.9	0.25	RB	1
78	12	29	14	14.3	205	23.7	216	-3.4	-3.9	-0.4	D	-8.0	0.15	RB	1
78	12	29	15	13.7	214	22.2	219	-3.4	-3.8	-0.4	D	-8.2	0.11	RB	1
78	12	29	16	11.8	252	16.2	239	-4.3	-4.7	-0.4	D	999.9	0.05	RB	1
78	12	29	17	8.2	259	11.4	255	-5.1	-5.4	-0.2	E	999.9	0.0	RB	1
78	12	29	18	3.7	193	5.0	318	-7.4	-6.8	0.5	E	999.9	0.0	RB	1
78	12	29	19	3.9	121	4.0	142	-11.6	-11.6	0.1	E	-12.4	0.0	RB	1
78	12	29	20	2.4	49	2.3	95	-12.9	-13.2	-0.2	E	-13.5	0.0	RB	1
78	12	29	21	3.7	106	3.6	100	-13.4	-13.7	-0.3	D	-14.1	0.0	RB	1
78	12	29	22	3.3	105	3.4	104	-13.9	-14.3	-0.4	D	-14.9	0.0	RB	1
78	12	29	23	2.5	90	2.8	80	-14.3	-14.6	-0.3	D	-15.4	0.0	RB	1
78	12	29	24	1.6	58	2.4	39	-14.6	-15.0	-0.4	D	-15.9	0.0	RB	1
78	12	30	1	2.6	50	3.0	29	-14.9	-15.3	-0.4	D	-16.1	0.0	RB	1
78	12	30	2	3.0	70	3.3	41	-15.2	-15.6	-0.3	D	-16.5	0.0	RB	1
78	12	30	3	3.7	33	3.4	25	-16.0	-16.3	-0.3	D	-17.3	0.0	RB	1
78	12	30	4	2.4	140	1.8	59	-16.1	-16.5	-0.3	D	999.9	0.0	RB	1
78	12	30	5	2.4	90	2.8	61	-16.7	-17.0	-0.3	D	-17.9	0.0	RB	1
78	12	30	6	1.5	99	1.5	51	-16.8	-17.2	-0.3	D	-18.2	0.0	RB	1
78	12	30	7	2.2	118	1.8	124	-17.0	-17.3	-0.3	D	-18.3	0.0	RB	1
78	12	30	8	1.4	57	1.4	109	-17.1	-17.5	-0.3	D	-18.4	0.01	RB	1
78	12	30	9	1.6	215	1.8	208	-16.4	-16.7	-0.3	D	-17.7	0.09	RB	1
78	12	30	10	1.9	96	1.9	114	-15.4	-15.6	-0.2	E	-17.0	0.18	RB	1
78	12	30	11	1.9	130	1.7	159	-14.4	-14.7	-0.3	D	-16.5	0.24	RB	1
78	12	30	12	1.9	31	1.4	36	-13.1	-13.3	-0.2	E	-15.6	0.29	RB	1
78	12	30	13	2.8	73	2.4	65	-13.0	-12.9	0.1	E	-15.2	0.30	RB	1
78	12	30	14	1.6	41	1.1	60	-12.0	-12.1	-0.1	E	-15.1	0.32	RB	1
78	12	30	15	1.7	52	2.0	110	-11.8	-12.2	-0.3	D	-15.0	0.28	RB	1
78	12	30	16	3.6	82	4.1	89	-12.9	-13.1	-0.2	E	999.9	0.09	RB	1
78	12	30	17	2.5	308	1.6	5	-13.8	-13.9	-0.1	E	-15.8	0.01	RB	1
78	12	30	18	1.7	240	0.6	214	-13.7	-13.9	-0.2	E	-15.5	0.0	RB	1
78	12	30	19	2.5	215	2.7	190	-13.4	-13.5	-0.1	E	-15.0	0.0	RB	1
78	12	30	20	2.0	102	2.2	136	-14.6	-14.2	0.4	E	-16.1	0.0	RB	1
78	12	30	21	1.2	246	1.5	161	-16.1	-15.7	0.4	E	-17.6	0.01	RB	1
78	12	30	22	0.9	257	1.3	217	-16.3	-15.5	0.8	F	-18.2	0.01	RB	1
78	12	30	23	1.5	254	1.9	207	-16.4	-15.7	0.7	E	-18.7	0.01	RB	1
78	12	30	24	1.8	339	1.8	358	-16.1	-15.4	0.6	E	-18.7	0.01	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
78	12	31	1	1.5	162	1.4	146	-16.5	-15.9	0.6	E	-18.9	0.01	RB	1
78	12	31	2	1.5	185	2.5	147	-17.3	-16.9	0.3	E	-19.1	0.01	RB	1
78	12	31	3	1.4	227	1.9	165	-17.3	-16.9	0.4	E	-19.1	0.01	RB	1
78	12	31	4	1.6	321	2.6	278	-17.3	-15.8	1.5	F	999.9	0.01	RB	1
78	12	31	5	2.2	79	3.2	60	-19.6	-19.1	0.5	E	-20.9	0.01	RB	1
78	12	31	6	1.1	185	1.8	77	-20.8	-20.9	0.0	E	-21.7	0.01	RB	1
78	12	31	7	3.2	229	3.8	223	-21.9	-21.9	-0.1	E	-22.6	0.01	RB	1
78	12	31	8	2.0	290	2.2	198	-22.7	-20.6	2.1	G	-23.5	0.03	RB	1
78	12	31	9	1.5	227	1.5	153	-19.8	-18.2	1.6	F	-20.6	0.12	RB	1
78	12	31	10	2.1	177	2.7	190	-15.9	-16.1	-0.2	E	-18.1	0.22	RB	1
78	12	31	11	2.0	97	2.3	148	-14.9	-14.7	0.2	E	-17.2	0.32	RB	1
78	12	31	12	3.7	89	4.2	114	-13.6	-13.9	-0.3	D	-19.8	0.41	RB	1
78	12	31	13	4.6	80	5.9	90	-13.3	-13.7	-0.4	D	-21.2	0.59	RB	1
78	12	31	14	5.1	121	5.7	130	-12.7	-13.1	-0.4	D	-22.3	0.59	RB	1
78	12	31	15	4.7	88	5.2	85	-13.8	-14.1	-0.3	D	-20.2	0.42	RB	1
78	12	31	16	3.8	206	4.5	195	-14.3	-14.5	-0.2	E	999.9	0.16	RB	1
78	12	31	17	1.9	257	2.0	292	-16.5	-16.3	0.2	E	-21.5	0.01	RB	1
78	12	31	18	2.1	288	1.7	21	-17.4	-17.0	0.4	E	-22.0	0.01	RB	1
78	12	31	19	3.9	296	4.8	323	-18.4	-17.9	0.5	E	-24.3	0.01	RB	1
78	12	31	20	5.0	312	9.3	359	-18.9	-18.0	0.9	F	-22.9	0.01	RB	1
78	12	31	21	3.7	331	7.4	1	-18.1	-18.1	0.0	E	-20.0	0.01	RB	1
78	12	31	22	7.0	25	9.0	24	-18.2	-18.6	-0.4	D	-19.8	0.01	RB	1
78	12	31	23	8.7	15	10.8	16	-19.3	-19.6	-0.4	D	-21.1	0.01	RB	1
78	12	31	24	7.7	24	9.6	22	-20.1	-20.5	-0.4	D	-22.0	0.01	RB	1
79	1	1	1	9.5	13	11.4	13	-20.8	-21.2	-0.4	D	-24.3	0.01	RB	1
79	1	1	2	9.2	7	11.3	8	-21.3	-21.7	-0.4	D	-26.6	0.01	RB	1
79	1	1	3	3.3	337	4.3	25	-22.8	-22.7	0.0	E	-27.6	0.01	RB	1
79	1	1	4	3.2	343	5.4	16	-23.7	-23.5	0.2	E	999.9	0.01	RB	1
79	1	1	5	3.8	281	5.6	342	-24.2	-24.1	0.1	E	-29.0	0.01	RB	1
79	1	1	6	4.9	290	5.0	349	-24.6	-24.2	0.4	E	-30.0	0.02	RB	1
79	1	1	7	2.1	222	1.5	206	-24.4	-24.4	-0.1	E	-29.9	0.02	RB	1
79	1	1	8	2.5	189	3.0	168	-24.5	-24.5	0.0	E	-29.8	0.05	RB	1
79	1	1	9	2.0	183	2.6	130	-24.3	-24.5	-0.3	D	-29.4	0.20	RB	1
79	1	1	10	2.4	117	3.1	129	-23.1	-23.4	-0.4	D	-29.2	0.47	RB	1
79	1	1	11	3.3	163	4.4	163	-22.1	-22.5	-0.5	D	-28.8	0.62	RB	1
79	1	1	12	2.9	146	3.8	145	-21.2	-21.5	-0.3	D	-28.5	0.70	RB	1
79	1	1	13	4.0	73	4.6	78	-20.8	-21.0	-0.3	D	-28.4	0.70	RB	1
79	1	1	14	4.0	77	4.7	78	-20.3	-20.6	-0.3	D	-28.3	0.60	RB	1
79	1	1	15	3.2	146	4.5	159	-19.8	-20.2	-0.4	D	-28.0	0.42	RB	1
79	1	1	16	3.8	117	5.0	129	-20.0	-20.3	-0.3	D	999.9	0.15	RB	1
79	1	1	17	3.4	183	4.7	159	-21.0	-21.2	-0.1	E	-27.6	0.01	RB	1
79	1	1	18	1.9	193	3.4	160	-21.4	-21.4	0.1	E	-28.1	0.01	RB	1
79	1	1	19	3.0	195	5.1	164	-21.8	-21.5	0.2	E	-28.3	0.01	RB	1
79	1	1	20	3.8	212	4.6	176	-21.9	-21.9	0.0	E	-28.5	0.01	RB	1
79	1	1	21	4.5	224	4.6	182	-21.4	-21.5	-0.1	E	-28.7	99.99	RB	1
79	1	1	22	2.2	256	3.1	173	-21.0	-20.8	0.2	E	-28.7	99.99	RB	1
79	1	1	23	3.1	235	4.6	200	-20.4	-20.0	0.3	E	-29.2	99.99	RB	1
79	1	1	24	4.0	231	4.5	199	-21.0	-20.5	0.6	E	-28.8	99.99	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE								
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	1	2	1	1.7	204	4.7	187	-20.5	-20.1	0.4	E	-28.3	99.99	RB	1
79	1	2	2	1.3	173	4.8	144	-20.9	-20.1	0.8	F	-28.1	99.99	RB	1
79	1	2	3	3.2	294	2.7	134	-20.9	-20.2	0.7	E	-28.3	99.99	RB	1
79	1	2	4	2.6	262	4.2	183	-20.1	-19.5	0.6	E	999.9	0.01	RB	1
79	1	2	5	4.1	194	5.8	185	-19.4	-19.5	0.0	E	-28.7	0.01	RB	1
79	1	2	6	3.6	178	6.3	199	-19.3	-18.9	0.3	E	-28.6	0.01	RB	1
79	1	2	7	2.3	212	4.7	167	-19.3	-18.7	0.6	E	-28.5	0.01	RB	1
79	1	2	8	2.7	335	2.3	126	-18.4	-17.6	0.8	F	-28.6	0.03	RB	1
79	1	2	9	2.9	258	3.1	180	-18.0	-17.3	0.7	E	-27.5	0.12	RB	1
79	1	2	10	1.8	18	2.5	73	-16.7	-16.3	0.4	E	-26.1	0.22	RB	1
79	1	2	11	1.5	51	2.5	79	-15.9	-15.8	0.1	E	-24.7	0.27	RB	1
79	1	2	12	6.1	121	7.2	153	-13.8	-14.2	-0.4	D	-25.0	0.36	RB	1
79	1	2	13	4.1	85	4.1	103	-12.4	-12.8	-0.3	D	-23.7	0.50	RB	1
79	1	2	14	3.1	53	3.3	81	-12.1	-12.4	-0.3	D	-22.6	0.43	RB	1
79	1	2	15	2.6	28	2.5	29	-11.4	-11.8	-0.4	D	-22.1	0.19	RB	1
79	1	2	16	4.0	8	3.5	14	-11.8	-12.1	-0.4	D	999.9	0.11	RB	1
79	1	2	17	3.7	301	2.9	314	-12.0	-12.3	-0.2	E	-21.6	0.02	RB	1
79	1	2	18	3.0	257	2.2	180	-12.1	-12.2	-0.1	E	-22.0	0.0	RB	1
79	1	2	19	4.5	227	6.7	174	-11.9	-11.5	0.3	E	-21.7	0.0	RB	1
79	1	2	20	5.3	239	8.8	213	-9.9	-8.5	1.4	F	-21.9	0.0	RB	1
79	1	2	21	5.0	39	5.3	270	-10.5	-8.4	2.1	G	-21.6	0.0	RB	1
79	1	2	22	2.1	33	3.3	172	-11.1	-9.4	1.8	F	-21.1	0.0	RB	1
79	1	2	23	4.8	150	6.1	152	-9.5	-8.1	1.4	F	-20.8	0.0	RB	1
79	1	2	24	5.3	193	8.4	192	-8.3	-8.0	0.3	E	-20.7	0.0	RB	1
79	1	3	1	6.3	174	10.2	177	-8.8	-8.7	0.0	E	-20.4	0.0	RB	1
79	1	3	2	2.6	154	3.8	173	-10.2	-8.8	1.5	F	-20.5	0.0	RB	1
79	1	3	3	2.3	6	4.0	130	-11.2	-9.6	1.6	F	-19.6	0.0	RB	1
79	1	3	4	2.4	12	4.1	30	-12.3	-11.9	0.5	E	999.9	0.0	RB	1
79	1	3	5	3.4	298	2.5	23	-11.7	-11.5	0.2	E	-20.8	0.0	RB	1
79	1	3	6	3.5	290	2.7	69	-11.1	-10.7	0.5	E	-20.8	0.0	RB	1
79	1	3	7	2.5	291	2.6	140	-9.2	-8.4	0.9	F	-18.4	0.0	RB	1
79	1	3	8	1.8	228	3.7	128	-8.4	-7.6	0.8	F	-17.6	0.03	RB	1
79	1	3	9	2.1	291	1.3	59	-9.5	-7.7	1.9	F	-17.5	0.13	RB	1
79	1	3	10	1.4	319	2.2	142	-7.5	-6.6	0.9	F	-16.7	0.26	RB	1
79	1	3	11	2.1	134	3.4	140	-6.5	-5.9	0.7	E	-16.0	0.35	RB	1
79	1	3	12	3.5	157	6.8	167	-5.1	-4.7	0.4	E	-15.5	0.44	RB	1
79	1	3	13	5.0	104	6.0	138	-4.2	-4.3	-0.1	E	-15.6	0.49	RB	1
79	1	3	14	5.1	143	6.7	168	-3.5	-3.8	-0.4	D	-15.5	0.36	RB	1
79	1	3	15	3.1	77	3.7	109	-4.4	-4.2	0.2	E	-15.4	0.24	RB	1
79	1	3	16	2.0	46	2.9	35	-5.4	-5.3	0.2	E	999.9	0.10	RB	1
79	1	3	17	2.9	307	2.2	209	-6.5	-5.5	1.0	F	-14.3	0.01	RB	1
79	1	3	18	2.1	294	4.0	170	-5.7	-4.7	1.0	F	-15.0	0.0	RB	1
79	1	3	19	1.9	108	4.6	161	-6.4	-5.0	1.4	F	-14.9	0.0	RB	1
79	1	3	20	2.4	266	3.6	151	-5.7	-4.2	1.5	F	-15.4	0.0	RB	1
79	1	3	21	1.8	340	5.7	169	-5.1	-3.6	1.5	F	-15.2	0.0	RB	1
79	1	3	22	1.8	173	5.2	191	-3.8	-3.8	0.1	E	-15.0	0.0	RB	1
79	1	3	23	6.2	225	11.9	226	-3.8	-3.7	0.1	E	-14.6	0.0	RB	1
79	1	3	24	7.3	232	14.6	227	-3.3	-3.3	0.0	E	-14.5	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	1	4	1	5.5	234	9.5	221	-3.5	-3.8	-0.3	D	-14.9	0.0	RB	1
79	1	4	2	3.6	194	6.7	223	-3.9	-3.9	0.0	E	-12.1	0.0	RB	1
79	1	4	3	3.4	161	6.6	196	-4.2	-4.1	0.1	E	-13.2	0.0	RB	1
79	1	4	4	5.7	208	9.6	214	-3.6	-3.9	-0.2	E	999.9	0.0	RB	1
79	1	4	5	7.9	247	12.7	229	-2.7	-3.0	-0.3	D	-11.3	0.0	RB	1
79	1	4	6	12.5	241	19.7	238	-2.4	-2.6	-0.2	E	-14.3	0.0	RB	1
79	1	4	7	6.6	235	13.6	235	-2.7	-2.9	-0.2	E	-14.8	0.0	RB	1
79	1	4	8	8.0	238	14.4	238	-2.9	-3.0	-0.2	E	-15.0	0.02	RB	1
79	1	4	9	11.0	241	17.5	232	-2.8	-3.1	-0.3	D	-14.9	0.09	RB	1
79	1	4	10	10.4	235	18.1	234	-2.0	-2.2	-0.3	D	-13.9	0.23	RB	1
79	1	4	11	6.0	225	11.3	230	-0.8	-1.3	-0.5	D	-12.6	0.37	RB	1
79	1	4	12	8.4	225	13.2	230	-0.4	-1.1	-0.7	D	-13.1	0.64	RB	1
79	1	4	13	8.0	230	14.5	231	-0.6	-1.2	-0.6	D	-13.1	0.46	RB	1
79	1	4	14	12.1	238	19.4	237	-0.8	-1.1	-0.4	D	-13.2	0.33	RB	1
79	1	4	15	8.2	221	14.3	232	-1.5	-1.9	-0.4	D	-12.5	0.20	RB	1
79	1	4	16	4.7	202	8.5	224	-2.3	-2.6	-0.3	D	999.9	0.06	RB	1
79	1	4	17	4.8	200	8.4	218	-3.0	-3.4	-0.4	D	-11.4	0.01	RB	1
79	1	4	18	7.4	186	13.7	206	-3.1	-3.5	-0.3	D	-11.9	0.0	RB	1
79	1	4	19	5.3	183	9.5	199	-3.6	-4.0	-0.4	D	-12.6	0.0	RB	1
79	1	4	20	4.2	36	7.2	227	-4.2	-4.6	-0.3	D	-13.0	0.0	RB	1
79	1	4	21	8.6	317	13.6	238	-4.4	-4.6	-0.2	E	-12.4	0.0	RB	1
79	1	4	22	16.5	251	24.5	248	-3.7	-3.8	-0.2	E	-10.8	0.0	RB	1
79	1	4	23	15.2	247	23.8	246	-3.1	-3.1	0.0	E	-8.9	0.0	RB	1
79	1	4	24	15.6	248	23.0	247	-2.9	-3.0	-0.1	E	-8.1	0.0	RB	1
79	1	5	1	12.2	244	18.0	229	-3.5	-3.7	-0.2	E	-9.5	0.0	RB	1
79	1	5	2	11.0	245	16.2	222	-3.7	-4.0	-0.3	D	-10.6	0.0	RB	1
79	1	5	3	10.9	244	16.0	237	-2.9	-3.1	-0.1	E	-9.6	0.0	RB	1
79	1	5	4	10.6	241	15.9	238	-2.3	-2.4	-0.1	E	-9.3	0.0	RB	1
79	1	5	5	10.1	242	15.6	232	-2.1	-2.4	-0.2	E	999.9	0.0	RB	1
79	1	5	6	11.1	240	16.6	238	-2.1	-2.4	-0.2	E	-9.2	0.0	RB	1
79	1	5	7	9.3	241	14.4	236	-2.6	-2.8	-0.2	E	-9.8	0.0	RB	1
79	1	5	8	3.8	111	6.2	160	-4.3	-4.0	0.3	E	-10.4	0.03	RB	1
79	1	5	9	1.9	32	3.8	73	-5.1	-4.8	0.3	E	-10.5	0.16	RB	1
79	1	5	10	2.8	65	4.5	51	-4.6	-4.7	-0.1	E	-10.1	0.39	RB	1
79	1	5	11	3.6	96	4.4	93	-3.8	-4.2	-0.5	D	-10.0	0.49	RB	1
79	1	5	12	2.5	61	2.6	59	-3.3	-3.6	-0.3	D	-10.0	0.53	RB	1
79	1	5	13	1.5	44	1.5	343	-3.0	-3.4	-0.5	D	-9.6	0.28	RB	1
79	1	5	14	1.5	242	2.2	215	-3.8	-4.2	-0.5	D	-7.2	0.22	RB	1
79	1	5	15	2.6	82	2.7	80	-4.4	-4.7	-0.4	D	-5.6	0.18	RB	1
79	1	5	16	4.5	77	5.8	74	-4.9	-5.4	-0.5	D	-5.3	0.07	RB	1
79	1	5	17	3.3	64	3.8	49	-5.8	-6.2	-0.4	D	999.9	0.01	RB	1
79	1	5	18	2.6	72	3.0	50	-6.3	-6.6	-0.3	D	-7.2	0.0	RB	1
79	1	5	19	4.0	29	4.2	17	-7.2	-7.5	-0.3	D	-7.8	0.0	RB	1
79	1	5	20	2.4	298	1.9	334	-7.4	-7.6	-0.2	E	-8.2	0.0	RB	1
79	1	5	21	1.0	317	1.4	35	-7.5	-7.7	-0.2	E	-8.1	0.0	RB	1
79	1	5	22	1.4	93	1.3	65	-7.8	-8.0	-0.1	E	-8.2	0.0	RB	1
79	1	5	23	0.7	76	1.4	41	-8.0	-8.2	-0.2	E	-8.4	0.0	RB	1
79	1	5	24	1.4	65	2.3	38	-8.1	-8.4	-0.3	D	-8.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	1	6	1	1.2	66	1.8	351	-8.2	-8.5	-0.2	E	-8.8	0.0	RB	1
79	1	6	2	1.2	128	1.4	74	-8.4	-8.6	-0.2	E	-9.1	0.0	RB	1
79	1	6	3	1.2	350	1.2	5	-8.7	-8.8	-0.1	E	-9.3	0.0	RB	1
79	1	6	4	2.0	123	1.5	87	-9.3	-9.5	-0.2	E	-9.9	0.0	RB	1
79	1	6	5	1.4	265	1.2	216	-9.5	-9.6	-0.1	E	999.9	0.0	RB	1
79	1	6	6	0.9	35	0.7	301	-9.6	-9.6	0.0	E	-10.4	0.0	RB	1
79	1	6	7	1.6	121	0.9	112	-9.9	-10.0	-0.2	E	-10.6	0.0	RB	1
79	1	6	8	1.3	120	1.2	151	-10.1	-10.4	-0.3	D	-10.9	0.0	RB	1
79	1	6	9	1.6	85	1.6	66	-10.2	-10.4	-0.2	E	-11.0	99.99	RB	1
79	1	6	10	1.8	88	1.4	125	-9.9	-10.1	-0.2	E	-10.8	99.99	RB	1
79	1	6	11	2.0	119	2.4	140	-8.9	-9.3	-0.3	D	-10.5	99.99	RB	1
79	1	6	12	2.4	84	2.6	93	-8.0	-8.5	-0.5	D	-10.0	0.57	RB	1
79	1	6	13	2.9	84	2.8	97	-7.1	-7.5	-0.4	D	-9.3	0.60	RB	1
79	1	6	14	4.0	116	4.4	151	-6.4	-6.8	-0.4	D	-9.0	0.52	RB	1
79	1	6	15	5.1	228	5.8	226	-6.0	-6.5	-0.5	D	-9.8	0.42	RB	1
79	1	6	16	3.6	186	4.0	192	-6.5	-6.9	-0.3	D	-9.3	0.16	RB	1
79	1	6	17	2.8	119	3.1	78	-8.6	-8.5	0.1	E	999.9	0.01	RB	1
79	1	6	18	1.3	105	2.2	69	-9.1	-9.2	-0.2	E	-9.7	0.0	RB	1
79	1	6	19	1.9	235	1.1	186	-9.1	-9.2	-0.1	E	-9.9	0.0	RB	1
79	1	6	20	2.1	258	1.2	292	-8.9	-8.9	-0.1	E	-9.9	0.0	RB	1
79	1	6	21	3.1	291	2.6	312	-9.0	-9.0	0.0	E	-10.4	0.0	RB	1
79	1	6	22	4.1	289	4.7	314	-9.3	-8.9	0.4	E	-11.2	0.0	RB	1
79	1	6	23	3.6	344	5.3	27	-10.5	-10.4	0.1	E	-11.4	0.01	RB	1
79	1	6	24	2.5	60	3.5	46	-10.7	-11.0	-0.2	E	-11.3	0.0	RB	1
79	1	7	1	2.2	0	4.4	16	-11.6	-11.9	-0.2	E	-13.2	0.01	RB	1
79	1	7	2	2.6	327	4.3	7	-12.3	-12.5	-0.2	E	-15.0	0.01	RB	1
79	1	7	3	3.5	311	4.6	14	-13.0	-12.9	0.1	E	-15.9	0.01	RB	1
79	1	7	4	4.5	304	4.7	2	-13.9	-13.8	0.2	E	-16.6	0.01	RB	1
79	1	7	5	1.9	297	3.0	41	-14.4	-14.4	-0.1	E	999.9	0.01	RB	1
79	1	7	6	1.4	145	2.3	83	-14.7	-14.8	-0.1	E	-17.4	0.01	RB	1
79	1	7	7	2.1	254	2.2	100	-15.2	-15.2	-0.1	E	-17.9	0.01	RB	1
79	1	7	8	4.7	221	2.7	203	-15.1	-15.0	0.1	E	-17.6	0.08	RB	1
79	1	7	9	3.9	211	3.6	197	-14.2	-14.3	-0.2	E	-17.7	0.24	RB	1
79	1	7	10	2.2	130	2.7	144	-13.0	-13.3	-0.4	D	-19.3	0.37	RB	1
79	1	7	11	3.5	77	4.4	84	-12.5	-12.9	-0.4	D	-21.3	0.49	RB	1
79	1	7	12	3.4	96	4.3	108	-11.9	-12.3	-0.3	D	-19.9	0.62	RB	1
79	1	7	13	2.9	104	4.4	134	-11.2	-11.6	-0.4	D	-19.3	0.65	RB	1
79	1	7	14	3.8	108	4.7	121	-10.9	-11.3	-0.4	D	-19.0	0.63	RB	1
79	1	7	15	4.0	127	4.8	135	-10.4	-10.9	-0.4	D	-18.1	0.47	RB	1
79	1	7	16	3.4	110	3.8	107	-10.8	-11.1	-0.3	D	-17.0	0.21	RB	1
79	1	7	17	2.0	180	1.7	89	-11.9	-11.8	0.1	E	999.9	0.01	RB	1
79	1	7	18	3.8	234	2.6	181	-11.8	-11.8	0.0	E	999.9	0.01	RB	1
79	1	7	19	5.5	233	4.9	194	-11.8	-11.7	0.1	E	999.9	0.01	RB	1
79	1	7	20	2.8	213	4.5	188	-11.8	-11.6	0.2	E	999.9	0.01	RB	1
79	1	7	21	999.9	196	4.3	181	-11.7	-10.8	0.9	F	999.9	0.01	RB	1
79	1	7	22	999.9	61	1.7	180	-12.3	-11.7	0.6	E	999.9	0.01	RB	1
79	1	7	23	999.9	309	1.4	277	-12.8	-12.0	0.8	F	999.9	0.01	RB	1
79	1	7	24	999.9	322	1.8	0	-13.0	-12.2	0.8	F	999.9	0.01	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	1	8	1	999.9	243	2.3	117	-12.6	-12.1	0.6	E	999.9	0.01	RB	1
79	1	8	2	999.9	82	3.6	342	-14.5	-13.8	0.7	E	999.9	0.01	RB	1
79	1	8	3	999.9	158	2.1	75	-15.6	-15.1	0.5	E	999.9	0.01	RB	1
79	1	8	4	999.9	284	1.2	220	-14.9	-14.8	0.1	E	999.9	0.01	RB	1
79	1	8	5	999.9	285	1.5	288	-14.5	-14.0	0.5	E	999.9	0.01	RB	1
79	1	8	6	999.9	347	2.9	33	-15.2	-13.7	1.5	F	-21.6	0.01	RB	1
79	1	8	7	999.9	275	2.3	56	-14.1	-13.1	1.1	F	-21.1	0.01	RB	1
79	1	8	8	1.5	340	1.9	35	-13.2	-11.4	1.7	F	-20.9	0.08	RB	1
79	1	8	9	999.9	165	1.5	318	-12.4	-10.9	1.5	F	-20.2	0.32	RB	1
79	1	8	10	999.9	73	1.4	49	-11.8	-10.4	1.4	F	-19.0	0.52	RB	1
79	1	8	11	999.9	38	2.5	160	-10.4	-10.1	0.3	E	-17.6	0.58	RB	1
79	1	8	12	999.9	55	2.2	130	-9.7	-9.8	-0.1	E	-16.6	0.56	RB	1
79	1	8	13	999.9	49	2.7	126	-8.9	-8.9	0.0	E	-16.3	0.62	RB	1
79	1	8	14	999.9	39	1.8	111	-7.6	-7.9	-0.3	D	-15.4	0.56	RB	1
79	1	8	15	999.9	53	2.6	108	-7.5	-7.6	-0.1	E	-14.8	0.29	RB	1
79	1	8	16	999.9	125	1.8	172	-8.7	-8.0	0.7	E	-14.5	0.14	RB	1
79	1	8	17	999.9	242	4.4	208	-8.0	-7.6	0.4	E	999.9	0.02	RB	1
79	1	8	18	999.9	40	1.7	158	-9.0	-8.1	0.9	F	-14.4	0.0	RB	1
79	1	8	19	999.9	291	2.2	165	-9.3	-8.6	0.8	F	-14.5	0.0	RB	1
79	1	8	20	999.9	343	4.1	202	-8.7	-7.3	1.3	F	-15.9	0.0	RB	1
79	1	8	21	1.1	302	2.0	134	-9.1	-7.8	1.3	F	-16.9	0.0	RB	1
79	1	8	22	3.1	227	6.4	204	-7.7	-7.2	0.5	E	-18.5	0.01	RB	1
79	1	8	23	3.6	213	8.1	194	-7.9	-7.4	0.5	E	-17.7	0.0	RB	1
79	1	8	24	1.5	151	6.4	157	-8.7	-7.8	0.9	F	-16.4	0.0	RB	1
79	1	9	1	3.1	148	6.4	170	-9.2	-8.5	0.7	E	-14.9	0.0	RB	1
79	1	9	2	999.9	171	4.2	159	-10.0	-9.0	1.0	F	-15.1	0.0	RB	1
79	1	9	3	999.9	10	3.5	181	-10.2	-8.6	1.7	F	-15.2	0.0	RB	1
79	1	9	4	999.9	36	1.7	93	-10.6	-9.4	1.3	F	-15.2	0.01	RB	1
79	1	9	5	2.5	294	2.2	348	-10.4	-9.6	0.8	F	999.9	0.01	RB	1
79	1	9	6	999.9	266	3.5	243	-9.2	-8.5	0.7	E	-13.9	0.01	RB	1
79	1	9	7	2.8	264	4.8	180	-8.0	-8.2	-0.2	E	-10.9	0.0	RB	1
79	1	9	8	2.5	7	3.8	77	-8.8	-8.3	0.5	E	-11.9	0.02	RB	1
79	1	9	9	1.4	233	2.4	27	-9.9	-9.5	0.4	E	-13.2	0.10	RB	1
79	1	9	10	1.9	311	1.9	236	-9.0	-9.2	-0.1	E	-11.5	0.22	RB	1
79	1	9	11	1.9	360	1.9	344	-7.5	-7.9	-0.4	D	-10.2	0.45	RB	1
79	1	9	12	1.9	47	2.0	88	-7.2	-7.5	-0.3	D	-9.3	0.45	RB	1
79	1	9	13	2.7	58	2.4	102	-7.0	-7.2	-0.2	E	-8.6	0.41	RB	1
79	1	9	14	1.9	41	1.8	72	-6.9	-7.3	-0.4	D	-8.4	0.26	RB	1
79	1	9	15	1.0	31	1.4	89	-6.3	-6.8	-0.5	D	-8.1	0.21	RB	1
79	1	9	16	1.7	312	1.7	320	-6.3	-6.7	-0.4	D	-8.1	0.10	RB	1
79	1	9	17	1.0	66	1.5	25	-7.2	-7.1	0.0	E	999.9	0.01	RB	1
79	1	9	18	2.4	225	3.2	288	-7.7	-7.1	0.6	E	-8.6	0.0	RB	1
79	1	9	19	1.9	340	1.8	145	-7.5	-7.0	0.5	E	-8.6	0.0	RB	1
79	1	9	20	1.5	350	2.4	12	-9.2	-8.9	0.3	E	-9.9	0.0	RB	1
79	1	9	21	1.4	198	1.7	254	-8.8	-8.1	0.8	F	-9.6	0.0	RB	1
79	1	9	22	2.7	305	1.8	261	-8.6	-7.7	0.9	F	-9.3	0.0	RB	1
79	1	9	23	2.9	338	4.4	317	-7.5	-7.4	0.1	E	-8.6	0.0	RB	1
79	1	9	24	1.6	97	3.1	100	-9.6	-9.0	0.6	E	-10.1	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	1	10	1	2.4	265	3.2	187	-10.0	-9.5	0.5	E	-10.6	0.0	RB	1
79	1	10	2	2.0	237	4.2	175	-9.4	-8.9	0.5	E	-10.1	0.0	RB	1
79	1	10	3	3.0	234	3.3	187	-8.9	-8.9	0.0	E	-9.6	0.0	RB	1
79	1	10	4	5.4	267	6.2	241	-7.5	-7.4	0.2	E	-8.6	0.0	RB	1
79	1	10	5	3.8	333	4.0	315	-6.6	-6.5	0.1	E	999.9	0.0	RB	1
79	1	10	6	2.3	154	2.8	170	-10.5	-8.3	2.2	G	-11.1	0.0	RB	1
79	1	10	7	2.0	308	3.5	228	-10.3	-7.8	2.5	G	-10.9	0.0	RB	1
79	1	10	8	1.5	39	2.4	162	-10.8	-9.1	1.6	F	-11.4	0.02	RB	1
79	1	10	9	1.2	296	3.3	163	-10.2	-9.8	0.4	E	-11.0	0.09	RB	1
79	1	10	10	2.1	248	4.2	215	-8.4	-8.1	0.3	E	-9.7	0.18	RB	1
79	1	10	11	5.3	230	6.8	232	-5.8	-6.3	-0.6	D	-8.0	0.28	RB	1
79	1	10	12	7.6	236	10.5	226	-5.1	-5.8	-0.7	D	-8.1	0.33	RB	1
79	1	10	13	6.0	216	8.3	221	-4.8	-5.4	-0.6	D	-8.0	0.31	RB	1
79	1	10	14	5.8	232	7.6	215	-4.3	-4.8	-0.6	D	-8.0	0.37	RB	1
79	1	10	15	7.3	204	8.8	205	-4.1	-4.7	-0.6	D	-7.7	0.38	RB	1
79	1	10	16	5.6	181	7.7	186	-3.8	-4.3	-0.5	D	-7.8	0.16	RB	1
79	1	10	17	7.2	201	10.1	200	-4.3	-4.6	-0.3	D	999.9	0.02	RB	1
79	1	10	18	7.2	201	10.5	199	-4.8	-4.7	0.1	E	-9.0	0.0	RB	1
79	1	10	19	6.8	205	12.1	208	-4.6	-4.6	0.0	E	-8.7	0.0	RB	1
79	1	10	20	7.9	208	14.0	215	-4.2	-4.4	-0.2	E	-8.7	0.0	RB	1
79	1	10	21	5.5	215	8.2	214	-3.8	-3.9	-0.1	E	-8.2	0.0	RB	1
79	1	10	22	4.1	202	7.0	207	-4.7	-4.9	-0.2	E	-6.9	0.0	RB	1
79	1	10	23	5.0	194	9.1	206	-5.2	-5.3	-0.1	E	-6.0	0.0	RB	1
79	1	10	24	6.2	188	9.0	189	-4.4	-4.6	-0.2	E	-6.3	0.0	RB	1
79	1	11	1	8.1	185	12.4	190	-4.0	-4.3	-0.3	D	-7.2	0.0	RB	1
79	1	11	2	9.4	185	12.6	204	-4.1	-4.4	-0.3	D	-7.2	0.0	RB	1
79	1	11	3	6.7	167	9.1	180	-4.3	-4.7	-0.3	D	-6.5	0.0	RB	1
79	1	11	4	7.9	188	11.7	192	-4.5	-4.7	-0.2	E	-6.9	0.0	RB	1
79	1	11	5	7.2	201	10.2	215	-4.0	-4.1	-0.1	E	999.9	0.0	RB	1
79	1	11	6	5.0	183	7.0	201	-3.3	-3.3	0.0	E	-6.5	0.0	RB	1
79	1	11	7	8.7	179	10.7	191	-3.5	-3.6	-0.2	E	-6.8	0.0	RB	1
79	1	11	8	7.3	184	11.7	191	-3.6	-4.0	-0.4	D	-6.5	0.03	RB	1
79	1	11	9	8.1	191	14.3	211	-3.2	-3.7	-0.5	D	-6.0	0.11	RB	1
79	1	11	10	8.4	231	13.5	226	-2.1	-2.6	-0.5	D	-5.2	0.21	RB	1
79	1	11	11	7.6	233	14.0	229	-1.1	-1.7	-0.6	D	-4.5	0.42	RB	1
79	1	11	12	12.1	242	19.7	231	-0.7	-1.1	-0.5	D	-5.1	0.46	RB	1
79	1	11	13	17.3	245	26.4	233	-0.5	-0.7	-0.2	E	-4.6	0.45	RB	1
79	1	11	14	19.8	240	30.3	234	-0.1	-0.1	0.0	E	-4.4	0.34	RB	1
79	1	11	15	20.8	245	30.6	232	-0.4	-0.6	-0.2	E	-4.3	0.29	RB	1
79	1	11	16	21.2	242	31.7	232	-0.7	-0.9	-0.2	E	-4.3	0.13	RB	1
79	1	11	17	20.1	241	32.4	229	-1.0	-1.3	-0.3	D	999.9	0.02	RB	1
79	1	11	18	17.4	235	30.9	225	-1.2	-1.4	-0.3	D	-4.5	0.0	RB	1
79	1	11	19	14.8	240	24.5	225	-0.7	-0.9	-0.2	E	-4.3	0.0	RB	1
79	1	11	20	13.8	237	22.3	228	-0.4	-0.6	-0.2	E	-4.1	0.0	RB	1
79	1	11	21	15.3	238	24.8	227	-0.4	-0.7	-0.2	E	-3.9	0.0	RB	1
79	1	11	22	15.4	237	25.3	224	-0.5	-0.8	-0.3	D	-3.9	0.0	RB	1
79	1	11	23	16.5	244	25.7	223	-0.5	-0.8	-0.3	D	-3.9	0.0	RB	1
79	1	11	24	14.3	235	23.3	223	-0.1	-0.5	-0.4	D	-3.7	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	1	12	1	14.4	238	22.3	223	-0.1	-0.4	-0.3	D	-3.7	0.0	RB	1
79	1	12	2	12.9	239	21.7	220	-0.5	-0.8	-0.3	D	-3.9	0.0	RB	1
79	1	12	3	13.9	237	25.9	222	-0.6	-0.9	-0.3	D	-3.9	0.0	RB	1
79	1	12	4	12.5	216	22.8	219	-0.7	-1.0	-0.4	D	-3.6	0.0	RB	1
79	1	12	5	10.5	235	17.8	220	-0.5	-0.9	-0.4	D	999.9	0.0	RB	1
79	1	12	6	12.9	242	19.2	223	-0.8	-1.3	-0.4	D	-3.3	0.0	RB	1
79	1	12	7	12.6	241	19.5	225	-1.1	-1.5	-0.4	D	-3.2	0.0	RB	1
79	1	12	8	11.5	238	18.3	225	-1.2	-1.6	-0.4	D	-3.3	0.03	RB	1
79	1	12	9	14.2	242	21.5	235	-0.7	-1.0	-0.3	D	-3.9	0.08	RB	1
79	1	12	10	13.6	244	18.7	246	0.5	0.2	-0.3	D	-4.7	0.28	RB	1
79	1	12	11	10.6	248	14.0	246	0.7	0.1	-0.5	D	-4.6	0.32	RB	1
79	1	12	12	11.4	254	14.4	252	0.4	-0.2	-0.5	D	-4.3	0.51	RB	1
79	1	12	13	15.6	275	19.1	271	0.2	-0.3	-0.5	D	-4.6	0.33	RB	1
79	1	12	14	11.4	299	14.2	297	-1.9	-2.4	-0.4	D	-4.3	0.21	RB	1
79	1	12	15	7.3	293	9.3	287	-1.0	-1.3	-0.3	D	-4.6	0.15	RB	1
79	1	12	16	8.8	3	10.4	359	-1.7	-2.1	-0.4	D	-4.6	0.08	RB	1
79	1	12	17	10.4	28	12.1	23	-2.6	-3.0	-0.4	D	999.9	0.01	RB	1
79	1	12	18	14.6	16	17.0	14	-3.1	-3.5	-0.4	D	-8.1	0.0	RB	1
79	1	12	19	13.6	31	15.8	26	-5.1	-5.4	-0.4	D	-8.6	0.0	RB	1
79	1	12	20	9.2	40	10.3	34	-7.3	-7.7	-0.4	D	-9.0	0.0	RB	1
79	1	12	21	3.3	67	4.1	51	-8.2	-8.6	-0.4	D	-9.1	0.0	RB	1
79	1	12	22	3.7	11	4.2	4	-8.5	-8.9	-0.4	D	-9.7	0.0	RB	1
79	1	12	23	3.0	83	4.8	46	-9.6	-9.4	0.1	E	-10.2	0.0	RB	1
79	1	12	24	4.8	32	7.6	10	-11.4	-10.9	0.5	E	-12.5	0.0	RB	1
79	1	13	1	5.0	217	4.1	232	-12.6	-11.7	0.8	F	-14.0	0.0	RB	1
79	1	13	2	2.5	164	3.9	51	-12.5	-12.2	0.3	E	-14.1	0.0	RB	1
79	1	13	3	2.4	202	2.4	190	-12.3	-12.3	0.0	E	-14.0	0.01	RB	1
79	1	13	4	4.8	307	6.7	345	-11.3	-11.1	0.1	E	-13.3	0.01	RB	1
79	1	13	5	5.2	319	7.0	345	-11.0	-11.0	-0.1	E	999.9	0.0	RB	1
79	1	13	6	2.2	321	3.8	339	-10.6	-10.8	-0.2	E	-12.4	0.0	RB	1
79	1	13	7	1.4	297	2.7	341	-10.9	-11.2	-0.2	E	-12.4	0.0	RB	1
79	1	13	8	2.7	221	2.1	279	-10.9	-11.1	-0.1	E	-12.6	0.04	RB	1
79	1	13	9	2.5	241	3.1	266	-10.3	-10.4	-0.1	E	-12.4	0.19	RB	1
79	1	13	10	6.4	319	8.0	319	-9.0	-9.4	-0.4	D	-13.3	0.35	RB	1
79	1	13	11	10.8	327	12.5	321	-8.2	-8.8	-0.6	D	-14.8	0.36	RB	1
79	1	13	12	10.8	332	12.3	326	-8.0	-8.6	-0.6	D	-15.1	0.33	RB	1
79	1	13	13	8.7	309	11.3	300	-7.3	-7.9	-0.6	D	-16.0	0.63	RB	1
79	1	13	14	6.6	303	8.0	297	-7.1	-7.6	-0.5	D	-16.3	0.67	RB	1
79	1	13	15	5.4	291	6.4	290	-7.0	-7.5	-0.5	D	-16.4	0.49	RB	1
79	1	13	16	5.5	276	6.9	271	-7.3	-7.5	-0.1	E	-15.8	0.22	RB	1
79	1	13	17	4.0	245	4.5	248	-7.5	-7.7	-0.2	E	999.9	0.01	RB	1
79	1	13	18	3.7	238	3.8	227	-8.2	-8.1	0.1	E	-14.9	0.0	RB	1
79	1	13	19	9.7	238	9.7	223	-9.0	-8.5	0.5	E	-13.8	0.01	RB	1
79	1	13	20	9.7	248	8.2	240	-8.6	-8.5	0.2	E	-13.3	0.01	RB	1
79	1	13	21	8.0	241	9.4	238	-8.9	-8.8	0.0	E	-13.4	0.0	RB	1
79	1	13	22	7.1	238	8.3	232	-9.1	-9.2	0.0	E	-14.0	0.01	RB	1
79	1	13	23	5.9	232	9.0	222	-9.9	-10.0	-0.1	E	-14.4	0.01	RB	1
79	1	13	24	3.2	164	5.0	212	-10.7	-10.6	0.1	E	-14.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	1	14	1	2.0	202	2.7	163	-11.1	-11.2	-0.1	E	-14.9	0.0	RB	1
79	1	14	2	1.7	157	3.3	142	-11.2	-10.9	0.3	E	-15.1	0.0	RB	1
79	1	14	3	2.9	200	4.5	179	-10.4	-10.3	0.1	E	-15.2	0.0	RB	1
79	1	14	4	3.7	173	6.4	201	-10.1	-10.0	0.1	E	-15.5	0.0	RB	1
79	1	14	5	5.9	211	8.9	201	-9.5	-9.5	0.1	E	999.9	0.0	RB	1
79	1	14	6	3.5	162	6.1	180	-9.8	-9.7	0.1	E	-15.5	0.0	RB	1
79	1	14	7	2.5	79	4.5	180	-10.5	-10.0	0.5	E	-15.9	0.0	RB	1
79	1	14	8	3.6	220	7.4	196	-9.0	-8.8	0.2	E	-16.3	0.03	RB	1
79	1	14	9	6.6	232	10.4	212	-7.7	-7.9	-0.2	E	-16.5	0.23	RB	1
79	1	14	10	8.0	217	12.2	214	-6.6	-7.1	-0.5	D	-16.4	0.35	RB	1
79	1	14	11	9.7	193	13.5	203	-5.5	-6.2	-0.7	D	-15.8	0.54	RB	1
79	1	14	12	11.7	196	16.9	209	-5.3	-6.0	-0.7	D	-16.1	0.45	RB	1
79	1	14	13	12.0	194	18.5	208	-6.0	-6.6	-0.6	D	-14.6	0.34	RB	1
79	1	14	14	10.2	194	15.6	211	-6.9	-7.6	-0.6	D	-11.4	0.26	RB	1
79	1	14	15	6.7	152	9.3	160	-7.8	-8.4	-0.5	D	-9.3	0.13	RB	1
79	1	14	16	5.3	153	7.5	148	-8.0	-8.4	-0.5	D	-8.8	0.05	RB	1
79	1	14	17	6.1	132	7.3	150	-7.9	-8.2	-0.3	D	999.9	0.01	RB	1
79	1	14	18	3.1	76	4.3	127	-8.1	-8.2	-0.1	E	-8.7	0.0	RB	1
79	1	14	19	6.6	176	12.7	213	-6.2	-6.4	-0.2	E	-8.4	0.0	RB	1
79	1	14	20	10.3	215	19.2	219	-5.5	-5.9	-0.4	D	-8.6	0.0	RB	1
79	1	14	21	15.4	236	25.0	228	-5.7	-6.0	-0.4	D	-8.6	0.0	RB	1
79	1	14	22	20.6	242	31.8	236	-5.9	-6.1	-0.2	E	-8.2	0.0	RB	1
79	1	14	23	20.9	242	31.9	230	-5.8	-6.1	-0.3	D	-8.7	0.0	RB	1
79	1	14	24	22.4	242	33.6	233	-5.9	-6.2	-0.3	D	-9.2	0.0	RB	1
79	1	15	1	20.6	244	31.9	228	-6.1	-6.5	-0.4	D	-9.1	0.01	RB	1
79	1	15	2	17.3	239	27.6	227	-6.0	-6.4	-0.4	D	-8.6	0.01	RB	1
79	1	15	3	20.9	240	31.8	230	-6.0	-6.4	-0.4	D	-8.3	0.01	RB	1
79	1	15	4	16.0	245	26.2	225	-6.1	-6.4	-0.4	D	-8.6	0.01	RB	1
79	1	15	5	11.8	235	19.5	224	-6.4	-6.8	-0.4	D	999.9	0.01	RB	1
79	1	15	6	7.3	192	12.5	214	-6.4	-6.8	-0.3	D	-8.3	0.01	RB	1
79	1	15	7	6.0	352	7.3	307	-6.1	-6.5	-0.4	D	-8.2	0.0	RB	1
79	1	15	8	4.6	143	4.8	154	-5.7	-6.2	-0.4	D	-8.0	0.01	RB	1
79	1	15	9	4.0	116	4.7	141	-5.6	-6.0	-0.4	D	-7.8	0.07	RB	1
79	1	15	10	8.6	190	12.2	199	-4.6	-5.2	-0.6	D	-7.5	0.24	RB	1
79	1	15	11	11.0	221	18.0	220	-3.5	-4.0	-0.5	D	-7.7	0.44	RB	1
79	1	15	12	12.8	212	21.4	218	-3.9	-4.4	-0.5	D	-7.5	0.33	RB	1
79	1	15	13	11.2	239	16.3	223	-3.6	-4.1	-0.5	D	-7.2	0.34	RB	1
79	1	15	14	10.6	225	17.2	223	-3.8	-4.3	-0.5	D	-6.8	0.23	RB	1
79	1	15	15	11.3	212	21.3	218	-3.0	-3.5	-0.5	D	-7.2	0.23	RB	1
79	1	15	16	15.6	209	27.8	216	-3.0	-3.4	-0.4	D	-7.0	0.11	RB	1
79	1	15	17	13.0	216	23.7	218	-3.2	-3.6	-0.4	D	999.9	0.02	RB	1
79	1	15	18	12.2	216	22.9	218	-3.3	-3.6	-0.4	D	-6.4	0.0	RB	1
79	1	15	19	13.2	211	23.9	217	-3.1	-3.5	-0.4	D	-6.1	0.0	RB	1
79	1	15	20	15.6	203	26.8	212	-3.0	-3.3	-0.4	D	-6.0	0.0	RB	1
79	1	15	21	11.4	208	21.2	216	-2.9	-3.3	-0.3	D	-5.9	0.0	RB	1
79	1	15	22	9.2	212	18.6	216	-2.9	-3.2	-0.3	D	-5.5	0.0	RB	1
79	1	15	23	10.8	204	19.9	218	-2.9	-3.3	-0.4	D	-5.1	0.0	RB	1
79	1	15	24	9.4	207	16.6	220	-2.9	-3.3	-0.3	D	-4.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	1	16	1	9.2	210	17.5	218	-2.9	-3.3	-0.4	D	-4.3	0.0	RB	1
79	1	16	2	9.4	212	16.8	217	-2.8	-3.2	-0.4	D	-4.3	0.0	RB	1
79	1	16	3	7.9	214	14.8	218	-2.7	-3.1	-0.4	D	-4.7	0.0	RB	1
79	1	16	4	8.1	205	14.2	216	-2.6	-3.0	-0.4	D	-4.7	0.0	RB	1
79	1	16	5	9.6	200	15.8	210	-2.7	-3.0	-0.4	D	999.9	0.0	RB	1
79	1	16	6	8.7	200	14.8	213	-2.8	-3.1	-0.4	D	-5.2	0.0	RB	1
79	1	16	7	7.7	212	13.8	220	-2.7	-3.1	-0.4	D	-5.4	0.0	RB	1
79	1	16	8	6.3	231	10.6	225	-2.6	-3.1	-0.4	D	-5.5	0.02	RB	1
79	1	16	9	6.7	226	11.0	222	-2.4	-2.9	-0.5	D	-5.5	0.10	RB	1
79	1	16	10	7.2	234	10.7	227	-2.5	-2.9	-0.5	D	-5.1	0.13	RB	1
79	1	16	11	13.1	258	16.7	253	-2.7	-3.0	-0.4	D	-5.0	0.24	RB	1
79	1	16	12	17.0	247	21.8	258	-1.4	-1.8	-0.3	D	-5.9	0.57	RB	1
79	1	16	13	16.9	259	20.6	259	-1.0	-1.5	-0.4	D	-6.9	0.72	RB	1
79	1	16	14	18.3	260	22.6	259	-0.8	-1.2	-0.4	D	-8.3	0.69	RB	1
79	1	16	15	17.9	262	23.2	264	-1.5	-1.7	-0.3	D	-9.5	0.37	RB	1
79	1	16	16	16.0	262	20.8	262	-1.8	-2.0	-0.2	E	-9.8	0.26	RB	1
79	1	16	17	9.8	228	13.6	235	-2.5	-2.6	-0.1	E	999.9	0.02	RB	1
79	1	16	18	3.3	170	3.9	156	-3.2	-3.2	0.1	E	-9.7	0.0	RB	1
79	1	16	19	4.5	233	5.3	184	-3.7	-3.5	0.2	E	-8.6	0.0	RB	1
79	1	16	20	6.5	247	7.1	209	-3.8	-3.6	0.2	E	-6.4	0.0	RB	1
79	1	16	21	3.4	263	3.6	227	-4.5	-4.5	0.0	E	-7.1	0.0	RB	1
79	1	16	22	8.7	262	11.2	229	-4.9	-4.6	0.2	E	-7.9	0.0	RB	1
79	1	16	23	7.2	269	9.1	222	-5.3	-4.9	0.4	E	-7.7	0.0	RB	1
79	1	16	24	9.5	253	11.9	226	-4.6	-4.1	0.5	E	-7.1	0.0	RB	1
79	1	17	1	6.9	255	9.7	217	-4.8	-4.2	0.6	E	-7.2	0.0	RB	1
79	1	17	2	7.2	242	6.7	229	-4.0	-3.2	0.8	F	-7.3	0.0	RB	1
79	1	17	3	3.8	4	4.1	121	-5.0	-4.5	0.6	E	-7.7	0.0	RB	1
79	1	17	4	3.5	282	2.0	340	-5.8	-5.5	0.3	F	-7.7	0.0	RB	1
79	1	17	5	3.7	303	2.8	323	-4.9	-4.9	0.0	E	999.9	0.0	RB	1
79	1	17	6	2.6	312	2.5	21	-4.9	-4.9	0.0	E	-7.9	0.0	RB	1
79	1	17	7	1.3	142	2.6	119	-5.7	-5.5	0.2	E	-8.2	0.0	RB	1
79	1	17	8	3.8	247	1.7	249	-5.0	-5.1	-0.2	E	-7.8	0.03	RB	1
79	1	17	9	5.6	275	4.1	291	-4.0	-4.1	-0.2	E	-7.8	0.09	RB	1
79	1	17	10	2.0	333	2.3	1	-3.1	-3.2	-0.1	E	-7.7	0.17	RB	1
79	1	17	11	2.6	80	3.3	55	-4.0	-3.9	0.1	E	-6.5	0.25	RB	1
79	1	17	12	1.6	52	2.1	73	-4.0	-4.3	-0.3	D	999.9	0.37	RB	1
79	1	17	13	1.6	330	2.2	282	-2.9	-3.3	-0.4	D	999.9	0.38	RB	1
79	1	17	14	2.3	180	3.0	179	-1.6	-2.0	-0.4	D	999.9	0.33	RB	1
79	1	17	15	1.9	43	999.9	135	-1.9	-2.3	-0.4	D	999.9	0.12	RB	1
79	1	17	16	2.1	80	2.1	187	-2.5	-2.5	0.0	E	999.9	0.09	RB	1
79	1	17	17	2.6	222	3.5	204	-1.7	-1.3	0.4	E	999.9	0.01	RB	1
79	1	17	18	2.6	260	3.5	201	-1.0	-0.8	0.2	E	-1.4	0.0	RB	1
79	1	17	19	3.6	180	8.1	185	-0.8	-0.5	0.3	E	-0.7	0.0	RB	1
79	1	17	20	5.0	169	10.6	179	-0.5	-0.4	0.1	E	-1.6	0.0	RB	1
79	1	17	21	6.1	175	13.9	197	-0.4	-0.3	0.1	E	-3.0	0.0	RB	1
79	1	17	22	5.9	178	13.3	196	-0.4	-0.3	0.2	E	-3.0	0.0	RB	1
79	1	17	23	9.9	192	18.0	199	0.0	0.1	0.1	E	-3.3	0.0	RB	1
79	1	17	24	4.0	173	10.1	205	-0.5	-0.5	0.0	E	-3.2	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	1	18	1	1.9	123	4.1	191	-0.7	-0.7	-0.1	E	-3.0	0.0	RB	1
79	1	18	2	1.8	21	2.7	13	-0.9	-0.9	0.0	E	-2.7	0.0	RB	1
79	1	18	3	4.6	176	7.4	183	-0.2	-0.3	-0.1	E	-2.9	0.0	RB	1
79	1	18	4	3.6	197	8.5	195	-0.7	-0.6	0.1	E	-2.9	0.0	RB	1
79	1	18	5	2.6	172	4.0	179	-0.7	-0.7	0.0	E	-2.9	0.0	RB	1
79	1	18	6	3.5	255	4.9	245	-0.5	-0.8	-0.3	D	-3.0	0.0	RB	1
79	1	18	7	1.6	261	2.9	229	-1.0	-1.1	-0.1	E	-3.6	0.0	RB	1
79	1	18	8	3.3	228	4.6	210	-1.5	-1.5	0.0	E	-4.6	0.01	RB	1
79	1	18	9	5.5	201	10.6	216	-1.1	-1.1	0.0	E	-4.6	0.06	RB	1
79	1	18	10	8.7	203	13.1	219	0.3	-0.3	-0.6	D	-4.5	0.13	RB	1
79	1	18	11	8.2	239	13.9	225	0.7	0.2	-0.5	D	-4.3	0.35	RB	1
79	1	18	12	7.7	235	13.5	229	1.2	0.5	-0.7	D	-4.7	0.92	RB	1
79	1	18	13	9.1	233	14.5	226	1.1	0.4	-0.7	D	-4.3	0.78	RB	1
79	1	18	14	10.7	209	18.1	217	0.7	0.0	-0.8	C	-4.3	0.68	RB	1
79	1	18	15	10.0	208	16.2	220	-0.3	-0.8	-0.5	D	-5.1	0.33	RB	1
79	1	18	16	11.0	240	17.6	227	-0.8	-1.1	-0.3	D	-6.1	0.13	RB	1
79	1	18	17	10.1	266	15.0	264	-2.0	-2.2	-0.2	E	-5.3	0.03	RB	1
79	1	18	18	11.4	253	15.6	258	-2.5	-2.8	-0.3	D	-5.0	0.0	RB	1
79	1	18	19	7.5	233	11.3	246	-3.1	-3.4	-0.3	D	-5.1	0.0	RB	1
79	1	18	20	5.6	205	8.6	226	-3.1	-3.2	0.0	E	-5.5	0.0	RB	1
79	1	18	21	3.8	165	4.8	159	-3.5	-3.8	-0.3	D	-4.6	0.0	RB	1
79	1	18	22	2.3	200	3.5	193	-3.7	-4.0	-0.3	D	-3.9	0.0	RB	1
79	1	18	23	2.6	176	2.7	188	-3.7	-4.0	-0.3	D	-3.7	0.0	RB	1
79	1	18	24	1.7	72	2.0	70	-4.2	-4.3	-0.1	E	-4.2	0.0	RB	1
79	1	19	1	2.2	280	2.2	13	-5.0	-5.1	-0.1	E	-5.0	0.0	RB	1
79	1	19	2	3.2	248	2.5	283	-5.9	-5.5	0.4	E	-6.1	0.0	RB	1
79	1	19	3	6.3	248	8.5	263	-5.1	-5.1	0.1	E	-6.0	0.0	RB	1
79	1	19	4	4.7	304	7.4	279	-5.6	-5.5	0.1	E	-6.5	0.0	RB	1
79	1	19	5	2.5	316	3.6	340	-6.0	-5.8	0.1	E	-7.0	0.0	RB	1
79	1	19	6	3.2	272	3.5	302	-5.9	-6.1	-0.2	E	-6.9	0.0	RB	1
79	1	19	7	2.8	22	4.2	30	-6.4	-6.5	-0.1	E	-6.6	0.0	RB	1
79	1	19	8	2.0	72	2.9	23	-6.7	-6.9	-0.2	E	-6.6	0.02	RB	1
79	1	19	9	4.7	54	5.9	37	-6.9	-7.2	-0.3	D	-7.5	0.12	RB	1
79	1	19	10	4.7	53	5.2	44	-6.9	-7.2	-0.3	D	-8.0	0.28	RB	1
79	1	19	11	2.2	77	2.6	70	-6.3	-6.5	-0.2	E	-7.9	0.36	RB	1
79	1	19	12	1.7	12	2.0	355	-5.7	-5.9	-0.2	E	-8.7	0.48	RB	1
79	1	19	13	6.3	345	6.7	343	-5.1	-5.7	-0.6	D	-8.1	0.38	RB	1
79	1	19	14	8.5	340	9.0	339	-5.1	-5.7	-0.6	D	-9.2	0.53	RB	1
79	1	19	15	10.3	353	11.3	348	-4.9	-5.4	-0.6	D	-10.5	0.52	RB	1
79	1	19	16	7.3	344	8.4	344	-5.3	-5.7	-0.4	D	-10.2	0.27	RB	1
79	1	19	17	5.4	313	6.1	339	-6.6	-6.4	0.2	E	-10.6	0.03	RB	1
79	1	19	18	3.9	296	3.8	30	-7.9	-7.5	0.4	E	-11.0	0.0	RB	1
79	1	19	19	2.2	226	2.3	47	-8.0	-8.0	0.0	E	-10.6	0.0	RB	1
79	1	19	20	3.6	285	2.5	319	-8.1	-8.2	0.0	E	-10.4	0.0	RB	1
79	1	19	21	4.6	242	2.5	226	-7.9	-8.1	-0.2	E	-10.1	0.0	RB	1
79	1	19	22	2.4	189	2.9	168	-8.1	-8.0	0.2	E	-10.5	0.0	RB	1
79	1	19	23	1.5	173	2.7	134	-8.2	-8.2	0.0	E	-10.4	0.0	RB	1
79	1	19	24	1.6	213	2.6	49	-8.4	-8.2	0.2	E	-10.5	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	1	20	1	1.6	222	2.8	154	-9.0	-9.0	0.0 E	-10.6	0.0	RB	1
79	1	20	2	2.1	258	1.8	156	-9.3	-9.1	0.1 E	-10.6	0.0	RB	1
79	1	20	3	1.2	217	2.3	137	-9.5	-9.1	0.4 E	-10.9	0.0	RB	1
79	1	20	4	2.7	244	3.3	159	-9.6	-9.4	0.2 E	-10.9	0.0	RB	1
79	1	20	5	4.0	258	3.1	291	-9.2	-9.1	0.1 E	-11.3	0.0	RB	1
79	1	20	6	4.4	303	4.2	360	-8.7	-8.6	0.1 E	-11.8	0.0	RB	1
79	1	20	7	2.6	223	2.0	116	-8.6	-8.4	0.2 E	-11.9	0.0	RB	1
79	1	20	8	4.1	209	4.3	171	-8.6	-8.4	0.2 E	-11.8	0.11	RB	1
79	1	20	9	4.3	194	4.9	191	-7.6	-8.0	-0.3 D	-11.2	0.38	RB	1
79	1	20	10	5.3	170	5.3	174	-6.7	-7.1	-0.4 D	-10.8	0.69	RB	1
79	1	20	11	4.7	171	5.1	169	-5.6	-6.1	-0.5 D	-10.9	0.85	RB	1
79	1	20	12	4.7	191	5.5	199	-4.5	-5.0	-0.5 D	-11.1	0.88	RB	1
79	1	20	13	7.9	256	9.2	247	-3.8	-4.3	-0.5 D	-11.9	0.79	RB	1
79	1	20	14	4.2	276	5.2	278	-3.3	-3.7	-0.4 D	-13.1	0.68	RB	1
79	1	20	15	2.8	277	3.5	278	-2.8	-3.1	-0.4 D	-13.6	0.52	RB	1
79	1	20	16	5.3	263	5.7	261	-3.1	-3.4	-0.2 E	-13.3	0.29	RB	1
79	1	20	17	4.9	230	6.8	261	-4.5	-4.5	-0.1 E	-12.6	0.02	RB	1
79	1	20	18	4.2	208	7.3	245	-5.9	-5.3	0.7 E	-13.2	0.0	RB	1
79	1	20	19	8.0	289	8.4	319	-5.8	-5.2	0.6 E	-13.4	0.0	RB	1
79	1	20	20	7.7	267	11.0	276	-5.9	-5.3	0.6 E	-13.2	0.0	RB	1
79	1	20	21	11.9	259	15.7	274	-5.2	-4.5	0.7 E	-12.4	0.0	RB	1
79	1	20	22	10.2	253	14.0	269	-5.4	-4.9	0.5 E	-12.9	0.0	RB	1
79	1	20	23	5.7	218	6.9	241	-6.5	-5.8	0.7 E	-13.1	0.0	RB	1
79	1	20	24	3.8	258	3.9	289	-6.4	-6.1	0.3 E	-13.0	0.0	RB	1
79	1	21	1	5.1	283	8.6	252	-6.8	-6.2	0.6 E	-13.4	0.0	RB	1
79	1	21	2	5.1	184	6.4	237	-7.1	-6.1	1.0 F	-13.4	0.0	RB	1
79	1	21	3	2.8	224	2.8	201	-6.3	-6.2	0.1 E	-13.2	0.0	RB	1
79	1	21	4	4.3	219	5.6	204	-6.2	-5.6	0.6 F	-13.0	0.0	RB	1
79	1	21	5	6.5	230	7.4	236	-5.7	-4.7	1.0 F	-12.5	0.0	RB	1
79	1	21	6	2.5	234	4.3	178	-6.7	-5.8	0.9 F	-12.9	0.0	RB	1
79	1	21	7	1.1	204	2.0	191	-6.4	-5.9	0.5 E	-12.6	0.0	RB	1
79	1	21	8	0.7	61	2.2	212	-6.2	-5.6	0.6 E	-12.2	0.05	RB	1
79	1	21	9	1.2	139	3.4	228	-5.1	-4.4	0.7 E	-11.4	0.25	RB	1
79	1	21	10	2.2	102	4.1	174	-4.5	-3.8	0.7 E	-11.5	0.46	RB	1
79	1	21	11	1.3	354	2.3	92	-4.0	-3.8	0.2 E	-11.4	0.60	RB	1
79	1	21	12	2.0	44	2.8	97	-2.5	-2.6	-0.2 E	-10.9	0.70	RB	1
79	1	21	13	2.8	29	2.8	113	-0.9	-1.0	0.0 E	-10.4	0.75	RB	1
79	1	21	14	7.7	210	10.1	212	-0.1	-0.8	-0.7 D	-10.1	0.62	RB	1
79	1	21	15	6.9	191	9.0	199	-1.2	-1.7	-0.5 D	-10.2	0.34	RB	1
79	1	21	16	5.3	183	7.7	176	-2.1	-2.3	-0.2 E	-10.4	0.15	RB	1
79	1	21	17	4.8	185	8.8	197	-2.4	-2.5	-0.1 E	-10.6	0.03	RB	1
79	1	21	18	7.8	200	13.2	217	-2.8	-3.1	-0.3 D	-11.5	0.0	RB	1
79	1	21	19	8.8	203	14.4	217	-3.0	-3.3	-0.3 D	-11.2	0.0	RB	1
79	1	21	20	10.1	211	18.6	217	-3.1	-3.4	-0.3 D	-11.5	0.0	RB	1
79	1	21	21	9.0	216	16.1	220	-3.6	-3.9	-0.3 D	-12.2	0.0	RB	1
79	1	21	22	9.3	240	16.5	221	-4.1	-4.5	-0.3 D	-12.2	0.0	RB	1
79	1	21	23	9.8	238	15.9	225	-4.2	-4.5	-0.3 D	-11.5	0.0	RB	1
79	1	21	24	12.5	241	20.8	219	-4.1	-4.4	-0.4 D	-11.1	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	1	22	1	13.7	243	21.6	219	-3.9	-4.2	-0.4	D	-11.2	0.0	RB	1
79	1	22	2	15.2	242	23.1	224	-3.8	-4.2	-0.4	D	-11.5	0.0	RB	1
79	1	22	3	16.1	242	25.2	229	-3.8	-4.1	-0.3	D	-11.4	0.0	RB	1
79	1	22	4	11.9	216	22.9	217	-3.9	-4.3	-0.3	D	-10.9	0.0	RB	1
79	1	22	5	13.0	240	19.6	225	-4.3	-4.7	-0.4	D	-10.6	0.0	RB	1
79	1	22	6	9.5	226	15.4	222	-5.1	-5.5	-0.4	D	-10.4	0.0	RB	1
79	1	22	7	9.4	240	13.8	229	-5.1	-5.5	-0.4	D	-10.4	0.0	RB	1
79	1	22	8	17.3	273	21.7	270	-7.2	-7.6	-0.4	D	-10.2	0.02	RB	1
79	1	22	9	25.4	273	32.7	274	-9.3	-9.8	-0.5	D	-11.5	0.10	RB	1
79	1	22	10	23.9	261	29.7	262	-9.3	-9.8	-0.5	D	-15.1	0.47	RB	1
79	1	22	11	23.1	268	29.1	268	-9.4	-10.0	-0.5	D	-18.1	0.70	RB	1
79	1	22	12	14.3	294	16.8	289	-10.5	-11.0	-0.5	D	-17.1	0.63	RB	1
79	1	22	13	10.9	337	12.2	336	-10.8	-11.4	-0.6	D	-15.2	0.49	RB	1
79	1	22	14	11.2	326	12.5	323	-11.0	-11.6	-0.6	D	-14.1	0.40	RB	1
79	1	22	15	13.9	335	15.8	329	-11.0	-11.5	-0.6	D	-14.4	0.46	RB	1
79	1	22	16	13.0	2	14.4	359	-12.1	-12.7	-0.5	D	-15.5	0.15	RB	1
79	1	22	17	12.2	6	14.3	3	-13.3	-13.7	-0.4	D	-16.6	0.05	RB	1
79	1	22	18	8.6	342	10.9	2	-14.9	-15.0	-0.1	E	-17.3	0.0	RB	1
79	1	22	19	4.4	285	5.8	30	-15.5	-15.4	0.1	E	-18.0	0.0	RB	1
79	1	22	20	5.1	307	7.9	346	-16.2	-15.9	0.4	E	-18.4	0.0	RB	1
79	1	22	21	3.2	297	3.9	325	-15.6	-15.8	-0.3	D	-18.0	0.0	RB	1
79	1	22	22	3.3	293	4.9	359	-16.1	-15.8	0.3	E	-18.7	0.0	RB	1
79	1	22	23	5.3	304	6.0	7	-16.1	-15.2	0.9	F	-19.0	0.0	RB	1
79	1	22	24	3.4	268	3.5	326	-15.1	-14.9	0.2	E	-18.9	0.0	RB	1
79	1	23	1	1.6	236	1.8	258	-14.6	-14.7	-0.1	E	-19.0	0.0	RB	1
79	1	23	2	4.5	212	4.6	189	-14.8	-14.7	0.2	E	-19.9	0.0	RB	1
79	1	23	3	3.9	240	3.9	224	-14.5	-14.4	0.1	E	-19.9	0.0	RB	1
79	1	23	4	4.0	211	4.6	222	-14.6	-14.6	0.0	E	-19.8	0.0	RB	1
79	1	23	5	2.0	263	2.2	318	-15.3	-14.9	0.3	E	-19.8	0.0	RB	1
79	1	23	6	1.7	147	3.0	167	-15.1	-14.9	0.2	E	-20.2	0.0	RB	1
79	1	23	7	3.2	201	4.9	222	-14.6	-14.4	0.2	E	-20.5	0.0	RB	1
79	1	23	8	1.9	188	5.0	216	-14.3	-14.0	0.2	E	-21.2	0.13	RB	1
79	1	23	9	2.1	127	3.2	168	-13.0	-12.8	0.2	E	-21.0	0.39	RB	1
79	1	23	10	1.0	49	1.7	323	-11.6	-11.5	0.1	E	-21.0	0.60	RB	1
79	1	23	11	3.2	168	4.4	226	-10.0	-10.4	-0.4	D	-21.8	0.77	RB	1
79	1	23	12	3.4	168	4.6	178	-9.3	-9.7	-0.3	D	-22.2	0.77	RB	1
79	1	23	13	3.3	186	4.0	191	-8.7	-9.0	-0.3	D	-22.3	0.78	RB	1
79	1	23	14	2.7	311	3.4	259	-8.1	-8.6	-0.4	D	-21.7	0.71	RB	1
79	1	23	15	3.0	317	3.2	310	-8.0	-8.5	-0.5	D	-20.9	0.51	RB	1
79	1	23	16	2.0	41	3.0	52	-8.6	-8.8	-0.2	E	-19.7	0.23	RB	1
79	1	23	17	4.9	294	4.4	324	-9.5	-9.6	-0.1	E	-19.2	0.06	RB	1
79	1	23	18	5.1	239	6.2	223	-10.3	-10.0	0.3	E	-19.3	0.0	RB	1
79	1	23	19	6.8	220	6.9	218	-10.1	-9.6	0.5	E	-18.2	0.0	RB	1
79	1	23	20	3.9	209	5.0	176	-11.1	-10.3	0.7	E	-18.9	0.0	RB	1
79	1	23	21	3.3	274	3.6	248	-10.8	-10.3	0.4	E	-21.2	0.0	RB	1
79	1	23	22	10.1	249	13.8	228	-11.0	-10.3	0.7	E	-22.1	0.0	RB	1
79	1	23	23	8.3	219	9.9	228	-11.1	-10.5	0.6	E	-21.6	0.0	RB	1
79	1	23	24	4.1	167	5.1	204	-10.8	-10.5	0.3	E	-21.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	1	24	1	1.1	4	1.8	92	-12.3	-11.2	1.1	F	-21.5	0.0	RB	1
79	1	24	2	1.2	309	2.0	187	-11.6	-10.9	0.7	E	-21.6	0.0	RB	1
79	1	24	3	1.6	165	4.7	189	-11.0	-10.4	0.6	E	-21.1	0.0	RB	1
79	1	24	4	4.1	180	6.1	200	-11.0	-10.5	0.5	E	-20.6	0.0	RB	1
79	1	24	5	6.3	233	7.8	199	-10.1	-9.5	0.6	E	-20.4	0.0	RB	1
79	1	24	6	4.8	220	7.0	214	-9.9	-9.9	0.0	E	-20.5	0.0	RB	1
79	1	24	7	1.9	163	4.1	141	-9.9	-9.7	0.2	E	-20.6	0.0	RB	1
79	1	24	8	1.9	138	3.2	160	-9.5	-9.1	0.4	E	-20.4	0.06	RB	1
79	1	24	9	2.4	52	3.8	121	-9.2	-8.7	0.4	E	-20.2	0.29	RB	1
79	1	24	10	2.1	357	2.7	171	-7.6	-7.6	0.0	E	-19.5	0.46	RB	1
79	1	24	11	8.6	173	10.1	200	-5.9	-6.5	-0.6	D	-19.2	0.63	RB	1
79	1	24	12	6.4	118	8.5	165	-5.3	-5.5	-0.2	E	-18.4	0.72	RB	1
79	1	24	13	9.2	211	12.5	208	-3.3	-4.0	-0.7	D	-18.0	0.74	RB	1
79	1	24	14	12.5	242	16.4	229	-4.0	-4.5	-0.5	D	-17.2	0.55	RB	1
79	1	24	15	12.9	234	21.3	221	-4.8	-5.2	-0.4	D	-17.4	0.31	RB	1
79	1	24	16	10.8	204	15.6	213	-5.4	-5.9	-0.5	D	-17.1	0.14	RB	1
79	1	24	17	7.1	182	9.4	193	-5.7	-6.0	-0.4	D	-17.5	0.04	RB	1
79	1	24	18	6.2	184	8.9	189	-5.6	-5.9	-0.4	D	-18.4	0.0	RB	1
79	1	24	19	7.0	222	8.3	213	-6.3	-6.6	-0.2	E	-18.5	0.0	RB	1
79	1	24	20	7.5	224	10.7	210	-6.7	-6.9	-0.2	E	-16.6	0.0	RB	1
79	1	24	21	7.9	214	12.6	207	-6.8	-7.1	-0.3	D	-14.8	0.0	RB	1
79	1	24	22	6.3	187	9.4	189	-7.0	-7.2	-0.3	D	-14.1	0.0	RB	1
79	1	24	23	5.9	209	9.5	203	-7.1	-7.3	-0.3	D	-12.2	0.0	RB	1
79	1	24	24	6.9	216	11.8	210	-6.9	-7.2	-0.3	D	-11.9	0.0	RB	1
79	1	25	1	2.3	133	4.3	155	-7.5	-7.5	0.0	E	-12.0	0.0	RB	1
79	1	25	2	1.2	1	2.4	66	-8.2	-8.2	-0.1	E	-12.9	0.0	RB	1
79	1	25	3	2.4	303	2.0	5	-8.4	-8.5	-0.1	E	-12.6	0.0	RB	1
79	1	25	4	2.3	275	1.5	265	-8.1	-8.2	-0.1	E	-12.9	0.0	RB	1
79	1	25	5	1.8	230	2.4	199	-7.6	-7.8	-0.2	E	-12.8	0.0	RB	1
79	1	25	6	2.6	310	1.2	347	-7.5	-7.2	0.3	E	-12.4	0.0	RB	1
79	1	25	7	2.1	12	2.6	54	-9.0	-8.9	0.1	E	-12.0	0.0	RB	1
79	1	25	8	1.8	231	1.7	331	-9.3	-9.4	-0.1	E	-11.0	0.04	RB	1
79	1	25	9	1.5	216	1.8	215	-8.6	-8.7	-0.1	E	-10.4	0.13	RB	1
79	1	25	10	1.4	317	1.4	237	-7.7	-8.0	-0.3	D	-9.6	0.30	RB	1
79	1	25	11	1.6	32	1.7	154	-6.3	-6.7	-0.3	D	-8.9	0.50	RB	1
79	1	25	12	2.3	37	1.8	70	-5.6	-5.8	-0.3	D	-8.1	0.53	RB	1
79	1	25	13	3.9	78	4.6	69	-5.8	-6.1	-0.3	D	-7.5	0.50	RB	1
79	1	25	14	5.0	75	6.2	69	-6.2	-6.6	-0.4	D	-7.7	0.41	RB	1
79	1	25	15	5.2	53	5.5	49	-6.3	-6.7	-0.4	D	-7.8	0.27	RB	1
79	1	25	16	3.7	58	3.8	50	-6.6	-7.1	-0.4	D	-7.8	0.15	RB	1
79	1	25	17	2.9	76	3.8	62	-7.1	-7.5	-0.4	D	-7.7	0.04	RB	1
79	1	25	18	2.7	76	3.4	55	-7.6	-8.0	-0.3	D	-8.6	0.0	RB	1
79	1	25	19	2.0	105	1.8	54	-8.1	-8.3	-0.2	E	-9.5	0.0	RB	1
79	1	25	20	0.8	191	0.7	32	-8.4	-8.5	-0.1	E	-9.1	0.0	RB	1
79	1	25	21	2.2	161	2.0	98	-8.8	-8.8	0.0	E	-9.3	0.0	RB	1
79	1	25	22	1.2	88	2.0	61	-8.9	-9.1	-0.2	E	-9.6	0.0	RB	1
79	1	25	23	1.7	149	1.6	48	-9.1	-9.2	-0.1	E	-9.8	0.0	RB	1
79	1	25	24	1.5	93	2.6	76	-9.5	-9.6	-0.1	E	-10.0	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	1	26	1	2.1	111	3.4	91	-10.0	-10.1	-0.1	E	-10.6	0.0	RB	1
79	1	26	2	1.4	96	3.6	61	-10.8	-10.9	-0.1	E	-11.2	0.0	RB	1
79	1	26	3	2.4	20	3.0	3	-10.8	-11.1	-0.3	D	-11.9	0.0	RB	1
79	1	26	4	3.7	44	5.0	32	-11.2	-11.5	-0.3	D	-12.2	0.0	RB	1
79	1	26	5	4.3	55	5.6	41	-11.8	-12.1	-0.3	D	-12.9	0.0	RB	1
79	1	26	6	4.1	54	5.4	39	-12.4	-12.7	-0.4	D	-13.5	0.0	RB	1
79	1	26	7	3.8	36	5.3	22	-12.7	-13.1	-0.4	D	-14.0	0.0	RB	1
79	1	26	8	5.2	59	6.7	43	-13.2	-13.5	-0.3	D	-14.5	99.99	RB	1
79	1	26	9	5.2	39	6.7	28	-13.2	-13.5	-0.3	D	-14.8	99.99	RB	1
79	1	26	10	7.6	28	9.1	19	-13.2	-13.5	-0.3	D	-14.9	99.99	RB	1
79	1	26	11	8.8	24	9.6	16	-13.1	-13.5	-0.4	D	-14.9	99.99	RB	1
79	1	26	12	7.7	42	8.1	32	-13.1	-13.5	-0.3	D	-14.9	99.99	RB	1
79	1	26	13	6.6	57	7.0	48	-13.3	-13.6	-0.3	D	-15.0	99.99	RB	1
79	1	26	14	9.8	47	10.3	38	-13.2	-13.6	-0.4	D	-15.1	99.99	RB	1
79	1	26	15	9.9	37	10.7	33	-13.4	-13.8	-0.4	D	-15.4	0.31	RB	1
79	1	26	16	8.5	31	9.5	27	-13.9	-14.3	-0.4	D	-15.9	0.17	RB	1
79	1	26	17	6.9	34	7.9	31	-14.2	-14.6	-0.5	D	-16.0	0.04	RB	1
79	1	26	18	7.1	23	8.7	17	-14.6	-15.1	-0.4	D	-16.2	0.0	RB	1
79	1	26	19	5.7	5	8.5	9	-15.2	-15.4	-0.2	E	-17.0	0.0	RB	1
79	1	26	20	5.4	340	8.5	5	-15.7	-15.6	0.1	E	-17.7	0.0	RB	1
79	1	26	21	5.0	305	6.3	355	-16.1	-15.9	0.2	E	-18.3	0.0	RB	1
79	1	26	22	3.7	302	5.0	2	-16.1	-15.9	0.1	E	-18.5	0.0	RB	1
79	1	26	23	4.3	268	3.0	311	-15.9	-16.1	-0.3	D	-18.4	0.0	RB	1
79	1	26	24	3.8	251	2.0	255	-15.7	-16.1	-0.4	D	-18.5	0.0	RB	1
79	1	27	1	5.0	234	3.2	222	-15.5	-15.8	-0.3	D	-18.5	0.0	RB	1
79	1	27	2	5.0	212	3.6	219	-15.5	-15.4	0.1	E	-18.7	0.0	RB	1
79	1	27	3	4.3	203	3.6	184	-15.8	-15.3	0.4	E	-18.9	0.0	RB	1
79	1	27	4	3.2	207	3.0	176	-15.3	-15.0	0.3	E	-18.6	0.0	RB	1
79	1	27	5	2.7	211	3.4	219	-15.4	-15.4	0.0	E	-18.9	0.0	RB	1
79	1	27	6	3.2	216	4.8	225	-15.7	-15.6	0.1	E	-18.9	0.0	RB	1
79	1	27	7	10.2	238	16.5	243	-15.4	-15.1	0.3	E	-18.7	0.0	RB	1
79	1	27	8	12.5	245	18.1	250	-14.9	-14.9	0.0	E	-18.5	0.11	RB	1
79	1	27	9	10.2	251	13.7	251	-14.1	-14.4	-0.3	D	-19.1	0.41	RB	1
79	1	27	10	4.6	211	5.9	225	-12.9	-13.2	-0.3	D	-18.9	0.66	RB	1
79	1	27	11	5.4	238	6.9	227	-11.9	-12.3	-0.4	D	-18.4	0.85	RB	1
79	1	27	12	6.6	235	8.2	223	-11.0	-11.5	-0.5	D	-17.4	0.90	RB	1
79	1	27	13	6.6	203	8.3	209	-10.6	-11.3	-0.7	D	-16.7	0.66	RB	1
79	1	27	14	6.1	228	7.5	226	-10.8	-11.3	-0.5	D	-16.6	0.57	RB	1
79	1	27	15	4.9	220	6.3	215	-10.8	-11.2	-0.5	D	-16.9	0.42	RB	1
79	1	27	16	4.7	206	6.1	210	-10.6	-11.1	-0.5	D	-17.5	0.36	RB	1
79	1	27	17	4.2	229	8.5	220	-12.0	-12.0	0.0	E	-17.9	0.06	RB	1
79	1	27	18	5.2	246	11.2	220	-13.6	-13.3	0.3	E	-18.3	0.0	RB	1
79	1	27	19	5.4	245	10.4	211	-13.6	-13.4	0.2	E	-19.1	0.0	RB	1
79	1	27	20	5.1	218	8.6	211	-13.3	-13.2	0.1	E	-19.0	0.0	RB	1
79	1	27	21	3.0	255	6.3	207	-13.1	-13.0	0.1	E	-18.9	0.0	RB	1
79	1	27	22	2.0	281	2.9	219	-13.1	-13.2	-0.1	E	-19.3	0.0	RB	1
79	1	27	23	2.3	260	4.9	229	-13.4	-13.3	0.1	E	-19.5	0.0	RB	1
79	1	27	24	1.4	197	3.4	191	-13.8	-13.9	-0.1	E	-20.0	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	1	28	1	3.1	174	3.2	160	-14.2	-13.9	0.3	E	-20.0	0.0	RB	1
79	1	28	2	3.5	188	5.4	166	-14.4	-13.9	0.4	E	-19.3	0.0	RB	1
79	1	28	3	3.6	222	4.1	206	-13.9	-13.8	0.1	E	-18.5	0.0	RB	1
79	1	28	4	2.8	227	2.3	152	-14.0	-13.8	0.3	E	-18.5	0.0	RB	1
79	1	28	5	2.2	269	1.4	257	-13.7	-13.7	0.0	E	-18.6	0.0	RB	1
79	1	28	6	3.1	242	2.2	273	-14.2	-13.8	0.4	E	-17.9	0.0	RB	1
79	1	28	7	2.5	297	2.3	127	-14.7	-14.3	0.5	E	-18.3	0.0	RB	1
79	1	28	8	3.0	221	2.1	173	-15.1	-14.7	0.4	E	-18.4	0.09	RB	1
79	1	28	9	1.2	163	2.0	167	-13.9	-14.0	-0.1	E	-18.3	0.37	RB	1
79	1	28	10	1.8	221	3.6	164	-12.7	-12.8	-0.1	E	-17.6	0.58	RB	1
79	1	28	11	3.0	62	3.7	74	-11.6	-11.8	-0.2	E	-17.1	0.64	RB	1
79	1	28	12	2.7	10	3.0	20	-10.9	-11.1	-0.2	E	-16.9	0.57	RB	1
79	1	28	13	3.3	29	3.6	36	-10.3	-10.4	-0.2	E	-16.4	0.62	RB	1
79	1	28	14	3.9	78	4.4	75	-10.3	-10.6	-0.3	D	-15.5	0.63	RB	1
79	1	28	15	3.8	85	5.0	80	-10.5	-10.9	-0.4	D	-15.3	0.42	RB	1
79	1	28	16	4.3	83	5.2	76	-11.2	-11.6	-0.4	D	-14.6	0.25	RB	1
79	1	28	17	3.7	43	4.6	36	-12.1	-12.4	-0.3	D	-15.0	0.05	RB	1
79	1	28	18	2.4	346	3.6	10	-12.9	-13.3	-0.3	D	-15.4	0.0	RB	1
79	1	28	19	1.8	179	2.0	57	-13.4	-13.6	-0.2	E	-15.3	0.0	RB	1
79	1	28	20	1.4	38	2.1	78	-14.4	-14.5	-0.1	E	-15.6	0.0	RB	1
79	1	28	21	2.9	222	1.8	197	-14.6	-14.6	0.0	E	-16.3	0.0	RB	1
79	1	28	22	2.5	279	2.5	356	-14.6	-14.5	0.1	E	-16.7	0.0	RB	1
79	1	28	23	1.7	233	2.6	66	-14.8	-14.9	-0.1	E	-16.7	0.0	RB	1
79	1	28	24	1.4	70	1.4	58	-15.2	-15.4	-0.3	D	-16.7	0.0	RB	1
79	1	29	1	1.3	265	1.7	1	-15.8	-15.8	-0.1	E	-17.4	0.0	RB	1
79	1	29	2	1.1	74	1.4	29	-16.0	-16.1	-0.1	E	-17.6	0.0	RB	1
79	1	29	3	1.5	136	1.3	173	-16.4	-16.5	-0.2	E	-18.1	0.0	RB	1
79	1	29	4	1.2	152	999.9	184	-16.7	-16.8	-0.1	E	-18.5	0.0	RB	1
79	1	29	5	1.3	67	1.3	74	-17.1	-17.1	0.1	E	-19.0	0.0	RB	1
79	1	29	6	2.5	75	3.2	46	-18.2	-18.3	-0.2	E	-19.6	0.0	RB	1
79	1	29	7	2.0	126	1.7	68	-18.8	-18.8	-0.1	E	-20.6	0.0	RB	1
79	1	29	8	1.5	189	1.9	65	-18.7	-19.0	-0.3	D	-20.6	0.01	RB	1
79	1	29	9	1.4	211	1.5	183	-18.3	-18.7	-0.4	D	-20.3	0.05	RB	1
79	1	29	10	2.5	54	2.8	46	-17.9	-18.4	-0.4	D	-19.9	0.08	RB	1
79	1	29	11	3.5	54	4.0	46	-17.7	-18.1	-0.4	D	-19.8	0.11	RB	1
79	1	29	12	5.6	31	5.8	25	-17.4	-17.8	-0.3	D	-20.6	0.15	RB	1
79	1	29	13	4.8	32	5.0	23	-17.0	-17.3	-0.3	D	-20.8	0.17	RB	1
79	1	29	14	8.5	32	8.7	27	-16.7	-17.1	-0.4	D	-20.9	0.20	RB	1
79	1	29	15	8.8	30	9.0	27	-16.9	-17.3	-0.3	D	-20.9	0.14	RB	1
79	1	29	16	7.5	28	8.2	26	-17.3	-17.7	-0.4	D	-20.5	0.07	RB	1
79	1	29	17	6.9	10	7.8	11	-18.3	-18.6	-0.3	D	-20.8	0.02	RB	1
79	1	29	18	5.3	309	6.0	340	-19.4	-19.4	0.0	E	-21.6	0.0	RB	1
79	1	29	19	3.4	327	5.3	359	-19.5	-19.7	-0.1	E	-22.1	0.01	RB	1
79	1	29	20	1.1	331	2.7	17	-19.6	-19.9	-0.2	E	-22.0	0.0	RB	1
79	1	29	21	1.3	234	1.7	56	-20.1	-20.1	-0.1	E	-22.2	0.01	RB	1
79	1	29	22	2.2	254	2.8	345	-20.3	-20.3	0.0	E	-22.8	0.01	RB	1
79	1	29	23	3.4	271	2.4	301	-20.1	-20.3	-0.1	E	-22.9	0.01	RB	1
79	1	29	24	2.4	249	1.7	285	-20.1	-20.1	0.0	E	-23.3	0.01	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	1	30	1	3.9	283	2.7	303	-19.9	-19.9	0.0 E	-23.4	0.01	RB	1
79	1	30	2	4.3	292	2.9	313	-19.8	-19.5	-0.1 E	-23.4	0.01	RB	1
79	1	30	3	2.3	131	1.4	210	-20.2	-19.7	0.6 E	-23.4	0.01	RB	1
79	1	30	4	0.7	23	1.2	246	-20.6	-19.9	0.7 E	-23.6	0.01	RB	1
79	1	30	5	1.0	257	1.6	230	-20.4	-19.7	0.8 F	-23.6	0.01	RB	1
79	1	30	6	1.1	206	1.7	200	-20.2	-19.7	0.5 E	-23.4	0.01	RB	1
79	1	30	7	1.3	192	2.7	195	-20.2	-19.8	0.4 E	-23.4	0.01	RB	1
79	1	30	8	0.6	342	1.8	192	-19.9	-19.7	0.2 E	-22.8	0.01	RB	1
79	1	30	9	1.5	304	0.9	189	-19.4	-18.9	0.5 E	-22.0	99.99	RB	1
79	1	30	10	2.3	190	3.0	172	-17.6	-17.6	0.0 E	-21.5	99.99	RB	1
79	1	30	11	6.7	242	7.6	234	-16.5	-16.9	-0.4 D	-21.6	99.99	RB	1
79	1	30	12	8.0	247	9.0	239	-15.8	-16.3	-0.5 D	-21.7	99.99	RB	1
79	1	30	13	9.1	244	11.2	236	-15.3	-15.9	-0.6 D	-21.1	99.99	RB	1
79	1	30	14	9.7	245	11.6	237	-14.9	-15.4	-0.5 D	-21.7	0.71	RB	1
79	1	30	15	8.7	246	10.3	240	-14.7	-15.1	-0.4 D	-22.1	0.60	RB	1
79	1	30	16	6.4	242	8.2	241	-14.8	-15.2	-0.4 D	-22.3	0.35	RB	1
79	1	30	17	3.7	222	5.2	215	-15.6	-15.8	-0.2 E	-22.2	0.06	RB	1
79	1	30	18	6.7	241	9.2	209	-16.7	-16.3	0.4 E	-20.6	0.0	RB	1
79	1	30	19	8.2	241	13.0	217	-17.1	-16.6	0.4 E	-21.9	0.01	RB	1
79	1	30	20	6.9	238	11.5	209	-17.4	-17.1	0.3 E	-23.0	0.01	RB	1
79	1	30	21	7.3	226	10.8	212	-17.3	-16.7	0.5 E	-23.2	0.01	RB	1
79	1	30	22	7.4	235	13.8	205	-17.5	-16.5	1.0 F	-23.9	0.01	RB	1
79	1	30	23	7.7	225	12.4	200	-16.9	-16.3	0.6 E	-23.2	0.01	RB	1
79	1	30	24	7.8	213	10.1	200	-16.4	-16.3	0.1 E	-22.2	0.01	RB	1
79	1	31	1	7.7	212	10.5	198	-16.7	-16.3	0.4 E	-22.1	0.01	RB	1
79	1	31	2	5.5	193	8.1	190	-16.5	-16.2	0.4 E	-22.3	0.01	RB	1
79	1	31	3	4.0	194	6.2	183	-16.6	-16.0	0.6 E	-22.1	0.01	RB	1
79	1	31	4	5.0	212	7.6	197	-16.5	-16.3	0.3 E	-21.7	0.01	RB	1
79	1	31	5	6.2	215	8.3	204	-16.1	-16.1	0.0 E	-21.2	0.01	RB	1
79	1	31	6	6.1	190	8.9	201	-16.3	-16.1	0.2 E	-21.1	0.01	RB	1
79	1	31	7	2.8	214	2.6	148	-17.1	-16.5	0.6 E	-21.8	0.0	RB	1
79	1	31	8	2.1	188	3.6	164	-15.9	-15.7	0.2 E	-21.6	0.08	RB	1
79	1	31	9	1.7	220	3.4	163	-15.5	-15.4	0.1 E	-21.5	0.27	RB	1
79	1	31	10	2.4	66	2.7	119	-14.0	-14.2	-0.2 E	-20.8	0.54	RB	1
79	1	31	11	3.8	123	4.9	159	-11.9	-12.3	-0.4 D	-19.7	0.70	RB	1
79	1	31	12	6.1	184	7.8	203	-10.8	-11.5	-0.7 D	-16.7	0.67	RB	1
79	1	31	13	7.8	190	0.7	209	-11.0	-11.9	-0.8 C	-15.3	0.55	RB	1
79	1	31	14	5.7	172	6.1	199	-11.2	-11.7	-0.5 D	-14.8	0.40	RB	1
79	1	31	15	5.2	174	6.7	193	-11.0	-11.6	-0.6 D	-14.1	0.29	RB	1
79	1	31	16	2.8	166	3.2	176	-11.2	-11.7	-0.5 D	-13.5	0.15	RB	1
79	1	31	17	1.1	354	1.4	199	-11.5	-11.9	-0.4 D	-13.1	0.04	RB	1
79	1	31	18	1.8	15	2.0	183	-11.7	-11.9	-0.2 E	-12.9	0.0	RB	1
79	1	31	19	3.9	262	4.1	247	-11.7	-12.0	-0.3 D	-13.6	0.0	RB	1
79	1	31	20	3.0	296	3.4	223	-12.1	-12.3	-0.3 D	-14.4	0.0	RB	1
79	1	31	21	2.2	154	4.9	155	-12.0	-11.9	0.0 E	-13.6	0.0	RB	1
79	1	31	22	2.6	171	5.3	185	-11.3	-11.3	-0.1 E	-13.3	0.0	RB	1
79	1	31	23	4.6	190	9.7	223	-10.7	-10.9	-0.2 E	-13.3	0.0	RB	1
79	1	31	24	3.0	56	4.7	122	-12.5	-12.3	0.2 E	-14.0	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	2	1	1	5.1	228	9.8	205	-11.3	-11.3	0.0	E	-14.0	0.01	RB	1
79	2	1	2	8.6	242	14.9	236	-10.4	-10.6	-0.3	D	-13.2	0.0	RB	1
79	2	1	3	3.8	92	5.7	211	-10.9	-11.0	-0.1	E	-13.3	0.0	RB	1
79	2	1	4	3.7	81	4.3	78	-11.3	-11.0	0.3	E	-13.8	0.0	RB	1
79	2	1	5	2.6	68	3.1	75	-12.8	-11.5	1.2	F	-14.4	0.0	RB	1
79	2	1	6	2.3	86	4.9	71	-13.4	-12.8	0.5	E	-14.6	0.0	RB	1
79	2	1	7	1.3	147	3.1	36	-14.3	-14.3	0.1	E	-15.9	0.0	RB	1
79	2	1	8	1.5	191	1.4	57	-13.6	-13.7	-0.2	E	-15.1	99.99	RB	1
79	2	1	9	2.9	174	3.4	149	-12.9	-13.1	-0.2	E	-14.5	99.99	RB	1
79	2	1	10	3.0	90	4.0	124	-11.9	-12.0	-0.1	E	-13.9	99.99	RB	1
79	2	1	11	3.5	51	4.0	165	-10.4	-10.0	0.4	E	-12.6	99.99	RB	1
79	2	1	12	7.2	222	11.9	222	-8.4	-9.0	-0.6	D	-11.3	99.99	RB	1
79	2	1	13	13.0	243	19.4	233	-8.0	-8.4	-0.4	D	-11.9	99.99	RB	1
79	2	1	14	13.3	241	19.0	234	-7.6	-7.9	-0.4	D	-12.1	99.99	RB	1
79	2	1	15	9.8	236	12.4	222	-7.2	-7.7	-0.5	D	-12.2	99.99	RB	1
79	2	1	16	9.7	242	14.2	218	-8.5	-8.9	-0.4	D	-12.4	99.99	RB	1
79	2	1	17	12.3	239	16.8	222	-9.1	-9.5	-0.4	D	-12.6	99.99	RB	1
79	2	1	18	10.6	240	15.8	222	-9.2	-9.6	-0.4	D	-12.1	0.0	RB	1
79	2	1	19	9.0	245	11.6	219	-9.1	-9.5	-0.3	D	-12.1	0.0	RB	1
79	2	1	20	7.8	237	12.5	232	-8.6	-9.0	-0.3	D	-11.2	0.0	RB	1
79	2	1	21	3.3	234	6.8	228	-8.6	-8.9	-0.4	D	-10.5	0.0	RB	1
79	2	1	22	2.4	173	4.5	238	-8.8	-9.0	-0.2	E	-10.6	0.0	RB	1
79	2	1	23	2.4	334	5.3	249	-9.3	-9.4	0.0	E	-10.8	0.0	RB	1
79	2	1	24	2.6	135	5.2	235	-10.0	-9.6	0.4	E	-11.3	0.0	RB	1
79	2	2	1	1.1	105	2.6	197	-10.5	-9.9	0.6	E	-11.5	0.0	RB	1
79	2	2	2	2.7	298	5.2	233	-9.6	-9.6	0.0	E	-11.2	0.0	RB	1
79	2	2	3	3.2	279	6.5	246	-9.4	-9.6	-0.2	E	-10.9	0.0	RB	1
79	2	2	4	1.5	59	1.9	181	-10.8	-10.4	0.5	E	-11.9	0.0	RB	1
79	2	2	5	1.2	28	2.1	70	-11.3	-10.8	0.4	E	-12.3	0.0	RB	1
79	2	2	6	1.2	45	2.7	292	-11.1	-10.8	0.3	E	-12.1	0.0	RB	1
79	2	2	7	1.9	154	3.2	155	-11.1	-10.9	0.2	E	-12.4	0.0	RB	1
79	2	2	8	2.0	152	3.2	170	-10.7	-10.8	0.0	E	-12.1	99.99	RB	1
79	2	2	9	1.4	116	2.8	215	-9.9	-10.0	-0.1	E	-11.5	99.99	RB	1
79	2	2	10	5.8	238	10.2	233	-8.9	-9.3	-0.5	D	-11.9	99.99	RB	1
79	2	2	11	6.8	240	9.6	239	-8.6	-9.1	-0.6	D	-11.4	99.99	RB	1
79	2	2	12	10.9	245	13.9	242	-8.3	-8.8	-0.5	D	-11.5	0.85	RB	1
79	2	2	13	13.9	250	16.9	246	-7.7	-8.1	-0.4	D	-12.2	0.86	RB	1
79	2	2	14	17.0	258	19.8	260	-7.4	-7.8	-0.4	D	-14.3	0.80	RB	1
79	2	2	15	13.6	251	16.9	249	-7.4	-7.8	-0.4	D	-13.9	0.61	RB	1
79	2	2	16	8.0	230	14.0	227	-8.0	-8.3	-0.3	D	-12.8	0.21	RB	1
79	2	2	17	6.7	228	13.3	221	-8.8	-8.9	-0.1	E	-13.2	0.05	RB	1
79	2	2	18	8.8	239	13.5	226	-9.4	-9.6	-0.2	E	-13.2	0.0	RB	1
79	2	2	19	9.7	239	14.0	245	-9.2	-9.5	-0.3	D	-12.5	0.0	RB	1
79	2	2	20	14.3	247	18.6	250	-9.6	-9.9	-0.4	D	-12.1	0.0	RB	1
79	2	2	21	12.8	247	16.9	254	-10.0	-10.3	-0.3	D	-13.0	0.0	RB	1
79	2	2	22	13.3	273	16.9	275	-10.3	-10.7	-0.4	D	-13.2	0.0	RB	1
79	2	2	23	14.1	266	17.8	269	-11.0	-11.3	-0.3	D	-14.2	0.0	RB	1
79	2	2	24	18.2	266	24.4	272	-11.9	-11.9	0.0	E	-15.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBDSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	2	3	1	21.2	277	28.8	276	-12.5	-12.3	0.3	E	-16.1	0.01	RB	1
79	2	3	2	21.5	262	28.1	263	-12.3	-12.4	-0.1	E	-16.6	0.01	RB	1
79	2	3	3	19.9	266	27.5	268	-12.8	-12.8	0.0	E	-17.7	0.01	RB	1
79	2	3	4	11.1	224	15.5	225	-13.0	-13.0	0.0	E	-18.7	0.0	RB	1
79	2	3	5	3.5	136	4.4	213	-13.2	-13.2	0.0	E	-19.3	0.01	RB	1
79	2	3	6	3.0	89	3.3	99	-13.3	-13.1	0.2	E	-19.4	0.0	RB	1
79	2	3	7	2.2	325	3.1	182	-13.1	-12.7	0.4	E	-20.6	0.0	RB	1
79	2	3	8	4.7	281	6.0	264	-12.4	-12.6	-0.1	E	-21.6	0.09	RB	1
79	2	3	9	3.4	173	4.7	250	-12.1	-12.2	-0.1	E	-21.1	0.34	RB	1
79	2	3	10	4.5	147	5.4	156	-11.3	-11.7	-0.4	D	-20.4	0.58	RB	1
79	2	3	11	6.1	229	7.7	228	-10.0	-10.4	-0.4	D	-21.8	0.78	RB	1
79	2	3	12	8.0	248	9.1	243	-9.4	-9.8	-0.4	D	-21.6	0.87	RB	1
79	2	3	13	7.0	245	7.8	235	-9.0	-9.3	-0.3	D	-20.0	0.88	RB	1
79	2	3	14	7.7	241	9.0	235	-8.7	-9.1	-0.5	D	-19.3	0.80	RB	1
79	2	3	15	7.5	243	8.8	236	-8.6	-9.1	-0.5	D	-19.0	0.62	RB	1
79	2	3	16	4.8	225	6.4	228	-8.5	-9.0	-0.4	D	-18.5	0.38	RB	1
79	2	3	17	3.6	232	6.6	218	-9.2	-9.4	-0.2	E	-17.9	0.09	RB	1
79	2	3	18	5.6	240	9.1	214	-10.3	-10.0	0.3	E	-18.0	0.0	RB	1
79	2	3	19	5.5	218	7.3	204	-10.5	-10.4	0.2	E	-19.8	0.0	RB	1
79	2	3	20	3.2	112	3.8	70	-10.5	-10.3	0.2	E	-19.5	0.0	RB	1
79	2	3	21	2.7	185	6.0	188	-11.0	-10.9	0.2	E	-19.3	0.0	RB	1
79	2	3	22	5.3	224	9.4	215	-11.7	-11.5	0.2	E	-20.8	0.0	RB	1
79	2	3	23	8.4	237	11.0	241	-10.7	-10.4	0.2	E	-20.5	0.0	RB	1
79	2	3	24	8.2	213	10.6	213	-11.4	-10.9	0.4	E	-19.8	0.0	RB	1
79	2	4	1	8.3	186	10.5	190	-11.3	-11.1	0.1	E	-18.7	0.0	RB	1
79	2	4	2	4.6	203	5.8	206	-10.8	-11.0	-0.1	E	-18.0	0.0	RB	1
79	2	4	3	6.5	206	9.6	203	-10.9	-10.9	0.0	E	-16.1	0.0	RB	1
79	2	4	4	4.3	168	7.1	174	-10.2	-10.2	0.0	E	-15.2	0.0	RB	1
79	2	4	5	6.1	248	10.3	251	-9.9	-10.1	-0.3	D	-13.2	0.0	RB	1
79	2	4	6	7.0	309	9.3	283	-10.0	-10.2	-0.2	E	-12.9	0.0	RB	1
79	2	4	7	3.4	84	3.8	31	-11.8	-11.1	0.6	E	-13.3	0.0	RB	1
79	2	4	8	1.2	206	2.3	81	-12.1	-12.0	0.2	E	-13.4	0.09	RB	1
79	2	4	9	2.3	237	2.3	172	-11.8	-11.8	0.0	E	-13.0	0.29	RB	1
79	2	4	10	1.2	323	1.6	117	-10.0	-10.0	0.0	E	-12.6	0.63	RB	1
79	2	4	11	1.5	334	2.0	92	-8.7	-9.0	-0.3	D	-12.5	0.73	RB	1
79	2	4	12	1.7	4	1.5	40	-7.7	-7.8	-0.1	E	-13.0	0.74	RB	1
79	2	4	13	3.7	26	4.0	36	-7.3	-7.6	-0.3	D	-13.5	0.67	RB	1
79	2	4	14	6.0	34	6.8	28	-7.4	-7.7	-0.3	D	-14.3	0.64	RB	1
79	2	4	15	6.7	54	7.7	48	-7.7	-8.0	-0.3	D	-14.8	0.50	RB	1
79	2	4	16	8.3	53	9.1	46	-8.1	-8.4	-0.3	D	-14.8	0.35	RB	1
79	2	4	17	3.0	45	5.7	49	-9.0	-9.0	0.0	E	-14.4	0.09	RB	1
79	2	4	18	2.4	312	2.5	50	-9.8	-9.7	0.1	E	-14.1	0.0	RB	1
79	2	4	19	3.8	301	4.3	22	-10.4	-10.0	0.4	E	-14.3	0.0	RB	1
79	2	4	20	4.5	297	4.6	1	-10.8	-10.5	0.2	E	-14.2	0.0	RB	1
79	2	4	21	3.2	285	2.9	15	-10.5	-10.4	0.1	E	-14.0	0.0	RB	1
79	2	4	22	3.5	284	2.1	11	-10.8	-10.6	0.2	E	-14.8	0.0	RB	1
79	2	4	23	2.8	275	1.6	345	-10.8	-10.7	0.1	E	-14.9	0.0	RB	1
79	2	4	24	3.3	283	1.9	304	-10.7	-10.8	0.0	E	-15.1	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	2	5	1	2.0	262	1.6	252	-10.8	-10.8	0.0 E	-15.3	0.0	RB	1
79	2	5	2	3.3	218	3.3	183	-11.5	-11.1	0.5 E	-15.6	0.0	RB	1
79	2	5	3	5.5	222	5.5	184	-11.6	-11.4	0.2 E	-15.8	0.0	RB	1
79	2	5	4	4.6	229	3.9	184	-11.4	-11.5	0.0 E	-16.1	0.01	RB	1
79	2	5	5	3.0	193	2.7	181	-12.1	-11.6	0.5 E	-16.7	0.0	RB	1
79	2	5	6	2.1	257	3.2	186	-13.0	-12.1	0.9 F	-17.1	0.0	RB	1
79	2	5	7	2.7	221	4.1	188	-12.5	-11.8	0.7 E	-17.2	0.01	RB	1
79	2	5	8	2.2	160	3.9	183	-11.8	-11.4	0.4 E	-17.0	0.21	RB	1
79	2	5	9	2.3	206	3.1	206	-11.1	-10.4	0.7 E	-16.5	0.47	RB	1
79	2	5	10	2.6	129	2.5	219	-10.5	-9.9	0.7 E	-16.3	0.63	RB	1
79	2	5	11	2.9	72	3.1	105	-9.6	-9.4	0.2 E	-15.6	0.94	RB	1
79	2	5	12	2.7	36	2.6	73	-7.9	-8.0	-0.1 E	-16.0	0.89	RB	1
79	2	5	13	2.9	33	2.5	52	-7.0	-7.1	-0.1 E	-16.1	0.84	RB	1
79	2	5	14	2.8	54	2.4	73	-6.2	-6.3	-0.1 E	-16.1	0.65	RB	1
79	2	5	15	3.2	52	3.2	85	-6.2	-6.3	-0.1 E	-15.8	0.60	RB	1
79	2	5	16	2.4	40	2.7	32	-6.5	-6.7	-0.2 E	-15.8	0.40	RB	1
79	2	5	17	1.5	229	2.2	99	-6.7	-6.9	-0.2 E	-15.6	0.08	RB	1
79	2	5	18	3.4	223	3.9	187	-7.2	-7.1	0.0 E	-15.6	0.0	RB	1
79	2	5	19	3.6	200	6.1	179	-7.3	-7.0	0.3 E	-15.4	0.0	RB	1
79	2	5	20	3.3	253	4.2	229	-6.7	-6.6	0.1 E	-15.8	0.0	RB	1
79	2	5	21	3.1	62	4.4	41	-7.8	-7.5	0.3 E	-14.8	0.0	RB	1
79	2	5	22	2.6	174	2.4	220	-9.2	-8.7	0.5 E	-13.6	0.0	RB	1
79	2	5	23	2.6	32	3.1	119	-9.7	-9.4	0.3 E	-13.6	0.0	RB	1
79	2	5	24	4.9	260	5.5	218	-8.8	-8.3	0.6 E	-13.0	0.0	RB	1
79	2	6	1	3.4	12	4.6	327	-8.5	-7.4	1.0 F	-12.6	0.0	RB	1
79	2	6	2	2.8	262	3.8	302	-8.6	-8.2	0.4 E	-12.5	0.0	RB	1
79	2	6	3	2.1	10	2.1	238	-8.8	-7.8	0.9 F	-12.6	0.0	RB	1
79	2	6	4	3.2	276	4.9	351	-7.5	-7.1	0.4 E	-11.8	0.0	RB	1
79	2	6	5	3.2	36	5.4	9	-8.4	-7.8	0.7 E	-12.3	0.0	RB	1
79	2	6	6	2.1	305	2.4	76	-9.4	-8.5	0.9 F	-12.4	0.0	RB	1
79	2	6	7	2.3	263	1.5	209	-8.1	-7.6	0.5 E	-12.0	0.0	RB	1
79	2	6	8	1.9	197	2.7	296	-7.5	-6.7	0.8 F	-11.8	0.13	RB	1
79	2	6	9	2.4	307	3.8	300	-5.1	-5.4	-0.3 D	-11.0	0.42	RB	1
79	2	6	10	2.6	41	3.2	63	-6.2	-5.8	0.4 E	-11.8	0.59	RB	1
79	2	6	11	2.1	330	3.2	318	-4.6	-4.7	-0.1 E	-11.3	0.78	RB	1
79	2	6	12	10.0	335	11.2	330	-3.6	-4.2	-0.6 D	-11.3	0.89	RB	1
79	2	6	13	7.6	326	8.7	322	-3.4	-4.0	-0.6 D	-11.5	0.78	RB	1
79	2	6	14	5.6	280	6.4	273	-2.7	-3.2	-0.5 D	-11.8	0.81	RB	1
79	2	6	15	6.6	234	8.0	228	-2.2	-2.7	-0.5 D	-12.1	0.70	RB	1
79	2	6	16	7.4	248	9.1	238	-2.3	-2.8	-0.5 D	-11.6	0.45	RB	1
79	2	6	17	8.0	259	9.7	256	-3.2	-3.5	-0.3 D	-11.5	0.13	RB	1
79	2	6	18	10.3	248	13.5	248	-4.8	-4.6	0.2 E	-10.9	0.0	RB	1
79	2	6	19	11.3	245	16.9	247	-5.4	-5.3	0.1 E	-11.0	0.0	RB	1
79	2	6	20	15.7	242	22.2	247	-5.8	-5.6	0.2 E	-11.0	0.0	RB	1
79	2	6	21	12.8	253	16.9	259	-5.7	-5.4	0.3 E	-10.6	0.0	RB	1
79	2	6	22	6.4	268	8.3	272	-5.6	-5.6	0.0 E	-10.0	0.0	RB	1
79	2	6	23	4.2	174	5.6	182	-5.9	-5.7	0.3 E	-10.2	0.0	RB	1
79	2	6	24	4.8	200	8.3	198	-5.7	-5.5	0.2 E	-11.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	2	7	1	3.1	197	5.3	224	-5.1	-5.0	0.1	E	-11.0	0.0	RB	1
79	2	7	2	4.5	186	6.6	224	-4.7	-4.7	0.0	E	-9.9	0.0	RB	1
79	2	7	3	11.2	246	18.2	229	-3.9	-4.2	-0.3	D	-9.3	0.0	RB	1
79	2	7	4	7.0	219	11.9	218	-3.9	-4.1	-0.2	E	-8.7	0.0	RB	1
79	2	7	5	4.6	193	6.7	215	-3.9	-4.1	-0.2	E	-8.7	0.0	RB	1
79	2	7	6	5.1	187	7.1	218	-4.5	-4.6	-0.1	E	-9.0	0.0	RB	1
79	2	7	7	6.7	192	9.2	214	-5.1	-5.3	-0.2	E	-9.5	0.0	RB	1
79	2	7	8	6.8	197	9.8	212	-5.2	-5.5	-0.3	D	-9.7	0.08	RB	1
79	2	7	9	7.4	185	9.5	211	-4.1	-4.4	-0.3	D	-9.2	0.22	RB	1
79	2	7	10	6.9	195	9.8	209	-3.3	-3.8	-0.4	D	-8.9	0.34	RB	1
79	2	7	11	6.7	229	12.8	227	-1.7	-2.2	-0.6	D	-8.8	0.60	RB	1
79	2	7	12	20.8	250	27.0	243	0.4	0.8	0.4	E	-9.1	0.96	RB	1
79	2	7	13	20.7	245	28.2	242	0.9	1.7	0.8	F	-8.9	0.95	RB	1
79	2	7	14	18.6	247	25.5	243	0.6	0.9	0.2	E	-8.8	0.75	RB	1
79	2	7	15	17.2	246	22.5	249	0.1	0.0	-0.1	E	-8.8	0.35	RB	1
79	2	7	16	17.7	248	22.4	254	-0.2	-0.3	-0.2	E	-8.8	0.20	RB	1
79	2	7	17	18.5	252	24.3	257	-0.8	-1.0	-0.2	E	-8.9	0.07	RB	1
79	2	7	18	22.7	270	28.3	269	-1.5	-1.5	-0.1	E	-8.4	0.0	RB	1
79	2	7	19	22.4	262	28.9	264	-1.7	-1.7	0.0	E	-8.2	0.0	RB	1
79	2	7	20	25.1	267	32.0	266	-2.0	-2.1	-0.1	E	-8.1	0.0	RB	1
79	2	7	21	27.5	268	34.5	268	-2.7	-2.8	-0.1	E	-7.7	0.0	RB	1
79	2	7	22	22.3	271	29.0	270	-3.3	-3.3	0.0	E	-7.9	0.0	RB	1
79	2	7	23	21.2	268	28.0	270	-3.4	-3.3	0.1	E	-8.0	0.0	RB	1
79	2	7	24	18.8	274	25.2	276	-3.7	-3.6	0.1	E	-8.2	0.0	RB	1
79	2	8	1	14.9	271	21.5	274	-4.0	-3.8	0.2	E	-8.4	0.0	RB	1
79	2	8	2	16.3	266	22.3	271	-3.9	-3.8	0.1	E	-8.3	0.0	RB	1
79	2	8	3	12.1	239	15.5	260	-4.3	-3.8	0.5	E	-8.3	0.0	RB	1
79	2	8	4	6.2	280	6.5	305	-4.6	-3.9	0.7	E	-9.7	0.0	RB	1
79	2	8	5	2.2	309	2.1	275	-5.0	-4.6	0.3	E	-10.1	0.0	RB	1
79	2	8	6	9.4	253	7.3	259	-3.4	-3.3	0.2	E	-10.0	0.0	RB	1
79	2	8	7	7.9	249	5.4	261	-3.3	-3.3	0.1	E	-9.8	0.0	RB	1
79	2	8	8	3.9	212	2.7	217	-3.1	-3.0	0.1	E	-10.2	0.11	RB	1
79	2	8	9	3.1	201	2.6	182	-2.5	-2.5	0.0	E	-10.2	0.36	RB	1
79	2	8	10	4.8	176	5.3	182	-1.5	-2.0	-0.5	D	-10.1	0.59	RB	1
79	2	8	11	5.0	203	6.5	202	-0.8	-1.4	-0.6	D	-9.9	0.79	RB	1
79	2	8	12	7.6	228	8.9	224	-0.4	-0.9	-0.6	D	-9.5	0.88	RB	1
79	2	8	13	9.8	271	11.4	260	-0.3	-0.8	-0.5	D	-9.1	0.92	RB	1
79	2	8	14	11.4	276	13.7	268	-0.2	-0.7	-0.5	D	-9.0	0.84	RB	1
79	2	8	15	15.9	261	18.8	258	0.0	-0.3	-0.3	D	-9.7	0.64	RB	1
79	2	8	16	13.7	265	16.5	264	-0.6	-0.9	-0.3	D	-8.7	0.30	RB	1
79	2	8	17	5.8	241	7.9	241	-1.1	-1.3	-0.3	D	-8.4	0.08	RB	1
79	2	8	18	3.2	204	4.6	203	-1.6	-1.6	0.0	E	-8.3	0.01	RB	1
79	2	8	19	4.3	223	6.8	213	-1.8	-1.8	0.0	E	-8.0	0.0	RB	1
79	2	8	20	4.0	199	7.9	184	-2.5	-2.3	0.2	E	-8.2	0.0	RB	1
79	2	8	21	5.7	222	9.9	198	-2.7	-2.3	0.4	E	-8.7	0.0	RB	1
79	2	8	22	6.7	248	12.2	217	-2.9	-2.4	0.5	E	-9.6	0.0	RB	1
79	2	8	23	4.8	209	10.8	213	-3.1	-2.6	0.6	E	-10.5	0.0	RB	1
79	2	8	24	6.6	256	10.6	213	-2.9	-2.7	0.2	E	-10.2	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	2	9	1	7.1	203	9.7	203	-2.6	-2.4	0.1	E	-10.5	0.0	RB	1
79	2	9	2	4.1	193	6.2	194	-2.9	-2.9	0.0	E	-10.6	0.0	RB	1
79	2	9	3	5.2	180	9.9	174	-4.1	-3.5	0.6	E	-9.7	0.0	RB	1
79	2	9	4	4.6	184	7.7	180	-3.8	-3.5	0.4	E	-9.6	0.0	RB	1
79	2	9	5	4.3	172	7.9	168	-4.6	-4.0	0.7	E	-10.1	0.0	RB	1
79	2	9	6	5.0	161	7.7	158	-4.7	-4.2	0.5	E	-10.4	0.0	RB	1
79	2	9	7	4.5	162	6.8	221	-4.4	-3.9	0.5	E	-10.5	0.0	RB	1
79	2	9	8	7.6	294	13.2	253	-2.6	-2.4	0.2	E	-10.4	0.08	RB	1
79	2	9	9	3.5	102	4.7	115	-3.3	-3.0	0.2	E	-10.1	0.15	RB	1
79	2	9	10	4.6	171	8.1	190	-1.2	-1.4	-0.2	E	-9.8	0.41	RB	1
79	2	9	11	8.5	255	11.5	251	0.9	0.5	-0.4	D	-9.3	0.52	RB	1
79	2	9	12	5.7	237	8.4	234	1.7	1.1	-0.6	D	-9.3	0.67	RB	1
79	2	9	13	6.0	240	8.2	231	2.6	2.0	-0.5	D	-9.6	0.96	RB	1
79	2	9	14	5.6	238	7.8	230	2.9	2.3	-0.6	D	-9.5	0.86	RB	1
79	2	9	15	5.7	261	6.9	248	2.9	2.5	-0.4	D	-10.1	0.69	RB	1
79	2	9	16	9.6	268	11.7	265	2.7	2.3	-0.4	D	-11.2	0.52	RB	1
79	2	9	17	6.7	269	8.4	265	2.1	1.9	-0.2	E	-11.1	0.16	RB	1
79	2	9	18	9.4	248	11.0	243	0.4	0.7	0.3	E	-9.0	0.01	RB	1
79	2	9	19	4.2	192	5.2	200	-1.2	-0.7	0.5	E	-8.4	0.0	RB	1
79	2	9	20	8.9	252	11.9	254	-0.6	0.4	0.9	F	-9.1	0.0	RB	1
79	2	9	21	6.4	165	8.4	292	-1.2	-0.5	0.7	E	-9.3	0.0	RB	1
79	2	9	22	2.0	223	2.2	260	-2.2	-1.6	0.6	E	-9.6	0.0	RB	1
79	2	9	23	7.0	207	11.1	254	-1.5	-0.9	0.7	E	-9.8	0.0	RB	1
79	2	9	24	4.1	210	2.4	269	-2.1	-1.8	0.3	E	-10.0	0.0	RB	1
79	2	10	1	6.4	229	7.1	253	-1.9	-1.3	0.6	E	-10.0	0.0	RB	1
79	2	10	2	6.3	221	11.4	250	-2.1	-1.0	1.1	F	-9.9	0.0	RB	1
79	2	10	3	10.0	246	13.9	250	-2.1	-1.3	0.9	F	-9.9	0.0	RB	1
79	2	10	4	6.0	228	7.9	244	-1.7	-1.4	0.3	E	-9.7	0.0	RB	1
79	2	10	5	5.1	190	5.4	198	-2.7	-2.1	0.6	E	-9.7	0.0	RB	1
79	2	10	6	4.9	220	7.3	193	-2.9	-2.3	0.6	E	-9.8	0.0	RB	1
79	2	10	7	2.3	267	2.9	211	-2.8	-2.4	0.4	E	-9.6	0.0	RB	1
79	2	10	8	3.1	154	5.3	221	-2.1	-1.4	0.6	E	-9.8	0.11	RB	1
79	2	10	9	5.8	203	9.0	218	-0.6	-0.9	-0.2	E	-9.7	0.39	RB	1
79	2	10	10	8.2	203	11.5	215	0.9	0.1	-0.9	B	-9.7	0.63	RB	1
79	2	10	11	6.8	205	9.5	212	2.2	1.4	-0.8	C	-9.5	0.82	RB	1
79	2	10	12	8.4	183	9.5	194	2.9	2.1	-0.8	C	-9.2	0.88	RB	1
79	2	10	13	10.7	182	12.3	191	3.2	2.5	-0.7	D	-9.5	0.78	RB	1
79	2	10	14	9.3	180	11.0	190	3.4	2.6	-0.7	D	-9.6	0.77	RB	1
79	2	10	15	10.2	182	13.5	188	2.9	2.3	-0.6	D	-10.2	0.51	RB	1
79	2	10	16	7.4	185	10.6	193	2.0	1.6	-0.4	D	-10.4	0.26	RB	1
79	2	10	17	8.0	183	11.3	189	1.2	0.9	-0.3	D	-11.1	0.11	RB	1
79	2	10	18	5.2	173	9.1	184	0.5	0.5	-0.1	E	-11.8	0.01	RB	1
79	2	10	19	3.7	73	5.4	134	0.6	0.4	-0.2	E	-11.9	0.0	RB	1
79	2	10	20	3.5	198	5.0	220	0.4	0.2	-0.3	D	-12.0	0.0	RB	1
79	2	10	21	3.4	162	4.8	146	0.4	0.2	-0.2	E	-11.9	0.0	RB	1
79	2	10	22	2.6	114	3.8	140	0.6	0.4	-0.2	E	-12.0	0.0	RB	1
79	2	10	23	2.2	108	4.6	158	0.3	0.2	-0.1	E	-11.4	0.0	RB	1
79	2	10	24	4.3	177	7.1	195	0.3	0.3	0.0	E	-11.5	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	2	11	1	4.1	130	4.5	149	0.1	0.0	-0.1	E	-11.5	0.0	RB	1
79	2	11	2	2.5	140	3.4	149	0.4	0.1	-0.3	D	-12.1	0.0	RB	1
79	2	11	3	5.9	189	9.5	219	0.2	0.1	-0.1	E	-12.1	0.0	RB	1
79	2	11	4	7.4	238	12.5	236	0.3	0.3	0.0	E	-12.1	0.0	RB	1
79	2	11	5	12.6	237	21.1	234	0.8	1.0	0.3	E	-12.3	0.0	RB	1
79	2	11	6	16.4	244	24.5	239	0.8	1.0	0.2	E	-12.6	0.0	RB	1
79	2	11	7	8.8	213	14.4	219	0.2	0.2	0.0	E	-11.9	0.0	RB	1
79	2	11	8	3.1	130	4.3	187	-0.1	-0.2	-0.1	E	-12.1	0.07	RB	1
79	2	11	9	3.2	112	4.0	149	0.7	0.5	-0.1	E	-12.1	0.23	RB	1
79	2	11	10	4.4	146	5.8	157	1.9	1.5	-0.4	D	-11.3	0.51	RB	1
79	2	11	11	4.1	94	5.0	125	2.5	2.6	0.1	E	-10.4	0.62	RB	1
79	2	11	12	3.3	71	4.1	135	3.0	3.2	0.2	E	-9.2	0.86	RB	1
79	2	11	13	4.3	84	4.1	80	3.0	3.1	0.1	E	-9.0	0.89	RB	1
79	2	11	14	5.1	48	5.5	43	3.2	3.1	-0.1	E	-8.8	0.75	RB	1
79	2	11	15	3.0	72	3.3	72	3.8	3.5	-0.2	E	-9.1	0.61	RB	1
79	2	11	16	2.1	129	2.5	128	4.0	3.7	-0.3	D	-9.2	0.39	RB	1
79	2	11	17	1.9	12	2.3	72	3.4	3.3	-0.1	E	-8.9	0.12	RB	1
79	2	11	18	3.0	161	2.9	148	2.0	2.1	0.1	E	-8.3	0.01	RB	1
79	2	11	19	6.8	229	7.4	201	2.1	2.5	0.4	E	999.9	0.0	RB	1
79	2	11	20	10.7	236	13.3	226	2.2	2.7	0.5	E	999.9	0.0	RB	1
79	2	11	21	7.6	215	10.2	218	1.5	1.6	0.1	E	-11.9	0.0	RB	1
79	2	11	22	4.7	185	6.5	202	999.9	1.4	0.0	E	-11.6	0.0	RB	1
79	2	11	23	7.1	237	999.9	237	999.9	1.5	0.2	E	-11.2	0.0	RB	1
79	2	11	24	999.9	252	999.9	235	999.9	1.3	-0.1	E	-11.1	0.0	RB	1
79	2	12	1	999.9	245	15.0	236	1.5	1.6	0.0	E	-11.1	0.0	RB	1
79	2	12	2	2.2	319	5.1	170	0.3	0.8	0.5	E	-11.0	0.0	RB	1
79	2	12	3	2.4	222	3.7	184	0.4	0.6	0.2	E	-11.4	0.0	RB	1
79	2	12	4	3.8	174	6.3	200	0.0	0.5	0.5	E	-11.3	0.0	RB	1
79	2	12	5	3.3	322	6.7	246	0.5	1.1	0.6	E	-11.3	0.0	RB	1
79	2	12	6	9.9	241	15.4	239	1.7	2.3	0.7	E	-11.6	0.0	RB	1
79	2	12	7	7.4	252	10.5	235	1.5	1.6	0.1	E	-12.2	0.01	RB	1
79	2	12	8	4.4	154	6.1	189	1.4	1.8	0.5	E	-11.9	0.08	RB	1
79	2	12	9	2.0	360	3.8	85	0.0	1.1	1.2	F	-10.6	0.25	RB	1
79	2	12	10	1.6	188	3.1	167	1.9	2.3	0.4	E	-10.5	0.48	RB	1
79	2	12	11	2.2	45	3.2	132	3.7	4.0	0.3	E	-9.8	0.69	RB	1
79	2	12	12	4.6	197	7.1	201	5.4	5.0	-0.3	D	-9.0	0.65	RB	1
79	2	12	13	6.2	225	7.9	221	5.4	4.9	-0.5	D	-8.0	0.65	RB	1
79	2	12	14	7.2	227	10.4	226	5.7	5.1	-0.6	D	-8.7	0.52	RB	1
79	2	12	15	8.7	206	14.3	214	5.3	4.7	-0.6	D	-8.9	0.44	RB	1
79	2	12	16	7.8	202	13.7	213	5.0	4.5	-0.5	D	-8.8	0.41	RB	1
79	2	12	17	6.4	226	13.9	214	3.9	3.7	-0.2	E	-9.9	0.13	RB	1
79	2	12	18	8.6	216	18.5	218	2.8	2.8	0.0	E	-10.5	0.01	RB	1
79	2	12	19	8.5	211	18.1	216	1.5	1.6	0.1	E	-9.8	0.0	RB	1
79	2	12	20	10.9	206	21.1	215	1.5	1.6	0.1	E	-9.9	0.0	RB	1
79	2	12	21	8.8	199	15.5	209	1.9	2.2	0.2	E	-9.2	0.0	RB	1
79	2	12	22	8.4	199	13.1	201	2.4	2.4	0.0	E	-8.2	0.0	RB	1
79	2	12	23	3.9	219	7.4	215	2.5	2.5	0.0	E	-7.5	0.0	RB	1
79	2	12	24	5.3	207	9.6	193	2.2	2.3	0.1	E	-7.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	2	13	1	7.1	201	12.6	207	2.2	2.3	0.1	E	-7.7	0.0	RB	1
79	2	13	2	4.7	192	9.3	205	2.5	2.4	-0.1	E	-8.2	0.0	RB	1
79	2	13	3	6.1	181	9.8	190	2.8	2.8	0.0	E	-9.3	0.0	RB	1
79	2	13	4	5.9	150	7.9	161	2.8	2.7	-0.1	E	-8.8	0.0	RB	1
79	2	13	5	6.2	164	9.0	170	2.3	2.3	0.0	E	-9.6	0.0	RB	1
79	2	13	6	3.1	167	4.3	144	2.5	2.3	-0.2	E	-10.5	0.0	RB	1
79	2	13	7	3.9	166	5.7	164	2.3	2.3	-0.1	E	-10.8	0.01	RB	1
79	2	13	8	4.9	151	9.3	192	3.3	3.3	0.0	E	-11.3	0.08	RB	1
79	2	13	9	8.7	193	16.4	215	4.7	4.4	-0.3	D	-11.3	0.21	RB	1
79	2	13	10	12.5	209	22.3	218	6.3	5.9	-0.3	D	-11.5	0.69	RB	1
79	2	13	11	11.9	220	19.9	221	6.6	6.3	-0.3	D	-11.4	0.67	RB	1
79	2	13	12	15.8	243	24.8	226	6.8	6.8	0.0	E	-12.3	0.61	RB	1
79	2	13	13	18.2	244	29.6	226	7.1	7.3	0.3	E	-12.9	0.48	RB	1
79	2	13	14	16.7	245	25.9	224	6.9	6.9	0.0	E	-13.0	0.44	RB	1
79	2	13	15	16.1	238	26.0	222	6.8	6.7	-0.1	E	-12.9	0.45	RB	1
79	2	13	16	16.9	241	28.3	221	6.8	6.8	0.0	E	-13.3	0.28	RB	1
79	2	13	17	18.3	246	26.9	228	6.2	6.2	0.0	E	-13.2	0.08	RB	1
79	2	13	18	15.9	242	26.9	224	5.8	5.8	-0.1	E	-13.0	0.01	RB	1
79	2	13	19	15.7	246	24.0	233	5.4	5.5	0.0	E	999.9	0.0	RB	1
79	2	13	20	14.0	245	21.9	241	4.3	4.6	0.3	E	-10.9	0.0	RB	1
79	2	13	21	16.5	246	25.3	241	4.9	4.9	0.0	E	-12.1	0.0	RB	1
79	2	13	22	18.2	246	28.3	236	4.9	5.0	0.0	E	-12.2	0.0	RB	1
79	2	13	23	18.5	246	28.2	230	4.9	4.9	0.0	E	-12.5	0.0	RB	1
79	2	13	24	12.7	243	21.4	221	4.8	4.7	-0.1	E	-12.1	0.0	RB	1
79	2	14	1	13.5	246	21.6	230	4.8	4.9	0.1	E	-11.5	0.0	RB	1
79	2	14	2	14.0	250	21.9	233	4.4	4.8	0.3	E	-11.3	0.0	RB	1
79	2	14	3	13.9	250	21.5	234	3.4	3.8	0.5	E	-11.1	0.0	RB	1
79	2	14	4	14.5	246	23.6	229	3.7	3.9	0.2	E	-11.6	0.0	RB	1
79	2	14	5	14.4	249	22.1	234	2.7	3.1	0.4	E	-10.6	0.0	RB	1
79	2	14	6	10.7	242	17.6	229	3.0	3.1	0.1	E	-10.4	0.0	RB	1
79	2	14	7	13.0	216	22.9	215	3.8	3.7	-0.1	E	999.9	0.0	RB	1
79	2	14	8	13.5	235	23.0	226	3.3	3.1	-0.2	E	999.9	0.04	RB	1
79	2	14	9	10.3	233	16.4	226	3.5	3.2	-0.3	D	-7.4	0.16	RB	1
79	2	14	10	14.1	207	23.4	210	4.5	4.3	-0.2	E	-8.6	0.29	RB	1
79	2	14	11	11.6	218	18.5	219	5.0	4.7	-0.3	D	-9.6	0.38	RB	1
79	2	14	12	15.8	202	27.9	213	5.4	5.3	-0.1	E	-10.1	0.46	RB	1
79	2	14	13	16.7	210	29.1	217	4.9	4.8	-0.1	E	-9.3	0.42	RB	1
79	2	14	14	13.5	210	22.6	215	4.3	4.0	-0.3	D	-9.1	0.47	RB	1
79	2	14	15	18.6	200	29.3	209	3.6	3.5	-0.1	E	999.9	0.40	RB	1
79	2	14	16	18.2	202	30.2	210	2.8	2.6	-0.2	E	999.9	0.20	RB	1
79	2	14	17	17.3	204	28.8	212	2.2	1.9	-0.3	D	-3.5	0.09	RB	1
79	2	14	18	14.8	210	25.0	214	1.2	0.8	-0.3	D	-2.4	0.01	RB	1
79	2	14	19	11.4	224	17.9	223	1.8	1.4	-0.4	D	-3.7	0.0	RB	1
79	2	14	20	13.1	231	21.5	225	1.0	0.7	-0.3	D	999.9	0.0	RB	1
79	2	14	21	19.6	247	26.6	243	0.6	0.3	-0.3	D	999.9	0.0	RB	1
79	2	14	22	16.4	242	22.9	245	-0.4	-0.7	-0.2	E	-8.1	0.0	RB	1
79	2	14	23	16.0	243	22.0	245	-1.0	-1.2	-0.2	E	-8.6	0.0	RB	1
79	2	14	24	19.0	242	26.9	246	-1.5	-1.7	-0.3	D	-8.9	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED	WIND DIR	- 60 METER - WIND SPEED	WIND DIR	TEMPERATURE 10 M TEMP	60 M TEMP	DELTA T 60-10		DEW POINT	SOLAR RAD		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)	(C)	SC	(C)	LY/MIN		
79	2	15	1	19.8	246	26.8	249	-2.1	-2.4	-0.3	D	-9.0	0.0	RB	1
79	2	15	2	17.0	247	23.7	250	-2.3	-2.5	-0.2	E	-9.6	0.0	RB	1
79	2	15	3	16.9	242	24.9	247	-2.5	-2.8	-0.3	D	-9.9	0.0	RB	1
79	2	15	4	11.7	244	17.7	252	-3.0	-3.1	-0.1	E	-10.1	0.0	RB	1
79	2	15	5	4.9	149	7.3	170	-3.5	-3.5	0.1	E	-10.6	0.0	RB	1
79	2	15	6	4.5	178	6.8	164	-4.1	-3.5	0.6	E	-11.1	0.0	RB	1
79	2	15	7	4.5	208	4.8	204	-3.8	-3.3	0.4	E	-11.3	0.01	RB	1
79	2	15	8	3.2	149	4.4	225	-3.7	-3.0	0.7	E	-11.5	0.14	RB	1
79	2	15	9	3.6	250	4.3	237	-1.9	-2.0	-0.1	E	-11.3	0.41	RB	1
79	2	15	10	7.0	163	8.2	159	-0.7	-1.4	-0.7	D	-10.5	0.67	RB	1
79	2	15	11	5.3	193	6.5	191	0.0	-0.5	-0.6	D	-10.4	0.85	RB	1
79	2	15	12	3.7	251	4.9	216	0.9	0.4	-0.5	D	-10.9	0.89	RB	1
79	2	15	13	5.8	154	6.4	152	1.4	0.8	-0.6	D	-9.9	0.99	RB	1
79	2	15	14	5.9	239	7.4	221	1.8	1.2	-0.5	D	-10.4	0.73	RB	1
79	2	15	15	6.6	233	9.4	224	1.6	1.0	-0.5	D	-10.9	0.46	RB	1
79	2	15	16	5.0	296	5.9	274	1.3	0.9	-0.4	D	-10.5	0.40	RB	1
79	2	15	17	2.4	104	3.9	93	0.6	0.4	-0.2	E	-9.7	0.17	RB	1
79	2	15	18	4.0	122	5.2	117	-0.6	-0.7	-0.1	E	-9.2	0.01	RB	1
79	2	15	19	2.7	213	3.5	212	-0.9	-0.8	0.2	E	-9.7	0.0	RB	1
79	2	15	20	2.9	228	2.9	227	-1.2	-1.2	0.0	E	-9.8	0.0	RB	1
79	2	15	21	2.4	287	0.7	203	-1.8	-1.5	0.3	E	-10.0	0.0	RB	1
79	2	15	22	2.1	239	1.5	41	-1.7	-1.6	0.1	E	-10.0	0.0	RB	1
79	2	15	23	2.2	236	2.8	177	-1.8	-1.8	0.1	E	-9.8	0.0	RB	1
79	2	15	24	2.4	225	2.9	169	-1.8	-1.7	0.1	E	-9.8	0.0	RB	1
79	2	16	1	2.7	227	3.5	180	-1.8	-1.7	0.1	E	-9.5	0.0	RB	1
79	2	16	2	4.1	211	5.7	184	-1.9	-1.9	0.0	E	-8.7	0.0	RB	1
79	2	16	3	5.4	221	6.6	191	-2.1	-2.0	0.2	E	-8.0	0.0	RB	1
79	2	16	4	7.2	239	7.3	211	-2.0	-1.8	0.2	E	-7.2	0.0	RB	1
79	2	16	5	6.9	238	8.8	211	-2.4	-2.2	0.2	E	-6.5	0.0	RB	1
79	2	16	6	4.3	215	5.5	191	-3.2	-3.0	0.2	E	-5.7	0.0	RB	1
79	2	16	7	3.9	219	4.5	180	-2.8	-2.8	0.0	E	-6.6	0.02	RB	1
79	2	16	8	2.6	221	3.2	189	-2.2	-2.2	-0.1	E	-6.9	0.24	RB	1
79	2	16	9	2.7	110	3.0	126	-1.1	-1.4	-0.2	E	-7.3	0.43	RB	1
79	2	16	10	3.3	61	3.7	80	-0.5	-0.7	-0.2	E	-7.0	0.66	RB	1
79	2	16	11	5.4	139	7.2	173	1.2	0.7	-0.5	D	-7.7	0.86	RB	1
79	2	16	12	6.4	217	8.1	210	1.8	1.2	-0.7	D	-8.2	0.94	RB	1
79	2	16	13	6.3	238	7.2	222	1.9	1.4	-0.5	D	-8.6	0.95	RB	1
79	2	16	14	5.9	248	7.1	240	2.0	1.5	-0.5	D	-8.4	0.92	RB	1
79	2	16	15	3.7	236	5.4	224	2.0	1.5	-0.5	D	-7.8	0.73	RB	1
79	2	16	16	3.5	250	5.1	235	1.9	1.5	-0.4	D	-7.3	0.51	RB	1
79	2	16	17	2.8	211	6.0	213	0.7	0.4	-0.4	D	-7.0	0.11	RB	1
79	2	16	18	4.3	263	8.6	253	-0.6	-0.8	-0.2	E	-6.9	0.01	RB	1
79	2	16	19	3.7	234	8.1	247	-1.6	-1.6	0.0	E	-7.3	0.0	RB	1
79	2	16	20	0.7	354	2.8	205	-2.1	-2.2	-0.1	E	-7.2	0.0	RB	1
79	2	16	21	1.4	289	3.3	263	-2.1	-2.1	0.0	E	-7.3	0.0	RB	1
79	2	16	22	2.6	236	8.0	240	-2.1	-2.1	0.0	E	-8.1	0.0	RB	1
79	2	16	23	5.2	245	10.5	246	-2.1	-2.2	-0.2	E	-8.0	0.0	RB	1
79	2	16	24	8.9	244	15.8	246	-2.7	-2.8	-0.1	E	-8.3	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				10 METER - WIND SPEED	WIND DIR	60 METER WIND SPEED	WIND DIR	TEMPERATURE 10 M TEMP	60 M TEMP	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR	MPH	DEG	MPH	DEG	(C)	(C)						
79	2	17	1	12.5	249	19.4	248	-2.9	-2.8	0.0	E	-8.3	0.0	RB	1
79	2	17	2	12.0	245	18.6	248	-3.0	-2.9	0.1	E	-8.2	0.0	RB	1
79	2	17	3	11.0	253	16.3	258	-3.1	-3.2	0.0	E	-8.0	0.0	RB	1
79	2	17	4	15.9	263	19.6	263	-4.6	-5.0	-0.4	D	-6.5	0.0	RB	1
79	2	17	5	14.9	274	18.7	271	-5.1	-5.6	-0.4	D	-7.1	0.0	RB	1
79	2	17	6	8.1	258	10.9	263	-5.9	-6.1	-0.2	E	-8.2	0.0	RB	1
79	2	17	7	10.0	247	11.3	262	-6.4	-6.2	0.2	E	-8.8	0.0	RB	1
79	2	17	8	8.2	246	9.3	273	-6.0	-5.8	0.1	E	-9.9	0.16	RB	1
79	2	17	9	3.0	214	2.8	347	-4.5	-4.7	-0.2	E	-10.9	0.43	RB	1
79	2	17	10	4.0	247	4.3	251	-3.4	-3.8	-0.4	D	-13.3	0.68	RB	1
79	2	17	11	6.8	307	7.4	306	-3.0	-3.6	-0.6	D	-15.8	0.87	RB	1
79	2	17	12	3.8	320	4.0	312	-2.3	-2.9	-0.5	D	-15.3	0.97	RB	1
79	2	17	13	4.5	235	5.5	225	-1.5	-2.0	-0.5	D	-14.3	0.99	RB	1
79	2	17	14	6.1	257	7.0	245	-1.2	-1.6	-0.4	D	-14.6	0.91	RB	1
79	2	17	15	8.0	258	9.0	246	-0.8	-1.3	-0.4	D	999.9	0.74	RB	1
79	2	17	16	5.8	272	6.7	268	-1.2	-1.6	-0.4	D	999.9	0.49	RB	1
79	2	17	17	8.6	277	10.8	276	-2.3	-2.5	-0.2	E	999.9	0.20	RB	1
79	2	17	18	13.0	270	16.5	273	-3.7	-3.1	0.5	E	-14.2	0.01	RB	1
79	2	17	19	13.2	263	17.8	270	-3.9	-3.5	0.5	E	-15.5	0.0	RB	1
79	2	17	20	6.8	216	11.4	259	-4.7	-3.9	0.8	F	-15.3	0.0	RB	1
79	2	17	21	3.6	194	5.1	178	-5.3	-4.6	0.7	E	-15.3	0.0	RB	1
79	2	17	22	4.6	229	4.2	198	-4.2	-3.9	0.3	E	-15.5	0.0	RB	1
79	2	17	23	4.4	227	4.5	195	-4.3	-4.0	0.3	E	-12.9	0.0	RB	1
79	2	17	24	2.8	226	3.2	196	-4.5	-4.2	0.3	E	-13.1	0.0	RB	1
79	2	18	1	2.7	244	2.8	189	-4.1	-3.9	0.2	E	-13.4	0.0	RB	1
79	2	18	2	6.7	242	6.2	222	-4.3	-4.3	0.0	E	-12.9	0.0	RB	1
79	2	18	3	6.4	233	9.4	231	-4.5	-4.2	0.3	E	-13.4	0.0	RB	1
79	2	18	4	3.7	191	7.4	190	-5.9	-5.2	0.7	E	-14.1	0.0	RB	1
79	2	18	5	4.7	178	8.1	174	-6.1	-5.1	1.0	F	-14.9	0.0	RB	1
79	2	18	6	4.4	187	6.9	178	-5.3	-5.0	0.3	E	-15.6	0.0	RB	1
79	2	18	7	3.1	184	4.7	185	-4.9	-4.9	0.0	E	-15.6	0.01	RB	1
79	2	18	8	2.6	207	4.8	200	-4.3	-4.5	-0.2	E	-14.5	0.18	RB	1
79	2	18	9	7.2	184	8.4	199	-3.1	-3.5	-0.5	D	-13.3	0.43	RB	1
79	2	18	10	9.2	179	8.9	194	-2.1	-2.6	-0.5	D	-12.8	0.65	RB	1
79	2	18	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	18	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	2	19	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	2	19	11	8.1	245	8.3	231	0.6	0.2	-0.4	D	-9.8	0.61	RB	1
79	2	19	12	9.8	210	14.9	217	1.3	0.6	-0.7	D	-8.7	0.62	RB	1
79	2	19	13	9.9	214	16.8	219	0.5	-0.1	-0.6	D	-7.3	0.36	RB	1
79	2	19	14	8.6	224	14.2	219	0.1	-0.5	-0.6	D	-6.2	0.35	RB	1
79	2	19	15	7.2	228	11.9	222	-0.8	-1.4	-0.6	D	-5.6	0.26	RB	1
79	2	19	16	6.8	188	9.8	198	-1.8	-2.4	-0.6	D	-4.5	0.17	RB	1
79	2	19	17	5.1	183	6.2	202	-2.6	-3.0	-0.4	D	-3.8	0.07	RB	1
79	2	19	18	4.2	181	5.9	192	-3.0	-3.3	-0.4	D	-3.8	0.01	RB	1
79	2	19	19	2.6	177	4.9	207	-3.3	-3.6	-0.3	D	-3.8	0.0	RB	1
79	2	19	20	1.6	173	3.6	218	-3.3	-3.6	-0.3	D	-3.8	0.0	RB	1
79	2	19	21	1.5	137	2.2	206	-3.5	-3.7	-0.2	E	-3.9	0.0	RB	1
79	2	19	22	1.5	49	2.5	240	-3.4	-3.6	-0.2	E	-4.3	0.0	RB	1
79	2	19	23	6.9	270	9.5	268	-3.4	-3.8	-0.4	D	-5.2	0.0	RB	1
79	2	19	24	4.9	268	7.0	271	-3.6	-4.0	-0.3	D	-5.3	0.0	RB	1
79	2	20	1	7.4	287	11.4	283	-4.0	-4.2	-0.2	E	-5.7	0.0	RB	1
79	2	20	2	8.8	279	12.4	286	-4.4	-4.4	-0.1	E	-6.1	0.0	RB	1
79	2	20	3	5.1	248	7.2	269	-4.4	-4.6	-0.1	E	-6.3	0.0	RB	1
79	2	20	4	6.3	257	8.2	264	-4.8	-5.1	-0.3	D	-6.2	0.0	RB	1
79	2	20	5	3.3	259	4.7	263	-5.4	-5.3	0.1	E	-6.6	0.0	RB	1
79	2	20	6	5.1	237	6.3	239	-5.4	-5.7	-0.3	D	-6.8	0.0	RB	1
79	2	20	7	3.1	4	3.8	359	-6.1	-6.3	-0.1	E	-7.4	99.99	RB	1
79	2	20	8	3.6	90	4.6	100	-6.4	-6.7	-0.3	D	-6.4	99.99	RB	1
79	2	20	9	6.1	114	6.7	114	-6.3	-6.7	-0.4	D	-7.2	99.99	RB	1
79	2	20	10	4.1	129	5.5	128	-5.6	-6.0	-0.4	D	-8.1	99.99	RB	1
79	2	20	11	5.2	231	7.6	217	-4.5	-5.1	-0.6	D	-10.0	99.99	RB	1
79	2	20	12	7.9	245	9.7	237	-4.1	-4.6	-0.6	D	-10.6	99.99	RB	1
79	2	20	13	8.3	245	9.7	233	-3.4	-3.9	-0.5	D	-12.0	99.99	RB	1
79	2	20	14	7.8	245	9.9	235	-3.2	-3.7	-0.5	D	-13.0	99.99	RB	1
79	2	20	15	5.8	271	6.8	261	-2.8	-3.2	-0.4	D	-12.9	0.70	RB	1
79	2	20	16	5.6	221	8.0	216	-2.7	-3.1	-0.4	D	-11.6	0.28	RB	1
79	2	20	17	7.8	198	12.9	208	-3.2	-3.6	-0.4	D	-10.6	0.13	RB	1
79	2	20	18	7.2	208	12.6	200	-4.4	-4.3	0.0	E	-11.2	0.01	RB	1
79	2	20	19	5.2	209	9.3	193	-5.2	-4.9	0.3	E	-12.3	0.0	RB	1
79	2	20	20	5.5	189	9.8	188	-5.1	-4.9	0.2	E	-12.4	0.0	RB	1
79	2	20	21	3.7	182	8.6	168	-5.7	-5.3	0.4	E	-12.3	0.0	RB	1
79	2	20	22	3.6	189	9.6	171	-5.6	-4.8	0.8	F	-10.8	0.0	RB	1
79	2	20	23	5.2	191	11.3	185	-5.1	-4.3	0.7	E	-9.6	0.0	RB	1
79	2	20	24	3.4	195	6.3	191	-4.4	-4.4	-0.1	E	-8.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	2	21	1	3.0	197	8.0	177	-5.2	-4.6	0.6	E	-8.8	0.0	RB	1
79	2	21	2	2.0	162	7.0	164	-4.9	-4.5	0.5	E	-9.1	0.0	RB	1
79	2	21	3	2.4	202	6.5	179	-4.9	-4.6	0.3	E	-9.1	0.0	RB	1
79	2	21	4	6.2	170	10.1	175	-4.0	-4.1	-0.1	E	-6.8	0.0	RB	1
79	2	21	5	5.4	155	8.7	151	-4.6	-4.8	-0.2	E	-5.4	0.0	RB	1
79	2	21	6	4.2	133	6.2	140	-4.9	-5.1	-0.1	E	-5.5	0.0	RB	1
79	2	21	7	4.3	158	6.6	146	-5.2	-5.5	-0.3	D	-5.6	0.01	RB	1
79	2	21	8	3.1	172	7.5	161	-4.6	-4.6	0.0	E	-5.7	0.09	RB	1
79	2	21	9	10.7	177	14.6	177	-2.4	-2.7	-0.3	D	-6.2	0.16	RB	1
79	2	21	10	14.4	185	20.8	192	-1.1	-1.4	-0.3	D	-6.1	0.48	RB	1
79	2	21	11	11.5	198	20.2	211	0.3	-0.3	-0.6	D	-5.7	0.86	RB	1
79	2	21	12	11.0	199	17.1	204	0.3	-0.4	-0.6	D	-6.0	0.77	RB	1
79	2	21	13	13.5	186	18.4	189	0.1	-0.4	-0.5	D	-6.1	0.40	RB	1
79	2	21	14	13.6	185	19.5	188	-0.2	-0.6	-0.4	D	-5.6	0.30	RB	1
79	2	21	15	13.9	186	19.2	189	0.0	-0.4	-0.4	D	-5.3	0.28	RB	1
79	2	21	16	14.1	184	19.3	187	-0.3	-0.7	-0.4	D	-4.7	0.24	RB	1
79	2	21	17	13.9	190	20.1	195	-1.1	-1.4	-0.4	D	-4.1	0.08	RB	1
79	2	21	18	16.3	206	27.7	213	-2.4	-2.7	-0.4	D	-5.7	0.01	RB	1
79	2	21	19	17.6	205	30.1	210	-2.9	-3.3	-0.4	D	-5.9	0.0	RB	1
79	2	21	20	17.7	207	29.2	210	-3.4	-3.8	-0.3	D	-5.1	0.0	RB	1
79	2	21	21	14.2	221	24.6	222	-4.0	-4.4	-0.4	D	-5.2	0.0	RB	1
79	2	21	22	16.9	244	27.8	226	-3.6	-4.0	-0.4	D	-6.9	0.0	RB	1
79	2	21	23	19.2	242	31.4	230	-3.6	-4.0	-0.4	D	-7.4	0.0	RB	1
79	2	21	24	16.9	242	25.6	234	-3.4	-3.8	-0.4	D	-8.1	0.0	RB	1
79	2	22	1	14.0	241	24.3	225	-3.7	-4.0	-0.3	D	-8.0	0.0	RB	1
79	2	22	2	16.9	238	25.1	238	-3.8	-4.1	-0.3	D	-8.6	0.0	RB	1
79	2	22	3	8.5	188	11.9	256	-4.4	-4.7	-0.2	E	-9.1	0.0	RB	1
79	2	22	4	3.5	76	5.7	98	-5.5	-5.4	0.1	E	-9.0	0.0	RB	1
79	2	22	5	2.8	139	4.7	141	-4.9	-5.0	-0.1	E	-8.6	0.0	RB	1
79	2	22	6	2.9	196	4.7	182	-4.7	-4.9	-0.1	E	-8.3	0.0	RB	1
79	2	22	7	3.8	226	5.0	215	-4.6	-4.8	-0.2	E	-8.1	99.99	RB	1
79	2	22	8	3.1	232	5.3	218	-4.5	-4.8	-0.3	D	-7.5	99.99	RB	1
79	2	22	9	1.7	21	1.4	4	-4.9	-5.1	-0.2	E	-7.0	99.99	RB	1
79	2	22	10	3.1	61	3.8	51	-5.7	-5.8	-0.1	E	-6.5	99.99	RB	1
79	2	22	11	3.3	35	4.0	28	-5.1	-5.4	-0.3	D	-6.2	99.99	RB	1
79	2	22	12	1.4	95	2.2	117	-5.0	-5.2	-0.2	E	-6.8	99.99	RB	1
79	2	22	13	2.7	164	4.0	193	-4.5	-4.9	-0.4	D	-6.6	99.99	RB	1
79	2	22	14	6.4	245	8.2	243	-3.8	-4.3	-0.5	D	-6.3	0.49	RB	1
79	2	22	15	9.0	254	11.1	251	-4.0	-4.5	-0.5	D	-6.8	0.34	RB	1
79	2	22	16	5.1	226	7.6	229	-4.0	-4.5	-0.5	D	-6.1	0.24	RB	1
79	2	22	17	7.7	243	12.2	239	-4.4	-4.8	-0.4	D	-6.6	0.10	RB	1
79	2	22	18	15.2	254	19.7	255	-5.1	-5.5	-0.4	D	-6.3	0.01	RB	1
79	2	22	19	13.5	246	19.0	247	-5.3	-5.6	-0.3	D	-7.8	0.0	RB	1
79	2	22	20	10.1	243	15.2	237	-5.0	-5.2	-0.2	E	-9.9	0.0	RB	1
79	2	22	21	8.8	242	14.4	236	-5.3	-5.4	-0.2	E	-11.0	0.0	RB	1
79	2	22	22	10.3	242	16.3	246	-6.3	-6.3	0.0	E	-12.0	0.0	RB	1
79	2	22	23	12.8	246	18.9	252	-6.4	-6.4	0.1	E	-12.8	0.0	RB	1
79	2	22	24	9.5	246	15.9	252	-6.8	-6.3	0.4	E	-13.3	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	2	23	1	4.8	202	8.7	186	-8.1	-7.2	0.8 F	-14.1	0.0	RB	1
79	2	23	2	4.9	186	7.4	175	-7.5	-7.1	0.5 E	-14.3	0.0	RB	1
79	2	23	3	3.2	191	5.2	172	-7.2	-6.9	0.3 E	-12.9	0.0	RB	1
79	2	23	4	2.5	290	3.4	171	-7.0	-6.8	0.2 E	-12.8	0.0	RB	1
79	2	23	5	2.5	349	4.4	131	-7.3	-6.7	0.6 E	-11.6	0.0	RB	1
79	2	23	6	2.9	237	4.7	164	-7.5	-7.4	0.1 E	-11.2	0.0	RB	1
79	2	23	7	3.0	210	6.9	154	-8.0	-7.3	0.7 E	-11.2	0.02	RB	1
79	2	23	8	2.9	327	1.9	36	-8.1	-7.4	0.7 E	-11.2	0.17	RB	1
79	2	23	9	4.0	217	6.7	191	-6.7	-6.6	0.1 E	-9.2	0.25	RB	1
79	2	23	10	7.3	159	10.4	166	-4.8	-5.1	-0.5 D	-8.3	0.48	RB	1
79	2	23	11	8.9	176	10.7	180	-3.6	-4.3	-0.7 D	-8.7	0.55	RB	1
79	2	23	12	6.9	195	10.2	200	-2.9	-3.6	-0.7 D	-8.8	0.54	RB	1
79	2	23	13	8.1	173	10.2	177	-2.7	-3.4	-0.7 D	-9.2	0.54	RB	1
79	2	23	14	7.9	158	9.3	158	-2.9	-3.6	-0.7 D	-8.1	0.48	RB	1
79	2	23	15	9.8	195	14.8	206	-2.4	-3.0	-0.6 D	-7.9	0.56	RB	1
79	2	23	16	9.3	213	15.3	220	-3.1	-3.6	-0.4 D	-8.9	0.30	RB	1
79	2	23	17	5.1	195	8.6	206	-4.3	-4.6	-0.4 D	-6.2	0.08	RB	1
79	2	23	18	1.7	169	3.1	197	-4.6	-5.0	-0.3 D	-5.7	0.02	RB	1
79	2	23	19	2.6	179	3.7	197	-4.6	-4.8	-0.2 E	-6.2	0.0	RB	1
79	2	23	20	5.0	226	7.5	211	-4.7	-4.9	-0.2 E	-7.8	0.0	RB	1
79	2	23	21	5.6	255	7.6	258	-5.3	-5.5	-0.1 E	-6.8	0.0	RB	1
79	2	23	22	7.1	279	11.1	277	-5.5	-5.6	-0.2 E	-7.4	0.0	RB	1
79	2	23	23	7.5	268	10.4	277	-5.3	-5.5	-0.2 E	-7.5	0.0	RB	1
79	2	23	24	7.0	277	9.6	278	-5.7	-6.0	-0.3 D	-8.0	0.0	RB	1
79	2	24	1	8.5	267	11.3	267	-6.4	-6.8	-0.4 D	-8.4	0.0	RB	1
79	2	24	2	13.4	275	17.2	275	-6.9	-7.1	-0.3 D	-8.6	0.0	RB	1
79	2	24	3	15.0	273	21.1	276	-7.7	-7.7	0.0 E	-9.8	0.0	RB	1
79	2	24	4	15.8	264	21.9	269	-7.8	-7.9	-0.1 E	-10.1	0.0	RB	1
79	2	24	5	7.4	333	11.3	329	-8.1	-8.2	-0.1 E	-10.8	0.0	RB	1
79	2	24	6	3.2	262	3.6	266	-7.9	-8.2	-0.3 D	-10.5	0.0	RB	1
79	2	24	7	6.6	279	8.0	280	-8.7	-8.5	0.1 E	-11.2	0.02	RB	1
79	2	24	8	11.7	245	11.9	254	-8.2	-7.7	0.5 E	-11.4	0.12	RB	1
79	2	24	9	3.8	106	4.1	127	-7.3	-7.2	0.1 E	-11.8	0.43	RB	1
79	2	24	10	1.5	356	1.7	5	-5.9	-6.0	-0.1 E	-11.9	0.79	RB	1
79	2	24	11	1.5	46	1.6	22	-5.6	-5.7	-0.2 E	-11.1	0.61	RB	1
79	2	24	12	1.2	9	2.0	17	-4.8	-5.1	-0.3 D	-11.9	0.66	RB	1
79	2	24	13	2.5	51	2.3	50	-4.2	-4.2	0.0 E	-11.8	0.86	RB	1
79	2	24	14	2.9	39	2.5	32	-3.4	-3.5	-0.1 E	-11.8	0.94	RB	1
79	2	24	15	5.3	266	6.1	244	-3.4	-3.7	-0.4 D	-11.2	0.76	RB	1
79	2	24	16	5.8	247	6.4	238	-3.6	-3.9	-0.3 D	-10.5	0.55	RB	1
79	2	24	17	6.3	253	7.2	247	-4.0	-4.3	-0.3 D	-10.9	0.26	RB	1
79	2	24	18	5.7	258	6.9	258	-4.8	-5.0	-0.2 E	-13.9	0.02	RB	1
79	2	24	19	6.2	232	6.6	229	-5.4	-5.4	0.0 E	-13.9	0.0	RB	1
79	2	24	20	9.2	242	9.1	234	-5.4	-5.1	0.3 E	-14.6	0.0	RB	1
79	2	24	21	7.0	234	6.6	219	-4.9	-4.9	0.0 E	-13.0	0.0	RB	1
79	2	24	22	5.2	224	5.3	213	-5.2	-5.0	0.3 E	-12.4	0.0	RB	1
79	2	24	23	2.4	257	1.8	282	-5.2	-5.1	0.2 E	-12.8	0.0	RB	1
79	2	24	24	3.3	235	2.2	202	-5.5	-5.1	0.4 E	-13.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	2	25	1	3.1	225	2.0	220	-5.1	-4.8	0.3 E	-14.6	0.0	RB	1
79	2	25	2	2.7	195	3.2	211	-5.3	-4.7	0.7 E	-14.6	0.0	RB	1
79	2	25	3	2.5	250	3.6	264	-7.3	-5.7	1.5 F	-14.9	0.0	RB	1
79	2	25	4	5.3	245	4.6	244	-6.0	-5.5	0.5 E	-15.0	0.0	RB	1
79	2	25	5	4.8	229	4.1	220	-6.0	-5.6	0.4 E	-15.4	0.0	RB	1
79	2	25	6	2.6	262	3.1	249	-7.1	-6.2	0.8 F	-16.2	0.0	RB	1
79	2	25	7	2.0	256	2.2	159	-6.9	-6.4	0.5 E	-16.5	0.03	RB	1
79	2	25	8	2.5	209	0.9	225	-6.4	-5.4	1.1 F	-16.6	0.21	RB	1
79	2	25	9	1.6	76	1.4	160	-5.2	-4.6	0.6 E	-15.2	0.49	RB	1
79	2	25	10	2.0	39	2.2	124	-3.6	-3.4	0.2 E	-14.2	0.74	RB	1
79	2	25	11	1.8	2	2.3	62	-1.7	-1.8	-0.1 E	-13.6	0.88	RB	1
79	2	25	12	3.3	108	4.7	153	0.0	-0.2	-0.3 D	-13.0	1.03	RB	1
79	2	25	13	6.3	185	7.0	193	1.3	0.7	-0.6 D	-13.4	0.91	RB	1
79	2	25	14	4.2	166	4.8	176	2.0	1.6	-0.4 D	-12.6	0.99	RB	1
79	2	25	15	4.8	191	6.1	193	2.7	2.2	-0.5 D	-12.8	0.87	RB	1
79	2	25	16	5.9	187	7.3	191	2.5	1.9	-0.6 D	-12.6	0.50	RB	1
79	2	25	17	3.2	156	4.4	162	1.0	0.8	-0.2 E	-10.6	0.16	RB	1
79	2	25	18	1.9	41	2.0	156	-0.9	-0.6	0.3 E	-9.2	0.03	RB	1
79	2	25	19	1.0	180	1.7	182	-1.4	-0.9	0.6 E	-9.5	0.0	RB	1
79	2	25	20	1.0	162	1.4	174	-1.7	-1.5	0.2 E	-10.6	0.0	RB	1
79	2	25	21	1.6	246	2.3	201	-1.4	-0.5	1.0 F	-13.0	0.0	RB	1
79	2	25	22	2.2	79	2.6	160	-1.6	-0.3	1.3 F	-14.3	0.0	RB	1
79	2	25	23	2.3	8	2.8	121	-1.7	-0.9	0.8 F	-14.2	0.0	RB	1
79	2	25	24	2.0	152	1.8	113	-3.2	-2.6	0.6 E	-11.5	0.0	RB	1
79	2	26	1	2.1	352	3.2	49	-4.4	-3.8	0.6 E	-11.6	0.0	RB	1
79	2	26	2	1.6	252	1.4	16	-4.4	-4.2	0.2 E	-11.6	0.0	RB	1
79	2	26	3	1.7	342	2.5	34	-4.6	-4.1	0.5 E	-12.2	0.0	RB	1
79	2	26	4	2.0	61	3.0	33	-3.2	-2.4	0.8 F	-13.0	0.0	RB	1
79	2	26	5	2.0	159	3.0	122	-3.9	-2.3	1.6 F	-13.0	0.0	RB	1
79	2	26	6	2.5	170	1.6	35	-4.6	-3.2	1.4 F	-13.0	0.0	RB	1
79	2	26	7	5.6	252	6.4	233	-2.0	-1.4	0.6 E	-13.3	0.01	RB	1
79	2	26	8	5.8	228	10.3	226	-0.9	-1.2	-0.2 E	-12.2	0.17	RB	1
79	2	26	9	4.9	234	8.9	221	-0.5	-0.7	-0.2 E	-10.6	0.10	RB	1
79	2	26	10	4.5	220	7.3	209	-0.2	-0.3	-0.1 E	-9.9	0.35	RB	1
79	2	26	11	8.3	201	10.7	211	1.4	0.8	-0.7 D	-8.2	0.53	RB	1
79	2	26	12	7.9	221	10.7	218	1.2	0.5	-0.7 D	-6.5	0.62	RB	1
79	2	26	13	9.6	196	15.5	212	0.7	-0.1	-0.9 B	-5.1	0.52	RB	1
79	2	26	14	7.7	180	9.8	206	-0.3	-0.9	-0.7 D	-3.8	0.42	RB	1
79	2	26	15	6.1	182	7.0	201	-0.7	-1.3	-0.6 D	-3.6	0.30	RB	1
79	2	26	16	3.9	157	4.3	161	-1.0	-1.5	-0.5 D	-2.9	0.24	RB	1
79	2	26	17	2.0	69	2.6	145	-1.3	-1.6	-0.3 D	-2.7	0.09	RB	1
79	2	26	18	1.9	41	2.2	113	-1.9	-2.1	-0.2 E	-2.5	0.02	RB	1
79	2	26	19	2.1	20	2.3	8	-2.5	-2.7	-0.3 D	-2.6	0.0	RB	1
79	2	26	20	1.0	43	1.2	350	-2.7	-2.9	-0.2 E	-2.9	0.01	RB	1
79	2	26	21	1.8	190	2.0	290	-3.0	-2.7	0.2 E	-3.3	0.0	RB	1
79	2	26	22	2.7	270	4.0	278	-3.8	-2.6	1.1 F	-4.5	0.0	RB	1
79	2	26	23	4.1	268	5.8	277	-2.6	-2.4	0.2 E	-4.6	0.0	RB	1
79	2	26	24	5.3	269	6.4	274	-2.1	-2.3	-0.1 E	-4.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	2	27	1	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	2	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	3	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	4	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	5	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	6	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	7	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	8	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	9	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	10	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	11	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	12	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	13	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	14	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	15	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	16	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	17	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	18	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	19	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	20	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	21	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	22	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	23	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	27	24	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	1	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	2	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	3	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	4	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	5	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	6	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	7	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	8	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	9	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	10	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	11	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	12	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB	1
79	2	28	13	10.4	206	14.1	209	0.8	0.0	-0.8	C	-9.0	0.98	RB	1
79	2	28	14	11.3	194	14.3	202	0.6	-0.1	-0.7	D	-8.6	0.73	RB	1
79	2	28	15	12.6	192	17.0	199	0.8	0.2	-0.5	D	-9.0	0.70	RB	1
79	2	28	16	11.4	200	17.2	206	0.3	-0.3	-0.6	D	-8.8	0.48	RB	1
79	2	28	17	9.9	201	15.0	203	-0.5	-0.9	-0.4	D	-9.3	0.23	RB	1
79	2	28	18	7.3	197	11.3	200	-1.6	-1.7	-0.1	E	-9.0	0.03	RB	1
79	2	28	19	2.4	161	5.1	169	-2.7	-2.7	0.0	E	-8.9	0.0	RB	1
79	2	28	20	4.3	195	8.3	183	-3.0	-2.8	0.2	E	-8.4	0.0	RB	1
79	2	28	21	3.7	214	7.9	192	-2.8	-2.6	0.2	E	-8.0	0.0	RB	1
79	2	28	22	2.8	199	7.0	173	-2.7	-2.5	0.3	E	-7.8	0.0	RB	1
79	2	28	23	2.0	195	5.6	161	-2.7	-2.5	0.2	E	-7.9	0.0	RB	1
79	2	28	24	1.8	185	6.0	166	-2.2	-1.6	0.6	E	-8.1	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	3	1	1	3.7	167	6.8	154	-2.0	-1.8	0.2 E	-8.1	0.0	RB	1
79	3	1	2	3.6	151	7.8	149	-2.3	-2.4	-0.1 E	-8.1	0.0	RB	1
79	3	1	3	4.6	163	9.0	152	-2.5	-2.4	0.1 E	-7.9	0.0	RB	1
79	3	1	4	6.5	160	10.2	151	-2.5	-2.1	0.4 E	-7.2	0.0	RB	1
79	3	1	5	6.7	138	9.4	143	-2.3	-2.2	0.1 E	-6.6	0.0	RB	1
79	3	1	6	4.3	147	5.7	143	-2.5	-2.5	0.0 E	-6.4	0.0	RB	1
79	3	1	7	3.1	172	5.8	155	-2.7	-2.6	0.1 E	-6.6	0.03	RB	1
79	3	1	8	4.3	165	7.4	153	-2.0	-1.7	0.3 E	-7.1	0.20	RB	1
79	3	1	9	9.9	167	15.0	182	0.6	0.3	-0.2 E	-6.9	0.39	RB	1
79	3	1	10	10.6	198	17.0	207	1.9	1.3	-0.6 D	-6.5	0.58	RB	1
79	3	1	11	8.9	202	13.9	213	2.2	1.6	-0.6 D	-6.4	0.58	RB	1
79	3	1	12	10.6	197	15.8	210	2.6	1.9	-0.6 D	-7.1	0.69	RB	1
79	3	1	13	12.9	200	20.3	206	2.5	2.1	-0.4 D	-8.3	0.63	RB	1
79	3	1	14	10.3	207	17.2	216	1.9	1.3	-0.5 D	-8.2	0.46	RB	1
79	3	1	15	8.7	193	13.0	204	1.5	0.9	-0.6 D	-7.7	0.35	RB	1
79	3	1	16	8.6	165	11.5	171	0.8	0.3	-0.4 D	-7.0	0.15	RB	1
79	3	1	17	6.0	157	7.4	165	0.0	-0.4	-0.4 D	-6.0	0.11	RB	1
79	3	1	18	6.1	141	7.0	150	-0.7	-1.0	-0.3 D	-5.4	0.02	RB	1
79	3	1	19	5.6	132	7.3	151	-1.3	-1.5	-0.2 E	-5.0	0.0	RB	1
79	3	1	20	5.7	128	8.0	143	-1.5	-1.7	-0.2 E	-4.8	0.0	RB	1
79	3	1	21	8.7	116	10.5	116	-1.6	-1.4	0.1 E	-4.5	0.0	RB	1
79	3	1	22	5.8	145	7.8	143	-1.8	-1.8	0.0 E	-4.3	0.0	RB	1
79	3	1	23	3.6	119	5.0	114	-2.2	-2.2	0.0 E	-3.2	0.01	RB	1
79	3	1	24	2.7	68	5.6	184	-2.3	-2.1	0.1 E	-3.3	0.01	RB	1
79	3	2	1	3.5	96	6.0	134	-2.2	-2.1	0.1 E	-3.3	0.01	RB	1
79	3	2	2	3.2	70	4.8	121	-2.4	-2.4	0.0 E	-3.0	0.01	RB	1
79	3	2	3	3.5	180	6.1	194	-1.6	-1.8	-0.2 E	-4.4	0.01	RB	1
79	3	2	4	5.7	192	9.4	200	-1.5	-1.7	-0.2 E	-4.8	0.0	RB	1
79	3	2	5	8.2	224	12.4	217	-1.5	-1.8	-0.3 D	-5.1	0.0	RB	1
79	3	2	6	9.4	233	15.7	223	-1.8	-2.0	-0.3 D	-6.0	0.0	RB	1
79	3	2	7	8.3	248	12.5	229	-2.4	-2.7	-0.3 D	-5.5	0.03	RB	1
79	3	2	8	9.6	243	14.1	242	-2.1	-2.5	-0.3 D	-4.7	0.15	RB	1
79	3	2	9	7.8	256	8.9	249	-1.6	-1.9	-0.4 D	-4.6	0.34	RB	1
79	3	2	10	7.3	274	8.0	268	-0.8	-1.2	-0.4 D	-4.7	0.51	RB	1
79	3	2	11	8.0	299	8.7	297	-0.2	-0.7	-0.5 D	-4.6	0.72	RB	1
79	3	2	12	9.8	318	11.0	311	0.2	-0.3	-0.5 D	-5.7	0.78	RB	1
79	3	2	13	12.6	318	14.2	313	-0.1	-0.6	-0.5 D	-6.4	0.57	RB	1
79	3	2	14	13.9	321	15.0	317	0.0	-0.4	-0.4 D	-6.4	0.69	RB	1
79	3	2	15	13.5	329	14.7	324	-0.1	-0.6	-0.5 D	-6.4	0.64	RB	1
79	3	2	16	13.2	344	14.6	338	-0.6	-1.1	-0.5 D	-6.2	0.51	RB	1
79	3	2	17	11.6	12	12.6	9	-2.4	-2.9	-0.5 D	-4.5	0.13	RB	1
79	3	2	18	11.6	37	13.1	33	-4.0	-4.4	-0.4 D	-4.8	0.02	RB	1
79	3	2	19	7.9	33	9.6	27	-4.6	-5.0	-0.4 D	-5.9	0.0	RB	1
79	3	2	20	7.5	35	9.3	33	-5.1	-5.6	-0.4 D	-6.5	0.0	RB	1
79	3	2	21	10.3	28	12.0	27	-5.2	-5.6	-0.4 D	-7.9	0.0	RB	1
79	3	2	22	10.6	21	12.0	20	-6.0	-6.4	-0.4 D	-8.8	0.0	RB	1
79	3	2	23	6.5	27	7.7	27	-6.6	-7.0	-0.4 D	-8.3	0.0	RB	1
79	3	2	24	10.6	46	12.0	42	-7.0	-7.4	-0.4 D	-9.0	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	3	3	1	10.3	44	12.3	40	-7.7	-8.1	-0.4	D	-9.3	0.0	RB	1
79	3	3	2	9.3	42	11.2	39	-8.4	-8.8	-0.4	D	-10.2	0.0	RB	1
79	3	3	3	4.0	41	6.9	45	-9.2	-9.4	-0.1	E	-11.1	0.0	RB	1
79	3	3	4	3.3	301	3.6	7	-9.4	-9.5	-0.1	E	-11.3	0.0	RB	1
79	3	3	5	4.1	312	5.5	338	-9.3	-9.5	-0.2	E	-11.9	0.0	RB	1
79	3	3	6	4.0	320	4.7	349	-9.4	-9.6	-0.2	E	-12.0	0.0	RB	1
79	3	3	7	2.1	303	3.0	1	-9.6	-9.8	-0.2	E	-11.8	0.05	RB	1
79	3	3	8	2.4	344	4.4	15	-9.4	-9.5	-0.1	E	-12.3	0.14	RB	1
79	3	3	9	3.4	2	4.6	18	-8.5	-8.6	-0.1	E	-12.6	0.50	RB	1
79	3	3	10	3.5	313	4.3	337	-7.2	-7.6	-0.4	D	-12.8	0.87	RB	1
79	3	3	11	3.1	315	3.7	342	-6.0	-6.3	-0.4	D	-12.3	1.02	RB	1
79	3	3	12	3.7	290	4.5	321	-5.3	-5.7	-0.4	D	-12.9	1.07	RB	1
79	3	3	13	5.1	32	5.2	6	-4.8	-5.2	-0.3	D	-13.1	1.02	RB	1
79	3	3	14	8.3	337	9.0	335	-4.8	-5.4	-0.6	D	-15.1	1.06	RB	1
79	3	3	15	8.4	336	9.0	333	-4.9	-5.5	-0.5	D	-14.8	0.85	RB	1
79	3	3	16	6.8	325	7.6	321	-5.2	-5.7	-0.5	D	-12.8	0.59	RB	1
79	3	3	17	5.6	310	6.3	311	-5.5	-5.8	-0.3	D	-13.9	0.31	RB	1
79	3	3	18	5.2	283	5.7	299	-6.3	-6.3	0.0	E	-14.2	0.04	RB	1
79	3	3	19	7.3	260	6.7	283	-6.6	-6.5	0.1	E	-14.3	0.0	RB	1
79	3	3	20	7.6	259	5.8	281	-6.4	-6.4	0.0	E	-15.5	0.0	RB	1
79	3	3	21	5.2	278	3.6	283	-6.4	-6.4	0.1	E	-16.3	0.0	RB	1
79	3	3	22	2.0	311	2.4	46	-7.6	-7.1	0.5	E	-16.3	0.0	RB	1
79	3	3	23	2.1	220	2.6	166	-7.7	-7.6	0.1	E	-15.5	0.0	RB	1
79	3	3	24	1.2	256	1.4	208	-7.8	-7.8	0.1	E	-15.6	0.0	RB	1
79	3	4	1	2.0	258	0.8	219	-8.0	-7.9	0.2	E	-16.3	0.0	RB	1
79	3	4	2	3.2	284	1.1	285	-8.1	-7.8	0.3	E	-16.1	0.0	RB	1
79	3	4	3	1.5	298	0.7	266	-8.5	-8.2	0.3	E	-16.4	0.0	RB	1
79	3	4	4	1.8	275	1.2	302	-9.0	-8.3	0.7	E	-16.3	0.0	RB	1
79	3	4	5	1.8	315	1.3	11	-8.9	-8.5	0.4	E	-15.6	0.0	RB	1
79	3	4	6	1.0	17	0.9	78	-9.8	-9.2	0.5	E	-15.4	0.0	RB	1
79	3	4	7	1.8	171	0.9	164	-9.7	-8.6	1.0	F	-15.4	0.05	RB	1
79	3	4	8	2.2	290	1.0	108	-8.7	-7.9	0.8	F	-15.5	0.28	RB	1
79	3	4	9	2.3	99	2.3	140	-7.0	-6.8	0.1	E	-14.9	0.56	RB	1
79	3	4	10	2.7	67	2.7	77	-5.6	-5.7	-0.1	E	-14.5	0.82	RB	1
79	3	4	11	2.5	33	2.4	42	-4.4	-4.4	0.0	E	-13.9	1.00	RB	1
79	3	4	12	2.4	353	2.4	318	-3.3	-3.7	-0.3	D	-13.4	1.11	RB	1
79	3	4	13	2.2	317	2.5	310	-2.4	-2.7	-0.4	D	-13.8	1.10	RB	1
79	3	4	14	3.3	301	3.3	298	-2.0	-2.5	-0.4	D	-13.8	1.03	RB	1
79	3	4	15	3.7	262	4.1	281	-1.9	-2.3	-0.4	D	-13.4	0.84	RB	1
79	3	4	16	6.4	326	6.9	323	-2.1	-2.5	-0.4	D	-13.6	0.59	RB	1
79	3	4	17	4.8	327	5.6	333	-2.5	-2.9	-0.3	D	-14.0	0.28	RB	1
79	3	4	18	2.2	63	3.8	70	-3.5	-3.6	-0.1	E	-12.8	0.04	RB	1
79	3	4	19	1.6	176	3.0	134	-4.3	-4.3	0.0	E	-12.3	0.0	RB	1
79	3	4	20	3.4	213	3.6	164	-4.6	-4.4	0.2	E	-12.8	0.0	RB	1
79	3	4	21	4.7	223	4.6	181	-4.6	-4.6	0.0	E	-13.0	0.0	RB	1
79	3	4	22	4.3	233	4.1	187	-4.5	-4.5	0.0	E	-13.4	0.0	RB	1
79	3	4	23	7.7	252	6.2	245	-3.8	-3.4	0.4	E	-14.0	0.0	RB	1
79	3	4	24	11.2	251	8.0	246	-3.2	-2.8	0.3	E	-13.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	3	5	1	4.9	249	6.3	268	-4.6	-3.9	0.7	E	-12.4	0.0	RB	1
79	3	5	2	2.6	212	1.9	166	-5.2	-4.6	0.6	E	-12.1	0.0	RB	1
79	3	5	3	1.8	317	2.1	88	-5.5	-4.6	0.9	F	-12.0	0.0	RB	1
79	3	5	4	1.5	294	2.0	104	-5.5	-4.8	0.8	F	-11.5	0.0	RB	1
79	3	5	5	2.4	232	4.6	240	-5.5	-4.8	0.7	E	-11.2	0.0	RB	1
79	3	5	6	2.2	185	3.5	239	-5.4	-4.9	0.6	E	-10.9	0.01	RB	1
79	3	5	7	2.9	349	3.4	352	-6.6	-6.2	0.4	E	999.9	0.02	RB	1
79	3	5	8	9.3	318	12.5	298	-4.7	-4.2	0.4	E	-10.1	0.09	RB	1
79	3	5	9	2.8	87	3.8	66	-5.2	-4.8	0.4	E	-11.0	0.23	RB	1
79	3	5	10	2.7	82	3.0	112	-3.9	-4.2	-0.2	E	-9.8	0.44	RB	1
79	3	5	11	2.4	42	2.2	94	-2.2	-2.4	-0.2	E	-8.7	0.62	RB	1
79	3	5	12	2.0	60	1.8	16	-0.6	-0.6	0.0	E	-7.8	0.65	RB	1
79	3	5	13	4.0	75	3.9	55	0.4	0.7	0.4	E	-7.4	0.98	RB	1
79	3	5	14	3.7	72	4.3	62	0.6	0.5	-0.1	E	-7.3	0.72	RB	1
79	3	5	15	2.6	82	2.6	66	0.8	0.7	-0.1	E	-7.0	0.49	RB	1
79	3	5	16	4.0	85	4.2	78	0.3	0.0	-0.3	D	-6.6	0.30	RB	1
79	3	5	17	2.4	110	2.2	131	-0.3	-0.5	-0.2	E	-6.3	0.11	RB	1
79	3	5	18	2.4	194	3.6	225	-0.3	-0.2	0.1	E	-6.1	0.02	RB	1
79	3	5	19	2.0	31	2.4	81	-1.0	-0.8	0.2	E	-5.5	0.01	RB	1
79	3	5	20	2.5	341	3.3	28	-1.4	-1.5	-0.1	E	-5.3	0.01	RB	1
79	3	5	21	1.8	19	2.5	30	-1.4	-1.7	-0.3	D	-5.6	0.01	RB	1
79	3	5	22	2.2	229	1.5	249	-1.3	-1.3	0.0	E	-5.5	0.01	RB	1
79	3	5	23	3.7	263	5.0	291	-0.2	0.2	0.4	E	-5.1	0.0	RB	1
79	3	5	24	5.6	328	8.0	318	0.6	0.7	0.1	E	-4.5	0.0	RB	1
79	3	6	1	4.9	347	6.9	320	0.3	0.6	0.2	E	-5.3	0.01	RB	1
79	3	6	2	1.8	132	3.8	309	-1.5	-0.5	1.0	F	-5.7	0.01	RB	1
79	3	6	3	2.4	146	3.2	302	-1.2	0.2	1.4	F	-5.7	0.0	RB	1
79	3	6	4	5.1	282	4.0	306	0.4	0.4	0.0	E	-6.1	0.0	RB	1
79	3	6	5	4.6	304	4.1	326	-0.1	0.1	0.2	E	-5.9	0.0	RB	1
79	3	6	6	2.8	322	1.9	343	-1.8	-1.1	0.7	E	-6.0	0.01	RB	1
79	3	6	7	5.1	239	2.9	228	-0.9	-0.4	0.6	E	-6.3	0.03	RB	1
79	3	6	8	6.2	236	4.0	223	0.2	0.4	0.2	E	-5.9	0.18	RB	1
79	3	6	9	4.3	229	5.7	243	1.5	1.3	-0.2	E	-5.5	0.46	RB	1
79	3	6	10	4.4	114	4.6	204	1.4	1.4	0.0	E	-4.7	0.57	RB	1
79	3	6	11	3.1	71	3.2	193	2.7	2.7	0.0	E	-4.3	0.91	RB	1
79	3	6	12	5.0	259	5.8	247	4.0	3.7	-0.4	D	-4.5	1.00	RB	1
79	3	6	13	5.4	322	6.2	316	4.4	3.9	-0.5	D	-4.5	0.96	RB	1
79	3	6	14	4.7	319	5.0	324	4.7	4.3	-0.5	D	-4.3	0.90	RB	1
79	3	6	15	5.2	317	5.8	312	4.5	4.1	-0.4	D	-4.1	0.63	RB	1
79	3	6	16	4.5	275	4.7	276	4.6	4.3	-0.3	D	-4.3	0.52	RB	1
79	3	6	17	2.0	236	2.7	237	4.6	4.2	-0.4	D	-4.4	0.25	RB	1
79	3	6	18	3.7	201	4.6	209	4.2	4.0	-0.2	E	-4.5	0.05	RB	1
79	3	6	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	6	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	6	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	6	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	6	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	6	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
79	3	7	1	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	2	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	3	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	4	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	5	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	6	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	7	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	8	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	9	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	10	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	11	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	12	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	13	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	14	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	15	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	16	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	17	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	18	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	19	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	20	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	21	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	22	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	23	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	7	24	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	1	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	2	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	3	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	4	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	5	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	6	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	7	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	8	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	9	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	10	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	11	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	12	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	13	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	14	999.9	999	999.9	999	999.9	999.9	999.9 - 999.9			99.99	RB 1
79	3	8	15	14.7	21	16.9	16	-0.9	-1.3	-0.5	D	-5.7	0.25	RB 1
79	3	8	16	11.4	29	12.3	26	-1.5	-1.9	-0.5	D	-5.4	0.23	RB 1
79	3	8	17	7.8	73	9.8	67	-2.2	-2.7	-0.5	D	-5.3	0.10	RB 1
79	3	8	18	13.2	39	15.2	38	-4.1	-4.6	-0.5	D	-6.2	0.02	RB 1
79	3	8	19	6.5	55	8.1	50	-4.6	-5.0	-0.4	D	-6.8	0.0	RB 1
79	3	8	20	7.9	43	9.8	39	-4.9	-5.3	-0.4	D	-7.5	0.0	RB 1
79	3	8	21	2.8	19	4.7	34	-5.1	-5.4	-0.3	D	-7.8	0.0	RB 1
79	3	8	22	4.0	5	7.5	31	-5.2	-5.4	-0.2	E	-7.5	0.0	RB 1
79	3	8	23	6.1	1	9.3	14	-5.8	-5.8	0.0	E	-7.9	0.0	RB 1
79	3	8	24	7.0	342	12.3	5	-7.0	-6.6	0.5	E	-8.8	0.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	3	9	1	5.3	319	9.5	5	-7.7	-7.3	0.4 E	-9.5	0.0	RB	1
79	3	9	2	3.1	299	4.4	5	-7.5	-7.7	-0.2 E	-9.3	0.0	RB	1
79	3	9	3	2.6	242	3.7	327	-8.1	-8.3	-0.3 D	-9.7	0.0	RB	1
79	3	9	4	2.9	274	3.0	330	-8.1	-8.3	-0.2 E	-9.6	0.0	RB	1
79	3	9	5	3.9	303	4.7	321	-7.9	-8.2	-0.3 D	-9.7	0.0	RB	1
79	3	9	6	2.0	57	3.4	36	-8.3	-8.4	-0.2 E	-10.1	0.0	RB	1
79	3	9	7	2.4	159	2.8	37	-8.5	-8.7	-0.2 E	-9.9	0.04	RB	1
79	3	9	8	5.8	3	5.8	360	-8.4	-8.8	-0.4 D	-9.3	0.14	RB	1
79	3	9	9	3.2	304	3.2	315	-7.6	-8.0	-0.4 D	-9.2	0.37	RB	1
79	3	9	10	3.4	351	3.9	351	-5.8	-6.3	-0.5 D	-9.6	0.65	RB	1
79	3	9	11	5.5	20	6.2	17	-4.8	-5.4	-0.5 D	-9.7	0.74	RB	1
79	3	9	12	5.5	29	6.1	27	-3.9	-4.5	-0.5 D	-11.0	0.81	RB	1
79	3	9	13	8.0	1	8.4	353	-3.6	-4.2	-0.6 D	-12.4	0.87	RB	1
79	3	9	14	8.4	359	9.1	353	-3.9	-4.2	-0.7 D	-12.6	0.80	RB	1
79	3	9	15	6.5	26	7.4	22	-3.3	-3.8	-0.5 D	-12.6	0.64	RB	1
79	3	9	16	6.4	38	7.3	32	-3.0	-3.4	-0.4 D	-12.0	0.64	RB	1
79	3	9	17	9.0	41	10.3	37	-3.6	-4.0	-0.4 D	-10.5	0.32	RB	1
79	3	9	18	7.4	25	9.4	25	-5.3	-5.5	-0.3 D	-8.9	0.02	RB	1
79	3	9	19	4.6	297	5.5	343	-5.9	-5.8	0.1 E	-8.8	0.0	RB	1
79	3	9	20	5.0	296	5.0	353	-6.1	-5.7	0.4 E	-10.6	0.0	RB	1
79	3	9	21	4.1	291	3.5	5	-6.2	-6.0	0.2 E	-10.5	0.0	RB	1
79	3	9	22	2.8	292	1.9	351	-6.1	-6.2	0.0 E	-9.9	0.0	RB	1
79	3	9	23	2.7	293	1.0	2	-6.5	-6.4	0.1 E	-9.7	0.0	RB	1
79	3	9	24	3.2	284	0.8	20	-6.8	-6.6	0.1 E	-9.5	0.0	RB	1
79	3	10	1	4.1	270	2.7	269	-6.4	-6.6	-0.2 E	-9.5	0.0	RB	1
79	3	10	2	4.5	258	2.5	262	-6.0	-6.1	-0.2 E	-10.6	0.0	RB	1
79	3	10	3	4.9	284	3.7	304	-6.2	-6.2	0.0 E	-12.4	0.0	RB	1
79	3	10	4	4.5	266	3.5	306	-6.5	-6.4	0.1 E	-11.9	0.0	RB	1
79	3	10	5	5.0	252	2.0	269	-6.3	-6.4	0.0 E	-11.6	0.0	RB	1
79	3	10	6	5.3	242	2.7	202	-6.4	-6.4	0.0 E	-12.1	0.0	RB	1
79	3	10	7	1.9	288	1.8	129	-7.0	-6.6	0.4 E	-12.5	0.15	RB	1
79	3	10	8	1.7	100	2.0	139	-7.5	-7.3	0.2 E	-12.0	0.52	RB	1
79	3	10	9	2.3	94	3.4	151	-5.8	-5.9	-0.2 E	-11.6	0.82	RB	1
79	3	10	10	3.8	132	4.9	147	-3.7	-4.0	-0.3 D	-12.3	0.95	RB	1
79	3	10	11	4.9	153	5.9	155	-1.8	-2.2	-0.5 D	-13.8	1.05	RB	1
79	3	10	12	3.9	131	4.4	153	-0.3	-0.7	-0.4 D	-14.5	1.16	RB	1
79	3	10	13	2.9	86	3.4	117	1.1	0.8	-0.3 D	-14.4	1.14	RB	1
79	3	10	14	2.5	38	2.6	38	2.0	1.8	-0.1 E	-14.4	1.05	RB	1
79	3	10	15	3.2	49	3.4	49	2.6	2.4	-0.2 E	-14.9	0.86	RB	1
79	3	10	16	3.9	49	4.2	50	2.7	2.4	-0.3 D	-14.9	0.61	RB	1
79	3	10	17	3.5	79	5.0	82	2.2	1.8	-0.3 D	-13.9	0.33	RB	1
79	3	10	18	3.0	76	5.8	80	1.1	1.0	-0.1 E	-12.1	0.05	RB	1
79	3	10	19	3.1	301	2.4	53	0.1	0.1	0.0 E	-12.0	0.0	RB	1
79	3	10	20	2.9	286	2.3	29	-0.5	-0.5	0.0 E	-11.6	0.0	RB	1
79	3	10	21	1.2	251	0.7	334	-0.5	-0.5	0.0 E	-11.5	0.0	RB	1
79	3	10	22	0.9	168	1.1	306	-0.7	-0.7	0.1 E	-11.8	0.0	RB	1
79	3	10	23	2.4	139	1.8	196	-0.7	-0.1	0.6 E	-11.4	0.0	RB	1
79	3	10	24	2.1	28	1.0	111	-1.6	-1.0	0.6 E	-11.5	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	3	11	1	2.6	307	1.4	10	-1.8	-1.3	0.4	E	-11.5	0.0	RB	1
79	3	11	2	3.2	334	2.2	159	-2.5	-1.8	0.8	F	-11.4	0.0	RB	1
79	3	11	3	2.0	219	2.5	305	-2.3	-1.0	1.3	F	-12.9	0.0	RB	1
79	3	11	4	2.5	199	1.8	153	-3.4	-2.5	0.8	F	-13.0	0.0	RB	1
79	3	11	5	1.7	287	2.5	345	-3.3	-3.1	0.3	E	-14.0	0.0	RB	1
79	3	11	6	1.6	289	1.1	317	-3.4	-2.8	0.6	E	-14.2	0.0	RB	1
79	3	11	7	1.3	290	1.0	249	-3.5	-2.4	1.0	F	-15.2	0.08	RB	1
79	3	11	8	2.1	162	2.5	188	-1.2	-0.4	0.8	F	-14.9	0.34	RB	1
79	3	11	9	1.9	39	2.5	126	0.0	0.3	0.3	E	-12.4	0.64	RB	1
79	3	11	10	2.9	66	2.2	58	0.7	1.2	0.5	E	-10.9	0.89	RB	1
79	3	11	11	3.0	54	2.6	75	2.4	2.4	0.0	E	-10.8	1.05	RB	1
79	3	11	12	3.6	55	3.5	80	4.1	3.9	-0.2	E	-10.8	1.16	RB	1
79	3	11	13	4.4	344	4.8	150	5.8	5.6	-0.2	E	-10.9	1.14	RB	1
79	3	11	14	5.0	280	5.1	261	6.6	6.4	-0.3	D	-11.2	1.06	RB	1
79	3	11	15	3.9	8	4.2	355	6.6	6.3	-0.3	D	-10.8	0.87	RB	1
79	3	11	16	3.5	83	3.6	72	5.6	5.5	-0.1	E	-8.8	0.62	RB	1
79	3	11	17	4.8	90	5.4	76	4.8	4.6	-0.2	E	-8.3	0.33	RB	1
79	3	11	18	2.9	69	4.1	65	3.2	3.1	-0.1	E	-9.8	0.06	RB	1
79	3	11	19	2.0	226	0.9	281	2.6	2.5	0.0	E	-9.6	0.01	RB	1
79	3	11	20	5.6	227	3.7	198	2.9	3.0	0.1	E	-8.6	0.0	RB	1
79	3	11	21	4.1	217	3.5	176	3.2	3.2	0.1	E	-8.9	0.01	RB	1
79	3	11	22	2.9	204	3.2	157	2.8	3.2	0.4	E	-9.9	0.01	RB	1
79	3	11	23	0.9	271	1.9	132	2.6	2.6	0.1	E	-10.5	0.0	RB	1
79	3	11	24	2.1	254	1.4	188	2.4	2.4	-0.1	E	-10.4	0.0	RB	1
79	3	12	1	1.6	232	1.2	156	2.6	2.6	0.1	E	-10.5	0.0	RB	1
79	3	12	2	1.9	250	1.0	132	1.7	2.0	0.3	E	-10.6	0.0	RB	1
79	3	12	3	2.4	331	1.0	52	-0.4	0.2	0.5	E	-10.4	0.0	RB	1
79	3	12	4	2.2	327	1.7	358	-1.7	-1.1	0.7	E	-9.5	0.0	RB	1
79	3	12	5	1.3	215	0.7	10	-1.1	-0.4	0.8	F	-9.6	0.0	RB	1
79	3	12	6	1.2	293	1.2	143	-1.6	-0.8	0.8	F	-9.6	0.0	RB	1
79	3	12	7	1.5	15	1.7	207	-1.4	0.3	1.7	F	-9.2	0.08	RB	1
79	3	12	8	1.3	78	1.5	137	-0.3	0.6	0.9	F	-8.8	0.35	RB	1
79	3	12	9	1.7	88	3.1	163	1.1	1.2	0.1	E	-8.0	0.63	RB	1
79	3	12	10	3.0	68	3.3	114	3.0	3.1	0.0	E	-7.4	0.87	RB	1
79	3	12	11	5.3	173	6.1	199	5.2	4.9	-0.3	D	-9.3	1.06	RB	1
79	3	12	12	7.9	238	9.4	235	6.1	5.6	-0.5	D	-9.8	1.18	RB	1
79	3	12	13	10.8	263	12.5	257	5.9	5.5	-0.4	D	-10.8	1.14	RB	1
79	3	12	14	12.4	263	14.6	258	6.2	5.9	-0.3	D	-11.4	1.08	RB	1
79	3	12	15	14.2	274	17.0	270	6.2	6.1	-0.1	E	-13.0	0.89	RB	1
79	3	12	16	10.6	263	12.8	257	6.5	6.3	-0.2	E	-13.3	0.58	RB	1
79	3	12	17	6.3	250	7.8	246	6.6	6.3	-0.3	D	-12.9	0.33	RB	1
79	3	12	18	5.9	252	6.6	251	5.7	5.6	-0.2	E	-10.6	0.05	RB	1
79	3	12	19	8.3	247	7.9	238	4.2	4.3	0.1	E	-7.3	0.0	RB	1
79	3	12	20	6.3	264	7.9	254	2.9	3.4	0.5	E	-7.7	0.0	RB	1
79	3	12	21	9.4	239	11.6	254	2.9	3.6	0.7	E	-8.3	0.0	RB	1
79	3	12	22	5.5	174	7.5	347	2.3	2.7	0.4	E	-7.8	0.0	RB	1
79	3	12	23	10.5	254	15.3	261	2.2	2.7	0.5	E	-7.9	0.0	RB	1
79	3	12	24	13.7	253	19.9	254	1.8	2.3	0.5	E	-7.9	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	3	13	1	13.4	243	17.9	248	1.6	2.4	0.8	F	-8.4	0.0	RB	1
79	3	13	2	14.2	246	12.1	258	1.4	2.9	1.5	F	-8.6	0.0	RB	1
79	3	13	3	14.2	245	13.2	252	0.9	2.4	1.5	F	-8.8	0.0	RB	1
79	3	13	4	13.8	254	17.5	256	0.6	1.6	1.0	F	-9.0	0.0	RB	1
79	3	13	5	12.1	241	17.0	247	0.7	1.5	0.8	F	-9.1	0.0	RB	1
79	3	13	6	10.9	240	15.8	250	0.4	1.0	0.6	E	-9.1	0.0	RB	1
79	3	13	7	12.2	239	16.9	249	0.4	1.1	0.7	E	-8.7	0.08	RB	1
79	3	13	8	11.6	239	14.1	243	1.9	2.1	0.1	E	-7.8	0.35	RB	1
79	3	13	9	8.1	228	10.2	234	3.1	2.5	-0.6	D	-7.1	0.65	RB	1
79	3	13	10	4.7	273	4.9	268	4.2	3.8	-0.4	D	-8.2	0.89	RB	1
79	3	13	11	4.8	2	4.5	357	5.1	4.7	-0.3	D	-8.7	1.05	RB	1
79	3	13	12	5.7	64	7.1	60	4.6	4.3	-0.4	D	-7.1	1.17	RB	1
79	3	13	13	4.5	82	5.4	79	4.8	4.5	-0.3	D	-7.0	1.15	RB	1
79	3	13	14	5.3	74	6.3	69	5.1	4.8	-0.3	D	-6.9	1.06	RB	1
79	3	13	15	5.0	56	5.7	50	5.2	4.8	-0.3	D	-6.3	0.87	RB	1
79	3	13	16	4.1	69	4.9	71	5.2	4.9	-0.3	D	-6.4	0.62	RB	1
79	3	13	17	3.9	71	5.2	70	5.0	4.6	-0.3	D	-7.1	0.32	RB	1
79	3	13	18	3.2	58	6.3	64	3.8	3.8	0.0	E	-7.8	0.06	RB	1
79	3	13	19	3.4	305	4.3	22	2.8	2.9	0.1	E	-7.4	0.0	RB	1
79	3	13	20	4.2	293	3.3	13	2.6	2.8	0.2	E	-8.0	0.0	RB	1
79	3	13	21	1.9	280	2.8	44	2.2	2.2	0.0	E	-8.2	0.0	RB	1
79	3	13	22	4.0	298	2.8	352	1.6	1.8	0.2	E	-8.1	0.0	RB	1
79	3	13	23	2.8	289	0.9	168	1.4	1.6	0.2	E	-8.6	0.0	RB	1
79	3	13	24	2.7	286	1.5	301	1.5	1.7	0.2	E	-9.1	0.0	RB	1
79	3	14	1	2.7	268	1.1	357	1.3	1.6	0.3	E	-10.4	0.0	RB	1
79	3	14	2	1.6	266	1.2	177	0.6	0.9	0.3	E	-10.8	0.0	RB	1
79	3	14	3	4.0	291	1.9	29	-0.5	0.2	0.7	E	-9.9	0.0	RB	1
79	3	14	4	3.4	265	1.0	267	0.6	0.6	0.0	E	-10.0	0.0	RB	1
79	3	14	5	2.8	297	1.6	333	0.5	0.6	0.1	E	-12.3	0.0	RB	1
79	3	14	6	1.9	240	1.0	241	0.3	0.6	0.4	E	-13.2	0.0	RB	1
79	3	14	7	1.6	301	0.7	20	0.0	0.6	0.6	E	-12.6	0.09	RB	1
79	3	14	8	1.5	66	1.6	117	0.7	0.7	0.0	E	-10.2	0.36	RB	1
79	3	14	9	1.8	50	1.5	88	1.8	1.8	0.0	E	-9.5	0.65	RB	1
79	3	14	10	2.7	62	2.0	59	2.6	2.7	0.1	E	-8.3	0.73	RB	1
79	3	14	11	2.3	60	2.0	40	3.5	3.4	0.0	E	-7.5	0.72	RB	1
79	3	14	12	2.3	52	2.4	48	4.9	4.7	-0.2	E	-7.5	0.83	RB	1
79	3	14	13	3.8	59	4.1	58	5.5	5.3	-0.2	E	-7.0	1.01	RB	1
79	3	14	14	2.2	69	2.9	58	6.5	6.4	-0.1	E	-7.1	0.82	RB	1
79	3	14	15	4.7	42	5.3	34	6.6	6.3	-0.3	D	-6.8	0.64	RB	1
79	3	14	16	4.5	14	5.4	8	6.1	5.7	-0.4	D	-6.0	0.30	RB	1
79	3	14	17	4.2	299	4.6	308	5.2	5.0	-0.2	E	-6.8	0.19	RB	1
79	3	14	18	5.5	244	6.4	245	4.3	4.2	-0.1	E	-7.3	0.05	RB	1
79	3	14	19	3.4	185	4.0	173	2.8	2.8	0.1	E	-6.3	0.01	RB	1
79	3	14	20	4.2	196	5.5	187	1.9	2.4	0.5	E	-7.3	0.0	RB	1
79	3	14	21	2.4	248	4.4	185	1.7	2.4	0.7	E	-7.4	0.0	RB	1
79	3	14	22	2.7	283	1.7	209	2.2	2.4	0.2	E	-9.2	0.0	RB	1
79	3	14	23	3.8	277	2.0	275	2.8	2.8	0.0	E	-9.9	0.0	RB	1
79	3	14	24	3.1	275	1.5	280	2.9	3.0	0.1	E	-10.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	3	15	1	5.4	260	3.6	268	3.2	3.1	-0.1	E	-8.6	0.0	RB	1
79	3	15	2	8.7	256	4.9	255	3.0	3.3	0.3	E	-7.3	0.0	RB	1
79	3	15	3	3.0	153	3.1	186	0.6	1.6	1.0	F	-7.8	0.0	RB	1
79	3	15	4	3.7	224	3.4	252	0.2	0.7	0.6	E	-7.5	0.0	RB	1
79	3	15	5	2.3	234	3.5	218	-1.0	-0.2	0.8	F	-7.1	0.0	RB	1
79	3	15	6	5.1	241	7.6	243	-0.3	0.0	0.2	E	-5.3	0.0	RB	1
79	3	15	7	5.8	264	10.9	243	0.0	0.5	0.5	E	-4.1	0.09	RB	1
79	3	15	8	2.4	118	4.2	216	1.2	1.4	0.1	E	-3.4	0.35	RB	1
79	3	15	9	5.0	101	5.7	143	2.7	2.4	-0.3	D	-2.9	0.65	RB	1
79	3	15	10	7.4	191	9.0	197	3.9	3.1	-0.8	C	-2.7	0.89	RB	1
79	3	15	11	6.8	205	8.2	203	4.3	3.6	-0.7	D	-3.0	0.94	RB	1
79	3	15	12	7.7	187	9.5	199	4.2	3.4	-0.8	C	-2.8	0.70	RB	1
79	3	15	13	9.8	175	11.3	176	4.7	3.8	-0.9	B	-3.8	1.09	RB	1
79	3	15	14	8.7	180	10.0	185	4.7	3.9	-0.7	D	-4.3	0.78	RB	1
79	3	15	15	8.5	183	10.3	192	4.8	4.1	-0.7	D	-4.5	0.60	RB	1
79	3	15	16	9.0	203	13.0	205	4.8	3.9	-0.7	D	-4.6	0.48	RB	1
79	3	15	17	7.3	202	11.9	207	3.4	3.0	-0.4	D	-4.8	0.18	RB	1
79	3	15	18	5.6	229	11.1	221	2.3	2.1	-0.2	E	-5.3	0.03	RB	1
79	3	15	19	6.1	236	11.5	222	1.9	1.8	0.0	E	-5.3	0.0	RB	1
79	3	15	20	7.2	237	10.6	221	1.9	2.0	0.1	E	-5.5	0.0	RB	1
79	3	15	21	6.4	232	8.5	211	1.7	1.8	0.1	E	-5.7	0.0	RB	1
79	3	15	22	4.0	233	6.0	193	1.0	1.2	0.2	E	-6.0	0.0	RB	1
79	3	15	23	2.5	220	6.2	159	0.8	1.2	0.4	E	-6.0	0.0	RB	1
79	3	15	24	4.7	167	8.5	154	0.5	1.0	0.4	E	-6.3	0.0	RB	1
79	3	16	1	4.0	203	6.6	165	0.3	0.4	0.2	E	-6.4	0.0	RB	1
79	3	16	2	1.8	208	4.7	141	0.7	1.4	0.7	E	-7.1	0.0	RB	1
79	3	16	3	3.3	150	6.3	129	0.9	1.6	0.7	E	-6.5	0.0	RB	1
79	3	16	4	1.3	155	6.0	152	0.4	1.1	0.7	E	-6.0	0.0	RB	1
79	3	16	5	4.4	200	11.3	174	0.6	1.8	1.2	F	-6.6	0.0	RB	1
79	3	16	6	2.7	199	8.8	170	1.0	2.4	1.4	F	-7.1	0.0	RB	1
79	3	16	7	6.4	207	13.9	196	2.2	2.9	0.7	E	-7.9	0.07	RB	1
79	3	16	8	12.1	192	19.1	197	4.5	4.4	-0.1	E	-7.9	0.27	RB	1
79	3	16	9	15.2	204	23.1	205	5.7	5.5	-0.2	E	-6.4	0.69	RB	1
79	3	16	10	12.7	209	20.2	213	6.1	5.4	-0.7	D	-5.6	0.83	RB	1
79	3	16	11	17.7	194	25.3	200	6.1	6.0	-0.1	E	-6.4	0.83	RB	1
79	3	16	12	16.6	194	26.1	199	5.6	5.5	-0.1	E	-7.0	0.55	RB	1
79	3	16	13	14.3	197	21.4	203	5.3	4.9	-0.4	D	-6.3	0.48	RB	1
79	3	16	14	10.2	226	16.5	220	3.8	3.3	-0.6	D	-3.6	0.53	RB	1
79	3	16	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	16	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	16	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	16	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	16	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	16	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	16	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	16	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	16	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	16	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
79	3	17	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	17	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	3	18	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	3	19	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	3	19	14	5.3	38	6.1	48	0.2	-0.3	-0.5	D	-7.3	0.59	RB	1
79	3	19	15	9.9	42	11.4	43	0.4	-0.2	-0.6	D	-6.5	0.69	RB	1
79	3	19	16	10.2	34	11.3	32	0.2	-0.3	-0.5	D	-6.3	0.45	RB	1
79	3	19	17	8.3	37	9.3	34	-0.3	-0.7	-0.4	D	-6.0	0.16	RB	1
79	3	19	18	4.7	38	6.0	32	-0.8	-1.2	-0.4	D	-6.0	0.05	RB	1
79	3	19	19	2.7	329	4.9	5	-1.6	-1.8	-0.2	E	-6.1	0.01	RB	1
79	3	19	20	3.6	330	6.6	10	-1.8	-1.7	0.1	E	-6.8	0.0	RB	1
79	3	19	21	3.0	349	6.2	11	-1.7	-1.8	-0.1	E	-7.7	0.0	RB	1
79	3	19	22	2.3	74	5.5	46	-1.8	-1.9	-0.1	E	-8.0	0.0	RB	1
79	3	19	23	2.9	314	2.4	349	-1.9	-2.1	-0.2	E	-7.7	0.0	RB	1
79	3	19	24	2.1	204	1.7	220	-1.9	-2.0	-0.2	E	-7.5	0.0	RB	1
79	3	20	1	2.6	22	3.1	48	-3.4	-3.6	-0.2	E	-4.8	0.0	RB	1
79	3	20	2	2.3	247	2.2	317	-3.3	-3.3	0.0	E	-4.4	0.0	RB	1
79	3	20	3	1.7	141	2.0	140	-3.3	-3.4	-0.1	E	-4.2	0.0	RB	1
79	3	20	4	2.0	193	2.2	185	-3.8	-4.0	-0.2	E	-4.4	0.0	RB	1
79	3	20	5	1.3	352	1.9	8	-3.8	-3.8	0.0	E	-4.6	0.0	RB	1
79	3	20	6	1.5	260	1.4	303	-3.7	-3.8	-0.1	E	-4.3	0.0	RB	1
79	3	20	7	1.8	256	2.1	35	-3.5	-3.6	-0.1	E	-4.2	99.99	RB	1
79	3	20	8	1.1	157	1.2	118	-3.1	-3.3	-0.3	D	-3.8	99.99	RB	1
79	3	20	9	1.6	106	1.5	111	-2.2	-2.6	-0.3	D	-3.6	99.99	RB	1
79	3	20	10	3.4	74	3.4	90	-0.7	-0.9	-0.2	E	-2.8	0.89	RB	1
79	3	20	11	4.5	63	4.6	75	0.2	-0.2	-0.4	D	-1.9	0.81	RB	1
79	3	20	12	4.6	54	5.9	141	1.6	1.1	-0.5	D	-1.8	0.78	RB	1
79	3	20	13	5.6	253	7.0	237	2.8	2.2	-0.5	D	-4.8	0.67	RB	1
79	3	20	14	5.8	248	6.9	236	2.6	2.1	-0.5	D	-5.3	0.48	RB	1
79	3	20	15	3.8	196	4.5	202	2.6	2.1	-0.5	D	-5.5	0.35	RB	1
79	3	20	16	6.8	180	8.0	190	0.6	0.0	-0.5	D	-2.5	0.24	RB	1
79	3	20	17	5.0	170	5.6	177	0.0	-0.5	-0.5	D	-1.8	0.12	RB	1
79	3	20	18	4.4	150	4.6	151	-0.7	-1.1	-0.4	D	-1.5	0.03	RB	1
79	3	20	19	3.4	120	4.4	116	-1.0	-1.4	-0.4	D	-1.2	0.01	RB	1
79	3	20	20	3.9	108	5.0	105	-1.1	-1.4	-0.3	D	-1.0	0.01	RB	1
79	3	20	21	3.8	129	4.8	128	-1.1	-1.4	-0.3	D	-1.0	0.01	RB	1
79	3	20	22	3.9	131	4.6	132	-1.2	-1.5	-0.3	D	-1.1	0.01	RB	1
79	3	20	23	3.4	143	4.1	135	-1.3	-1.6	-0.3	D	-1.4	0.01	RB	1
79	3	20	24	2.4	104	3.5	107	-1.5	-1.9	-0.3	D	-1.7	0.01	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	3	21	1	0.9	134	2.1	104	-1.8	-2.0	-0.2 E	-2.3	0.0	RB	1
79	3	21	2	1.4	272	1.1	39	-1.8	-2.0	-0.2 E	-2.1	0.01	RB	1
79	3	21	3	1.1	70	2.0	67	-1.7	-2.0	-0.3 D	-1.8	0.01	RB	1
79	3	21	4	999.9	62	999.9	77	-1.7	-1.9	-0.3 D	-1.7	0.01	RB	1
79	3	21	5	0.9	103	1.6	123	-1.7	-1.9	-0.3 D	-1.6	0.01	RB	1
79	3	21	6	1.8	174	2.8	171	-1.8	-2.1	-0.2 E	-1.8	0.01	RB	1
79	3	21	7	1.0	64	1.4	98	-2.0	-2.2	-0.2 E	-2.1	0.06	RB	1
79	3	21	8	1.3	314	1.7	249	-1.6	-1.9	-0.3 D	-1.6	0.15	RB	1
79	3	21	9	2.4	29	2.5	26	-1.1	-1.5	-0.4 D	-1.6	0.23	RB	1
79	3	21	10	1.8	33	1.8	51	-0.8	-1.1	-0.3 D	-1.2	0.32	RB	1
79	3	21	11	2.6	60	2.9	62	-0.3	-0.6	-0.3 D	-1.5	0.40	RB	1
79	3	21	12	3.7	62	4.6	56	0.4	0.1	-0.3 D	-1.1	0.58	RB	1
79	3	21	13	4.8	72	5.8	71	0.8	0.4	-0.4 D	-1.2	0.55	RB	1
79	3	21	14	5.3	89	7.0	86	0.9	0.4	-0.6 D	-1.1	0.34	RB	1
79	3	21	15	7.8	53	8.5	52	1.0	0.4	-0.6 D	-0.9	0.44	RB	1
79	3	21	16	4.2	92	5.8	77	0.2	-0.3	-0.4 D	-0.6	0.06	RB	1
79	3	21	17	4.7	241	7.6	232	-0.8	-1.0	-0.2 E	-1.1	0.01	RB	1
79	3	21	18	7.2	246	12.0	238	-1.1	-1.4	-0.3 D	-2.0	0.01	RB	1
79	3	21	19	4.7	221	8.9	222	-1.4	-1.7	-0.3 D	-2.6	0.0	RB	1
79	3	21	20	3.5	218	6.8	218	-2.0	-2.3	-0.3 D	-3.0	0.0	RB	1
79	3	21	21	4.7	233	7.9	237	-2.3	-2.5	-0.3 D	-3.5	0.0	RB	1
79	3	21	22	2.8	225	6.4	227	-2.7	-3.0	-0.3 D	-3.7	0.0	RB	1
79	3	21	23	5.2	238	9.4	244	-2.5	-2.8	-0.3 D	-4.1	0.0	RB	1
79	3	21	24	7.5	246	11.6	250	-2.3	-2.6	-0.3 D	-3.8	0.0	RB	1
79	3	22	1	7.0	247	11.5	249	-2.2	-2.5	-0.3 D	-3.7	0.0	RB	1
79	3	22	2	6.8	285	11.2	279	-2.1	-2.4	-0.3 D	-3.6	0.0	RB	1
79	3	22	3	8.9	303	13.1	298	-2.1	-2.3	-0.2 E	-3.7	0.0	RB	1
79	3	22	4	6.1	306	8.8	309	-2.4	-2.6	-0.2 E	-3.8	0.0	RB	1
79	3	22	5	9.7	314	13.4	311	-2.4	-2.7	-0.3 D	-4.3	0.0	RB	1
79	3	22	6	13.0	329	16.5	325	-2.6	-3.0	-0.3 D	-4.1	0.0	RB	1
79	3	22	7	12.2	342	14.7	337	-2.9	-3.3	-0.4 D	-3.7	0.03	RB	1
79	3	22	8	15.4	353	18.0	348	-2.9	-3.3	-0.4 D	-3.8	0.05	RB	1
79	3	22	9	17.8	2	20.4	358	-2.9	-3.3	-0.4 D	-4.2	0.08	RB	1
79	3	22	10	18.8	11	21.4	7	-2.4	-2.9	-0.4 D	-4.5	0.17	RB	1
79	3	22	11	18.3	16	20.1	13	-1.7	-2.3	-0.5 D	-4.7	0.30	RB	1
79	3	22	12	18.6	17	21.2	14	-1.7	-2.2	-0.5 D	-5.1	0.32	RB	1
79	3	22	13	14.3	15	15.8	15	-1.4	-1.9	-0.5 D	-4.8	0.33	RB	1
79	3	22	14	15.1	10	17.3	7	-1.1	-1.6	-0.5 D	-5.3	0.61	RB	1
79	3	22	15	14.8	5	16.6	2	-1.2	-1.7	-0.5 D	-5.7	0.44	RB	1
79	3	22	16	13.2	2	14.6	0	-1.2	-1.7	-0.5 D	-5.4	0.40	RB	1
79	3	22	17	9.5	6	10.7	5	-1.4	-1.9	-0.5 D	-5.6	0.32	RB	1
79	3	22	18	5.0	11	8.0	22	-2.3	-2.3	0.1 E	-5.6	0.07	RB	1
79	3	22	19	4.3	309	7.0	16	-3.3	-2.7	0.6 E	-6.4	0.01	RB	1
79	3	22	20	4.9	304	8.0	3	-3.8	-3.0	0.8 F	-6.9	0.0	RB	1
79	3	22	21	4.5	314	10.1	9	-4.4	-3.1	1.2 F	-7.4	0.0	RB	1
79	3	22	22	4.7	294	8.8	4	-4.4	-3.6	0.8 F	-7.9	0.0	RB	1
79	3	22	23	4.0	292	6.6	3	-4.4	-3.9	0.5 E	-7.5	0.0	RB	1
79	3	22	24	4.3	288	4.2	330	-3.8	-3.9	-0.1 E	-7.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	3	23	1	2.8	310	4.3	8	-4.0	-4.1	0.0	E	-7.2	0.0	RB	1
79	3	23	2	3.1	294	3.5	327	-3.9	-4.1	-0.2	E	-8.0	0.0	RB	1
79	3	23	3	2.6	291	3.7	331	-3.8	-4.0	-0.2	E	-8.9	0.0	RB	1
79	3	23	4	4.4	274	3.1	299	-3.7	-3.8	-0.1	E	-9.8	0.0	RB	1
79	3	23	5	4.7	276	3.6	291	-3.0	-3.2	-0.2	E	-11.5	0.0	RB	1
79	3	23	6	4.4	269	3.7	289	-3.0	-3.0	-0.1	E	-11.0	0.01	RB	1
79	3	23	7	3.3	276	3.8	245	-3.5	-3.7	-0.2	E	-9.1	0.05	RB	1
79	3	23	8	1.9	250	1.3	78	-3.7	-3.3	0.4	E	-8.4	0.21	RB	1
79	3	23	9	2.4	122	2.0	121	-1.9	-1.9	0.0	E	-7.0	0.72	RB	1
79	3	23	10	5.9	315	6.6	308	-0.6	-1.1	-0.5	D	-6.3	0.95	RB	1
79	3	23	11	8.7	286	9.9	283	0.0	-0.5	-0.5	D	-7.2	1.17	RB	1
79	3	23	12	11.3	295	13.4	290	0.4	-0.1	-0.5	D	-7.9	1.29	RB	1
79	3	23	13	13.7	296	16.0	290	0.6	0.2	-0.4	D	-7.3	1.18	RB	1
79	3	23	14	14.1	292	16.4	289	1.0	0.5	-0.4	D	-7.4	1.04	RB	1
79	3	23	15	14.6	300	17.2	296	1.0	0.7	-0.4	D	-7.0	0.86	RB	1
79	3	23	16	13.5	299	16.4	294	1.0	0.6	-0.3	D	-6.6	0.53	RB	1
79	3	23	17	10.1	295	12.3	291	0.8	0.5	-0.2	E	-7.1	0.26	RB	1
79	3	23	18	10.4	291	14.1	292	0.3	0.5	0.2	E	-7.7	0.07	RB	1
79	3	23	19	8.3	291	11.3	301	0.0	0.3	0.3	E	-8.0	0.0	RB	1
79	3	23	20	6.8	306	9.2	316	-0.4	0.1	0.5	E	-7.8	0.0	RB	1
79	3	23	21	7.5	308	9.8	323	-0.7	-0.2	0.5	E	-8.3	0.0	RB	1
79	3	23	22	8.2	314	12.0	331	-1.6	-0.7	1.0	F	-8.9	0.0	RB	1
79	3	23	23	5.2	312	10.2	335	-3.2	-1.4	1.8	F	-9.2	0.0	RB	1
79	3	23	24	5.6	299	8.9	325	-3.0	-1.6	1.3	F	-9.2	0.0	RB	1
79	3	24	1	4.6	237	6.7	304	-2.7	-1.7	0.9	F	-9.5	0.0	RB	1
79	3	24	2	6.1	304	7.7	332	-2.9	-1.8	1.0	F	-9.9	0.0	RB	1
79	3	24	3	5.4	306	4.7	347	-2.6	-2.1	0.5	E	-9.8	0.0	RB	1
79	3	24	4	3.9	303	3.0	357	-2.4	-2.1	0.2	E	-9.6	0.0	RB	1
79	3	24	5	5.4	299	5.4	326	-3.0	-2.4	0.6	E	-10.1	0.0	RB	1
79	3	24	6	9.4	273	10.8	290	-2.6	-1.9	0.7	E	-9.7	0.01	RB	1
79	3	24	7	8.7	269	10.0	288	-1.8	-1.5	0.2	E	-10.0	0.14	RB	1
79	3	24	8	8.3	242	9.1	253	-1.2	-1.3	-0.1	E	-9.3	0.44	RB	1
79	3	24	9	6.2	243	6.8	239	0.2	-0.2	-0.4	D	-8.7	0.74	RB	1
79	3	24	10	7.5	234	8.1	228	1.3	0.8	-0.5	D	-8.4	0.99	RB	1
79	3	24	11	6.8	228	7.8	221	2.2	1.7	-0.5	D	-8.4	1.16	RB	1
79	3	24	12	7.4	252	9.0	244	3.0	2.5	-0.5	D	-8.9	1.26	RB	1
79	3	24	13	8.5	240	10.7	233	3.9	3.2	-0.7	D	-8.2	1.24	RB	1
79	3	24	14	8.5	243	10.1	235	4.4	3.8	-0.6	D	-7.9	1.14	RB	1
79	3	24	15	7.3	251	9.3	247	4.9	4.3	-0.6	D	-7.8	0.96	RB	1
79	3	24	16	8.7	268	10.7	261	4.9	4.4	-0.5	D	-7.5	0.70	RB	1
79	3	24	17	9.1	275	11.2	272	4.6	4.3	-0.3	D	-7.9	0.40	RB	1
79	3	24	18	6.0	245	9.3	241	3.8	3.7	-0.1	E	-6.4	0.09	RB	1
79	3	24	19	5.3	229	9.0	225	2.0	2.0	0.1	E	-5.2	0.0	RB	1
79	3	24	20	6.4	231	9.9	226	1.9	2.0	0.1	E	-5.1	0.0	RB	1
79	3	24	21	7.8	228	12.1	232	1.8	2.1	0.3	E	-5.4	0.0	RB	1
79	3	24	22	4.6	205	8.0	210	1.1	1.5	0.4	E	-5.7	0.0	RB	1
79	3	24	23	13.1	245	19.4	250	1.9	2.1	0.2	E	-6.6	0.0	RB	1
79	3	24	24	15.0	252	20.6	255	1.8	1.8	0.0	E	-7.0	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	3	25	1	5.9	152	8.7	209	1.0	1.0	0.0	E	-7.4	0.0	RB	1
79	3	25	2	3.3	205	4.9	220	0.9	0.9	0.0	E	-8.6	0.0	RB	1
79	3	25	3	4.0	162	4.5	278	0.8	0.8	0.0	E	-8.4	0.0	RB	1
79	3	25	4	7.2	253	8.2	256	0.6	0.9	0.3	E	-8.2	0.0	RB	1
79	3	25	5	13.0	246	16.1	245	0.7	1.6	0.8	F	-9.3	0.0	RB	1
79	3	25	6	12.4	248	15.9	240	0.7	1.2	0.5	E	-9.8	0.01	RB	1
79	3	25	7	11.0	251	16.0	241	0.7	0.9	0.1	E	-8.9	0.15	RB	1
79	3	25	8	10.6	245	14.5	243	1.9	1.6	-0.4	D	-8.4	0.44	RB	1
79	3	25	9	10.8	245	13.9	240	2.9	2.3	-0.6	D	-7.7	0.74	RB	1
79	3	25	10	10.3	251	12.4	241	3.7	3.1	-0.6	D	-7.1	1.00	RB	1
79	3	25	11	7.7	239	9.0	226	4.5	3.9	-0.5	D	-7.1	1.08	RB	1
79	3	25	12	6.7	176	8.6	175	5.2	4.5	-0.7	D	-6.9	1.11	RB	1
79	3	25	13	10.4	159	12.0	159	5.7	4.8	-0.9	B	-7.1	1.18	RB	1
79	3	25	14	9.3	183	11.3	182	5.4	4.6	-0.8	C	-5.7	0.70	RB	1
79	3	25	15	12.5	276	14.7	273	5.6	5.1	-0.5	D	-6.5	0.84	RB	1
79	3	25	16	8.7	246	11.6	237	4.9	4.5	-0.4	D	-5.1	0.36	RB	1
79	3	25	17	7.9	208	13.4	217	3.5	3.0	-0.5	D	-2.4	0.28	RB	1
79	3	25	18	6.5	203	12.1	218	2.9	2.7	-0.2	E	-3.5	0.06	RB	1
79	3	25	19	7.3	235	13.4	221	2.1	2.0	-0.1	E	-3.3	0.0	RB	1
79	3	25	20	9.4	268	12.7	260	2.0	1.9	-0.1	E	-3.7	0.0	RB	1
79	3	25	21	10.1	248	14.3	247	1.6	1.5	0.0	E	-3.5	0.0	RB	1
79	3	25	22	7.6	239	11.0	246	1.2	1.5	0.3	E	-3.3	0.0	RB	1
79	3	25	23	9.0	258	14.1	266	1.1	1.5	0.4	E	-4.7	0.0	RB	1
79	3	25	24	6.4	253	9.4	268	0.9	1.1	0.2	E	-5.1	0.0	RB	1
79	3	26	1	6.0	256	7.4	263	0.9	1.0	0.1	E	-5.0	0.0	RB	1
79	3	26	2	8.6	258	11.8	276	0.4	0.9	0.5	E	-5.4	0.0	RB	1
79	3	26	3	6.2	245	7.8	267	0.5	0.8	0.3	E	-5.6	0.0	RB	1
79	3	26	4	5.5	234	5.0	222	0.5	0.6	0.0	E	-5.3	0.0	RB	1
79	3	26	5	6.2	237	5.8	222	0.7	0.8	0.1	E	-6.0	0.0	RB	1
79	3	26	6	5.5	233	5.2	213	0.7	0.9	0.2	E	-6.8	0.01	RB	1
79	3	26	7	6.0	233	7.2	224	0.8	1.1	0.3	E	-6.8	0.17	RB	1
79	3	26	8	3.9	216	6.1	232	2.2	1.8	-0.4	D	-6.4	0.43	RB	1
79	3	26	9	6.0	215	7.8	209	3.6	3.0	-0.6	D	-7.0	0.69	RB	1
79	3	26	10	8.9	240	11.4	233	4.4	3.8	-0.6	D	-7.3	0.96	RB	1
79	3	26	11	8.3	232	11.3	223	5.5	4.9	-0.6	D	-7.4	1.10	RB	1
79	3	26	12	8.2	207	10.8	212	5.9	5.1	-0.8	C	-6.4	0.73	RB	1
79	3	26	13	8.5	264	11.1	249	2.9	2.6	-0.3	D	-3.0	0.40	RB	1
79	3	26	14	10.8	209	14.6	214	4.5	3.7	-0.8	C	-2.0	1.09	RB	1
79	3	26	15	8.4	233	11.2	226	5.8	5.2	-0.6	D	-3.7	0.78	RB	1
79	3	26	16	6.5	245	9.2	229	5.4	5.1	-0.3	D	-4.4	0.36	RB	1
79	3	26	17	8.6	219	13.4	224	6.0	5.7	-0.3	D	-5.5	0.18	RB	1
79	3	26	18	10.8	252	17.1	247	4.2	4.0	-0.2	E	-3.4	0.04	RB	1
79	3	26	19	6.7	252	9.2	245	1.5	1.4	-0.1	E	-0.5	0.01	RB	1
79	3	26	20	4.1	219	7.1	192	1.4	2.0	0.6	E	-1.2	0.0	RB	1
79	3	26	21	4.1	277	2.1	266	2.0	2.3	0.3	E	-2.4	0.0	RB	1
79	3	26	22	2.6	253	1.5	332	1.9	2.1	0.2	E	-2.7	0.0	RB	1
79	3	26	23	2.8	199	3.0	131	2.0	2.4	0.4	E	-2.9	0.0	RB	1
79	3	26	24	3.7	183	9.6	185	2.3	3.2	0.8	F	-4.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	3	27	1	7.7	205	15.9	213	4.1	4.1	0.0	E	-6.3	0.0	RB	1
79	3	27	2	8.6	205	16.5	214	4.1	4.0	-0.1	E	-6.0	0.0	RB	1
79	3	27	3	7.8	191	13.9	214	3.4	3.3	-0.1	E	-5.1	0.0	RB	1
79	3	27	4	10.2	196	17.4	206	2.6	2.5	-0.1	E	-3.2	0.0	RB	1
79	3	27	5	8.5	193	15.4	202	2.4	2.5	0.2	E	-3.7	0.0	RB	1
79	3	27	6	4.1	187	10.1	181	1.7	2.1	0.4	E	-4.3	0.01	RB	1
79	3	27	7	3.8	171	7.8	167	1.9	2.2	0.3	E	-4.2	0.14	RB	1
79	3	27	8	11.3	192	18.6	206	4.0	3.7	-0.3	D	-4.5	0.26	RB	1
79	3	27	9	11.0	203	18.1	210	4.6	4.0	-0.6	D	-4.5	0.42	RB	1
79	3	27	10	12.3	209	20.6	217	5.1	4.5	-0.6	D	-4.7	0.59	RB	1
79	3	27	11	16.1	200	26.6	209	5.8	5.4	-0.4	D	-5.0	0.69	RB	1
79	3	27	12	19.3	199	31.9	204	5.9	5.9	0.0	E	-4.2	0.69	RB	1
79	3	27	13	18.0	198	27.3	203	4.8	4.3	-0.2	E	-2.0	0.57	RB	1
79	3	27	14	15.2	203	24.8	207	4.3	3.8	-0.5	D	-2.0	0.38	RB	1
79	3	27	15	13.5	196	19.4	198	3.8	3.3	-0.5	D	-1.4	0.22	RB	1
79	3	27	16	12.4	200	18.8	204	3.5	3.1	-0.4	D	-1.2	0.12	RB	1
79	3	27	17	15.6	199	24.6	204	3.1	2.7	-0.4	D	-1.1	0.08	RB	1
79	3	27	18	13.9	196	22.3	201	2.4	2.1	-0.3	D	-0.9	0.03	RB	1
79	3	27	19	14.5	197	23.3	201	2.9	2.6	-0.3	D	-0.8	0.0	RB	1
79	3	27	20	14.2	199	23.5	202	2.7	2.5	-0.3	D	-0.1	0.0	RB	1
79	3	27	21	13.3	214	23.2	212	3.0	2.7	-0.3	D	-0.3	0.0	RB	1
79	3	27	22	11.1	216	21.2	219	2.9	2.6	-0.3	D	-0.2	0.0	RB	1
79	3	27	23	12.5	217	23.9	216	3.0	2.8	-0.3	D	-0.2	0.0	RB	1
79	3	27	24	8.8	222	16.8	220	2.9	2.6	-0.2	E	-0.1	0.0	RB	1
79	3	28	1	8.7	227	15.2	221	3.1	2.8	-0.3	D	-0.5	0.0	RB	1
79	3	28	2	9.0	230	15.1	221	3.0	2.7	-0.3	D	-0.5	0.0	RB	1
79	3	28	3	8.9	238	14.5	227	2.9	2.6	-0.3	D	-0.3	0.0	RB	1
79	3	28	4	8.1	213	13.9	215	2.5	2.3	-0.2	E	-0.1	0.0	RB	1
79	3	28	5	3.3	203	5.3	201	1.0	0.8	-0.2	E	0.2	0.0	RB	1
79	3	28	6	2.0	88	3.2	62	-0.6	-0.6	0.0	E	-0.5	0.01	RB	1
79	3	28	7	2.4	154	2.2	164	-0.8	-0.9	-0.1	E	-0.7	0.02	RB	1
79	3	28	8	2.4	78	2.3	79	-0.7	-0.9	-0.2	E	-0.7	0.04	RB	1
79	3	28	9	2.5	88	4.4	109	-0.2	-0.3	-0.1	E	-0.3	0.06	RB	1
79	3	28	10	7.5	163	13.5	192	2.4	2.4	0.0	E	0.6	0.46	RB	1
79	3	28	11	5.6	144	9.4	169	2.4	2.1	-0.3	D	0.9	0.39	RB	1
79	3	28	12	15.7	191	24.6	201	4.5	4.4	-0.1	E	0.6	1.13	RB	1
79	3	28	13	17.7	204	28.0	208	4.9	4.8	-0.1	E	-0.3	0.78	RB	1
79	3	28	14	12.2	249	16.0	237	3.0	2.6	-0.4	D	-0.1	0.60	RB	1
79	3	28	15	8.6	234	12.9	225	3.2	2.8	-0.5	D	0.4	0.33	RB	1
79	3	28	16	6.1	208	10.4	222	2.3	1.7	-0.6	D	0.9	0.29	RB	1
79	3	28	17	6.0	139	8.2	139	2.1	1.9	-0.2	E	1.1	0.20	RB	1
79	3	28	18	4.0	163	5.2	152	0.1	-0.1	-0.2	E	0.4	0.03	RB	1
79	3	28	19	5.2	211	6.9	223	0.6	0.7	0.1	E	0.4	0.01	RB	1
79	3	28	20	1.8	233	4.4	190	0.2	0.6	0.4	E	0.4	0.0	RB	1
79	3	28	21	5.7	185	10.6	187	0.9	1.0	0.1	E	0.4	0.0	RB	1
79	3	28	22	3.5	166	7.3	182	-4.3	-4.3	-0.1	E	0.2	0.01	RB	1
79	3	28	23	999.9	96	5.6	125	-3.3	-3.4	-0.1	E	-0.2	0.01	RB	1
79	3	28	24	999.9	321	3.0	74	-1.8	-1.9	-0.1	E	-0.5	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	3	29	1	999.9	147	6.4	149	-1.4	-1.4	0.0	E	-0.3	0.01	RB	1
79	3	29	2	999.9	135	7.8	176	-0.9	-0.9	0.0	E	-0.6	0.01	RB	1
79	3	29	3	2.1	124	5.2	183	-0.6	-0.8	-0.3	D	-0.7	0.0	RB	1
79	3	29	4	4.7	173	9.7	179	-0.7	-0.9	-0.2	E	-1.1	0.0	RB	1
79	3	29	5	7.9	196	16.6	202	-0.9	-1.2	-0.3	D	-1.9	0.0	RB	1
79	3	29	6	8.5	214	23.0	219	-1.8	-2.1	-0.3	D	-3.3	0.01	RB	1
79	3	29	7	11.5	207	30.6	215	-1.9	-2.1	-0.2	E	-4.5	0.01	RB	1
79	3	29	8	12.6	203	29.1	212	-2.1	-2.2	-0.1	E	-5.5	0.04	RB	1
79	3	29	9	14.9	194	28.4	209	-1.8	-1.7	0.1	E	-6.1	0.26	RB	1
79	3	29	10	12.9	196	22.5	208	-1.3	-1.5	-0.2	E	-5.7	0.42	RB	1
79	3	29	11	13.8	192	22.0	205	-1.6	-1.8	-0.2	E	-5.7	0.30	RB	1
79	3	29	12	12.7	196	20.5	211	-1.7	-2.1	-0.4	D	-4.4	0.40	RB	1
79	3	29	13	9.1	187	14.1	208	-1.0	-1.6	-0.6	D	-3.5	0.57	RB	1
79	3	29	14	13.8	238	21.0	232	-0.8	-0.9	-0.1	E	-3.6	0.49	RB	1
79	3	29	15	15.4	239	22.2	238	-1.2	-1.1	0.0	E	-3.6	0.37	RB	1
79	3	29	16	16.6	245	21.3	246	-0.8	-0.8	0.1	E	-3.9	0.27	RB	1
79	3	29	17	13.2	238	16.5	245	-0.8	-0.9	-0.1	E	-3.7	0.18	RB	1
79	3	29	18	12.6	249	15.5	252	-1.0	-1.2	-0.3	D	-3.3	0.06	RB	1
79	3	29	19	5.8	234	9.5	237	-1.2	-1.4	-0.2	E	-3.2	0.01	RB	1
79	3	29	20	6.3	226	11.5	237	-1.5	-1.3	0.2	E	-3.4	0.0	RB	1
79	3	29	21	8.4	245	14.2	247	-1.6	-1.4	0.2	E	-3.6	0.0	RB	1
79	3	29	22	10.6	241	16.4	243	-1.2	-0.9	0.3	E	-4.4	0.0	RB	1
79	3	29	23	12.3	248	17.7	251	-0.7	-0.8	0.0	E	-3.8	0.0	RB	1
79	3	29	24	10.7	250	14.9	252	-1.1	-1.3	-0.2	E	-2.8	0.0	RB	1
79	3	30	1	7.9	260	11.3	258	-1.2	-1.4	-0.2	E	-2.8	0.0	RB	1
79	3	30	2	6.5	252	10.0	255	-1.2	-1.3	-0.2	E	-3.7	0.0	RB	1
79	3	30	3	4.3	228	8.1	244	-1.7	-1.7	0.0	E	-4.7	0.0	RB	1
79	3	30	4	6.1	246	9.8	251	-1.8	-1.7	0.1	E	-5.3	0.0	RB	1
79	3	30	5	5.4	239	7.8	242	-1.9	-1.8	0.0	E	-6.1	0.0	RB	1
79	3	30	6	8.2	246	11.3	234	-2.3	-2.3	0.0	E	-6.5	0.01	RB	1
79	3	30	7	7.8	238	10.6	230	-2.0	-2.2	-0.2	E	-6.3	0.16	RB	1
79	3	30	8	5.0	190	6.0	207	-1.4	-1.8	-0.4	D	-5.1	0.29	RB	1
79	3	30	9	3.1	194	3.9	199	-0.8	-1.3	-0.4	D	-3.8	0.46	RB	1
79	3	30	10	6.1	178	8.2	194	0.5	-0.2	-0.7	D	-3.5	0.64	RB	1
79	3	30	11	7.8	208	10.4	208	1.5	0.8	-0.7	D	-4.1	0.69	RB	1
79	3	30	12	8.5	210	14.7	211	1.4	0.9	-0.5	D	-3.8	0.47	RB	1
79	3	30	13	7.4	235	10.6	229	1.3	0.8	-0.5	D	-3.7	0.41	RB	1
79	3	30	14	9.8	261	12.3	257	1.1	0.5	-0.6	D	-2.8	0.84	RB	1
79	3	30	15	9.7	265	10.8	257	1.4	0.8	-0.6	D	-3.2	0.89	RB	1
79	3	30	16	7.7	237	9.0	236	1.0	0.3	-0.6	D	-2.3	0.60	RB	1
79	3	30	17	6.7	160	8.8	159	1.2	0.7	-0.5	D	-2.9	0.22	RB	1
79	3	30	18	6.4	190	9.8	190	1.0	0.6	-0.3	D	-3.6	0.04	RB	1
79	3	30	19	8.7	215	13.9	218	-1.0	-1.2	-0.2	E	-2.8	0.01	RB	1
79	3	30	20	2.6	142	3.3	148	-1.1	-1.2	-0.1	E	-3.3	0.0	RB	1
79	3	30	21	2.2	202	4.1	202	-1.7	-1.9	-0.3	D	-2.1	0.0	RB	1
79	3	30	22	5.7	265	8.8	258	-1.5	-1.8	-0.3	D	-2.4	0.0	RB	1
79	3	30	23	5.0	235	9.4	242	-1.2	-1.3	-0.1	E	-2.9	0.0	RB	1
79	3	30	24	5.3	257	7.3	242	-1.1	-1.3	-0.2	E	-3.2	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	3	31	1	2.4	351	3.5	1	-1.8	-1.7	0.0 E	-2.8	0.0	RB	1
79	3	31	2	6.7	24	9.0	20	-2.8	-3.1	-0.4 D	-3.2	0.0	RB	1
79	3	31	3	7.0	33	9.1	25	-3.3	-3.7	-0.4 D	-3.7	0.0	RB	1
79	3	31	4	8.0	27	9.5	24	-3.6	-4.0	-0.4 D	-3.9	0.0	RB	1
79	3	31	5	9.4	26	11.3	20	-4.0	-4.3	-0.4 D	-4.3	0.0	RB	1
79	3	31	6	12.6	3	14.5	359	-4.7	-5.1	-0.4 D	-5.6	0.01	RB	1
79	3	31	7	7.3	33	9.9	28	-5.0	-5.4	-0.4 D	-5.6	0.02	RB	1
79	3	31	8	8.8	49	11.2	42	-5.0	-5.4	-0.4 D	-5.4	0.05	RB	1
79	3	31	9	9.3	53	11.3	47	-5.0	-5.4	-0.5 D	-5.5	0.07	RB	1
79	3	31	10	10.2	53	12.0	47	-4.9	-5.4	-0.5 D	-5.9	0.10	RB	1
79	3	31	11	8.8	51	10.2	46	-4.4	-4.9	-0.5 D	-5.9	0.13	RB	1
79	3	31	12	7.6	31	9.0	28	-3.9	-4.3	-0.4 D	-6.3	0.14	RB	1
79	3	31	13	7.6	26	9.1	24	-3.8	-4.0	-0.4 D	-6.5	0.18	RB	1
79	3	31	14	7.4	21	8.7	17	-2.8	-3.2	-0.4 D	-7.7	0.81	RB	1
79	3	31	15	3.9	27	5.3	24	-2.2	-2.5	-0.3 D	-7.8	0.78	RB	1
79	3	31	16	3.0	33	4.5	29	-2.5	-2.8	-0.3 D	-7.3	0.48	RB	1
79	3	31	17	3.3	70	4.8	71	-3.2	-3.7	-0.4 D	-5.9	0.23	RB	1
79	3	31	18	0.6	161	2.8	157	-3.9	-4.1	-0.3 D	-5.5	0.06	RB	1
79	3	31	19	999.9	229	5.2	208	-4.2	-4.3	-0.1 E	-6.2	0.01	RB	1
79	3	31	20	999.9	237	3.0	201	-3.6	-3.6	0.0 E	-8.2	0.0	RB	1
79	3	31	21	999.9	278	3.5	301	-3.8	-3.8	0.0 E	-8.8	0.0	RB	1
79	3	31	22	999.9	328	7.1	330	-5.0	-5.2	-0.2 E	-7.5	0.0	RB	1
79	3	31	23	999.9	5	7.5	10	-5.5	-5.7	-0.3 D	-6.8	0.0	RB	1
79	3	31	24	5.7	351	9.3	6	-5.8	-5.5	0.0 E	-8.0	0.0	RB	1
79	4	1	1	1.6	114	5.1	102	-6.1	-6.3	-0.2 E	-6.6	0.0	RB	1
79	4	1	2	0.7	218	2.5	111	-6.2	-6.4	-0.2 E	-6.8	0.0	RB	1
79	4	1	3	2.2	33	4.9	42	-6.4	-6.8	-0.4 D	-7.4	0.0	RB	1
79	4	1	4	1.6	48	4.8	47	-7.0	-7.2	-0.3 D	-7.7	0.0	RB	1
79	4	1	5	1.3	322	3.4	6	-7.1	-7.3	-0.3 D	-7.8	0.0	RB	1
79	4	1	6	0.9	26	3.7	25	-7.2	-7.5	-0.3 D	-7.9	0.01	RB	1
79	4	1	7	2.1	355	4.1	3	-7.1	-7.5	-0.4 D	-8.2	0.05	RB	1
79	4	1	8	1.7	2	3.1	356	-6.4	-6.8	-0.4 D	-8.9	0.15	RB	1
79	4	1	9	2.8	13	3.8	10	-5.6	-5.9	-0.4 D	-9.0	0.26	RB	1
79	4	1	10	5.5	346	6.6	341	-5.5	-6.0	-0.6 D	-9.3	0.45	RB	1
79	4	1	11	8.6	334	9.9	329	-4.6	-5.2	-0.6 D	-10.8	1.09	RB	1
79	4	1	12	8.3	328	9.8	322	-3.5	-4.2	-0.7 D	-11.0	1.28	RB	1
79	4	1	13	11.5	309	13.6	304	-4.2	-4.8	-0.6 D	-10.0	0.94	RB	1
79	4	1	14	9.9	300	11.9	295	-3.9	-4.5	-0.6 D	-10.5	1.15	RB	1
79	4	1	15	6.3	288	8.3	277	-3.1	-3.7	-0.6 D	-11.4	1.04	RB	1
79	4	1	16	7.4	279	9.3	275	-3.3	-3.8	-0.5 D	-11.4	0.72	RB	1
79	4	1	17	9.0	302	11.7	294	-4.1	-4.5	-0.4 D	-10.9	0.16	RB	1
79	4	1	18	5.1	299	7.0	294	-5.2	-5.5	-0.3 D	-9.0	0.11	RB	1
79	4	1	19	5.4	278	7.5	281	-5.8	-5.9	-0.1 E	-9.0	0.01	RB	1
79	4	1	20	7.1	255	10.3	265	-6.2	-6.3	-0.1 E	-8.2	0.0	RB	1
79	4	1	21	6.1	327	9.2	310	-6.1	-6.3	-0.1 E	-8.6	0.0	RB	1
79	4	1	22	3.1	20	5.1	21	-6.9	-7.2	-0.3 D	-8.1	0.0	RB	1
79	4	1	23	1.9	288	1.9	322	-7.2	-7.4	-0.3 D	-8.0	0.0	RB	1
79	4	1	24	2.4	33	3.4	6	-7.6	-7.9	-0.3 D	-8.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
79	4	2	1	1.4	208	1.2	239	-7.7	-8.0	-0.3	D	-8.6	0.0	RB 1
79	4	2	2	1.3	238	1.2	296	-7.9	-8.2	-0.2	E	-8.9	0.0	RB 1
79	4	2	3	2.1	265	2.1	203	-8.4	-8.5	-0.1	E	-9.7	0.0	RB 1
79	4	2	4	5.4	223	4.9	197	-8.7	-8.6	0.1	E	-10.1	0.0	RB 1
79	4	2	5	6.1	232	5.4	196	-8.7	-8.6	0.1	E	-11.0	0.0	RB 1
79	4	2	6	5.7	219	7.7	187	-9.2	-8.7	0.5	E	-12.0	0.01	RB 1
79	4	2	7	4.4	242	5.6	197	-8.7	-8.5	0.2	E	-12.1	0.09	RB 1
79	4	2	8	3.2	194	4.2	181	-7.1	-7.4	-0.3	D	-11.9	0.23	RB 1
79	4	2	9	4.5	180	5.3	177	-5.9	-6.3	-0.4	D	-11.8	0.39	RB 1
79	4	2	10	5.5	238	6.8	229	-5.0	-5.6	-0.5	D	-13.0	0.92	RB 1
79	4	2	11	6.3	261	7.3	253	-4.8	-5.3	-0.4	D	-13.2	0.88	RB 1
79	4	2	12	7.2	280	8.8	275	-4.4	-5.1	-0.7	D	-12.3	0.94	RB 1
79	4	2	13	8.2	280	9.7	277	-4.2	-4.9	-0.7	D	-13.0	0.87	RB 1
79	4	2	14	4.9	265	6.2	264	-3.7	-4.3	-0.6	D	-12.6	0.81	RB 1
79	4	2	15	5.6	304	6.3	296	-4.1	-4.6	-0.5	D	-12.1	0.48	RB 1
79	4	2	16	6.3	352	6.5	341	-4.9	-5.5	-0.6	D	-9.1	0.46	RB 1
79	4	2	17	5.7	342	6.0	329	-5.1	-5.6	-0.5	D	-8.9	0.19	RB 1
79	4	2	18	4.9	269	6.0	275	-5.9	-6.1	-0.2	E	-7.8	0.05	RB 1
79	4	2	19	5.0	202	4.3	208	-6.2	-6.1	0.1	E	-8.3	0.0	RB 1
79	4	2	20	5.0	222	2.3	233	-6.1	-5.8	0.2	E	-8.9	0.0	RB 1
79	4	2	21	4.8	266	3.4	296	-5.6	-5.8	-0.2	E	-10.1	0.0	RB 1
79	4	2	22	4.4	289	3.7	347	-6.0	-5.8	0.2	E	-12.0	0.0	RB 1
79	4	2	23	4.2	286	3.5	345	-6.0	-5.9	0.1	E	-11.5	0.0	RB 1
79	4	2	24	3.9	287	2.9	333	-6.1	-6.1	0.0	E	-11.5	0.0	RB 1
79	4	3	1	5.2	290	4.1	324	-6.3	-6.2	0.1	E	-12.1	0.0	RB 1
79	4	3	2	7.7	289	7.1	324	-6.9	-6.3	0.7	E	-12.9	0.0	RB 1
79	4	3	3	8.5	294	9.6	333	-8.0	-6.5	1.4	F	-12.6	0.0	RB 1
79	4	3	4	7.7	288	8.4	339	-8.1	-6.8	1.2	F	-11.8	0.0	RB 1
79	4	3	5	6.3	289	6.1	334	-7.5	-6.9	0.5	E	-12.0	0.0	RB 1
79	4	3	6	6.2	284	6.4	322	-7.8	-7.3	0.5	E	-12.6	0.02	RB 1
79	4	3	7	3.3	312	4.6	332	-7.1	-7.0	0.1	E	-12.2	0.13	RB 1
79	4	3	8	2.0	74	2.4	88	-6.3	-6.4	-0.2	E	-10.9	0.51	RB 1
79	4	3	9	2.2	122	2.5	146	-5.1	-5.4	-0.3	D	-10.6	0.78	RB 1
79	4	3	10	1.6	359	1.9	352	-3.5	-3.8	-0.3	D	-12.1	1.01	RB 1
79	4	3	11	4.8	289	5.8	235	-2.3	-2.6	-0.3	D	-12.6	1.43	RB 1
79	4	3	12	7.5	241	9.0	231	-2.3	-2.9	-0.6	D	-12.1	1.40	RB 1
79	4	3	13	9.3	253	11.1	246	-1.9	-2.5	-0.6	D	-11.6	1.13	RB 1
79	4	3	14	8.2	275	10.0	264	-2.2	-2.8	-0.5	D	-11.1	0.52	RB 1
79	4	3	15	11.7	284	13.8	278	-1.6	-2.1	-0.5	D	-11.6	0.63	RB 1
79	4	3	16	12.5	252	15.4	245	-1.6	-2.2	-0.5	D	-10.1	0.63	RB 1
79	4	3	17	9.9	246	13.3	239	-3.0	-3.5	-0.5	D	-7.9	0.18	RB 1
79	4	3	18	9.9	271	13.9	271	-4.5	-4.7	-0.3	D	-6.4	0.05	RB 1
79	4	3	19	9.5	281	13.7	275	-4.4	-4.5	0.0	E	-8.6	0.01	RB 1
79	4	3	20	5.7	307	9.2	295	-5.0	-4.8	0.2	E	-8.4	0.0	RB 1
79	4	3	21	6.7	281	9.5	287	-5.2	-4.9	0.3	E	-10.1	0.0	RB 1
79	4	3	22	9.8	275	13.1	274	-5.3	-5.0	0.2	E	-11.8	0.0	RB 1
79	4	3	23	11.9	277	15.6	280	-5.9	-5.3	0.6	E	-11.8	0.0	RB 1
79	4	3	24	14.0	259	19.3	260	-5.5	-5.3	0.2	E	-11.6	0.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	4	4	1	14.7	248	20.8	253	-5.6	-5.5	0.1	E	-11.9	0.0	RB	1
79	4	4	2	15.8	250	22.0	255	-6.0	-5.9	0.1	E	-11.6	0.0	RB	1
79	4	4	3	17.3	251	23.7	255	-5.8	-5.8	0.0	E	-11.6	0.0	RB	1
79	4	4	4	14.4	245	19.9	248	-6.1	-6.1	0.0	E	-11.8	0.0	RB	1
79	4	4	5	10.7	240	15.3	245	-5.7	-5.6	0.1	E	-11.4	0.0	RB	1
79	4	4	6	10.1	239	17.4	230	-5.1	-5.2	-0.1	E	-11.1	0.02	RB	1
79	4	4	7	10.6	232	18.9	226	-4.5	-4.8	-0.2	E	-11.1	0.16	RB	1
79	4	4	8	12.4	237	21.4	229	-3.7	-4.0	-0.3	D	-10.4	0.36	RB	1
79	4	4	9	12.3	238	16.8	223	-2.5	-2.9	-0.5	D	-9.3	0.80	RB	1
79	4	4	10	9.8	211	13.7	215	-1.6	-2.6	-1.0	A	-9.3	0.86	RB	1
79	4	4	11	10.0	195	11.8	207	-0.7	-1.6	-0.9	B	-8.8	0.90	RB	1
79	4	4	12	8.4	223	10.5	221	0.0	-0.7	-0.7	D	-8.0	0.84	RB	1
79	4	4	13	10.3	243	12.9	240	0.9	0.2	-0.7	D	-7.0	0.74	RB	1
79	4	4	14	10.4	190	13.1	207	0.1	-0.7	-0.8	C	-4.5	0.61	RB	1
79	4	4	15	8.5	232	11.8	225	0.4	-0.3	-0.7	D	-3.3	0.69	RB	1
79	4	4	16	6.6	204	9.8	212	0.6	-0.1	-0.7	D	-2.7	0.50	RB	1
79	4	4	17	5.2	209	8.7	213	0.4	-0.2	-0.6	D	-2.9	0.27	RB	1
79	4	4	18	9.5	249	13.2	239	1.1	0.8	-0.3	D	-4.2	0.07	RB	1
79	4	4	19	9.8	265	13.0	265	1.9	1.8	-0.1	E	-5.1	0.01	RB	1
79	4	4	20	11.7	269	15.6	268	2.1	2.0	-0.1	E	-5.5	0.0	RB	1
79	4	4	21	7.5	241	11.5	239	1.8	1.7	-0.1	E	-5.4	0.0	RB	1
79	4	4	22	9.8	248	15.0	237	1.8	1.6	-0.2	E	-5.7	0.0	RB	1
79	4	4	23	11.2	248	16.5	238	1.9	1.8	-0.2	E	-5.9	0.0	RB	1
79	4	4	24	7.8	254	11.5	240	2.0	1.8	-0.2	E	-5.5	0.0	RB	1
79	4	5	1	11.0	253	15.9	249	1.8	1.9	0.0	E	-5.4	0.0	RB	1
79	4	5	2	11.7	247	15.4	248	2.1	2.1	0.0	E	-5.5	0.0	RB	1
79	4	5	3	9.9	251	14.1	251	1.8	2.0	0.1	E	-5.6	0.0	RB	1
79	4	5	4	11.9	250	16.8	251	1.8	1.9	0.1	E	-5.7	0.0	RB	1
79	4	5	5	10.1	254	13.7	251	1.9	1.9	0.0	E	-6.0	0.0	RB	1
79	4	5	6	12.2	258	17.1	259	1.8	1.9	0.1	E	-5.9	0.03	RB	1
79	4	5	7	12.7	277	17.6	272	2.2	2.2	0.0	E	-5.5	0.22	RB	1
79	4	5	8	9.9	269	13.2	268	3.2	2.8	-0.4	D	-5.3	0.52	RB	1
79	4	5	9	10.2	276	12.4	269	3.9	3.3	-0.6	D	-5.0	0.83	RB	1
79	4	5	10	11.2	273	13.4	267	4.6	4.0	-0.6	D	-4.4	1.09	RB	1
79	4	5	11	10.3	265	12.9	259	5.3	4.7	-0.6	D	-4.4	1.26	RB	1
79	4	5	12	9.7	240	12.2	232	6.5	5.8	-0.6	D	-4.2	1.33	RB	1
79	4	5	13	8.5	239	10.8	231	7.1	6.5	-0.6	D	-3.7	1.18	RB	1
79	4	5	14	9.1	200	10.8	202	7.9	7.1	-0.8	C	-3.2	1.11	RB	1
79	4	5	15	7.8	200	10.6	205	8.3	7.4	-0.9	B	-2.7	1.00	RB	1
79	4	5	16	8.4	191	10.2	201	8.4	7.6	-0.8	C	-2.5	0.74	RB	1
79	4	5	17	7.5	190	11.1	204	8.1	7.5	-0.6	D	-2.6	0.46	RB	1
79	4	5	18	5.9	202	9.7	201	7.0	6.9	-0.1	E	-3.0	0.15	RB	1
79	4	5	19	4.4	239	9.3	205	5.6	5.9	0.3	E	-3.5	0.01	RB	1
79	4	5	20	5.5	244	12.1	206	5.3	5.8	0.5	E	-4.5	0.0	RB	1
79	4	5	21	6.0	234	11.7	206	5.0	5.7	0.7	E	-5.2	0.0	RB	1
79	4	5	22	5.5	246	13.1	202	4.6	5.7	1.1	F	-6.0	0.0	RB	1
79	4	5	23	5.5	258	14.2	204	4.6	5.8	1.2	F	-6.5	0.0	RB	1
79	4	5	24	7.5	264	12.3	211	4.7	5.5	0.8	F	-6.3	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C) SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR											
79	4	6	1	7.3	270	10.0	214	4.4	4.9	0.5 E	-6.1	0.0	RB	1
79	4	6	2	7.4	268	12.5	215	4.1	5.0	0.9 F	-6.5	0.0	RB	1
79	4	6	3	6.6	258	14.4	209	4.0	5.1	1.1 F	-6.1	0.0	RB	1
79	4	6	4	5.0	256	13.1	211	4.2	5.0	0.8 F	-6.3	0.0	RB	1
79	4	6	5	6.4	258	13.0	215	4.0	4.5	0.5 E	-6.5	0.0	RB	1
79	4	6	6	8.1	269	11.7	218	3.8	4.2	0.4 E	-7.0	0.03	RB	1
79	4	6	7	6.1	231	10.1	211	5.4	5.3	-0.1 E	-6.5	0.23	RB	1
79	4	6	8	4.6	125	6.5	166	6.5	6.3	-0.1 E	-5.6	0.53	RB	1
79	4	6	9	7.8	170	10.2	184	8.3	7.6	-0.7 D	-6.0	0.84	RB	1
79	4	6	10	11.8	178	13.6	181	9.6	8.7	-0.9 B	-5.7	1.09	RB	1
79	4	6	11	12.4	176	15.5	181	10.2	9.2	-1.0 A	-4.6	1.25	RB	1
79	4	6	12	12.4	185	16.3	193	10.7	9.9	-0.8 C	-4.1	1.34	RB	1
79	4	6	13	12.9	198	18.4	206	11.6	10.7	-0.8 C	-5.1	1.34	RB	1
79	4	6	14	14.7	202	23.0	209	11.8	11.1	-0.6 D	-5.7	1.22	RB	1
79	4	6	15	13.5	205	21.9	213	11.9	11.2	-0.7 D	-6.3	1.04	RB	1
79	4	6	16	12.2	203	20.4	210	11.7	11.2	-0.5 D	-5.6	0.73	RB	1
79	4	6	17	11.2	196	18.1	205	10.8	10.6	-0.2 E	-5.2	0.31	RB	1
79	4	6	18	10.8	205	20.2	212	10.2	10.2	0.0 E	-6.3	0.11	RB	1
79	4	6	19	6.6	211	16.5	212	8.8	9.4	0.6 E	-6.4	0.01	RB	1
79	4	6	20	5.4	225	15.3	211	8.2	9.0	0.8 F	-7.4	0.0	RB	1
79	4	6	21	6.5	213	15.7	217	8.2	8.7	0.4 E	-9.6	0.0	RB	1
79	4	6	22	8.1	204	17.4	220	7.6	8.2	0.6 E	-10.8	0.0	RB	1
79	4	6	23	7.4	223	17.7	221	7.5	7.9	0.4 E	-10.8	0.0	RB	1
79	4	6	24	7.2	217	18.2	221	7.1	7.5	0.4 E	-10.1	0.0	RB	1
79	4	7	1	11.4	241	18.9	226	7.6	7.9	0.3 E	-9.8	0.0	RB	1
79	4	7	2	13.4	250	20.9	233	7.3	7.6	0.3 E	-9.0	0.0	RB	1
79	4	7	3	12.2	248	19.8	230	7.1	7.2	0.1 E	-8.7	0.0	RB	1
79	4	7	4	9.7	254	14.8	227	6.7	6.7	0.0 E	-8.3	0.0	RB	1
79	4	7	5	9.3	265	13.5	237	5.7	6.0	0.3 E	-8.1	0.0	RB	1
79	4	7	6	9.6	271	11.5	236	4.9	5.1	0.2 E	-8.3	0.03	RB	1
79	4	7	7	8.4	235	12.0	226	6.4	6.2	-0.2 E	-7.9	0.24	RB	1
79	4	7	8	9.0	197	13.5	216	7.7	6.9	-0.8 C	-6.8	0.55	RB	1
79	4	7	9	10.7	243	14.9	229	9.0	8.5	-0.5 D	-6.9	0.86	RB	1
79	4	7	10	13.8	246	19.1	242	9.4	9.0	-0.4 D	-7.1	1.05	RB	1
79	4	7	11	15.5	254	19.5	249	9.8	9.4	-0.3 D	-6.8	1.08	RB	1
79	4	7	12	16.0	256	20.5	250	10.2	9.9	-0.3 D	-6.6	1.22	RB	1
79	4	7	13	11.0	233	16.5	226	10.6	10.0	-0.6 D	-4.8	1.05	RB	1
79	4	7	14	10.0	235	13.8	226	10.3	9.8	-0.5 D	-4.5	0.71	RB	1
79	4	7	15	15.8	248	21.4	243	9.9	9.8	-0.1 E	-6.5	0.39	RB	1
79	4	7	16	15.0	252	20.4	250	9.9	9.8	-0.1 E	-5.9	0.35	RB	1
79	4	7	17	14.5	250	20.6	244	9.6	9.6	0.0 E	-5.2	0.17	RB	1
79	4	7	18	11.4	268	16.6	264	9.2	9.4	0.2 E	-5.1	0.14	RB	1
79	4	7	19	12.4	309	17.2	306	7.6	8.0	0.4 E	-5.7	0.01	RB	1
79	4	7	20	8.6	331	12.4	328	6.3	6.6	0.3 E	-5.3	0.0	RB	1
79	4	7	21	4.6	51	9.1	51	4.2	4.4	0.2 E	-4.7	0.0	RB	1
79	4	7	22	3.3	82	5.8	67	2.9	2.9	0.0 E	-4.1	0.0	RB	1
79	4	7	23	2.3	338	5.5	45	2.3	2.4	0.1 E	-4.6	0.0	RB	1
79	4	7	24	1.3	252	3.0	58	2.0	2.0	0.1 E	-6.1	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	4	8	1	1.5	238	1.2	347	2.1	2.0	-0.1	E	-7.5	0.0	RB	1
79	4	8	2	1.9	250	0.8	270	2.2	2.1	-0.1	E	-8.2	0.0	RB	1
79	4	8	3	2.8	252	0.9	232	2.1	2.2	0.1	E	-8.1	0.0	RB	1
79	4	8	4	1.3	239	0.7	118	1.9	2.0	0.0	E	-7.9	0.0	RB	1
79	4	8	5	1.8	299	1.1	46	1.3	1.5	0.2	E	-7.9	0.0	RB	1
79	4	8	6	1.9	189	1.5	103	0.9	1.0	0.1	E	-7.8	0.03	RB	1
79	4	8	7	1.7	210	1.9	148	1.7	1.4	-0.3	D	-7.2	0.25	RB	1
79	4	8	8	4.9	114	5.7	109	2.8	2.3	-0.5	D	-7.0	0.56	RB	1
79	4	8	9	5.6	82	7.6	88	3.7	3.1	-0.6	D	-6.9	0.86	RB	1
79	4	8	10	5.2	115	6.4	108	5.1	4.5	-0.7	D	-6.9	1.10	RB	1
79	4	8	11	4.3	146	5.1	139	6.5	6.0	-0.6	D	-7.2	1.27	RB	1
79	4	8	12	4.0	197	4.1	177	7.9	7.3	-0.6	D	-7.4	1.34	RB	1
79	4	8	13	4.4	219	5.4	210	9.0	8.4	-0.6	D	-8.7	1.35	RB	1
79	4	8	14	4.2	172	4.2	183	10.0	9.4	-0.6	D	-8.0	1.23	RB	1
79	4	8	15	5.6	276	6.2	272	10.6	10.0	-0.6	D	-8.1	1.04	RB	1
79	4	8	16	5.7	317	5.9	313	10.6	9.9	-0.7	D	-7.5	0.78	RB	1
79	4	8	17	5.0	323	6.0	316	10.2	9.7	-0.5	D	-6.1	0.46	RB	1
79	4	8	18	4.3	299	5.5	305	9.3	9.1	-0.1	E	-5.5	0.15	RB	1
79	4	8	19	5.7	268	5.5	271	8.8	8.8	0.0	E	-5.3	0.01	RB	1
79	4	8	20	5.6	247	5.8	228	8.9	8.9	0.0	E	-4.7	0.0	RB	1
79	4	8	21	6.9	254	6.5	241	8.6	8.6	0.1	E	-4.5	0.0	RB	1
79	4	8	22	3.0	197	4.4	197	7.0	7.8	0.7	E	-4.5	0.0	RB	1
79	4	8	23	4.4	226	4.9	181	7.1	7.3	0.2	E	-5.4	0.0	RB	1
79	4	8	24	4.6	225	5.5	182	7.0	7.2	0.1	E	-6.8	0.0	RB	1
79	4	9	1	4.0	227	5.0	189	7.0	7.3	0.2	E	-6.9	0.0	RB	1
79	4	9	2	2.8	241	3.8	227	6.4	8.0	1.6	F	-7.5	0.0	RB	1
79	4	9	3	1.2	2	2.0	206	5.7	7.0	1.3	F	-8.1	0.0	RB	1
79	4	9	4	999.9	299	0.8	2	5.5	6.2	0.6	E	-8.2	0.0	RB	1
79	4	9	5	999.9	242	1.1	296	5.3	5.9	0.7	E	-8.6	0.0	RB	1
79	4	9	6	999.9	27	2.4	114	3.9	5.3	1.3	F	-8.7	0.04	RB	1
79	4	9	7	999.9	308	2.8	200	4.9	5.6	0.6	E	-8.8	0.22	RB	1
79	4	9	8	1.0	48	1.7	112	7.1	6.9	-0.3	D	-7.4	0.50	RB	1
79	4	9	9	1.6	67	3.1	76	8.3	7.9	-0.4	D	-6.2	0.84	RB	1
79	4	9	10	3.7	188	5.3	189	9.9	9.4	-0.5	D	-8.2	0.90	RB	1
79	4	9	11	4.6	258	6.4	245	9.9	9.4	-0.5	D	-9.2	0.59	RB	1
79	4	9	12	12.1	210	14.7	210	11.5	10.6	-0.9	B	-7.4	1.34	RB	1
79	4	9	13	17.9	190	23.9	194	11.0	10.2	-0.7	D	-6.8	1.22	RB	1
79	4	9	14	16.1	192	22.1	196	10.4	9.7	-0.8	C	-6.8	0.89	RB	1
79	4	9	15	11.8	202	19.1	210	9.9	8.9	-1.0	A	-5.1	0.69	RB	1
79	4	9	16	12.2	190	17.4	197	9.9	9.0	-0.9	B	-4.2	0.69	RB	1
79	4	9	17	10.2	193	14.8	200	8.6	8.0	-0.6	D	-3.7	0.27	RB	1
79	4	9	18	16.0	261	22.1	260	5.3	5.1	-0.3	D	-0.2	0.06	RB	1
79	4	9	19	11.5	236	15.7	227	2.4	2.6	0.2	E	1.2	0.01	RB	1
79	4	9	20	5.1	251	4.3	211	2.6	3.1	0.5	E	0.9	0.0	RB	1
79	4	9	21	2.9	191	6.2	171	2.4	2.8	0.4	E	1.0	0.0	RB	1
79	4	9	22	2.3	249	5.5	223	2.4	2.4	0.0	E	0.9	0.0	RB	1
79	4	9	23	4.5	233	7.9	228	1.3	1.2	-0.1	E	0.9	0.01	RB	1
79	4	9	24	3.6	230	8.4	222	0.4	0.2	-0.1	E	0.4	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	4	10	1	999.9	238	3.7	190	0.4	0.5	0.1	E	0.4	0.0	RB	1
79	4	10	2	999.9	130	2.9	160	0.6	0.4	-0.2	E	0.4	0.0	RB	1
79	4	10	3	0.8	23	3.8	97	0.3	0.3	0.0	E	0.4	0.0	RB	1
79	4	10	4	1.3	67	5.0	55	-0.3	-0.5	-0.2	E	0.3	0.0	RB	1
79	4	10	5	2.6	55	5.3	52	-0.6	-0.9	-0.4	D	0.1	0.0	RB	1
79	4	10	6	2.6	48	4.7	45	-0.8	-1.1	-0.3	D	-0.2	0.01	RB	1
79	4	10	7	4.2	43	7.3	35	-0.9	-1.3	-0.4	D	-0.3	0.03	RB	1
79	4	10	8	6.6	42	11.0	34	-1.1	-1.5	-0.4	D	-0.8	0.04	RB	1
79	4	10	9	5.8	40	8.6	28	-1.2	-1.6	-0.4	D	-1.0	0.07	RB	1
79	4	10	10	9.5	16	11.5	11	-1.4	-2.0	-0.6	D	-1.9	0.14	RB	1
79	4	10	11	10.5	355	12.7	350	-1.4	-2.0	-0.6	D	-2.3	0.11	RB	1
79	4	10	12	11.2	330	13.7	323	-2.3	-2.8	-0.6	D	-3.2	0.16	RB	1
79	4	10	13	7.7	332	9.0	324	-2.2	-2.8	-0.6	D	-3.2	0.19	RB	1
79	4	10	14	6.0	284	7.2	279	-2.2	-2.8	-0.6	D	-3.7	0.17	RB	1
79	4	10	15	5.5	319	6.2	315	-2.3	-2.8	-0.5	D	-3.7	0.14	RB	1
79	4	10	16	7.8	322	9.3	313	-2.3	-2.9	-0.5	D	-3.7	0.11	RB	1
79	4	10	17	7.7	329	9.1	319	-2.5	-3.0	-0.5	D	-3.8	0.06	RB	1
79	4	10	18	8.3	304	10.7	296	-2.9	-3.3	-0.4	D	-4.4	0.02	RB	1
79	4	10	19	9.7	308	13.1	298	-3.2	-3.6	-0.4	D	-5.0	0.0	RB	1
79	4	10	20	10.6	322	14.5	310	-3.5	-3.8	-0.4	D	-5.3	0.0	RB	1
79	4	10	21	9.7	308	13.0	303	-3.6	-3.9	-0.4	D	-5.2	0.0	RB	1
79	4	10	22	13.7	297	17.3	291	-3.4	-3.7	-0.3	D	-5.4	0.0	RB	1
79	4	10	23	14.5	286	19.6	281	-3.5	-3.8	-0.3	D	-5.3	0.0	RB	1
79	4	10	24	15.7	275	22.4	273	-4.0	-4.3	-0.2	E	-5.3	0.0	RB	1
79	4	11	1	15.7	272	22.6	270	-4.4	-4.7	-0.2	E	-5.7	0.0	RB	1
79	4	11	2	16.3	272	22.6	271	-4.5	-4.8	-0.2	E	-6.2	0.0	RB	1
79	4	11	3	17.8	283	24.3	281	-4.5	-4.7	-0.2	E	-6.3	0.0	RB	1
79	4	11	4	20.0	291	26.7	286	-4.4	-4.7	-0.3	D	-6.4	0.0	RB	1
79	4	11	5	19.1	291	24.8	287	-4.6	-4.9	-0.3	D	-6.6	0.0	RB	1
79	4	11	6	18.5	290	24.5	288	-4.7	-5.0	-0.3	D	-6.8	0.02	RB	1
79	4	11	7	20.9	296	26.8	292	-4.5	-4.8	-0.4	D	-7.0	0.10	RB	1
79	4	11	8	19.1	300	23.9	294	-4.2	-4.6	-0.4	D	-6.8	0.25	RB	1
79	4	11	9	16.3	298	20.6	293	-3.8	-4.3	-0.4	D	-6.9	0.47	RB	1
79	4	11	10	15.9	295	19.5	289	-3.6	-4.1	-0.5	D	-7.1	0.61	RB	1
79	4	11	11	16.8	296	20.4	289	-3.3	-3.8	-0.5	D	-6.9	0.64	RB	1
79	4	11	12	14.4	303	17.4	297	-3.4	-3.9	-0.6	D	-6.6	0.59	RB	1
79	4	11	13	11.1	305	12.6	299	-3.0	-3.7	-0.7	D	-6.1	0.62	RB	1
79	4	11	14	10.5	303	12.3	298	-2.2	-3.0	-0.7	D	-6.0	0.65	RB	1
79	4	11	15	10.1	297	11.8	292	-2.2	-2.9	-0.7	D	-6.5	0.54	RB	1
79	4	11	16	9.4	277	11.3	274	-2.4	-3.1	-0.7	D	-6.2	0.40	RB	1
79	4	11	17	5.8	276	7.6	271	-3.0	-3.5	-0.5	D	-5.4	0.15	RB	1
79	4	11	18	5.4	298	7.5	295	-3.1	-3.6	-0.4	D	-5.9	0.10	RB	1
79	4	11	19	4.0	265	5.7	289	-3.6	-3.8	-0.1	E	-6.6	0.01	RB	1
79	4	11	20	5.6	282	9.0	301	-4.0	-3.7	0.3	E	-7.2	0.0	RB	1
79	4	11	21	8.4	305	12.2	309	-4.0	-4.0	0.0	E	-6.6	0.0	RB	1
79	4	11	22	7.8	295	11.2	298	-3.7	-3.3	0.4	E	-9.0	0.0	RB	1
79	4	11	23	10.2	288	12.2	308	-4.2	-3.1	1.0	F	-10.6	0.0	RB	1
79	4	11	24	11.6	291	14.1	307	-4.6	-3.5	1.2	F	-10.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	4	12	1	10.6	283	13.1	297	-4.8	-3.8	1.0	F	-10.9	0.0	RB	1
79	4	12	2	10.0	279	12.0	297	-4.9	-4.1	0.8	F	-9.9	0.0	RB	1
79	4	12	3	9.5	263	10.9	275	-4.6	-4.3	0.3	E	-8.8	0.0	RB	1
79	4	12	4	9.9	264	13.2	270	-4.8	-4.8	0.0	E	-8.7	0.0	RB	1
79	4	12	5	9.9	260	13.0	267	-5.1	-5.1	0.0	E	-8.9	0.0	RB	1
79	4	12	6	8.8	262	10.3	274	-5.5	-5.3	0.2	E	-9.1	0.05	RB	1
79	4	12	7	6.8	279	8.0	287	-4.5	-4.8	-0.4	D	-9.5	0.38	RB	1
79	4	12	8	7.9	316	8.8	312	-3.6	-4.2	-0.6	D	-10.0	0.70	RB	1
79	4	12	9	8.8	314	9.8	307	-2.9	-3.6	-0.7	D	-10.2	1.00	RB	1
79	4	12	10	11.3	313	12.7	307	-2.4	-3.3	-0.8	C	-10.1	1.10	RB	1
79	4	12	11	9.5	322	10.7	318	-1.9	-2.8	-0.9	B	-9.1	1.03	RB	1
79	4	12	12	10.1	320	11.9	317	-1.5	-2.4	-0.9	B	-8.2	0.96	RB	1
79	4	12	13	12.4	294	13.9	293	999.9	999.9	999.9	-	-8.4	0.92	RB	1
79	4	12	14	8.7	250	10.7	250	999.9	999.9	999.9	-	-6.5	0.89	RB	1
79	4	12	15	13.2	272	16.0	283	999.9	999.9	999.9	-	-7.1	0.44	RB	1
79	4	12	16	12.7	241	15.6	252	-2.1	-2.6	-0.5	D	-7.7	0.66	RB	1
79	4	12	17	10.2	268	13.1	270	-0.8	-1.4	-0.6	D	-10.1	0.41	RB	1
79	4	12	18	12.9	243	17.9	244	-2.7	-3.0	-0.3	D	-6.1	0.11	RB	1
79	4	12	19	9.6	240	11.7	247	-2.6	-2.0	0.7	E	-7.7	0.01	RB	1
79	4	12	20	10.6	240	14.3	240	-2.6	-2.1	0.5	E	-7.8	0.0	RB	1
79	4	12	21	11.2	253	15.9	258	-2.3	-2.1	0.2	E	-7.4	0.0	RB	1
79	4	12	22	9.4	270	12.2	272	-2.8	-2.7	0.1	E	-8.0	0.0	RB	1
79	4	12	23	8.6	256	11.7	252	-3.0	-2.7	0.2	E	-7.8	0.0	RB	1
79	4	12	24	8.9	249	12.8	244	-3.1	-2.8	0.3	E	-8.6	0.0	RB	1
79	4	13	1	8.9	245	12.8	243	-3.3	-3.1	0.3	E	-11.1	0.0	RB	1
79	4	13	2	8.4	240	12.1	247	-3.1	-2.8	0.4	E	-11.8	0.0	RB	1
79	4	13	3	7.6	251	11.1	255	-3.0	-2.7	0.3	E	-11.9	0.0	RB	1
79	4	13	4	5.5	186	6.2	186	-4.2	-3.3	0.9	F	-11.1	0.0	RB	1
79	4	13	5	5.1	193	7.5	177	-4.0	-3.3	0.7	E	-9.8	0.0	RB	1
79	4	13	6	4.2	180	6.6	175	-3.3	-2.8	0.5	E	-9.1	0.03	RB	1
79	4	13	7	6.4	197	10.6	205	-1.8	-2.0	-0.2	E	-7.9	0.16	RB	1
79	4	13	8	6.8	188	9.3	197	-0.7	-1.3	-0.6	D	-7.7	0.34	RB	1
79	4	13	9	9.3	174	12.4	192	-0.2	-1.0	-0.7	D	-6.8	0.53	RB	1
79	4	13	10	11.0	192	17.3	208	1.1	0.1	-1.0	A	-6.0	1.00	RB	1
79	4	13	11	11.7	201	16.7	215	3.3	2.0	-1.2	A	-4.7	1.20	RB	1
79	4	13	12	9.1	217	13.5	216	4.9	3.7	-1.2	A	-3.9	1.32	RB	1
79	4	13	13	11.1	239	16.4	226	5.9	5.1	-0.8	C	-3.8	1.20	RB	1
79	4	13	14	12.5	238	18.3	229	6.6	5.8	-0.8	C	-4.4	1.14	RB	1
79	4	13	15	12.2	238	18.4	231	6.6	5.9	-0.7	D	-4.5	0.98	RB	1
79	4	13	16	10.1	232	14.6	225	6.6	6.0	-0.6	D	-4.3	0.60	RB	1
79	4	13	17	11.7	244	17.4	240	6.0	5.8	-0.2	E	-4.3	0.16	RB	1
79	4	13	18	11.1	244	17.0	243	6.3	6.1	-0.2	E	-5.0	0.13	RB	1
79	4	13	19	8.2	242	14.0	244	5.4	5.5	0.2	E	-5.0	0.01	RB	1
79	4	13	20	5.8	250	10.3	227	4.6	4.7	0.2	E	-5.0	0.0	RB	1
79	4	13	21	6.1	260	9.3	224	3.8	3.8	0.0	E	-4.7	0.0	RB	1
79	4	13	22	8.1	255	11.0	238	4.4	4.5	0.2	E	-5.2	0.0	RB	1
79	4	13	23	8.0	266	8.9	227	4.5	4.3	-0.2	E	-5.3	0.0	RB	1
79	4	13	24	6.1	259	8.1	238	4.9	4.6	-0.3	D	-5.9	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	4	14	1	6.9	253	9.8	233	4.5	4.3	-0.1	E	-5.6	0.0	RB	1
79	4	14	2	7.9	248	11.2	232	4.7	4.7	0.0	E	-6.1	0.0	RB	1
79	4	14	3	8.8	249	11.6	234	4.7	4.8	0.0	E	-6.2	0.0	RB	1
79	4	14	4	9.3	240	12.0	232	5.4	5.5	0.1	E	-6.4	0.0	RB	1
79	4	14	5	9.9	241	12.8	236	5.3	5.7	0.3	E	-6.3	0.0	RB	1
79	4	14	6	9.4	243	11.5	234	4.9	5.3	0.4	E	-6.1	0.05	RB	1
79	4	14	7	4.4	199	6.5	223	5.8	5.5	-0.3	D	-5.2	0.28	RB	1
79	4	14	8	7.4	182	7.7	205	7.5	6.9	-0.6	D	-4.7	0.58	RB	1
79	4	14	9	6.4	245	8.3	226	8.6	7.8	-0.8	C	-4.6	0.89	RB	1
79	4	14	10	8.1	241	10.9	235	9.2	8.3	-0.9	B	-4.4	1.10	RB	1
79	4	14	11	6.4	257	7.7	249	9.9	9.1	-0.8	C	-3.6	1.16	RB	1
79	4	14	12	7.2	264	8.7	254	10.1	9.3	-0.7	D	-2.9	0.83	RB	1
79	4	14	13	6.8	287	8.5	281	10.7	9.8	-1.0	A	-2.1	1.11	RB	1
79	4	14	14	8.4	282	10.2	273	11.4	10.5	-1.0	A	-3.6	1.08	RB	1
79	4	14	15	6.3	240	7.7	237	11.6	10.9	-0.7	D	-3.3	0.59	RB	1
79	4	14	16	8.4	212	11.4	211	12.3	11.5	-0.8	C	-3.2	0.68	RB	1
79	4	14	17	8.4	197	12.2	209	12.0	11.4	-0.6	D	-3.5	0.45	RB	1
79	4	14	18	7.4	203	13.3	213	10.8	10.7	-0.1	E	-3.4	0.19	RB	1
79	4	14	19	4.4	235	13.1	205	9.1	9.9	0.8	F	-2.8	0.01	RB	1
79	4	14	20	4.2	242	11.6	194	8.1	9.3	1.3	F	-3.5	0.0	RB	1
79	4	14	21	5.4	260	12.6	211	8.2	9.4	1.2	F	-5.1	0.0	RB	1
79	4	14	22	7.3	272	10.1	226	8.5	9.1	0.6	F	-5.5	0.0	RB	1
79	4	14	23	3.5	238	5.6	228	8.3	8.7	0.4	E	-5.9	0.0	RB	1
79	4	14	24	3.9	254	10.2	212	8.4	9.2	0.8	F	-6.3	0.0	RB	1
79	4	15	1	6.2	217	13.5	201	8.5	9.1	0.6	E	-6.8	0.0	RB	1
79	4	15	2	3.9	223	12.3	208	8.5	9.1	0.6	E	-7.0	0.0	RB	1
79	4	15	3	6.9	222	17.7	210	8.8	9.3	0.5	E	-7.4	0.0	RB	1
79	4	15	4	5.6	229	16.3	217	8.4	8.8	0.4	E	-7.2	0.0	RB	1
79	4	15	5	7.0	211	17.2	215	8.2	8.6	0.5	E	-7.3	0.0	RB	1
79	4	15	6	7.0	202	14.8	218	8.4	8.5	0.2	E	-7.2	0.06	RB	1
79	4	15	7	4.6	156	9.2	207	9.2	9.2	-0.1	E	-6.1	0.29	RB	1
79	4	15	8	7.4	181	9.7	201	11.3	10.6	-0.6	D	-5.6	0.59	RB	1
79	4	15	9	11.1	186	14.9	201	12.4	11.4	-1.0	A	-5.5	0.89	RB	1
79	4	15	10	11.6	190	16.0	203	13.5	12.3	-1.2	A	-5.2	1.11	RB	1
79	4	15	11	11.3	207	14.9	210	14.0	12.9	-1.1	A	-5.0	1.22	RB	1
79	4	15	12	11.7	213	18.2	219	14.5	13.3	-1.2	A	-4.8	1.32	RB	1
79	4	15	13	12.1	207	18.6	214	14.9	13.6	-1.3	A	-5.9	1.37	RB	1
79	4	15	14	9.5	210	14.3	211	15.0	13.8	-1.2	A	-6.1	1.26	RB	1
79	4	15	15	8.3	210	11.6	210	15.2	14.1	-1.1	A	-5.9	1.07	RB	1
79	4	15	16	8.3	197	11.7	205	15.1	14.2	-0.9	B	-5.9	0.80	RB	1
79	4	15	17	9.2	186	12.2	189	14.5	13.9	-0.6	D	-5.6	0.47	RB	1
79	4	15	18	7.3	202	12.0	193	12.8	12.8	-0.1	E	-4.7	0.18	RB	1
79	4	15	19	999.9	999	11.3	199	11.4	12.4	0.9	F	-5.2	0.01	RB	1
79	4	15	20	999.9	999	13.3	212	10.7	12.2	1.5	F	-6.5	0.0	RB	1
79	4	15	21	999.9	999	15.5	217	10.5	12.2	1.7	F	-6.1	0.0	RB	1
79	4	15	22	999.9	999	15.5	208	10.5	12.4	1.9	F	-6.2	0.0	RB	1
79	4	15	23	999.9	999	14.1	215	10.8	12.8	2.0	G	-7.0	0.0	RB	1
79	4	15	24	999.9	999	13.2	219	11.0	12.6	1.6	F	-7.9	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	4	16	1	5.8	255	11.1	206	10.4	11.9	1.5	F	-8.7	0.0	RB	1
79	4	16	2	2.6	128	6.9	181	9.3	10.2	0.9	F	-8.9	0.0	RB	1
79	4	16	3	1.5	360	2.8	166	8.6	9.6	1.0	F	-8.6	0.0	RB	1
79	4	16	4	2.1	306	4.1	199	8.4	9.5	1.0	F	-7.3	0.0	RB	1
79	4	16	5	5.8	237	14.4	209	9.5	10.3	0.8	F	-7.8	0.0	RB	1
79	4	16	6	9.9	205	19.3	206	10.2	10.7	0.5	E	-7.4	0.07	RB	1
79	4	16	7	6.7	195	12.6	207	11.7	11.4	-0.3	D	-6.6	0.30	RB	1
79	4	16	8	8.2	170	11.6	186	13.2	12.5	-0.7	D	-6.6	0.60	RB	1
79	4	16	9	11.6	183	13.9	191	14.4	13.3	-1.0	A	-6.4	0.91	RB	1
79	4	16	10	9.9	199	13.4	202	15.2	14.1	-1.1	A	-6.6	1.11	RB	1
79	4	16	11	11.6	196	15.8	206	15.7	14.4	-1.2	A	-8.0	1.23	RB	1
79	4	16	12	13.5	187	17.6	197	15.8	14.6	-1.2	A	-7.4	1.33	RB	1
79	4	16	13	11.9	193	16.6	198	16.2	14.9	-1.3	A	-7.2	1.37	RB	1
79	4	16	14	13.2	181	17.1	183	16.1	15.0	-1.1	A	-6.5	1.25	RB	1
79	4	16	15	13.3	178	16.8	182	16.4	15.3	-1.1	A	-6.3	1.06	RB	1
79	4	16	16	8.8	181	11.7	183	16.4	15.5	-1.0	A	-6.0	0.80	RB	1
79	4	16	17	10.4	173	12.8	171	16.3	15.6	-0.7	D	-6.8	0.50	RB	1
79	4	16	18	6.9	200	11.6	194	15.3	15.2	-0.1	E	-5.4	0.20	RB	1
79	4	16	19	5.3	236	14.2	202	13.1	14.1	1.0	F	-4.3	0.01	RB	1
79	4	16	20	7.4	223	16.5	208	12.5	13.1	0.6	E	-6.4	0.0	RB	1
79	4	16	21	6.5	246	14.0	216	11.7	12.5	0.8	F	-7.4	0.0	RB	1
79	4	16	22	4.3	233	12.9	211	11.3	12.2	0.9	F	-7.9	0.0	RB	1
79	4	16	23	4.7	199	14.8	207	10.6	11.8	1.2	F	-7.5	0.0	RB	1
79	4	16	24	5.2	203	11.1	190	11.1	12.0	0.9	F	-8.6	0.0	RB	1
79	4	17	1	2.2	107	5.4	159	10.1	11.0	0.9	F	-8.0	0.0	RB	1
79	4	17	2	2.9	19	4.8	151	9.5	10.0	0.6	E	-7.9	0.0	RB	1
79	4	17	3	8.2	202	16.4	195	10.5	11.2	0.7	E	-8.1	0.0	RB	1
79	4	17	4	10.4	202	999.9	197	10.4	10.8	0.3	E	-7.4	0.0	RB	1
79	4	17	5	9.0	204	999.9	203	9.7	10.0	0.3	E	-6.9	0.0	RB	1
79	4	17	6	8.6	185	999.9	181	7.5	9.1	1.6	F	-6.1	0.02	RB	1
79	4	17	7	9.8	176	999.9	177	7.3	8.3	1.1	F	-6.2	0.18	RB	1
79	4	17	8	15.0	171	999.9	171	10.5	9.8	-0.7	D	-6.1	0.61	RB	1
79	4	17	9	15.7	176	19.4	177	12.1	11.1	-1.0	A	-5.3	0.91	RB	1
79	4	17	10	16.3	182	21.5	188	13.7	12.6	-1.1	A	-4.7	1.11	RB	1
79	4	17	11	19.3	187	27.4	196	15.1	14.1	-1.0	A	-5.6	1.23	RB	1
79	4	17	12	19.2	188	26.3	194	15.6	14.6	-1.0	A	-5.2	1.30	RB	1
79	4	17	13	20.0	189	27.4	194	15.5	14.6	-0.9	B	-4.7	1.21	RB	1
79	4	17	14	20.3	184	28.9	191	15.4	14.6	-0.8	C	-4.1	1.17	RB	1
79	4	17	15	16.6	187	23.8	192	15.4	14.5	-0.9	B	-3.7	0.84	RB	1
79	4	17	16	19.7	182	27.7	185	15.4	14.7	-0.6	D	-4.1	0.49	RB	1
79	4	17	17	11.7	185	16.9	189	14.5	13.9	-0.6	D	-3.5	0.36	RB	1
79	4	17	18	12.4	178	18.1	177	13.9	13.6	-0.3	D	-3.4	0.07	RB	1
79	4	17	19	14.4	186	22.2	186	12.8	12.7	-0.1	E	-3.2	0.01	RB	1
79	4	17	20	12.6	190	20.6	186	11.5	11.5	0.1	E	-2.6	0.01	RB	1
79	4	17	21	11.9	192	19.4	187	11.1	11.2	0.1	E	-2.6	0.0	RB	1
79	4	17	22	12.4	192	20.0	188	10.6	10.7	0.1	E	-1.9	0.0	RB	1
79	4	17	23	10.5	188	18.8	186	9.9	10.6	0.7	E	-2.1	0.0	RB	1
79	4	17	24	5.5	196	13.7	187	9.3	10.5	1.2	F	-3.5	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	4	18	1	7.2	188	15.4	189	9.2	10.0	0.9	F	-5.4	0.0	RB	1
79	4	18	2	4.6	177	13.3	182	8.4	9.4	1.0	F	-6.2	0.0	RB	1
79	4	18	3	4.0	165	11.8	175	7.7	8.7	1.0	F	-7.3	0.0	RB	1
79	4	18	4	2.5	186	9.8	172	7.1	8.1	1.0	F	-7.5	0.0	RB	1
79	4	18	5	4.5	186	12.1	178	6.4	7.7	1.3	F	-7.3	0.0	RB	1
79	4	18	6	5.0	186	13.1	183	6.3	7.4	1.1	F	-7.4	0.07	RB	1
79	4	18	7	11.5	178	17.0	178	8.3	8.1	-0.2	E	-6.6	0.31	RB	1
79	4	18	8	17.4	185	24.3	190	9.6	8.9	-0.7	D	-6.6	0.62	RB	1
79	4	18	9	18.1	188	25.7	196	10.5	9.6	-0.9	B	-7.7	0.95	RB	1
79	4	18	10	21.3	182	28.8	185	11.0	10.2	-0.8	C	-8.2	1.18	RB	1
79	4	18	11	21.6	182	29.0	185	11.7	10.9	-0.8	C	-8.6	1.16	RB	1
79	4	18	12	22.0	185	29.2	187	11.8	10.9	-0.9	B	-9.0	1.12	RB	1
79	4	18	13	20.4	187	29.2	191	12.2	11.4	-0.8	C	-8.8	0.96	RB	1
79	4	18	14	17.6	196	26.7	205	13.2	12.2	-1.0	A	-7.8	1.19	RB	1
79	4	18	15	17.5	199	27.2	205	13.1	12.2	-0.9	B	-7.3	0.95	RB	1
79	4	18	16	15.7	200	25.4	209	12.6	11.9	-0.7	D	-7.9	0.62	RB	1
79	4	18	17	11.9	212	18.8	217	12.7	12.1	-0.6	D	-8.8	0.44	RB	1
79	4	18	18	9.6	230	14.8	225	11.6	11.3	-0.3	D	-9.5	0.14	RB	1
79	4	18	19	8.6	248	14.2	240	10.1	10.6	0.5	E	-9.2	0.01	RB	1
79	4	18	20	10.5	240	18.2	231	10.1	10.1	0.0	E	-8.9	0.0	RB	1
79	4	18	21	11.9	279	16.8	281	6.8	6.7	-0.1	E	-5.5	0.01	RB	1
79	4	18	22	15.1	274	20.3	276	5.9	5.9	0.0	E	-4.7	0.01	RB	1
79	4	18	23	11.9	268	16.4	269	5.4	5.5	0.1	E	-4.4	0.0	RB	1
79	4	18	24	12.6	270	17.8	272	4.9	4.8	-0.1	E	-3.6	0.0	RB	1
79	4	19	1	16.9	271	24.0	271	1.9	1.6	-0.3	D	-0.8	0.01	RB	1
79	4	19	2	10.8	240	14.9	237	2.0	2.2	0.1	E	-0.7	0.0	RB	1
79	4	19	3	7.2	263	10.9	260	2.5	2.6	0.1	E	-1.9	0.0	RB	1
79	4	19	4	7.3	246	12.3	252	1.5	1.6	0.1	E	-1.7	0.0	RB	1
79	4	19	5	2.3	332	5.0	290	0.5	0.5	0.0	E	-2.1	0.0	RB	1
79	4	19	6	6.0	260	9.5	268	0.0	0.2	0.2	E	-3.8	0.03	RB	1
79	4	19	7	3.9	155	3.9	179	0.8	0.5	-0.4	D	-4.4	0.30	RB	1
79	4	19	8	7.0	260	8.2	248	2.5	1.8	-0.7	D	-6.4	0.56	RB	1
79	4	19	9	8.3	255	9.9	247	3.3	2.5	-0.8	C	-6.8	0.74	RB	1
79	4	19	10	8.9	280	10.1	272	3.3	2.5	-0.7	D	-6.1	0.47	RB	1
79	4	19	11	9.9	312	11.6	304	2.8	2.0	-0.8	C	-4.6	0.55	RB	1
79	4	19	12	9.2	259	11.3	255	4.1	3.3	-0.8	C	-6.5	0.57	RB	1
79	4	19	13	12.6	302	14.5	296	4.2	3.4	-0.9	B	-6.0	0.90	RB	1
79	4	19	14	13.8	266	16.6	261	4.7	3.9	-0.8	C	-7.3	0.72	RB	1
79	4	19	15	13.5	216	18.0	220	3.0	2.5	-0.5	D	-7.4	0.17	RB	1
79	4	19	16	7.8	183	9.6	197	2.5	1.9	-0.6	D	-6.0	0.31	RB	1
79	4	19	17	5.6	175	6.1	200	2.4	1.9	-0.5	D	-4.7	0.16	RB	1
79	4	19	18	4.9	194	6.3	205	2.3	2.0	-0.3	D	-5.1	0.11	RB	1
79	4	19	19	7.6	294	11.9	297	2.2	2.5	0.4	E	-8.0	0.02	RB	1
79	4	19	20	8.5	283	12.6	296	1.5	2.4	0.9	F	-8.3	0.0	RB	1
79	4	19	21	4.3	321	7.6	325	0.9	1.3	0.4	E	-7.8	0.0	RB	1
79	4	19	22	3.4	316	4.1	334	0.3	0.2	-0.1	E	-8.0	0.0	RB	1
79	4	19	23	3.2	320	6.6	2	-1.0	-0.9	0.1	E	-6.6	0.0	RB	1
79	4	19	24	2.1	281	4.3	347	-1.5	-1.5	0.0	E	-6.3	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	4	20	1	2.2	315	3.9	356	-1.4	-1.6	-0.2	E	-7.0	0.0	RB	1
79	4	20	2	4.1	297	4.4	339	-1.7	-1.7	0.0	E	-7.1	0.0	RB	1
79	4	20	3	3.8	303	4.5	355	-1.9	-1.9	0.1	E	-7.1	0.0	RB	1
79	4	20	4	3.5	298	3.4	10	-2.2	-2.2	0.1	E	-7.7	0.0	RB	1
79	4	20	5	3.6	295	3.0	3	-2.6	-2.5	0.1	E	-7.7	0.0	RB	1
79	4	20	6	2.6	295	2.0	8	-2.5	-2.6	-0.2	E	-7.9	0.08	RB	1
79	4	20	7	1.5	199	1.4	125	-1.7	-2.1	-0.4	D	-7.2	0.33	RB	1
79	4	20	8	3.0	124	3.4	114	-0.3	-0.9	-0.6	D	-7.0	0.62	RB	1
79	4	20	9	3.4	213	3.1	135	1.4	0.9	-0.5	D	-6.6	0.91	RB	1
79	4	20	10	8.3	254	9.3	243	3.3	2.6	-0.8	C	-9.7	1.13	RB	1
79	4	20	11	10.2	257	12.2	247	4.3	3.3	-0.9	B	-11.9	1.26	RB	1
79	4	20	12	10.3	243	12.7	238	5.6	4.6	-1.0	A	-13.1	1.35	RB	1
79	4	20	13	9.6	246	11.9	242	6.7	5.8	-1.0	A	-14.9	1.38	RB	1
79	4	20	14	8.6	255	10.2	243	7.7	6.7	-1.0	A	-15.4	1.25	RB	1
79	4	20	15	7.5	254	8.8	248	8.2	7.3	-0.9	B	-14.8	1.05	RB	1
79	4	20	16	4.9	307	5.9	300	8.7	8.0	-0.7	D	-13.6	0.79	RB	1
79	4	20	17	9.1	170	11.4	170	8.7	7.9	-0.7	D	-11.9	0.50	RB	1
79	4	20	18	7.5	180	11.1	180	7.9	7.6	-0.3	D	-11.1	0.19	RB	1
79	4	20	19	5.5	212	10.6	192	6.4	6.6	0.2	E	-10.5	0.02	RB	1
79	4	20	20	7.3	245	9.8	211	6.1	6.7	0.7	E	-10.6	0.0	RB	1
79	4	20	21	6.2	252	6.1	209	6.2	6.4	0.3	E	-10.9	0.0	RB	1
79	4	20	22	6.6	246	6.8	220	6.3	6.4	0.1	E	-12.1	0.0	RB	1
79	4	20	23	9.1	252	13.0	254	5.8	6.7	0.9	F	-12.4	0.0	RB	1
79	4	20	24	6.9	248	9.7	262	6.1	6.7	0.6	E	-12.8	0.0	RB	1
79	4	21	1	2.8	191	3.0	321	4.6	5.7	1.1	F	-12.1	0.0	RB	1
79	4	21	2	2.9	218	1.7	173	5.4	6.1	0.7	E	-13.0	0.0	RB	1
79	4	21	3	2.2	212	2.7	181	6.5	6.7	0.3	E	-13.5	0.0	RB	1
79	4	21	4	2.8	229	4.3	184	6.2	6.4	0.2	E	-13.2	0.0	RB	1
79	4	21	5	4.1	231	4.6	187	6.6	6.7	0.1	E	-12.9	0.0	RB	1
79	4	21	6	3.4	208	5.0	186	6.2	6.3	0.1	E	-13.1	0.07	RB	1
79	4	21	7	0.8	117	2.3	159	6.1	6.3	0.2	E	-10.6	0.26	RB	1
79	4	21	8	3.7	137	6.1	161	8.1	7.6	-0.5	D	-9.8	0.51	RB	1
79	4	21	9	7.8	191	10.3	195	10.3	9.4	-0.9	B	-10.8	0.85	RB	1
79	4	21	10	7.4	197	9.7	205	11.4	10.4	-1.0	A	-10.6	1.05	RB	1
79	4	21	11	8.7	204	11.4	205	12.5	11.4	-1.0	A	-11.3	1.22	RB	1
79	4	21	12	15.1	186	20.1	197	13.5	12.3	-1.2	A	-11.8	1.22	RB	1
79	4	21	13	13.2	194	18.3	203	13.4	12.2	-1.2	A	-12.0	0.93	RB	1
79	4	21	14	11.8	198	17.5	207	13.5	12.4	-1.0	A	-12.0	0.75	RB	1
79	4	21	15	11.6	215	18.0	216	14.2	13.1	-1.1	A	-11.6	0.87	RB	1
79	4	21	16	11.5	211	17.1	216	14.3	13.4	-0.9	B	-10.5	0.80	RB	1
79	4	21	17	9.8	222	15.5	222	14.1	13.4	-0.7	D	-10.4	0.47	RB	1
79	4	21	18	8.0	216	14.0	219	12.9	12.6	-0.3	D	-10.4	0.17	RB	1
79	4	21	19	4.3	236	11.6	221	11.2	11.5	0.2	E	-10.5	0.02	RB	1
79	4	21	20	7.7	252	9.8	227	10.8	11.3	0.5	E	-10.9	0.0	RB	1
79	4	21	21	8.4	245	8.5	230	11.0	11.4	0.4	E	-11.4	0.0	RB	1
79	4	21	22	7.2	246	9.5	222	10.3	10.9	0.6	E	-11.5	0.0	RB	1
79	4	21	23	6.7	251	9.3	238	10.3	10.8	0.6	E	-12.2	0.0	RB	1
79	4	21	24	7.5	241	9.0	222	10.4	11.0	0.6	E	-12.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	4	22	1	8.0	247	8.2	242	11.0	11.2	0.2	E	-14.0	0.0	RB	1
79	4	22	2	7.0	239	7.6	222	10.4	11.0	0.6	E	-13.8	0.0	RB	1
79	4	22	3	6.8	246	8.9	206	9.6	10.5	0.9	F	-13.8	0.0	RB	1
79	4	22	4	3.8	258	12.9	206	8.5	9.6	1.2	F	-13.2	0.0	RB	1
79	4	22	5	4.3	251	14.7	210	8.3	9.2	0.9	F	-12.4	0.0	RB	1
79	4	22	6	3.4	212	13.1	204	8.8	9.5	0.6	E	-11.9	0.08	RB	1
79	4	22	7	6.7	170	11.7	182	10.2	9.9	-0.2	E	-10.5	0.35	RB	1
79	4	22	8	9.6	176	12.2	187	11.2	10.6	-0.6	D	-9.3	0.44	RB	1
79	4	22	9	12.0	178	14.9	188	12.2	11.3	-0.8	C	-7.3	0.74	RB	1
79	4	22	10	12.2	186	16.2	192	12.7	11.7	-1.0	A	-6.0	0.88	RB	1
79	4	22	11	14.1	193	20.4	197	14.0	12.7	-1.2	A	-6.4	1.13	RB	1
79	4	22	12	17.3	190	23.4	197	14.7	13.5	-1.1	A	-6.3	1.17	RB	1
79	4	22	13	15.9	198	23.4	205	15.1	13.9	-1.2	A	-6.0	1.27	RB	1
79	4	22	14	15.4	194	21.5	198	15.3	14.1	-1.1	A	-6.5	1.11	RB	1
79	4	22	15	14.0	194	20.0	201	15.0	14.1	-0.9	B	-5.7	0.63	RB	1
79	4	22	16	10.1	204	15.7	216	14.5	13.7	-0.8	C	-3.7	0.37	RB	1
79	4	22	17	9.3	195	13.8	202	14.2	13.5	-0.7	D	-3.0	0.28	RB	1
79	4	22	18	6.9	204	13.0	215	13.4	13.0	-0.3	D	-4.3	0.08	RB	1
79	4	22	19	3.3	232	10.6	206	12.1	12.4	0.4	E	-5.2	0.01	RB	1
79	4	22	20	4.8	256	11.9	209	11.4	12.2	0.9	F	-6.0	0.01	RB	1
79	4	22	21	4.0	245	11.8	213	11.0	11.7	0.7	E	-7.9	0.0	RB	1
79	4	22	22	4.6	215	13.1	215	10.6	11.2	0.6	E	-11.2	0.0	RB	1
79	4	22	23	4.6	219	11.4	219	10.6	10.8	0.1	E	-12.2	0.0	RB	1
79	4	22	24	4.1	220	12.9	220	10.2	10.4	0.3	E	-12.6	0.0	RB	1
79	4	23	1	5.3	249	12.2	221	10.3	10.6	0.3	E	-13.1	0.0	RB	1
79	4	23	2	3.7	211	8.1	218	9.6	10.0	0.4	E	-12.6	0.0	RB	1
79	4	23	3	4.8	244	12.5	202	9.2	10.4	1.1	F	-12.2	0.0	RB	1
79	4	23	4	4.3	252	8.6	205	9.5	9.9	0.4	E	-12.0	0.0	RB	1
79	4	23	5	4.3	240	8.1	204	9.4	9.8	0.4	E	-11.1	0.0	RB	1
79	4	23	6	3.0	126	4.2	183	8.8	9.0	0.1	E	-10.6	0.11	RB	1
79	4	23	7	5.5	158	8.6	181	9.7	9.4	-0.2	E	-9.0	0.27	RB	1
79	4	23	8	12.0	191	18.4	199	11.3	10.7	-0.7	D	-9.1	0.41	RB	1
79	4	23	9	15.0	194	21.6	201	12.4	11.5	-0.9	B	-8.7	0.68	RB	1
79	4	23	10	16.6	197	25.2	207	13.2	12.2	-1.0	A	-8.4	0.93	RB	1
79	4	23	11	999.9	999	999.9	999	13.7	12.5	-1.3	A	-8.1	1.00	RB	1
79	4	23	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	4	23	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	4	23	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	4	23	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	4	23	16	15.5	207	24.2	219	15.4	14.7	-0.7	D	-9.3	0.39	RB	1
79	4	23	17	12.5	205	20.3	212	14.7	14.2	-0.5	D	-8.8	0.21	RB	1
79	4	23	18	10.3	210	17.7	218	14.0	13.6	-0.4	D	-8.3	0.12	RB	1
79	4	23	19	7.5	217	15.0	216	12.8	12.8	0.0	E	-8.2	0.02	RB	1
79	4	23	20	7.0	222	15.5	219	12.2	12.2	-0.1	E	-9.1	0.01	RB	1
79	4	23	21	5.8	231	12.9	218	11.6	11.7	0.1	E	-9.6	0.01	RB	1
79	4	23	22	5.2	245	12.0	218	11.4	11.6	0.2	E	-9.3	0.01	RB	1
79	4	23	23	5.4	235	12.6	214	11.1	11.5	0.3	E	-9.0	0.01	RB	1
79	4	23	24	5.1	222	12.7	219	11.0	11.2	0.2	E	-8.7	0.01	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	4	24	1	7.3	246	13.4	230	11.0	11.1	0.1	E	-8.6	0.01	RB	1
79	4	24	2	10.3	271	15.7	273	9.6	9.7	0.1	E	-9.0	0.01	RB	1
79	4	24	3	4.6	218	8.5	336	7.3	7.8	0.5	E	-9.6	0.01	RB	1
79	4	24	4	4.8	85	6.4	66	4.7	4.7	0.0	E	-5.1	0.01	RB	1
79	4	24	5	3.4	341	4.3	355	3.0	2.7	-0.3	D	-4.1	0.01	RB	1
79	4	24	6	2.5	247	3.0	345	3.1	3.0	-0.2	E	-4.6	0.05	RB	1
79	4	24	7	1.6	238	3.0	263	3.8	3.4	-0.4	D	-4.7	0.26	RB	1
79	4	24	8	2.2	172	3.6	169	5.6	5.0	-0.6	D	-4.6	0.46	RB	1
79	4	24	9	2.8	114	4.4	125	7.0	6.4	-0.6	D	-4.6	0.48	RB	1
79	4	24	10	4.3	352	6.1	152	9.2	8.4	-0.8	C	-6.5	0.71	RB	1
79	4	24	11	9.4	256	11.3	246	10.3	9.4	-1.0	A	-10.4	0.92	RB	1
79	4	24	12	9.4	278	11.1	266	10.9	9.8	-1.0	A	-10.1	1.13	RB	1
79	4	24	13	8.3	272	9.7	263	12.8	12.6	-0.2	E	-10.0	1.05	RB	1
79	4	24	14	9.8	273	11.0	267	11.9	11.3	-0.6	D	-9.5	0.70	RB	1
79	4	24	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	4	24	16	9.8	281	11.8	276	11.2	10.5	-0.7	D	-9.6	0.28	RB	1
79	4	24	17	7.4	304	9.1	297	10.5	10.0	-0.5	D	-8.9	0.11	RB	1
79	4	24	18	5.4	270	7.8	265	10.3	10.1	-0.3	D	-9.5	0.03	RB	1
79	4	24	19	7.3	271	10.1	275	10.1	9.9	-0.2	E	-10.1	0.01	RB	1
79	4	24	20	11.8	309	15.2	306	8.9	8.6	-0.2	E	-9.6	0.0	RB	1
79	4	24	21	8.6	332	11.8	332	7.3	7.1	-0.2	E	-7.4	0.0	RB	1
79	4	24	22	6.4	53	9.2	50	5.4	5.0	-0.3	D	-5.1	0.0	RB	1
79	4	24	23	9.3	36	11.1	32	3.7	3.3	-0.4	D	-2.6	0.0	RB	1
79	4	24	24	6.2	17	7.8	15	0.9	0.5	-0.4	D	0.1	0.0	RB	1
79	4	25	1	3.6	55	5.1	41	0.0	-0.2	-0.3	D	0.3	0.0	RB	1
79	4	25	2	6.0	22	7.0	17	0.0	-0.4	-0.4	D	0.1	0.0	RB	1
79	4	25	3	7.8	32	9.2	27	0.0	-0.4	-0.4	D	-0.3	0.0	RB	1
79	4	25	4	3.4	119	3.9	112	-0.4	-0.8	-0.4	D	-0.9	0.0	RB	1
79	4	25	5	4.8	221	4.3	217	-0.6	-0.7	-0.1	E	-1.6	0.0	RB	1
79	4	25	6	4.3	241	4.1	211	-0.1	0.1	0.2	E	-3.6	0.13	RB	1
79	4	25	7	4.9	329	5.5	319	0.9	0.3	-0.5	D	-3.6	0.30	RB	1
79	4	25	8	6.1	349	6.7	346	1.4	0.7	-0.7	D	-3.2	0.58	RB	1
79	4	25	9	4.0	56	4.1	62	999.9	999.9	999.9	-	-2.6	0.46	RB	1
79	4	25	10	5.7	48	6.0	52	999.9	999.9	999.9	-	-2.3	0.81	RB	1
79	4	25	11	4.6	96	5.3	80	999.9	999.9	999.9	-	-2.3	1.08	RB	1
79	4	25	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	4	25	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	4	25	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	4	25	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	4	25	16	9.6	300	11.2	293	999.9	999.9	999.9	-	-14.3	0.80	RB	1
79	4	25	17	10.4	307	12.4	301	999.9	999.9	999.9	-	-12.8	0.49	RB	1
79	4	25	18	9.1	300	10.9	294	999.9	999.9	999.9	-	-11.8	0.20	RB	1
79	4	25	19	6.2	309	8.9	321	999.9	999.9	999.9	-	-11.1	0.02	RB	1
79	4	25	20	6.3	299	8.1	343	999.9	999.9	999.9	-	-10.0	0.0	RB	1
79	4	25	21	7.7	298	9.7	338	999.9	999.9	999.9	-	-10.6	0.0	RB	1
79	4	25	22	5.6	257	7.1	320	999.9	999.9	999.9	-	-11.0	0.0	RB	1
79	4	25	23	3.1	276	3.2	346	999.9	999.9	999.9	-	-11.2	0.0	RB	1
79	4	25	24	4.7	298	5.9	0	999.9	999.9	999.9	-	-11.0	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE					
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	DEW POINT SC (C)	SOLAR RAD LY/MIN	
79	4	26	1	4.4	301	5.9	6	999.9	999.9	999.9	-10.8	0.0	RB 1
79	4	26	2	4.4	298	4.9	4	999.9	999.9	999.9	-10.9	0.0	RB 1
79	4	26	3	2.3	257	2.3	37	999.9	999.9	999.9	-11.0	0.0	RB 1
79	4	26	4	2.0	255	1.9	124	999.9	999.9	999.9	-10.8	0.0	RB 1
79	4	26	5	1.9	208	2.1	106	999.9	999.9	999.9	-10.5	0.0	RB 1
79	4	26	6	1.3	246	1.5	130	999.9	999.9	999.9	-10.1	0.11	RB 1
79	4	26	7	3.3	137	3.9	123	999.9	999.9	999.9	-9.3	0.37	RB 1
79	4	26	8	5.4	93	6.5	94	999.9	999.9	999.9	-9.0	0.65	RB 1
79	4	26	9	5.6	127	6.8	132	999.9	999.9	999.9	-8.8	0.93	RB 1
79	4	26	10	6.2	147	7.1	152	999.9	999.9	999.9	-9.8	1.16	RB 1
79	4	26	11	999.9	999	999.9	999	999.9	999.9	999.9	999.9	99.99	RB 1
79	4	26	12	999.9	999	999.9	999	999.9	999.9	999.9	999.9	99.99	RB 1
79	4	26	13	999.9	999	999.9	999	999.9	999.9	999.9	999.9	99.99	RB 1
79	4	26	14	999.9	999	999.9	999	999.9	999.9	999.9	999.9	99.99	RB 1
79	4	26	15	999.9	999	999.9	999	999.9	999.9	999.9	999.9	99.99	RB 1
79	4	26	16	11.3	278	14.7	270	999.9	999.9	999.9	-18.5	0.57	RB 1
79	4	26	17	11.4	267	14.0	262	999.9	999.9	999.9	-22.2	0.35	RB 1
79	4	26	18	10.4	276	13.9	275	999.9	999.9	999.9	-19.3	0.16	RB 1
79	4	26	19	8.6	256	11.9	265	999.9	999.9	999.9	-17.9	0.02	RB 1
79	4	26	20	7.3	268	7.4	282	999.9	999.9	999.9	-16.1	0.0	RB 1
79	4	26	21	9.9	248	12.6	228	999.9	999.9	999.9	-13.9	0.0	RB 1
79	4	26	22	10.0	254	13.1	228	999.9	999.9	999.9	-13.8	0.0	RB 1
79	4	26	23	11.8	248	14.6	236	999.9	999.9	999.9	-13.3	0.0	RB 1
79	4	26	24	11.5	246	16.8	249	999.9	999.9	999.9	-11.0	0.0	RB 1
79	4	27	1	7.8	207	12.9	267	999.9	999.9	999.9	-9.2	0.0	RB 1
79	4	27	2	4.3	353	5.8	9	999.9	999.9	999.9	-10.6	0.0	RB 1
79	4	27	3	4.9	335	9.0	360	999.9	999.9	999.9	-10.5	0.0	RB 1
79	4	27	4	3.1	304	3.2	333	999.9	999.9	999.9	-12.4	0.0	RB 1
79	4	27	5	1.7	239	1.3	266	999.9	999.9	999.9	-12.6	0.0	RB 1
79	4	27	6	3.1	296	2.6	314	999.9	999.9	999.9	-9.7	0.10	RB 1
79	4	27	7	2.8	62	2.7	66	999.9	999.9	999.9	-8.6	0.36	RB 1
79	4	27	8	3.5	62	4.0	64	999.9	999.9	999.9	-6.6	0.65	RB 1
79	4	27	9	5.1	98	6.2	91	999.9	999.9	999.9	-6.6	0.93	RB 1
79	4	27	10	5.0	82	5.5	85	999.9	999.9	999.9	-7.5	1.10	RB 1
79	4	27	11	5.8	137	7.0	161	999.9	999.9	999.9	-7.4	1.13	RB 1
79	4	27	12	6.1	263	6.9	251	999.9	999.9	999.9	-7.5	1.33	RB 1
79	4	27	13	7.1	250	7.8	250	999.9	999.9	999.9	-9.1	1.31	RB 1
79	4	27	14	8.3	268	10.0	254	999.9	999.9	999.9	-9.1	1.21	RB 1
79	4	27	15	10.4	255	12.6	253	999.9	999.9	999.9	-8.2	1.05	RB 1
79	4	27	16	11.7	271	13.8	268	999.9	999.9	999.9	-7.4	0.44	RB 1
79	4	27	17	12.7	263	15.6	258	999.9	999.9	999.9	-5.6	0.28	RB 1
79	4	27	18	11.7	251	14.9	248	999.9	999.9	999.9	-2.5	0.09	RB 1
79	4	27	19	8.0	248	11.5	247	999.9	999.9	999.9	-2.0	0.04	RB 1
79	4	27	20	11.1	248	15.2	237	999.9	999.9	999.9	-1.0	0.0	RB 1
79	4	27	21	11.2	241	14.8	231	999.9	999.9	999.9	-0.8	0.0	RB 1
79	4	27	22	11.6	242	16.3	243	999.9	999.9	999.9	-1.8	0.0	RB 1
79	4	27	23	10.5	241	14.8	245	999.9	999.9	999.9	-2.3	0.0	RB 1
79	4	27	24	11.1	248	17.8	257	999.9	999.9	999.9	-2.1	0.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	4	28	1	13.6	261	20.2	264	999.9	999.9	999.9	-	-2.0	0.0	RB	1
79	4	28	2	12.0	300	18.3	294	999.9	999.9	999.9	-	-1.9	0.0	RB	1
79	4	28	3	9.4	270	12.4	276	999.9	999.9	999.9	-	-1.5	0.0	RB	1
79	4	28	4	9.4	261	13.9	273	999.9	999.9	999.9	-	-2.1	0.0	RB	1
79	4	28	5	9.8	242	14.4	262	999.9	999.9	999.9	-	-2.1	0.0	RB	1
79	4	28	6	9.2	244	13.4	262	999.9	999.9	999.9	-	-2.1	0.06	RB	1
79	4	28	7	7.7	264	10.1	269	999.9	999.9	999.9	-	-3.0	0.30	RB	1
79	4	28	8	11.4	300	13.3	297	999.9	999.9	999.9	-	-4.5	0.76	RB	1
79	4	28	9	13.6	335	15.7	333	999.9	999.9	999.9	-	-5.2	0.67	RB	1
79	4	28	10	18.1	21	19.7	19	999.9	999.9	999.9	-	0.4	0.74	RB	1
79	4	28	11	11.9	13	13.0	12	999.9	999.9	999.9	-	0.0	1.00	RB	1
79	4	28	12	10.1	25	11.2	23	999.9	999.9	999.9	-	-1.7	0.99	RB	1
79	4	28	13	9.9	21	10.8	16	999.9	999.9	999.9	-	-2.9	0.87	RB	1
79	4	28	14	9.7	343	10.8	342	999.9	999.9	999.9	-	-4.6	1.06	RB	1
79	4	28	15	10.7	355	11.4	349	999.9	999.9	999.9	-	-5.1	0.83	RB	1
79	4	28	16	10.4	41	12.2	41	999.9	999.9	999.9	-	-3.7	0.39	RB	1
79	4	28	17	8.9	39	10.2	37	999.9	999.9	999.9	-	-5.4	0.48	RB	1
79	4	28	18	7.9	34	9.3	35	999.9	999.9	999.9	-	-6.1	0.19	RB	1
79	4	28	19	5.2	350	8.8	21	999.9	999.9	999.9	-	-6.4	0.02	RB	1
79	4	28	20	5.8	358	11.7	25	999.9	999.9	999.9	-	-7.2	0.0	RB	1
79	4	28	21	5.1	344	10.6	26	999.9	999.9	999.9	-	-7.2	0.0	RB	1
79	4	28	22	3.0	316	5.9	33	999.9	999.9	999.9	-	-7.2	0.0	RB	1
79	4	28	23	4.2	278	2.4	340	999.9	999.9	999.9	-	-7.4	0.0	RB	1
79	4	28	24	5.3	234	3.2	201	999.9	999.9	999.9	-	-8.0	0.0	RB	1
79	4	29	1	2.8	239	1.8	77	999.9	999.9	999.9	-	-9.1	0.0	RB	1
79	4	29	2	3.7	280	1.9	298	999.9	999.9	999.9	-	-9.8	0.0	RB	1
79	4	29	3	3.0	316	2.5	32	999.9	999.9	999.9	-	-9.7	0.0	RB	1
79	4	29	4	2.7	292	4.2	32	999.9	999.9	999.9	-	-8.7	0.0	RB	1
79	4	29	5	2.4	256	2.8	357	999.9	999.9	999.9	-	-7.0	0.0	RB	1
79	4	29	6	2.6	321	2.8	11	999.9	999.9	999.9	-	-6.1	0.12	RB	1
79	4	29	7	3.0	78	3.0	62	999.9	999.9	999.9	-	-5.9	0.34	RB	1
79	4	29	8	4.2	74	4.4	74	999.9	999.9	999.9	-	-6.6	0.67	RB	1
79	4	29	9	4.2	68	4.6	70	999.9	999.9	999.9	-	-6.5	0.95	RB	1
79	4	29	10	5.2	100	6.0	100	999.9	999.9	999.9	-	-8.3	1.17	RB	1
79	4	29	11	7.0	67	7.6	64	999.9	999.9	999.9	-	-10.6	1.38	RB	1
79	4	29	12	4.7	108	4.2	116	999.9	999.9	999.9	-	-10.8	1.12	RB	1
79	4	29	13	5.4	277	6.2	208	999.9	999.9	999.9	-	-10.4	0.98	RB	1
79	4	29	14	10.8	236	13.9	236	999.9	999.9	999.9	-	-6.4	0.40	RB	1
79	4	29	15	16.0	263	20.6	265	999.9	999.9	999.9	-	-3.9	0.17	RB	1
79	4	29	16	12.0	261	15.4	264	999.9	999.9	999.9	-	-5.1	0.13	RB	1
79	4	29	17	11.6	269	14.5	270	999.9	999.9	999.9	-	-6.1	0.40	RB	1
79	4	29	18	8.9	257	12.5	261	999.9	999.9	999.9	-	-6.2	0.11	RB	1
79	4	29	19	11.4	251	17.3	253	999.9	999.9	999.9	-	-5.0	0.03	RB	1
79	4	29	20	11.3	253	17.2	255	999.9	999.9	999.9	-	-6.1	0.0	RB	1
79	4	29	21	7.7	241	11.3	254	999.9	999.9	999.9	-	-6.8	0.0	RB	1
79	4	29	22	8.3	227	11.3	253	999.9	999.9	999.9	-	-5.6	0.0	RB	1
79	4	29	23	11.6	259	16.7	267	999.9	999.9	999.9	-	-4.1	0.0	RB	1
79	4	29	24	11.2	258	16.2	273	999.9	999.9	999.9	-	-4.2	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	4	30	1	11.1	256	15.2	269	999.9	999.9	999.9	-	-4.6	0.0	RB	1
79	4	30	2	10.5	253	13.5	264	999.9	999.9	999.9	-	-4.4	0.0	RB	1
79	4	30	3	6.8	296	7.4	300	999.9	999.9	999.9	-	-4.7	0.0	RB	1
79	4	30	4	2.2	283	3.6	75	999.9	999.9	999.9	-	-4.5	0.0	RB	1
79	4	30	5	2.8	190	2.9	129	999.9	999.9	999.9	-	-4.6	0.01	RB	1
79	4	30	6	1.5	144	2.8	147	999.9	999.9	999.9	-	-4.5	0.12	RB	1
79	4	30	7	3.0	122	3.5	118	999.9	999.9	999.9	-	-3.8	0.36	RB	1
79	4	30	8	4.1	139	4.6	136	999.9	999.9	999.9	-	-3.6	0.66	RB	1
79	4	30	9	7.7	251	9.5	249	999.9	999.9	999.9	-	-5.4	0.82	RB	1
79	4	30	10	9.2	269	10.3	264	999.9	999.9	999.9	-	-5.7	1.14	RB	1
79	4	30	11	10.7	259	11.5	250	999.9	999.9	999.9	-	-6.5	1.10	RB	1
79	4	30	12	13.0	263	15.8	258	12.7	11.6	-1.1	A	-8.9	1.33	RB	1
79	4	30	13	13.2	280	15.8	275	13.3	12.1	-1.2	A	-10.0	1.32	RB	1
79	4	30	14	12.5	271	14.8	268	13.8	12.8	-1.0	A	-10.1	1.24	RB	1
79	4	30	15	13.0	264	15.7	259	13.7	12.8	-0.9	B	-10.4	0.81	RB	1
79	4	30	16	9.2	248	12.1	244	12.8	11.9	-0.8	C	-7.8	0.48	RB	1
79	4	30	17	10.6	202	15.3	206	11.5	10.8	-0.7	D	-4.3	0.31	RB	1
79	4	30	18	7.0	201	9.8	215	10.3	9.8	-0.5	D	-2.3	0.20	RB	1
79	4	30	19	4.8	220	7.3	218	9.3	9.2	-0.1	E	-1.7	0.02	RB	1
79	4	30	20	7.7	246	10.8	242	9.5	9.7	0.2	E	-2.8	0.01	RB	1
79	4	30	21	6.8	253	10.4	264	9.6	9.7	0.1	E	-3.0	0.01	RB	1
79	4	30	22	3.1	145	3.5	166	8.3	8.9	0.6	E	-2.6	0.01	RB	1
79	4	30	23	3.4	28	5.4	52	6.8	6.8	0.1	E	-1.5	0.01	RB	1
79	4	30	24	2.5	353	3.7	13	6.1	5.8	-0.3	D	0.1	0.01	RB	1
79	5	1	1	4.4	299	4.3	298	5.6	5.4	-0.2	E	0.1	0.01	RB	1
79	5	1	2	7.4	247	8.8	234	5.8	5.9	0.1	E	0.3	0.01	RB	1
79	5	1	3	8.9	257	12.1	257	5.7	5.9	0.2	E	1.5	0.01	RB	1
79	5	1	4	8.6	285	12.4	295	5.9	6.5	0.6	E	1.0	0.0	RB	1
79	5	1	5	8.3	272	11.3	286	4.9	5.0	0.1	E	1.7	0.01	RB	1
79	5	1	6	3.9	271	4.4	276	3.9	3.8	0.0	E	2.1	0.02	RB	1
79	5	1	7	5.0	298	5.7	315	4.0	3.7	-0.3	D	2.4	0.06	RB	1
79	5	1	8	8.1	317	10.1	324	3.2	2.9	-0.3	D	2.0	0.06	RB	1
79	5	1	9	4.8	321	5.5	343	2.5	1.9	-0.5	D	1.6	0.21	RB	1
79	5	1	10	3.7	283	4.1	296	2.6	2.2	-0.4	D	1.8	0.10	RB	1
79	5	1	11	3.8	328	4.1	344	3.1	2.6	-0.5	D	1.8	0.54	RB	1
79	5	1	12	4.3	107	4.6	118	5.0	4.3	-0.6	D	3.1	0.76	RB	1
79	5	1	13	4.6	96	5.7	107	7.2	6.5	-0.7	D	4.4	1.03	RB	1
79	5	1	14	3.9	128	4.1	138	8.0	7.4	-0.6	D	4.6	0.33	RB	1
79	5	1	15	7.1	245	9.6	243	8.7	8.2	-0.5	D	3.5	0.18	RB	1
79	5	1	16	7.5	88	9.4	89	8.9	8.4	-0.6	D	3.9	0.24	RB	1
79	5	1	17	6.1	147	9.1	136	7.2	6.9	-0.3	D	2.8	0.04	RB	1
79	5	1	18	6.5	324	8.7	335	4.2	4.2	0.0	E	2.4	0.02	RB	1
79	5	1	19	5.8	232	7.7	244	4.6	5.1	0.5	E	2.3	0.01	RB	1
79	5	1	20	4.9	229	7.8	142	4.3	4.4	0.0	E	2.7	0.01	RB	1
79	5	1	21	4.9	169	6.8	168	3.7	3.4	-0.2	E	2.8	0.01	RB	1
79	5	1	22	3.7	213	5.0	190	3.3	3.2	-0.1	E	2.3	0.01	RB	1
79	5	1	23	2.8	231	2.0	201	3.6	3.3	-0.3	D	1.8	0.01	RB	1
79	5	1	24	6.8	246	4.7	228	3.8	3.7	0.0	E	1.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	5	2	1	2.7	277	2.7	142	4.1	4.4	0.3	E	1.5	0.01	RB	1
79	5	2	2	3.5	212	3.6	193	4.1	4.5	0.4	E	1.6	0.01	RB	1
79	5	2	3	2.9	223	4.4	181	3.8	4.2	0.3	E	1.7	0.01	RB	1
79	5	2	4	4.2	326	4.9	322	3.3	3.6	0.3	E	1.5	0.01	RB	1
79	5	2	5	4.1	202	4.5	184	2.6	2.7	0.1	E	1.7	0.01	RB	1
79	5	2	6	3.9	246	3.1	280	3.0	3.2	0.2	E	1.6	0.08	RB	1
79	5	2	7	2.3	71	2.0	350	4.1	4.1	0.0	E	2.2	0.24	RB	1
79	5	2	8	3.5	74	4.0	65	4.6	4.2	-0.5	D	3.5	0.37	RB	1
79	5	2	9	2.4	53	2.4	60	5.9	5.4	-0.5	D	4.0	0.34	RB	1
79	5	2	10	5.4	355	6.1	353	6.5	5.9	-0.5	D	3.7	0.19	RB	1
79	5	2	11	5.6	309	7.3	300	5.9	5.5	-0.4	D	3.2	0.12	RB	1
79	5	2	12	3.2	176	3.1	182	6.3	5.8	-0.5	D	2.6	0.29	RB	1
79	5	2	13	8.6	154	10.2	151	6.0	5.3	-0.6	D	1.7	0.25	RB	1
79	5	2	14	8.5	239	10.8	226	3.9	3.7	-0.2	E	1.7	0.14	RB	1
79	5	2	15	5.4	192	6.0	184	4.7	4.4	-0.3	D	1.7	0.18	RB	1
79	5	2	16	7.0	131	8.6	131	4.1	3.6	-0.5	D	1.9	0.14	RB	1
79	5	2	17	12.1	26	14.3	27	1.7	1.2	-0.5	D	1.7	0.12	RB	1
79	5	2	18	7.4	25	8.8	26	0.6	0.2	-0.4	D	0.7	0.03	RB	1
79	5	2	19	4.6	51	5.5	37	0.4	0.0	-0.4	D	0.6	0.01	RB	1
79	5	2	20	2.8	107	3.3	86	0.2	-0.1	-0.3	D	0.5	0.01	RB	1
79	5	2	21	5.1	32	6.6	28	0.0	-0.4	-0.4	D	0.3	0.01	RB	1
79	5	2	22	5.2	22	7.0	21	-0.1	-0.5	-0.4	D	0.2	0.01	RB	1
79	5	2	23	999.9	20	7.0	18	-0.5	-1.0	-0.5	D	-0.5	0.01	RB	1
79	5	2	24	999.9	58	3.7	45	-0.7	-1.1	-0.4	D	-0.6	0.01	RB	1
79	5	3	1	999.9	61	4.5	40	-0.9	-1.3	-0.4	D	-0.7	0.01	RB	1
79	5	3	2	999.9	43	5.8	31	-1.1	-1.5	-0.4	D	-1.0	0.01	RB	1
79	5	3	3	999.9	43	5.6	30	-1.4	-1.8	-0.4	D	-1.5	0.01	RB	1
79	5	3	4	999.9	34	5.6	20	-1.6	-2.1	-0.4	D	-1.8	0.01	RB	1
79	5	3	5	999.9	21	7.3	13	-1.8	-2.2	-0.5	D	-2.4	0.01	RB	1
79	5	3	6	999.9	27	6.4	15	-1.9	-2.3	-0.5	D	-2.5	0.02	RB	1
79	5	3	7	999.9	26	8.0	24	-2.0	-2.5	-0.5	D	-2.7	0.05	RB	1
79	5	3	8	999.9	23	10.9	21	-2.1	-2.6	-0.5	D	-3.0	0.18	RB	1
79	5	3	9	6.7	23	11.7	20	-1.9	-2.5	-0.6	D	-2.9	0.26	RB	1
79	5	3	10	9.8	34	11.5	30	-1.1	-1.7	-0.6	D	-2.7	0.36	RB	1
79	5	3	11	9.4	17	10.8	16	-0.8	-1.4	-0.6	D	-2.4	0.22	RB	1
79	5	3	12	8.2	23	9.6	18	0.1	-0.5	-0.6	D	-2.5	0.38	RB	1
79	5	3	13	8.0	35	9.2	31	1.4	0.7	-0.7	D	-1.8	0.51	RB	1
79	5	3	14	11.0	14	12.1	9	2.0	1.4	-0.6	D	-2.5	0.32	RB	1
79	5	3	15	11.1	23	12.6	23	2.5	1.9	-0.6	D	-2.8	0.40	RB	1
79	5	3	16	9.8	30	11.2	27	3.1	2.5	-0.6	D	-2.8	0.34	RB	1
79	5	3	17	7.8	61	9.4	59	3.1	2.5	-0.6	D	-2.1	0.30	RB	1
79	5	3	18	9.2	40	10.6	40	3.2	2.7	-0.5	D	-2.1	0.18	RB	1
79	5	3	19	5.0	43	8.1	48	2.3	2.2	-0.1	E	-1.8	0.03	RB	1
79	5	3	20	2.2	33	8.0	75	1.3	1.6	0.3	E	-1.9	0.0	RB	1
79	5	3	21	2.0	153	4.1	117	1.2	1.1	-0.1	E	-2.1	0.0	RB	1
79	5	3	22	3.8	180	5.5	146	0.9	0.9	0.0	E	-2.9	0.0	RB	1
79	5	3	23	5.7	215	5.5	180	0.8	1.0	0.2	E	-3.6	0.0	RB	1
79	5	3	24	3.5	239	2.0	218	2.3	2.0	-0.2	E	-4.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	5	4	1	4.5	231	3.4	198	2.5	2.5	0.0	E	-5.1	0.0	RB	1
79	5	4	2	5.1	246	3.2	220	3.0	2.8	-0.1	E	-6.1	0.0	RB	1
79	5	4	3	3.3	238	2.4	232	3.5	3.4	-0.1	E	-7.4	0.0	RB	1
79	5	4	4	1.9	170	1.5	41	2.8	3.4	0.6	E	-8.7	0.0	RB	1
79	5	4	5	1.3	145	2.4	317	2.4	2.9	0.4	E	-6.4	0.01	RB	1
79	5	4	6	1.6	23	1.2	133	1.2	2.2	1.0	F	-4.1	0.13	RB	1
79	5	4	7	2.3	128	2.6	147	2.8	2.4	-0.3	D	-4.5	0.41	RB	1
79	5	4	8	3.4	129	3.6	129	4.9	4.3	-0.6	D	-2.8	0.70	RB	1
79	5	4	9	5.8	114	6.4	117	6.7	6.0	-0.7	D	-1.0	0.97	RB	1
79	5	4	10	5.4	127	5.9	128	8.4	7.7	-0.7	D	-1.0	1.17	RB	1
79	5	4	11	7.2	239	8.3	231	10.1	9.2	-0.9	B	-2.4	1.32	RB	1
79	5	4	12	7.0	272	7.6	254	10.9	10.1	-0.8	C	-2.0	1.32	RB	1
79	5	4	13	8.3	231	9.9	228	11.9	11.0	-0.9	B	-1.2	1.28	RB	1
79	5	4	14	8.9	218	11.1	221	12.8	11.8	-0.9	B	-1.2	1.09	RB	1
79	5	4	15	9.5	218	12.4	217	13.3	12.3	-0.9	B	-2.1	0.95	RB	1
79	5	4	16	10.0	210	13.0	213	13.3	12.5	-0.8	C	-2.6	0.65	RB	1
79	5	4	17	10.9	197	16.0	206	12.5	12.0	-0.5	D	-1.5	0.44	RB	1
79	5	4	18	10.0	202	16.1	209	11.9	11.6	-0.3	D	-1.5	0.19	RB	1
79	5	4	19	6.2	225	13.8	219	9.9	9.9	0.0	E	-2.1	0.02	RB	1
79	5	4	20	7.3	236	13.7	219	9.4	9.4	0.0	E	-3.2	0.0	RB	1
79	5	4	21	8.7	246	13.9	225	9.7	9.6	-0.1	E	-4.5	0.0	RB	1
79	5	4	22	6.7	215	12.1	231	9.8	10.4	0.6	E	-4.8	0.0	RB	1
79	5	4	23	6.0	208	10.7	233	9.9	10.6	0.7	E	-4.6	0.0	RB	1
79	5	4	24	8.0	233	13.1	240	10.3	10.8	0.5	E	-4.6	0.0	RB	1
79	5	5	1	9.6	263	13.4	242	9.9	9.9	0.0	E	-5.0	0.0	RB	1
79	5	5	2	11.4	254	15.7	240	9.8	9.9	0.1	E	-5.3	0.0	RB	1
79	5	5	3	10.6	259	14.2	234	9.6	9.7	0.1	E	-5.5	0.0	RB	1
79	5	5	4	8.4	260	12.0	218	9.1	9.2	0.1	E	-6.0	0.0	RB	1
79	5	5	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	5	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA - 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	5	6	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	6	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	7	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG.	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
79	5	8	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	8	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	9	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
79	5	10	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	10	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	11	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER		TEMPERATURE					
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
79	5	12	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	12	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB, 1
79	5	13	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	13	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	5	14	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	14	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	14	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	11	8.8	277	11.1	266	18.8	18.0	-0.8	C	-7.1	1.36	RB	1
79	5	15	12	12.5	180	15.5	195	17.7	17.1	-0.6	D	-5.5	0.46	RB	1
79	5	15	13	14.9	288	18.0	281	15.9	15.5	-0.4	D	-3.5	0.33	RB	1
79	5	15	14	13.0	260	14.1	263	18.4	17.6	-0.8	C	-4.1	1.17	RB	1
79	5	15	15	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	17	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	18	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	19	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	20	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	21	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	22	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	23	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1
79	5	15	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
79	5	16	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	16	13	21.5	296	26.9	290	13.8	13.1	-0.7	D	1.2	0.63	RB 1
79	5	16	14	15.1	308	18.0	302	15.4	14.5	-0.9	B	0.4	1.11	RB 1
79	5	16	15	18.1	258	24.0	255	15.0	14.4	-0.6	D	-0.8	0.43	RB 1
79	5	16	16	10.9	185	15.3	189	15.8	15.3	-0.5	D	-1.7	0.33	RB 1
79	5	16	17	11.0	188	15.3	189	15.2	14.8	-0.4	D	-0.6	0.22	RB 1
79	5	16	18	8.3	194	13.1	199	15.3	14.9	-0.3	D	-0.5	0.23	RB 1
79	5	16	19	5.7	167	8.7	178	14.1	14.2	0.0	E	0.6	0.05	RB 1
79	5	16	20	3.9	181	6.6	158	12.1	12.5	0.4	E	1.3	0.01	RB 1
79	5	16	21	7.5	251	9.8	225	11.9	12.2	0.3	E	0.2	0.01	RB 1
79	5	16	22	2.5	148	4.4	201	11.0	11.0	0.0	E	-0.6	0.01	RB 1
79	5	16	23	3.6	177	9.7	231	10.7	11.0	0.3	E	-1.1	0.01	RB 1
79	5	16	24	3.6	129	8.8	166	11.0	11.2	0.2	E	-1.0	0.01	RB 1
79	5	17	1	6.4	324	8.9	247	10.8	10.9	0.1	E	-0.1	0.01	RB 1
79	5	17	2	12.8	255	17.7	242	11.0	11.1	0.1	E	0.1	0.01	RB 1
79	5	17	3	13.6	250	18.6	243	10.8	10.9	0.1	E	0.0	0.01	RB 1
79	5	17	4	10.4	254	16.5	244	10.4	11.0	0.5	E	0.0	0.01	RB 1
79	5	17	5	7.7	258	15.5	250	9.4	10.2	0.8	F	0.3	0.04	RB 1
79	5	17	6	8.3	299	13.3	266	10.2	10.6	0.4	E	0.9	0.16	RB 1
79	5	17	7	4.5	137	5.5	145	11.9	11.5	-0.4	D	1.6	0.45	RB 1
79	5	17	8	10.1	248	11.9	240	14.1	13.4	-0.7	D	0.2	0.74	RB 1
79	5	17	9	13.8	254	15.8	251	15.1	14.3	-0.9	B	0.2	1.03	RB 1
79	5	17	10	12.8	260	14.4	249	16.3	15.4	-0.9	B	-0.3	1.24	RB 1
79	5	17	11	11.9	257	14.5	257	16.8	15.8	-1.0	A	-0.9	1.36	RB 1
79	5	17	12	10.9	285	13.4	275	17.7	16.7	-1.0	A	-2.8	1.32	RB 1
79	5	17	13	12.6	283	15.1	281	18.2	17.1	-1.0	A	-4.4	1.29	RB 1
79	5	17	14	15.1	303	18.4	297	18.2	17.3	-0.9	B	-5.2	1.02	RB 1
79	5	17	15	15.2	310	17.8	304	18.7	17.8	-0.9	B	-4.2	1.02	RB 1
79	5	17	16	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	17	17	11.3	303	13.8	293	18.3	17.7	-0.7	D	-2.6	0.46	RB 1
79	5	17	18	12.9	261	16.0	256	17.8	17.4	-0.5	D	-2.8	0.19	RB 1
79	5	17	19	6.9	218	12.9	218	15.7	15.5	-0.2	E	2.0	0.04	RB 1
79	5	17	20	6.3	225	12.7	214	14.6	14.6	0.0	E	1.4	0.01	RB 1
79	5	17	21	9.9	245	12.9	237	14.2	14.7	0.5	E	0.4	0.0	RB 1
79	5	17	22	9.3	254	13.4	264	14.4	14.7	0.3	E	-0.5	0.01	RB 1
79	5	17	23	9.6	250	14.5	263	13.6	14.3	0.7	E	-0.8	0.0	RB 1
79	5	17	24	9.7	256	14.6	268	13.1	13.8	0.7	E	-1.5	0.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	5	18	1	10.0	248	13.2	255	12.8	13.5	0.6	E	-1.2	0.0	RB	1
79	5	18	2	10.9	245	13.7	248	12.5	13.3	0.9	F	-0.8	0.01	RB	1
79	5	18	3	10.5	242	12.3	236	12.4	13.1	0.8	F	-1.1	0.01	RB	1
79	5	18	4	10.6	250	14.0	227	11.5	12.0	0.6	E	-0.1	0.01	RB	1
79	5	18	5	9.1	258	13.5	223	10.8	11.2	0.4	E	0.7	0.01	RB	1
79	5	18	6	7.5	241	11.0	231	11.8	12.1	0.3	E	0.5	0.12	RB	1
79	5	18	7	9.3	248	12.7	240	13.9	13.5	-0.5	D	0.1	0.42	RB	1
79	5	18	8	11.5	248	16.5	242	14.8	13.9	-0.8	C	0.2	0.65	RB	1
79	5	18	9	12.8	263	15.5	258	15.7	14.8	-0.9	B	0.8	1.00	RB	1
79	5	18	10	13.8	273	16.9	270	16.2	15.3	-0.9	B	1.0	1.15	RB	1
79	5	18	11	13.6	272	16.6	267	16.9	16.0	-0.9	B	1.0	1.33	RB	1
79	5	18	12	13.4	282	15.7	277	17.9	16.9	-1.0	A	1.3	1.37	RB	1
79	5	18	13	13.4	272	16.8	272	18.9	17.7	-1.2	A	1.3	1.36	RB	1
79	5	18	14	13.9	271	17.4	270	19.2	18.1	-1.0	A	0.9	1.23	RB	1
79	5	18	15	12.2	270	15.2	268	19.3	18.4	-0.9	B	0.0	0.96	RB	1
79	5	18	16	13.1	286	16.2	284	19.8	18.9	-0.9	B	-0.5	0.90	RB	1
79	5	18	17	13.2	298	15.5	294	19.2	18.5	-0.7	D	-2.4	0.52	RB	1
79	5	18	18	11.8	304	14.7	299	18.5	18.0	-0.5	D	-4.1	0.27	RB	1
79	5	18	19	9.1	279	13.3	293	16.0	16.8	0.8	F	-4.1	0.02	RB	1
79	5	18	20	10.5	273	14.4	291	15.2	16.4	1.2	F	-4.2	0.0	RB	1
79	5	18	21	11.2	275	15.9	290	14.3	15.7	1.4	F	-4.2	0.0	RB	1
79	5	18	22	12.2	268	18.2	278	13.6	14.6	1.0	F	-3.9	0.0	RB	1
79	5	18	23	12.1	278	17.4	277	13.1	13.7	0.6	E	-4.3	0.0	RB	1
79	5	18	24	4.0	332	9.6	12	10.9	11.4	0.5	E	-4.1	0.0	RB	1
79	5	19	1	5.1	301	5.6	352	10.6	10.5	0.0	E	-4.4	0.0	RB	1
79	5	19	2	4.0	308	5.2	17	10.3	10.5	0.2	E	-4.4	0.0	RB	1
79	5	19	3	3.2	300	4.5	33	9.9	10.2	0.3	E	-4.7	0.0	RB	1
79	5	19	4	2.8	305	4.9	28	9.4	9.5	0.1	E	-4.6	0.0	RB	1
79	5	19	5	2.4	301	4.0	42	9.2	9.3	0.1	E	-4.6	0.03	RB	1
79	5	19	6	3.2	3	5.1	43	9.7	9.5	-0.2	E	-3.9	0.17	RB	1
79	5	19	7	5.5	61	6.8	61	10.8	10.2	-0.6	D	-3.5	0.47	RB	1
79	5	19	8	8.6	58	10.4	58	11.5	10.8	-0.7	D	-3.3	0.76	RB	1
79	5	19	9	8.7	53	10.2	52	12.3	11.5	-0.8	C	-2.8	1.01	RB	1
79	5	19	10	7.2	73	9.0	69	13.4	12.6	-0.8	C	-2.3	1.22	RB	1
79	5	19	11	7.0	35	8.3	36	14.8	14.0	-0.8	C	-1.7	1.33	RB	1
79	5	19	12	7.1	80	8.0	67	15.8	15.1	-0.7	D	-1.9	1.39	RB	1
79	5	19	13	10.0	39	11.3	35	16.9	16.0	-0.8	C	-1.8	1.36	RB	1
79	5	19	14	8.5	26	10.0	27	17.7	16.8	-0.9	B	-1.6	1.27	RB	1
79	5	19	15	10.6	5	12.1	4	18.2	17.3	-0.9	B	-1.4	1.05	RB	1
79	5	19	16	10.6	352	12.1	347	18.3	17.5	-0.8	C	-2.0	0.83	RB	1
79	5	19	17	9.6	8	11.3	7	18.5	17.8	-0.7	D	-3.0	0.57	RB	1
79	5	19	18	8.2	27	9.8	26	18.0	17.6	-0.5	D	-4.4	0.29	RB	1
79	5	19	19	4.9	2	8.8	30	16.6	17.0	0.4	E	-4.5	0.05	RB	1
79	5	19	20	3.9	300	5.7	34	15.4	16.1	0.6	E	-4.3	0.0	RB	1
79	5	19	21	4.1	289	3.3	26	15.4	15.7	0.3	E	-4.2	0.0	RB	1
79	5	19	22	3.8	282	1.3	285	15.4	15.7	0.3	E	-4.4	0.0	RB	1
79	5	19	23	1.9	234	1.3	184	15.4	15.4	0.0	E	-4.5	0.0	RB	1
79	5	19	24	2.2	267	2.0	75	14.4	14.8	0.4	E	-4.5	0.01	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	5	20	1	4.1	219	3.5	177	14.3	14.5	0.2	E	-4.7	0.0	RB	1
79	5	20	2	3.2	352	3.2	32	12.9	13.6	0.7	E	-4.5	0.0	RB	1
79	5	20	3	3.1	357	4.4	11	11.9	12.2	0.4	E	-4.5	0.0	RB	1
79	5	20	4	6.2	310	6.7	8	10.0	10.8	0.8	F	-3.6	0.0	RB	1
79	5	20	5	5.4	301	4.8	352	9.9	10.4	0.5	E	-3.3	0.03	RB	1
79	5	20	6	4.7	338	5.7	7	10.5	10.5	0.1	E	-2.6	0.19	RB	1
79	5	20	7	7.0	30	7.6	27	11.0	10.5	-0.6	D	-3.5	0.47	RB	1
79	5	20	8	7.7	52	8.3	44	11.7	11.0	-0.7	D	-1.9	0.76	RB	1
79	5	20	9	7.0	54	8.2	49	12.6	11.9	-0.7	D	-1.2	1.01	RB	1
79	5	20	10	6.0	60	6.9	56	14.2	13.5	-0.6	D	-0.5	1.22	RB	1
79	5	20	11	4.8	72	6.6	65	16.0	15.3	-0.7	D	-0.8	1.32	RB	1
79	5	20	12	5.8	94	7.2	91	17.4	16.6	-0.8	C	-2.6	1.39	RB	1
79	5	20	13	8.1	74	9.7	67	18.1	17.2	-0.9	B	-2.8	1.40	RB	1
79	5	20	14	10.5	31	12.0	31	18.5	17.5	-1.0	A	-3.4	1.15	RB	1
79	5	20	15	8.6	33	9.9	28	18.5	17.8	-0.7	D	-3.0	1.07	RB	1
79	5	20	16	10.0	24	11.6	24	18.6	17.9	-0.7	D	-3.0	0.84	RB	1
79	5	20	17	8.8	14	10.1	5	18.7	18.0	-0.7	D	-2.8	0.56	RB	1
79	5	20	18	9.6	22	10.9	18	18.4	17.9	-0.6	D	-2.9	0.31	RB	1
79	5	20	19	3.8	9	6.8	50	17.2	17.2	0.0	E	-2.4	0.05	RB	1
79	5	20	20	3.1	298	2.9	23	16.5	16.6	0.2	E	-2.3	0.01	RB	1
79	5	20	21	5.1	303	5.3	357	16.0	16.3	0.3	E	-2.1	0.01	RB	1
79	5	20	22	8.4	355	13.2	7	14.0	14.4	0.4	E	-0.1	0.0	RB	1
79	5	20	23	3.3	251	7.6	32	12.7	13.4	0.7	E	-0.2	0.0	RB	1
79	5	20	24	3.5	279	2.8	3	13.0	13.1	0.1	E	-0.6	0.0	RB	1
79	5	21	1	4.5	248	2.8	288	12.8	13.1	0.4	E	-0.9	0.0	RB	1
79	5	21	2	7.6	270	6.5	244	13.2	14.2	1.0	F	-1.0	0.0	RB	1
79	5	21	3	6.3	267	9.5	275	11.8	12.4	0.6	E	1.0	0.0	RB	1
79	5	21	4	2.6	106	3.5	25	11.0	11.4	0.4	E	1.2	0.0	RB	1
79	5	21	5	3.4	265	4.2	320	11.3	11.6	0.4	E	1.5	0.02	RB	1
79	5	21	6	2.9	183	3.9	264	11.6	11.7	0.1	E	2.3	0.15	RB	1
79	5	21	7	6.5	260	7.5	259	13.3	12.7	-0.6	D	1.7	0.47	RB	1
79	5	21	8	6.3	262	7.2	255	14.9	14.3	-0.6	D	1.9	0.79	RB	1
79	5	21	9	7.5	333	8.6	322	15.7	14.9	-0.8	C	1.0	0.93	RB	1
79	5	21	10	7.3	354	8.1	354	16.7	15.8	-0.8	C	-0.2	1.24	RB	1
79	5	21	11	7.1	4	8.0	3	17.7	16.8	-0.8	C	-1.5	1.27	RB	1
79	5	21	12	10.0	312	11.6	306	18.2	17.1	-1.0	A	-1.2	1.42	RB	1
79	5	21	13	10.7	331	12.6	319	18.8	17.7	-1.1	A	-3.3	1.37	RB	1
79	5	21	14	9.3	316	10.7	305	19.1	18.2	-0.9	B	-2.7	1.27	RB	1
79	5	21	15	10.0	302	11.5	296	19.8	18.9	-0.9	B	-3.4	1.11	RB	1
79	5	21	16	11.8	310	13.9	302	19.8	19.0	-0.8	C	-2.4	0.66	RB	1
79	5	21	17	13.8	3	16.8	355	19.2	18.5	-0.7	D	-2.6	0.62	RB	1
79	5	21	18	8.7	326	10.4	330	19.2	18.6	-0.6	D	-1.8	0.38	RB	1
79	5	21	19	7.5	352	10.3	352	17.7	17.8	0.0	E	-1.1	0.05	RB	1
79	5	21	20	10.6	325	14.7	330	16.1	16.7	0.6	E	-3.5	0.0	RB	1
79	5	21	21	11.7	321	16.7	323	15.4	15.8	0.5	E	-4.7	0.0	RB	1
79	5	21	22	13.0	319	17.8	320	15.0	15.3	0.3	E	-4.1	0.0	RB	1
79	5	21	23	9.7	311	13.6	312	14.6	15.1	0.5	E	-2.9	0.0	RB	1
79	5	21	24	8.3	282	11.3	299	14.0	15.2	1.1	F	-2.6	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	5	22	1	11.3	272	12.9	290	13.8	15.1	1.3	F	-2.4	0.0	RB	1
79	5	22	2	9.4	269	11.3	288	14.0	14.8	0.8	F	-2.1	0.0	RB	1
79	5	22	3	9.6	279	12.6	299	13.4	14.4	1.0	F	-2.0	0.0	RB	1
79	5	22	4	9.0	305	12.3	324	12.8	13.9	1.1	F	-2.5	0.0	RB	1
79	5	22	5	7.9	293	8.0	339	12.5	13.7	1.2	F	-2.8	0.03	RB	1
79	5	22	6	5.0	296	5.5	334	13.5	13.8	0.3	E	-1.9	0.18	RB	1
79	5	22	7	2.6	28	2.8	20	15.3	14.8	-0.5	D	-0.7	0.48	RB	1
79	5	22	8	5.8	19	6.7	11	16.1	15.5	-0.6	D	-0.7	0.72	RB	1
79	5	22	9	9.7	358	10.6	350	17.0	16.2	-0.8	C	-2.0	1.02	RB	1
79	5	22	10	8.0	280	9.4	277	17.8	16.8	-0.9	B	-3.2	1.22	RB	1
79	5	22	11	6.1	313	7.6	299	18.5	17.7	-0.8	C	-3.0	1.35	RB	1
79	5	22	12	8.7	301	9.9	296	19.0	18.1	-0.9	B	-3.8	1.41	RB	1
79	5	22	13	10.6	325	12.6	316	19.6	18.6	-1.0	A	-4.4	1.28	RB	1
79	5	22	14	10.1	319	12.3	314	20.1	19.2	-0.9	B	-5.1	1.30	RB	1
79	5	22	15	10.2	318	12.7	312	20.4	19.5	-0.9	B	-4.8	0.82	RB	1
79	5	22	16	9.5	334	11.0	325	20.1	19.5	-0.6	D	-3.5	0.58	RB	1
79	5	22	17	10.3	311	12.5	307	20.7	19.9	-0.7	D	-2.7	0.62	RB	1
79	5	22	18	9.4	340	11.3	335	20.4	19.8	-0.6	D	-3.0	0.36	RB	1
79	5	22	19	4.8	20	7.3	20	18.7	18.6	-0.1	E	-2.0	0.06	RB	1
79	5	22	20	2.7	253	2.7	62	16.3	16.3	0.0	E	-1.2	0.0	RB	1
79	5	22	21	6.1	245	3.8	245	16.8	16.9	0.1	E	-1.9	0.0	RB	1
79	5	22	22	6.4	248	3.5	257	17.5	17.4	-0.1	E	-2.6	0.0	RB	1
79	5	22	23	7.3	257	6.6	257	17.2	17.4	0.2	E	-2.7	0.0	RB	1
79	5	22	24	6.5	284	6.5	326	15.3	15.8	0.5	E	-2.7	0.0	RB	1
79	5	23	1	4.4	291	4.1	343	16.0	16.3	0.3	E	-3.3	0.0	RB	1
79	5	23	2	3.2	207	2.9	49	13.6	14.3	0.8	F	-2.6	0.0	RB	1
79	5	23	3	1.5	336	4.1	43	12.1	12.2	0.1	E	-1.6	0.0	RB	1
79	5	23	4	2.5	231	1.4	223	11.6	11.9	0.3	E	-0.2	0.0	RB	1
79	5	23	5	2.4	297	2.5	335	11.7	12.1	0.4	E	-0.2	0.03	RB	1
79	5	23	6	3.9	38	4.5	31	11.7	12.0	0.3	E	0.4	0.18	RB	1
79	5	23	7	2.8	59	3.0	53	12.2	11.8	-0.4	D	1.9	0.49	RB	1
79	5	23	8	3.6	61	4.2	52	13.8	13.4	-0.4	D	2.3	0.76	RB	1
79	5	23	9	4.5	69	5.9	67	15.6	15.0	-0.6	D	1.3	1.00	RB	1
79	5	23	10	7.2	60	8.3	57	16.8	16.1	-0.7	D	0.8	1.21	RB	1
79	5	23	11	7.9	64	9.2	55	17.9	17.1	-0.8	C	-0.3	1.35	RB	1
79	5	23	12	8.1	39	8.8	34	18.8	18.0	-0.8	C	-2.0	1.39	RB	1
79	5	23	13	8.2	31	8.9	27	19.7	18.8	-0.9	B	-1.5	1.39	RB	1
79	5	23	14	6.6	31	7.5	26	20.0	19.3	-0.7	D	-0.9	1.00	RB	1
79	5	23	15	7.9	49	9.6	42	20.7	19.9	-0.8	C	-1.8	1.12	RB	1
79	5	23	16	3.6	28	4.5	25	19.9	19.5	-0.4	D	-2.1	0.20	RB	1
79	5	23	17	1.9	57	2.9	84	19.7	19.3	-0.3	D	-0.8	0.18	RB	1
79	5	23	18	3.2	252	4.0	245	19.6	19.2	-0.4	D	0.3	0.26	RB	1
79	5	23	19	3.2	278	3.1	13	19.0	18.8	-0.2	E	-1.1	0.06	RB	1
79	5	23	20	8.1	280	9.6	295	17.3	17.7	0.4	E	0.7	0.0	RB	1
79	5	23	21	12.8	268	20.1	276	15.1	15.6	0.5	E	2.2	0.0	RB	1
79	5	23	22	11.9	283	19.3	287	14.1	14.8	0.7	E	2.3	0.0	RB	1
79	5	23	23	10.3	282	17.4	296	13.6	15.0	1.3	F	1.6	0.0	RB	1
79	5	23	24	10.3	273	14.8	296	14.1	15.6	1.5	F	1.0	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RHOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE							
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
79	5	24	1	6.2	289	10.5	266	13.9	14.6	0.7	E	1.3	0.0	RB	1
79	5	24	2	8.9	265	13.8	263	13.4	13.7	0.3	E	1.8	0.0	RB	1
79	5	24	3	4.6	275	7.3	257	12.8	12.7	0.0	E	1.8	0.0	RB	1
79	5	24	4	7.6	255	13.3	252	12.8	12.9	0.1	E	2.5	0.0	RB	1
79	5	24	5	3.5	36	4.7	18	12.3	12.7	0.4	E	2.8	0.03	RB	1
79	5	24	6	5.0	231	7.7	217	13.0	13.0	0.0	E	3.2	0.09	RB	1
79	5	24	7	3.3	65	3.9	104	12.8	12.6	-0.2	E	4.0	0.21	RB	1
79	5	24	8	4.3	120	4.5	139	13.5	13.0	-0.5	D	4.2	0.37	RB	1
79	5	24	9	5.0	126	6.0	137	14.8	14.1	-0.7	D	4.2	0.60	RB	1
79	5	24	10	6.4	212	9.4	208	15.4	14.7	-0.7	D	4.5	0.41	RB	1
79	5	24	11	3.7	147	5.0	162	14.4	14.1	-0.2	E	6.0	0.56	RB	1
79	5	24	12	12.0	359	13.6	352	14.4	13.8	-0.6	D	5.8	0.51	RB	1
79	5	24	13	12.0	9	13.2	6	15.0	14.2	-0.8	C	5.3	0.81	RB	1
79	5	24	14	10.4	306	13.3	304	14.2	13.7	-0.5	D	5.4	0.20	RB	1
79	5	24	15	15.4	259	20.3	261	10.0	9.5	-0.5	D	7.9	0.43	RB	1
79	5	24	16	11.5	272	15.2	271	11.0	10.7	-0.4	D	7.7	0.31	RB	1
79	5	24	17	13.4	294	17.2	291	11.3	10.8	-0.5	D	6.8	0.24	RB	1
79	5	24	18	8.0	211	11.2	207	10.6	10.4	-0.2	E	6.8	0.03	RB	1
79	5	24	19	6.2	183	9.1	176	8.9	8.6	-0.3	D	8.1	0.01	RB	1
79	5	24	20	6.2	245	5.1	238	8.5	8.6	0.1	E	6.9	0.01	RB	1
79	5	24	21	2.7	249	3.4	11	9.1	9.4	0.4	E	6.7	0.01	RB	1
79	5	24	22	2.9	262	3.3	47	9.2	9.3	0.1	E	6.6	0.01	RB	1
79	5	24	23	1.7	45	4.0	83	8.8	8.6	-0.2	E	6.8	0.01	RB	1
79	5	24	24	3.7	229	2.9	215	8.4	8.3	-0.1	E	6.9	0.01	RB	1
79	5	25	1	5.3	234	4.7	202	8.6	8.6	0.0	E	6.5	0.01	RB	1
79	5	25	2	5.0	236	3.9	208	9.1	9.2	0.1	E	6.0	0.01	RB	1
79	5	25	3	3.0	208	2.4	208	9.1	9.4	0.3	E	6.0	0.01	RB	1
79	5	25	4	2.6	186	2.7	261	8.9	9.3	0.4	E	5.9	0.01	RB	1
79	5	25	5	2.2	204	2.4	201	7.9	8.1	0.2	E	6.4	0.01	RB	1
79	5	25	6	3.0	24	4.9	10	8.2	8.3	0.1	E	6.6	0.08	RB	1
79	5	25	7	1.7	32	1.5	12	8.8	8.3	-0.5	D	7.5	0.20	RB	1
79	5	25	8	2.5	80	2.6	88	9.5	9.0	-0.5	D	7.4	0.27	RB	1
79	5	25	9	2.8	108	2.8	114	9.8	9.3	-0.5	D	7.5	0.34	RB	1
79	5	25	10	3.3	74	3.4	81	12.0	11.5	-0.5	D	7.9	0.90	RB	1
79	5	25	11	4.6	65	5.4	76	12.8	12.1	-0.7	D	8.2	0.70	RB	1
79	5	25	12	3.9	57	4.3	52	10.0	9.6	-0.4	D	5.8	0.13	RB	1
79	5	25	13	6.9	237	4.7	233	10.4	10.5	0.0	E	8.1	0.39	RB	1
79	5	25	14	6.2	241	5.9	243	11.3	10.9	-0.4	D	7.7	0.65	RB	1
79	5	25	15	9.1	1	10.2	357	13.5	12.7	-0.7	D	8.5	0.80	RB	1
79	5	25	16	4.0	3	4.0	2	13.0	12.4	-0.6	D	8.0	0.73	RB	1
79	5	25	17	3.8	333	3.9	337	14.3	13.8	-0.5	D	7.5	0.29	RB	1
79	5	25	18	3.5	346	3.9	351	14.6	14.2	-0.5	D	7.4	0.28	RB	1
79	5	25	19	4.1	346	5.7	9	13.8	14.0	0.2	E	6.9	0.06	RB	1
79	5	25	20	6.2	300	8.4	356	11.9	13.2	1.3	F	6.4	0.01	RB	1
79	5	25	21	5.2	308	9.3	14	11.5	12.6	1.0	F	6.8	0.0	RB	1
79	5	25	22	5.6	302	8.5	355	11.5	12.3	0.8	F	7.2	0.0	RB	1
79	5	25	23	3.9	300	5.8	355	11.3	11.5	0.2	E	7.2	0.0	RB	1
79	5	25	24	5.8	296	6.3	340	11.0	11.4	0.3	E	6.7	0.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	- 60 METER - WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	5	26	1	5.1	294	6.0	334	10.9	11.3	0.4	E	5.9	0.0	RB	1
79	5	26	2	3.5	325	5.8	4	9.9	10.1	0.2	E	6.3	0.0	RB	1
79	5	26	3	1.9	247	2.4	1	9.4	9.2	-0.2	E	6.8	0.0	RB	1
79	5	26	4	2.5	259	2.2	311	8.8	8.6	-0.2	E	6.9	0.0	RB	1
79	5	26	5	2.6	291	2.6	310	8.8	8.8	0.0	E	6.9	0.03	RB	1
79	5	26	6	1.9	317	2.0	353	9.2	9.1	-0.1	E	7.3	0.17	RB	1
79	5	26	7	1.9	33	1.7	52	10.8	10.2	-0.5	D	7.8	0.47	RB	1
79	5	26	8	3.3	73	3.5	71	12.1	11.5	-0.5	D	8.0	0.76	RB	1
79	5	26	9	5.1	60	5.9	58	13.4	12.9	-0.6	D	6.8	1.01	RB	1
79	5	26	10	5.1	68	6.5	63	14.5	13.9	-0.6	D	6.1	1.24	RB	1
79	5	26	11	6.2	77	7.2	77	15.7	14.9	-0.7	D	5.9	1.42	RB	1
79	5	26	12	5.9	11	6.3	7	16.7	15.9	-0.8	C	5.3	1.40	RB	1
79	5	26	13	6.3	23	6.6	12	17.5	16.8	-0.7	D	3.4	1.28	RB	1
79	5	26	14	5.6	19	5.8	19	18.4	17.8	-0.6	D	0.8	1.28	RB	1
79	5	26	15	6.8	28	7.2	17	19.0	18.4	-0.6	D	-0.6	1.11	RB	1
79	5	26	16	8.4	10	9.6	11	19.1	18.5	-0.6	D	0.4	0.86	RB	1
79	5	26	17	9.2	21	10.7	20	19.0	18.4	-0.6	D	0.4	0.58	RB	1
79	5	26	18	9.8	17	11.2	18	18.5	18.1	-0.4	D	0.7	0.31	RB	1
79	5	26	19	5.7	358	8.9	22	17.4	17.7	0.3	E	0.3	0.06	RB	1
79	5	26	20	2.4	273	5.0	49	16.3	16.9	0.5	E	0.5	0.01	RB	1
79	5	26	21	2.2	257	2.3	51	16.3	16.6	0.3	E	-0.2	0.0	RB	1
79	5	26	22	2.0	233	1.7	133	16.5	16.6	0.1	E	-1.0	0.0	RB	1
79	5	26	23	5.0	224	4.0	184	16.5	16.8	0.2	E	-0.9	0.0	RB	1
79	5	26	24	5.3	226	4.6	182	16.5	16.6	0.1	E	-1.0	0.0	RB	1
79	5	27	1	8.0	240	5.4	222	16.1	16.6	0.5	E	-1.1	0.0	RB	1
79	5	27	2	11.2	246	8.3	252	15.4	16.5	1.2	F	-0.9	0.0	RB	1
79	5	27	3	11.3	238	11.5	248	14.5	16.2	1.7	F	1.1	0.01	RB	1
79	5	27	4	6.5	245	14.4	253	12.6	14.3	1.8	F	2.9	0.0	RB	1
79	5	27	5	4.7	266	10.0	260	11.5	12.7	1.2	F	3.8	0.03	RB	1
79	5	27	6	3.2	70	3.8	105	11.7	12.2	0.5	E	4.5	0.19	RB	1
79	5	27	7	2.7	105	3.1	124	13.4	13.0	-0.4	D	5.9	0.48	RB	1
79	5	27	8	4.9	238	5.7	227	15.7	15.0	-0.7	D	6.5	0.76	RB	1
79	5	27	9	6.9	232	8.2	225	16.5	15.8	-0.7	D	6.5	0.99	RB	1
79	5	27	10	6.7	241	8.3	236	17.3	16.6	-0.7	D	6.6	0.92	RB	1
79	5	27	11	9.1	256	10.4	248	17.5	16.8	-0.7	D	6.6	0.73	RB	1
79	5	27	12	10.0	260	11.6	254	18.4	17.6	-0.9	B	5.0	1.07	RB	1
79	5	27	13	7.7	113	9.2	111	18.6	17.8	-0.8	C	4.8	1.13	RB	1
79	5	27	14	5.1	18	5.5	17	14.7	14.0	-0.7	D	5.4	0.10	RB	1
79	5	27	15	5.3	255	6.3	252	13.7	13.8	0.1	E	7.1	0.10	RB	1
79	5	27	16	5.6	204	9.2	210	15.8	15.0	-0.8	C	8.6	0.53	RB	1
79	5	27	17	8.2	201	12.7	204	17.9	17.5	-0.4	D	6.6	0.54	RB	1
79	5	27	18	6.1	218	13.6	213	16.8	16.9	0.1	E	7.2	0.15	RB	1
79	5	27	19	6.1	247	13.0	216	15.9	16.1	0.2	E	7.7	0.06	RB	1
79	5	27	20	10.1	252	15.1	240	15.6	16.3	0.7	E	6.9	0.03	RB	1
79	5	27	21	10.6	257	16.2	238	15.2	16.1	0.9	F	6.6	0.02	RB	1
79	5	27	22	7.0	244	12.8	227	15.0	15.3	0.3	E	6.5	0.02	RB	1
79	5	27	23	3.2	203	7.7	214	14.3	14.3	0.0	E	6.6	0.02	RB	1
79	5	27	24	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER -		- 60 METER -		TEMPERATURE						
YR	MN	DY	HR	WIND SPEED MPH	WIND DIR DEG	WIND SPEED MPH	WIND DIR DEG	10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN	
79	5	28	1	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	2	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	3	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	4	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	5	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	6	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	7	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	28	13	9.7	205	12.4	227	16.4	15.7	-0.6	D	7.5	1.00	RB 1
79	5	28	14	10.5	251	12.9	241	16.7	16.1	-0.6	D	7.0	0.89	RB 1
79	5	28	15	10.6	216	14.2	216	17.9	17.3	-0.6	D	6.7	0.63	RB 1
79	5	28	16	10.1	215	16.5	219	16.4	16.3	-0.1	E	7.1	0.40	RB 1
79	5	28	17	9.5	204	15.8	209	16.4	16.2	-0.2	E	6.0	0.19	RB 1
79	5	28	18	10.8	197	17.4	202	16.1	16.0	-0.2	E	6.3	0.11	RB 1
79	5	28	19	10.0	211	18.3	211	15.3	15.2	-0.1	E	5.6	0.05	RB 1
79	5	28	20	10.9	210	19.4	208	14.7	14.6	-0.1	E	3.9	0.01	RB 1
79	5	28	21	9.7	212	18.8	208	14.2	14.2	0.0	E	3.0	0.01	RB 1
79	5	28	22	13.0	204	22.6	202	13.8	13.9	0.1	E	2.8	0.01	RB 1
79	5	28	23	12.9	201	22.4	204	14.0	14.2	0.2	E	2.6	0.01	RB 1
79	5	28	24	11.9	202	20.3	204	13.7	13.9	0.2	E	2.7	0.01	RB 1
79	5	29	1	9.0	209	17.4	204	12.7	12.9	0.2	E	3.0	0.01	RB 1
79	5	29	2	7.4	221	14.1	202	12.2	12.5	0.3	E	3.5	0.01	RB 1
79	5	29	3	6.9	239	13.5	226	12.4	12.6	0.2	E	4.2	0.01	RB 1
79	5	29	4	9.0	211	16.7	215	12.3	12.3	0.0	E	4.4	0.01	RB 1
79	5	29	5	6.8	202	13.1	219	11.9	11.9	-0.1	E	4.5	0.02	RB 1
79	5	29	6	8.4	239	13.9	239	12.0	11.9	-0.1	E	4.6	0.06	RB 1
79	5	29	7	8.2	294	9.5	288	12.1	11.4	-0.7	D	2.8	0.62	RB 1
79	5	29	8	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	29	9	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	29	10	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	29	11	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	29	12	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	29	13	999.9	999	999.9	999	999.9	999.9	999.9	-	999.9	99.99	RB 1
79	5	29	14	6.0	69	5.9	69	9.9	9.3	-0.6	D	3.1	0.80	RB 1
79	5	29	15	11.1	48	12.1	45	9.8	9.0	-0.8	C	3.6	0.90	RB 1
79	5	29	16	10.3	49	11.3	47	9.3	8.6	-0.7	D	2.7	0.84	RB 1
79	5	29	17	8.1	59	9.4	54	9.2	8.6	-0.6	D	2.0	0.50	RB 1
79	5	29	18	8.8	33	9.9	32	8.8	8.3	-0.5	D	1.3	0.27	RB 1
79	5	29	19	8.5	20	11.1	23	7.6	7.3	-0.3	D	0.9	0.05	RB 1
79	5	29	20	9.0	10	12.9	18	6.2	6.2	0.0	E	0.4	0.01	RB 1
79	5	29	21	5.9	26	10.8	42	5.3	5.5	0.2	E	0.2	0.0	RB 1
79	5	29	22	12.1	31	16.3	32	4.2	4.1	-0.1	E	-4.3	0.0	RB 1
79	5	29	23	12.2	28	16.1	30	3.0	2.8	-0.2	E	-8.3	0.0	RB 1
79	5	29	24	8.0	37	11.9	39	2.1	2.0	-0.1	E	-8.1	0.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWER 1

				- 10 METER - WIND SPEED MPH	WIND DIR DEG	60 METER WIND SPEED MPH	WIND DIR DEG	TEMPERATURE 10 M TEMP (C)	60 M TEMP (C)	DELTA T 60-10 (C)	SC	DEW POINT (C)	SOLAR RAD LY/MIN		
YR	MN	DY	HR												
79	5	30	1	7.7	31	11.1	30	1.5	1.3	-0.2	E	-7.9	0.0	RB	1
79	5	30	2	6.7	18	9.9	23	1.1	0.9	-0.2	E	-7.8	0.0	RB	1
79	5	30	3	8.5	12	11.6	18	0.8	0.6	-0.2	E	-8.1	0.0	RB	1
79	5	30	4	10.5	6	13.3	9	0.3	0.0	-0.3	D	-8.0	0.01	RB	1
79	5	30	5	10.4	12	12.7	12	-0.1	-0.5	-0.4	D	-6.6	0.02	RB	1
79	5	30	6	7.6	20	9.3	20	-0.4	-0.9	-0.5	D	-5.6	0.11	RB	1
79	5	30	7	7.5	37	8.3	34	-0.1	-0.7	-0.6	D	-4.8	0.27	RB	1
79	5	30	8	8.2	38	9.0	37	1.6	0.9	-0.7	D	-4.5	0.64	RB	1
79	5	30	9	7.0	47	8.1	43	3.0	2.3	-0.7	D	-4.6	0.93	RB	1
79	5	30	10	7.7	27	8.7	28	4.6	3.9	-0.8	C	-4.5	0.93	RB	1
79	5	30	11	7.3	10	7.5	15	6.1	5.4	-0.7	D	-4.4	1.36	RB	1
79	5	30	12	5.4	81	5.4	86	7.3	6.6	-0.7	D	-4.2	1.38	RB	1
79	5	30	13	6.5	312	7.3	314	8.4	7.7	-0.7	D	-5.2	1.05	RB	1
79	5	30	14	11.6	310	13.8	300	9.6	8.6	-1.0	A	-7.0	1.31	RB	1
79	5	30	15	13.8	312	16.0	305	9.7	8.7	-1.0	A	-7.8	1.14	RB	1
79	5	30	16	13.9	294	16.2	289	9.9	9.0	-0.9	B	-8.0	0.92	RB	1
79	5	30	17	15.3	310	18.0	306	9.4	8.8	-0.6	D	-9.8	0.43	RB	1
79	5	30	18	13.7	314	16.2	307	9.1	8.6	-0.5	D	-10.1	0.19	RB	1
79	5	30	19	13.1	334	15.3	330	6.8	6.3	-0.5	D	-5.2	0.03	RB	1
79	5	30	20	16.0	359	18.1	354	3.8	3.3	-0.5	D	-1.9	0.01	RB	1
79	5	30	21	9.3	1	11.7	360	0.8	0.5	-0.3	D	0.0	0.01	RB	1
79	5	30	22	3.3	96	4.3	86	0.6	0.2	-0.4	D	0.3	0.01	RB	1
79	5	30	23	3.6	243	2.6	245	0.6	0.4	-0.1	E	0.0	0.01	RB	1
79	5	30	24	4.5	270	3.0	284	0.9	0.9	-0.1	E	-0.9	0.0	RB	1
79	5	31	1	3.7	299	3.9	0	0.7	0.8	0.1	E	-1.7	0.0	RB	1
79	5	31	2	3.6	301	3.3	354	0.5	0.6	0.1	E	-1.7	0.0	RB	1
79	5	31	3	4.8	298	4.3	343	-0.1	0.2	0.3	E	-1.9	0.0	RB	1
79	5	31	4	5.7	303	5.9	338	-0.5	-0.3	0.2	E	-2.1	0.0	RB	1
79	5	31	5	3.6	294	3.7	358	-0.3	-0.4	-0.1	E	-2.0	0.05	RB	1
79	5	31	6	3.1	303	2.6	356	0.0	-2.7	999.9	-	-1.5	0.26	RB	1
79	5	31	7	5.6	40	6.4	40	1.0	-3.0	999.9	-	-0.9	0.37	RB	1
79	5	31	8	7.0	57	7.6	55	1.6	1.0	-0.7	D	-0.7	0.54	RB	1
79	5	31	9	5.4	78	6.7	85	2.7	2.1	-0.6	D	-0.5	0.88	RB	1
79	5	31	10	5.3	93	6.2	86	4.2	3.6	-0.7	D	-1.4	1.12	RB	1
79	5	31	11	4.7	58	5.1	60	5.6	5.0	-0.6	D	-2.4	0.90	RB	1
79	5	31	12	5.3	37	5.6	37	6.9	6.3	-0.5	D	-3.9	1.00	RB	1
79	5	31	13	5.1	213	5.2	216	7.9	7.3	-0.6	D	-5.4	1.06	RB	1
79	5	31	14	6.6	112	7.2	107	8.7	8.0	-0.7	D	-6.0	0.78	RB	1
79	5	31	15	5.1	96	5.4	89	9.1	8.5	-0.6	D	-6.3	0.77	RB	1
79	5	31	16	3.7	68	4.1	67	9.3	8.8	-0.5	D	-7.3	0.36	RB	1
79	5	31	17	4.8	61	5.9	57	9.5	9.0	-0.5	D	-7.3	0.29	RB	1
79	5	31	18	5.5	72	7.7	66	9.5	9.0	-0.5	D	-7.9	0.20	RB	1
79	5	31	19	4.0	57	7.2	61	9.0	8.9	-0.2	E	-7.9	0.07	RB	1
79	5	31	20	4.3	314	8.2	18	7.3	8.0	0.8	F	-7.5	0.01	RB	1
79	5	31	21	3.2	302	5.4	34	7.3	7.7	0.4	E	-8.8	0.0	RB	1
79	5	31	22	3.3	262	2.1	74	7.4	7.5	0.1	E	-10.5	0.0	RB	1
79	5	31	23	1.7	227	2.2	139	7.4	7.4	0.0	E	-11.0	0.0	RB	1
79	5	31	24	3.4	212	4.0	182	6.9	7.1	0.2	E	-10.8	0.0	RB	1

APPENDIX 2-2.2

Meteorological Data - Sites 2 and 3*

* missing data indicated by 999

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	1	1	24.9	237	1.2	3.8	134	1.8	RB	1
78	12	1	2	26.7	234	1.6	10.2	240	2.7	RB	1
78	12	1	3	29.1	237	1.7	16.3	239	3.1	RB	1
78	12	1	4	25.5	234	1.6	17.9	243	2.9	RB	1
78	12	1	5	24.5	234	1.7	11.2	247	2.9	RB	1
78	12	1	6	24.5	239	1.2	5.6	223	2.4	RB	1
78	12	1	7	23.8	235	1.1	4.0	146	2.0	RB	1
78	12	1	8	25.4	231	1.5	4.0	104	2.3	RB	1
78	12	1	9	20.8	231	1.7	12.1	242	3.2	RB	1
78	12	1	10	20.2	230	1.2	12.3	247	3.1	RB	1
78	12	1	11	18.5	226	0.7	9.8	241	2.9	RB	1
78	12	1	12	18.1	232	1.2	5.4	155	2.6	RB	1
78	12	1	13	6.0	328	0.9	7.1	18	1.2	RB	1
78	12	1	14	9.9	35	-2.3	8.2	50	-1.5	RB	1
78	12	1	15	6.5	37	-3.2	4.8	63	-2.0	RB	1
78	12	1	16	4.3	336	-3.5	1.4	332	-2.2	RB	1
78	12	1	17	5.5	22	-3.6	4.1	57	-2.4	RB	1
78	12	1	18	5.2	62	-3.7	4.3	60	-2.7	RB	1
78	12	1	19	6.2	33	-4.1	3.2	40	-3.0	RB	1
78	12	1	20	7.6	15	-4.5	3.9	32	-3.4	RB	1
78	12	1	21	8.6	4	-5.1	2.9	34	-4.0	RB	1
78	12	1	22	7.3	0	-5.4	1.3	49	-4.3	RB	1
78	12	1	23	8.4	5	-5.5	1.8	42	-4.3	RB	1
78	12	1	24	8.2	5	-5.5	1.6	43	-4.4	RB	1
78	12	2	1	9.5	4	-5.7	2.1	31	-4.5	RB	1
78	12	2	2	10.1	6	-6.0	4.2	34	-4.9	RB	1
78	12	2	3	11.4	8	-7.0	5.4	36	-6.4	RB	1
78	12	2	4	8.4	14	-8.3	5.0	64	-7.9	RB	1
78	12	2	5	4.7	48	-9.6	5.8	56	-8.9	RB	1
78	12	2	6	6.9	34	-10.8	4.6	54	-9.8	RB	1
78	12	2	7	11.6	9	-12.3	4.7	2	-10.9	RB	1
78	12	2	8	8.2	3	-13.0	4.8	25	-11.6	RB	1
78	12	2	9	7.6	18	-13.0	5.5	3	-11.6	RB	1
78	12	2	10	8.5	360	-13.1	5.5	355	-11.5	RB	1
78	12	2	11	6.9	21	-12.6	7.1	36	-11.4	RB	1
78	12	2	12	7.1	53	-12.5	7.2	52	-11.3	RB	1
78	12	2	13	7.9	27	-12.4	7.0	67	-11.3	RB	1
78	12	2	14	9.1	355	-12.8	5.9	56	-11.3	RB	1
78	12	2	15	4.9	51	-12.6	5.3	61	-11.5	RB	1
78	12	2	16	4.3	72	-13.3	4.0	55	-11.9	RB	1
78	12	2	17	2.9	82	-14.1	2.5	34	-12.9	RB	1
78	12	2	18	2.7	22	-15.4	4.8	274	-16.6	RB	1
78	12	2	19	2.6	308	-15.8	6.1	271	-18.0	RB	1
78	12	2	20	3.5	278	-16.2	6.1	265	-18.9	RB	1
78	12	2	21	3.7	283	-16.5	6.8	267	-19.3	RB	1
78	12	2	22	3.7	299	-16.6	6.9	265	-19.1	RB	1
78	12	2	23	5.6	259	-16.8	6.5	264	-19.7	RB	1
78	12	2	24	5.6	285	-17.2	6.6	262	-21.4	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
78	12	3	1	4.2	288	-17.0	7.1	265	-22.1	RB 1
78	12	3	2	4.4	280	-16.4	6.2	258	-21.8	RB 1
78	12	3	3	4.0	280	-16.0	2.9	265	-20.4	RB 1
78	12	3	4	2.9	290	-16.2	1.2	150	-20.5	RB 1
78	12	3	5	2.6	225	-15.8	3.2	215	-20.3	RB 1
78	12	3	6	3.0	154	-15.9	2.1	33	-20.3	RB 1
78	12	3	7	2.1	209	-15.8	1.5	266	-20.5	RB 1
78	12	3	8	2.9	144	-15.5	2.2	256	-19.5	RB 1
78	12	3	9	3.5	155	-13.6	2.2	231	-16.8	RB 1
78	12	3	10	3.2	142	-10.7	2.4	72	-11.4	RB 1
78	12	3	11	3.9	107	-10.0	5.6	59	-11.9	RB 1
78	12	3	12	3.5	124	-8.1	5.8	56	-10.2	RB 1
78	12	3	13	6.5	254	-8.4	6.0	61	-8.9	RB 1
78	12	3	14	9.0	253	-8.7	4.6	60	-7.6	RB 1
78	12	3	15	9.8	253	-8.7	5.8	232	-6.2	RB 1
78	12	3	16	8.8	250	-8.6	4.3	240	-6.3	RB 1
78	12	3	17	9.6	241	-9.7	6.1	272	-12.7	RB 1
78	12	3	18	9.9	242	-10.7	6.5	266	-14.1	RB 1
78	12	3	19	9.0	240	-10.0	1.1	346	-12.2	RB 1
78	12	3	20	6.9	242	-9.7	2.2	95	-11.4	RB 1
78	12	3	21	8.3	237	-9.7	2.8	67	-10.9	RB 1
78	12	3	22	5.7	213	-9.3	1.1	213	-10.4	RB 1
78	12	3	23	5.3	246	-8.5	2.1	137	-9.8	RB 1
78	12	3	24	5.6	215	-7.9	2.6	117	-9.6	RB 1
78	12	4	1	3.0	146	-7.9	1.2	71	-9.1	RB 1
78	12	4	2	3.8	133	-8.3	1.3	181	-9.1	RB 1
78	12	4	3	4.4	188	-7.2	1.6	113	-9.0	RB 1
78	12	4	4	3.2	115	-8.3	1.5	195	-8.8	RB 1
78	12	4	5	4.0	104	-8.4	0.7	116	-8.6	RB 1
78	12	4	6	3.4	138	-8.7	1.1	205	-8.4	RB 1
78	12	4	7	3.5	355	-8.9	2.0	232	-8.2	RB 1
78	12	4	8	6.2	190	-6.6	2.0	269	-7.6	RB 1
78	12	4	9	5.5	214	-3.6	2.4	74	-5.7	RB 1
78	12	4	10	10.0	217	-3.5	2.9	62	-3.2	RB 1
78	12	4	11	9.4	209	-2.4	4.8	142	-0.4	RB 1
78	12	4	12	7.2	201	-0.9	6.6	168	0.4	RB 1
78	12	4	13	9.6	182	-1.0	7.6	194	0.0	RB 1
78	12	4	14	10.3	182	-0.1	7.1	229	1.1	RB 1
78	12	4	15	25.7	235	-0.7	7.3	227	2.4	RB 1
78	12	4	16	33.2	242	-1.2	7.6	209	1.8	RB 1
78	12	4	17	36.1	241	-0.7	6.5	173	0.3	RB 1
78	12	4	18	31.0	236	0.1	17.6	246	1.0	RB 1
78	12	4	19	28.0	232	0.4	15.5	248	1.4	RB 1
78	12	4	20	27.9	228	0.3	15.3	246	1.4	RB 1
78	12	4	21	31.0	229	0.2	12.6	242	1.5	RB 1
78	12	4	22	32.1	228	0.1	15.1	242	1.4	RB 1
78	12	4	23	31.3	222	0.4	18.8	239	1.8	RB 1
78	12	4	24	29.7	221	-0.3	20.0	236	1.3	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
78	12	5	1	31.5	215	-0.2	17.8	240	1.3	RB 1
78	12	5	2	29.5	216	-0.2	16.5	238	1.6	RB 1
78	12	5	3	29.3	217	0.2	16.3	243	1.8	RB 1
78	12	5	4	24.8	215	0.2	14.1	242	1.7	RB 1
78	12	5	5	22.1	222	0.1	12.2	248	1.5	RB 1
78	12	5	6	15.3	247	-0.5	11.1	282	0.8	RB 1
78	12	5	7	7.4	313	-2.1	2.1	80	-1.5	RB 1
78	12	5	8	19.5	280	-3.0	4.4	43	-2.6	RB 1
78	12	5	9	11.3	335	-4.5	6.4	65	-4.0	RB 1
78	12	5	10	8.2	34	-5.5	6.4	61	-4.8	RB 1
78	12	5	11	9.0	356	-6.4	5.8	17	-5.4	RB 1
78	12	5	12	7.5	28	-7.4	5.0	18	-6.1	RB 1
78	12	5	13	10.2	18	-8.3	7.1	46	-7.3	RB 1
78	12	5	14	11.1	16	-9.5	6.2	35	-8.3	RB 1
78	12	5	15	10.8	10	-10.9	5.7	22	-9.6	RB 1
78	12	5	16	9.5	8	-11.7	4.9	11	-10.2	RB 1
78	12	5	17	9.2	16	-12.5	6.5	43	-11.1	RB 1
78	12	5	18	12.0	17	-13.4	7.5	44	-11.9	RB 1
78	12	5	19	14.1	20	-14.3	7.8	35	-12.8	RB 1
78	12	5	20	11.6	7	-15.0	5.6	33	-13.5	RB 1
78	12	5	21	9.4	2	-15.4	4.2	25	-13.8	RB 1
78	12	5	22	10.5	359	-15.7	4.0	352	-14.2	RB 1
78	12	5	23	9.6	357	-15.9	3.1	14	-14.5	RB 1
78	12	5	24	9.2	353	-15.9	2.4	35	-14.5	RB 1
78	12	6	1	7.6	348	-15.8	2.2	70	-14.4	RB 1
78	12	6	2	7.1	351	-15.4	1.9	64	-14.1	RB 1
78	12	6	3	8.7	344	-15.2	2.6	342	-13.8	RB 1
78	12	6	4	8.7	359	-15.3	3.1	10	-13.8	RB 1
78	12	6	5	9.0	14	-15.4	3.4	56	-14.2	RB 1
78	12	6	6	10.0	7	-15.7	2.5	2	-14.6	RB 1
78	12	6	7	9.5	3	-15.5	4.1	10	-14.1	RB 1
78	12	6	8	8.9	10	-15.5	3.4	28	-14.0	RB 1
78	12	6	9	9.7	16	-15.4	4.0	37	-13.8	RB 1
78	12	6	10	8.5	7	-15.1	4.9	14	-13.3	RB 1
78	12	6	11	8.7	2	-14.8	5.4	4	-13.2	RB 1
78	12	6	12	8.6	4	-14.5	5.3	13	-12.8	RB 1
78	12	6	13	8.2	4	-14.1	4.9	28	-12.5	RB 1
78	12	6	14	8.0	11	-13.7	5.3	36	-12.3	RB 1
78	12	6	15	6.9	9	-13.8	3.4	19	-12.0	RB 1
78	12	6	16	4.5	356	-13.9	2.1	9	-12.3	RB 1
78	12	6	17	3.6	334	-14.6	1.2	49	-13.1	RB 1
78	12	6	18	4.4	286	-15.1	2.0	263	-13.8	RB 1
78	12	6	19	2.8	273	-15.3	2.0	266	-15.1	RB 1
78	12	6	20	3.2	313	-15.8	3.9	259	-17.8	RB 1
78	12	6	21	2.6	304	-16.1	1.7	268	-17.4	RB 1
78	12	6	22	3.6	307	-16.6	0.9	260	-17.6	RB 1
78	12	6	23	2.7	356	-17.0	2.3	265	-18.8	RB 1
78	12	6	24	2.9	35	-17.3	2.4	250	-18.1	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
78	12	7	1	2.6	156	-17.8	1.2	252	-17.8	RB 1
78	12	7	2	3.6	130	-18.4	2.1	141	-17.7	RB 1
78	12	7	3	4.1	100	-19.1	3.4	84	-17.9	RB 1
78	12	7	4	3.8	71	-20.1	4.6	49	-18.9	RB 1
78	12	7	5	7.3	24	-20.9	2.2	32	-19.7	RB 1
78	12	7	6	6.5	27	-21.8	0.9	12	-21.2	RB 1
78	12	7	7	4.6	11	-22.3	4.4	265	-23.6	RB 1
78	12	7	8	3.6	337	-22.4	4.6	271	-23.4	RB 1
78	12	7	9	5.8	347	-22.0	4.1	5	-20.4	RB 1
78	12	7	10	6.7	14	-21.6	4.3	37	-19.7	RB 1
78	12	7	11	3.8	26	-20.5	3.5	82	-19.2	RB 1
78	12	7	12	2.9	24	-18.2	3.1	95	-18.5	RB 1
78	12	7	13	3.7	8	-17.7	4.0	66	-17.6	RB 1
78	12	7	14	4.7	21	-18.9	4.6	44	-17.8	RB 1
78	12	7	15	7.2	15	-19.8	6.1	5	-18.3	RB 1
78	12	7	16	7.1	9	-20.8	5.1	63	-19.4	RB 1
78	12	7	17	4.5	33	-22.1	1.7	11	-21.3	RB 1
78	12	7	18	3.1	304	-23.3	4.8	278	-23.8	RB 1
78	12	7	19	3.1	279	-23.8	6.5	286	-25.1	RB 1
78	12	7	20	4.0	277	-24.0	6.2	282	-26.0	RB 1
78	12	7	21	4.3	277	-24.1	6.5	282	-26.8	RB 1
78	12	7	22	4.1	285	-23.9	5.4	273	-26.2	RB 1
78	12	7	23	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	7	24	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	1	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	2	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	3	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	4	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	5	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	6	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	7	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	8	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	9	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	10	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	11	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	12	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	13	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	14	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	15	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	16	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	17	999.9	999	999.9	999.9	999	999.9	RB 1
78	12	8	18	6.7	160	-19.4	2.0	171	-6.2	RB 1
78	12	8	19	5.2	214	-18.9	6.8	265	-25.0	RB 1
78	12	8	20	3.5	258	-19.7	6.1	259	-25.1	RB 1
78	12	8	21	3.7	187	-18.9	3.9	261	-24.2	RB 1
78	12	8	22	2.3	184	-18.4	2.9	248	-24.4	RB 1
78	12	8	23	2.9	194	-17.6	1.7	267	-23.5	RB 1
78	12	8	24	4.5	174	-17.3	1.3	246	-22.1	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
78	12	9	1	2.7	126	-17.3	2.0	246	-20.7	RB 1
78	12	9	2	3.1	157	-17.1	1.4	135	-20.1	RB 1
78	12	9	3	3.6	129	-17.8	1.7	251	-19.3	RB 1
78	12	9	4	3.5	181	-16.8	1.0	238	-18.7	RB 1
78	12	9	5	2.8	56	-17.0	0.9	283	-18.3	RB 1
78	12	9	6	2.9	63	-17.4	1.5	255	-17.9	RB 1
78	12	9	7	3.2	276	-17.3	0.9	282	-17.3	RB 1
78	12	9	8	3.6	2	-16.4	1.0	262	-17.1	RB 1
78	12	9	9	3.0	103	-14.8	0.8	282	-15.7	RB 1
78	12	9	10	2.7	164	-12.1	0.9	29	-12.2	RB 1
78	12	9	11	3.5	127	-10.5	1.4	339	-10.2	RB 1
78	12	9	12	4.4	115	-9.3	3.3	54	-7.8	RB 1
78	12	9	13	4.2	106	-8.8	5.4	53	-8.6	RB 1
78	12	9	14	4.2	109	-8.5	3.2	67	-6.8	RB 1
78	12	9	15	4.4	107	-8.1	3.3	136	-6.0	RB 1
78	12	9	16	3.5	58	-7.9	1.9	167	-6.6	RB 1
78	12	9	17	2.9	281	-9.5	5.5	279	-10.6	RB 1
78	12	9	18	2.7	351	-9.9	3.9	274	-10.9	RB 1
78	12	9	19	3.4	41	-10.5	5.8	264	-13.6	RB 1
78	12	9	20	2.6	69	-11.3	6.3	259	-15.9	RB 1
78	12	9	21	3.6	196	-11.3	6.8	259	-16.1	RB 1
78	12	9	22	3.3	227	-9.7	4.3	262	-16.3	RB 1
78	12	9	23	4.1	67	-11.1	3.5	261	-16.4	RB 1
78	12	9	24	3.3	318	-12.0	2.1	260	-14.9	RB 1
78	12	10	1	4.1	209	-10.9	3.9	251	-13.8	RB 1
78	12	10	2	4.7	164	-9.3	4.6	255	-14.5	RB 1
78	12	10	3	4.1	254	-8.3	3.0	257	-15.9	RB 1
78	12	10	4	5.2	18	-10.5	2.9	1	-17.7	RB 1
78	12	10	5	4.5	330	-12.2	4.2	254	-16.2	RB 1
78	12	10	6	3.2	343	-10.6	3.9	264	-15.0	RB 1
78	12	10	7	4.1	177	-8.4	2.4	140	-13.9	RB 1
78	12	10	8	3.7	138	-9.3	3.8	34	-14.3	RB 1
78	12	10	9	3.8	16	-10.5	3.9	352	-13.8	RB 1
78	12	10	10	4.8	268	-7.3	4.3	47	-10.7	RB 1
78	12	10	11	4.9	357	-5.6	5.7	68	-11.3	RB 1
78	12	10	12	5.8	20	-6.0	4.8	51	-9.4	RB 1
78	12	10	13	5.3	51	-6.6	5.3	91	-8.1	RB 1
78	12	10	14	999.9	999	999.9	2.6	84	-6.5	RB 1
78	12	10	15	999.9	999	999.9	4.2	58	-6.9	RB 1
78	12	10	16	999.9	999	999.9	3.2	78	-8.0	RB 1
78	12	10	17	999.9	999	999.9	6.4	272	-12.1	RB 1
78	12	10	18	3.1	249	-9.8	8.1	273	-14.2	RB 1
78	12	10	19	3.4	226	-9.5	7.7	271	-14.7	RB 1
78	12	10	20	4.3	210	-9.1	7.9	269	-14.8	RB 1
78	12	10	21	6.7	182	-8.8	7.3	268	-15.0	RB 1
78	12	10	22	5.2	220	-9.3	7.0	267	-15.4	RB 1
78	12	10	23	4.0	274	-9.7	5.8	260	-16.1	RB 1
78	12	10	24	4.0	269	-9.1	5.5	265	-18.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	11	1	3.4	357	-9.7	4.9	265	-19.4	RB	1
78	12	11	2	2.9	185	-10.6	7.0	262	-19.3	RB	1
78	12	11	3	3.2	146	-10.5	6.2	261	-19.3	RB	1
78	12	11	4	2.5	341	-11.2	6.8	263	-19.3	RB	1
78	12	11	5	3.3	12	-11.1	7.0	260	-19.2	RB	1
78	12	11	6	2.6	17	-11.1	6.6	262	-19.1	RB	1
78	12	11	7	5.2	12	-10.2	6.6	262	-19.0	RB	1
78	12	11	8	3.0	5	-10.3	6.7	262	-18.2	RB	1
78	12	11	9	3.2	290	-7.6	4.7	256	-14.3	RB	1
78	12	11	10	2.9	174	-3.4	2.2	118	-7.7	RB	1
78	12	11	11	3.3	173	-1.6	1.1	85	-3.9	RB	1
78	12	11	12	4.2	162	0.2	4.7	69	-3.3	RB	1
78	12	11	13	12.8	225	0.4	6.3	75	-3.0	RB	1
78	12	11	14	8.7	225	0.1	5.9	78	-2.8	RB	1
78	12	11	15	7.2	198	0.8	5.7	76	-2.5	RB	1
78	12	11	16	10.6	213	0.5	3.0	86	-3.5	RB	1
78	12	11	17	8.2	207	-0.5	2.4	231	-7.3	RB	1
78	12	11	18	6.6	211	-0.1	4.3	269	-10.4	RB	1
78	12	11	19	7.5	220	0.2	4.7	266	-12.5	RB	1
78	12	11	20	5.5	202	0.0	5.7	266	-12.6	RB	1
78	12	11	21	7.3	172	-0.2	5.3	264	-13.5	RB	1
78	12	11	22	5.0	133	-1.3	4.6	264	-13.8	RB	1
78	12	11	23	3.5	255	-2.5	3.4	254	-13.2	RB	1
78	12	11	24	4.1	28	-2.7	2.8	221	-14.4	RB	1
78	12	12	1	5.0	45	-3.1	4.6	263	-13.3	RB	1
78	12	12	2	3.8	64	-3.0	4.3	269	-12.3	RB	1
78	12	12	3	4.8	35	-3.7	4.6	266	-13.4	RB	1
78	12	12	4	4.1	69	-3.5	5.0	268	-12.9	RB	1
78	12	12	5	4.8	315	-3.4	4.5	265	-13.3	RB	1
78	12	12	6	3.4	359	-3.8	3.9	255	-14.0	RB	1
78	12	12	7	4.8	36	-3.9	4.4	267	-14.5	RB	1
78	12	12	8	4.4	68	-2.9	4.7	265	-13.5	RB	1
78	12	12	9	4.3	27	-1.7	3.3	260	-8.6	RB	1
78	12	12	10	7.2	182	0.4	3.3	42	-3.2	RB	1
78	12	12	11	15.4	229	-0.4	4.0	177	1.3	RB	1
78	12	12	12	16.0	242	0.2	7.7	235	3.0	RB	1
78	12	12	13	15.8	246	0.8	7.0	217	3.7	RB	1
78	12	12	14	14.2	247	1.6	5.3	169	3.9	RB	1
78	12	12	15	7.7	344	1.7	8.3	81	-1.3	RB	1
78	12	12	16	5.3	48	-1.8	3.5	102	-2.2	RB	1
78	12	12	17	2.4	186	-4.6	4.6	268	-6.5	RB	1
78	12	12	18	2.8	213	-5.5	7.1	264	-9.3	RB	1
78	12	12	19	5.9	200	-3.9	7.0	269	-9.7	RB	1
78	12	12	20	6.6	99	-5.0	4.8	221	-10.4	RB	1
78	12	12	21	6.2	341	-8.0	6.1	268	-12.0	RB	1
78	12	12	22	4.7	297	-8.9	7.6	279	-11.9	RB	1
78	12	12	23	5.1	282	-9.1	7.5	282	-12.5	RB	1
78	12	12	24	4.3	279	-9.2	7.7	279	-13.2	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	13	1	3.3	281	-9.1	7.1	275	-14.2	RB	1
78	12	13	2	3.9	290	-9.5	7.8	268	-14.8	RB	1
78	12	13	3	4.1	273	-9.5	7.1	273	-14.6	RB	1
78	12	13	4	3.6	272	-9.9	7.2	273	-15.3	RB	1
78	12	13	5	5.6	260	-9.7	7.2	275	-15.4	RB	1
78	12	13	6	3.9	260	-9.1	7.0	261	-15.7	RB	1
78	12	13	7	2.6	121	-10.2	4.3	271	-17.8	RB	1
78	12	13	8	3.3	338	-9.5	6.1	264	-18.3	RB	1
78	12	13	9	3.5	348	-7.7	2.4	170	-12.7	RB	1
78	12	13	10	3.9	80	-7.1	4.0	74	-10.2	RB	1
78	12	13	11	2.7	238	-4.8	4.4	69	-7.2	RB	1
78	12	13	12	3.1	24	-3.9	6.7	77	-6.7	RB	1
78	12	13	13	999.9	999	999.9	5.5	79	-5.6	RB	1
78	12	13	14	999.9	999	999.9	5.8	81	-5.3	RB	1
78	12	13	15	999.9	999	999.9	5.8	75	-5.3	RB	1
78	12	13	16	999.9	999	999.9	3.7	80	-5.9	RB	1
78	12	13	17	999.9	999	999.9	4.0	232	-9.6	RB	1
78	12	13	18	999.9	999	999.9	5.8	262	-11.8	RB	1
78	12	13	19	999.9	999	999.9	7.2	264	-12.6	RB	1
78	12	13	20	999.9	999	999.9	7.1	263	-13.3	RB	1
78	12	13	21	999.9	999	999.9	4.0	265	-14.3	RB	1
78	12	13	22	999.9	999	999.9	4.7	265	-15.6	RB	1
78	12	13	23	999.9	999	999.9	5.7	266	-14.9	RB	1
78	12	13	24	999.9	999	999.9	4.6	261	-15.8	RB	1
78	12	14	1	999.9	999	999.9	5.4	239	-15.1	RB	1
78	12	14	2	999.9	999	999.9	4.6	247	-16.9	RB	1
78	12	14	3	999.9	999	999.9	5.0	254	-16.2	RB	1
78	12	14	4	999.9	999	999.9	5.9	264	-16.5	RB	1
78	12	14	5	999.9	999	999.9	5.2	266	-16.1	RB	1
78	12	14	6	999.9	999	999.9	6.8	262	-15.9	RB	1
78	12	14	7	999.9	999	999.9	7.2	264	-15.7	RB	1
78	12	14	8	999.9	999	999.9	7.1	261	-15.3	RB	1
78	12	14	9	999.9	999	999.9	4.3	255	-10.8	RB	1
78	12	14	10	999.9	999	999.9	2.0	319	-3.2	RB	1
78	12	14	11	999.9	999	999.9	2.4	50	0.3	RB	1
78	12	14	12	999.9	999	999.9	4.9	57	1.8	RB	1
78	12	14	13	4.4	213	2.8	5.4	57	2.9	RB	1
78	12	14	14	4.2	215	3.3	8.3	66	2.0	RB	1
78	12	14	15	4.6	252	2.4	7.0	82	0.4	RB	1
78	12	14	16	5.0	207	1.1	4.2	78	-2.0	RB	1
78	12	14	17	3.7	20	-1.8	3.6	306	-6.9	RB	1
78	12	14	18	3.0	174	-3.4	6.7	264	-9.0	RB	1
78	12	14	19	3.6	77	-3.5	6.4	264	-10.5	RB	1
78	12	14	20	3.5	233	-2.6	6.3	262	-11.6	RB	1
78	12	14	21	5.7	227	-2.5	6.5	261	-12.4	RB	1
78	12	14	22	4.3	187	-3.2	6.1	264	-13.3	RB	1
78	12	14	23	4.5	319	-4.2	7.2	262	-13.3	RB	1
78	12	14	24	2.6	160	-5.2	7.8	259	-12.8	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	15	1	5.4	168	-3.6	7.3	261	-13.1	RB	1
78	12	15	2	11.9	224	-1.8	4.7	263	-13.9	RB	1
78	12	15	3	9.8	210	-2.5	5.6	265	-13.5	RB	1
78	12	15	4	7.7	172	-3.6	4.4	289	-12.5	RB	1
78	12	15	5	5.6	163	-3.3	4.0	258	-13.0	RB	1
78	12	15	6	4.9	165	-3.0	4.5	264	-13.3	RB	1
78	12	15	7	6.2	172	-3.6	5.8	263	-13.9	RB	1
78	12	15	8	3.8	174	-3.4	6.4	260	-12.8	RB	1
78	12	15	9	3.5	168	-1.8	3.2	252	-8.4	RB	1
78	12	15	10	5.7	173	-0.3	2.3	189	-2.3	RB	1
78	12	15	11	6.6	189	0.4	7.5	83	-2.8	RB	1
78	12	15	12	999.9	999	999.9	6.3	84	-1.4	RB	1
78	12	15	13	999.9	999	999.9	6.2	67	-0.2	RB	1
78	12	15	14	999.9	999	999.9	6.4	151	1.0	RB	1
78	12	15	15	999.9	999	999.9	6.5	91	-0.9	RB	1
78	12	15	16	999.9	999	999.9	4.6	90	-3.6	RB	1
78	12	15	17	999.9	999	999.9	3.8	278	-7.1	RB	1
78	12	15	18	3.2	223	-3.9	6.2	269	-9.7	RB	1
78	12	15	19	10.8	273	-4.3	6.5	269	-10.3	RB	1
78	12	15	20	20.7	285	-4.3	7.3	204	-9.4	RB	1
78	12	15	21	14.0	298	-5.3	4.3	75	-10.4	RB	1
78	12	15	22	5.7	321	-6.6	5.4	265	-12.7	RB	1
78	12	15	23	3.5	296	-7.6	6.7	271	-11.0	RB	1
78	12	15	24	5.3	51	-7.8	2.8	227	-11.2	RB	1
78	12	16	1	4.2	41	-9.3	5.0	270	-12.5	RB	1
78	12	16	2	3.3	88	-10.3	6.7	271	-13.8	RB	1
78	12	16	3	2.5	189	-11.6	8.1	275	-15.0	RB	1
78	12	16	4	3.6	255	-11.5	8.0	277	-15.5	RB	1
78	12	16	5	3.2	262	-11.6	7.6	275	-16.1	RB	1
78	12	16	6	2.6	261	-12.3	7.7	271	-16.8	RB	1
78	12	16	7	3.9	262	-11.4	7.3	269	-17.1	RB	1
78	12	16	8	3.7	265	-10.6	6.6	269	-16.6	RB	1
78	12	16	9	3.0	235	-8.6	2.5	178	-12.7	RB	1
78	12	16	10	3.2	197	-6.0	1.7	87	-10.2	RB	1
78	12	16	11	5.1	168	-5.4	5.6	75	-8.5	RB	1
78	12	16	12	6.7	194	-3.9	6.2	65	-6.4	RB	1
78	12	16	13	5.6	171	-2.9	6.7	74	-5.2	RB	1
78	12	16	14	5.1	92	-3.4	5.5	84	-4.8	RB	1
78	12	16	15	3.4	113	-4.0	4.9	76	-5.5	RB	1
78	12	16	16	2.8	136	-4.9	4.1	66	-6.6	RB	1
78	12	16	17	2.4	227	-6.4	3.2	355	-9.8	RB	1
78	12	16	18	2.5	240	-6.9	5.1	268	-13.4	RB	1
78	12	16	19	4.0	271	-6.1	7.1	268	-14.2	RB	1
78	12	16	20	3.5	288	-5.5	6.5	268	-14.9	RB	1
78	12	16	21	3.9	200	-5.5	6.7	263	-15.8	RB	1
78	12	16	22	3.7	64	-6.2	5.1	261	-15.6	RB	1
78	12	16	23	4.6	110	-5.0	5.6	265	-15.3	RB	1
78	12	16	24	2.7	232	-5.4	5.7	265	-15.9	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	17	1	4.0	59	-4.6	5.5	263	-15.5	RB	1
78	12	17	2	4.9	149	-3.4	4.4	266	-14.8	RB	1
78	12	17	3	3.8	168	-3.5	2.8	257	-15.6	RB	1
78	12	17	4	3.5	131	-3.2	3.4	272	-14.8	RB	1
78	12	17	5	5.2	128	-2.0	2.1	257	-13.5	RB	1
78	12	17	6	9.7	136	-0.7	2.4	250	-11.7	RB	1
78	12	17	7	8.2	106	-0.5	3.8	29	-11.1	RB	1
78	12	17	8	5.7	102	-0.7	2.7	143	-10.8	RB	1
78	12	17	9	7.1	183	-0.1	0.9	191	-8.6	RB	1
78	12	17	10	12.8	206	-1.3	4.0	209	-6.3	RB	1
78	12	17	11	14.1	214	0.2	8.5	73	-8.8	RB	1
78	12	17	12	13.1	241	-0.6	5.5	62	-9.8	RB	1
78	12	17	13	6.4	155	-1.4	4.8	73	-9.5	RB	1
78	12	17	14	5.6	111	-1.9	2.4	76	-7.8	RB	1
78	12	17	15	14.7	193	0.6	2.6	62	-6.2	RB	1
78	12	17	16	20.4	232	1.4	3.7	69	-4.9	RB	1
78	12	17	17	21.8	215	1.7	2.9	61	-3.1	RB	1
78	12	17	18	21.5	209	1.5	2.8	117	1.6	RB	1
78	12	17	19	20.8	210	1.5	3.1	96	1.9	RB	1
78	12	17	20	16.7	212	1.5	4.6	108	1.8	RB	1
78	12	17	21	14.2	206	0.6	3.7	157	2.0	RB	1
78	12	17	22	14.0	197	0.8	1.6	211	1.7	RB	1
78	12	17	23	18.5	202	1.7	3.2	88	2.5	RB	1
78	12	17	24	18.1	209	1.8	4.2	97	2.5	RB	1
78	12	18	1	14.4	210	1.8	4.1	121	2.3	RB	1
78	12	18	2	8.1	164	1.3	3.6	123	2.1	RB	1
78	12	18	3	8.6	200	1.4	3.7	133	2.1	RB	1
78	12	18	4	7.8	185	1.5	4.0	115	1.8	RB	1
78	12	18	5	14.5	208	2.3	3.3	192	1.3	RB	1
78	12	18	6	8.9	200	2.0	1.1	176	0.7	RB	1
78	12	18	7	8.9	209	2.4	2.5	323	0.6	RB	1
78	12	18	8	10.0	202	2.4	2.3	175	0.7	RB	1
78	12	18	9	13.3	207	2.9	2.1	240	1.7	RB	1
78	12	18	10	14.2	202	2.6	3.7	202	3.0	RB	1
78	12	18	11	8.9	208	2.1	4.5	150	3.1	RB	1
78	12	18	12	12.1	210	2.1	3.7	107	3.1	RB	1
78	12	18	13	15.3	208	2.5	3.5	105	3.5	RB	1
78	12	18	14	15.2	215	1.2	5.3	234	3.2	RB	1
78	12	18	15	14.6	229	0.5	3.4	206	2.2	RB	1
78	12	18	16	12.2	211	0.7	2.7	144	1.9	RB	1
78	12	18	17	11.4	221	0.9	3.0	220	1.6	RB	1
78	12	18	18	12.0	204	0.9	1.3	204	1.0	RB	1
78	12	18	19	10.9	212	0.9	3.4	232	1.4	RB	1
78	12	18	20	13.5	217	0.9	4.1	251	0.9	RB	1
78	12	18	21	13.2	219	0.5	5.4	235	1.0	RB	1
78	12	18	22	16.7	225	0.7	6.1	236	0.6	RB	1
78	12	18	23	16.6	224	0.4	9.6	232	1.5	RB	1
78	12	18	24	19.1	219	0.6	12.2	224	2.1	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	19	1	20.0	218	0.6	12.0	231	2.0	RB	1
78	12	19	2	19.3	219	0.6	11.6	228	2.1	RB	1
78	12	19	3	18.6	216	0.5	11.4	224	2.2	RB	1
78	12	19	4	20.2	219	0.2	11.4	230	1.7	RB	1
78	12	19	5	19.4	218	0.0	13.1	227	1.7	RB	1
78	12	19	6	20.8	224	-0.5	13.1	232	1.3	RB	1
78	12	19	7	23.2	226	-1.0	16.9	233	0.8	RB	1
78	12	19	8	20.6	222	-1.6	13.0	233	0.1	RB	1
78	12	19	9	25.6	229	-2.2	17.3	238	-0.1	RB	1
78	12	19	10	21.4	219	-2.4	14.8	228	-0.2	RB	1
78	12	19	11	23.6	227	-2.5	17.1	233	0.0	RB	1
78	12	19	12	24.6	230	-2.4	19.6	240	0.3	RB	1
78	12	19	13	21.7	231	-2.6	18.7	237	-0.1	RB	1
78	12	19	14	20.7	232	-2.7	16.2	233	0.0	RB	1
78	12	19	15	18.3	229	-3.0	13.9	229	-0.2	RB	1
78	12	19	16	18.0	225	-3.9	12.8	233	-1.9	RB	1
78	12	19	17	17.9	235	-5.0	11.0	235	-3.5	RB	1
78	12	19	18	11.2	218	-5.7	7.3	247	-4.6	RB	1
78	12	19	19	7.2	179	-6.0	7.1	246	-4.6	RB	1
78	12	19	20	7.4	220	-5.6	5.8	254	-4.6	RB	1
78	12	19	21	11.8	276	-5.3	6.1	262	-4.7	RB	1
78	12	19	22	18.0	283	-6.1	3.0	58	-5.6	RB	1
78	12	19	23	11.1	288	-7.0	1.7	172	-6.3	RB	1
78	12	19	24	9.8	280	-7.9	4.8	274	-7.6	RB	1
78	12	20	1	11.5	264	-8.8	6.4	275	-10.3	RB	1
78	12	20	2	17.7	265	-9.6	6.9	262	-11.5	RB	1
78	12	20	3	15.6	265	-10.1	9.5	237	-9.6	RB	1
78	12	20	4	10.8	261	-10.4	13.1	248	-9.0	RB	1
78	12	20	5	17.7	269	-11.2	7.6	283	-10.5	RB	1
78	12	20	6	24.0	274	-11.8	10.2	256	-10.8	RB	1
78	12	20	7	15.7	254	-12.1	9.3	245	-11.2	RB	1
78	12	20	8	14.3	260	-11.8	3.5	242	-11.1	RB	1
78	12	20	9	13.3	260	-11.3	4.3	236	-9.6	RB	1
78	12	20	10	13.7	261	-10.6	6.2	233	-8.5	RB	1
78	12	20	11	12.4	261	-9.0	6.9	223	-6.2	RB	1
78	12	20	12	8.1	243	-8.2	9.8	228	-5.5	RB	1
78	12	20	13	10.6	247	-7.9	8.9	233	-5.2	RB	1
78	12	20	14	11.6	252	-7.4	9.3	240	-5.2	RB	1
78	12	20	15	10.3	257	-6.8	9.9	259	-5.0	RB	1
78	12	20	16	7.8	230	-6.4	6.6	248	-4.3	RB	1
78	12	20	17	5.3	232	-7.4	3.4	226	-5.4	RB	1
78	12	20	18	4.3	195	-7.6	3.6	249	-6.2	RB	1
78	12	20	19	4.0	133	-7.7	1.5	265	-6.7	RB	1
78	12	20	20	6.1	210	-7.3	3.1	248	-6.9	RB	1
78	12	20	21	7.3	227	-7.0	2.8	213	-7.2	RB	1
78	12	20	22	5.3	226	-7.5	3.0	257	-7.4	RB	1
78	12	20	23	6.3	205	-7.5	2.8	123	-8.1	RB	1
78	12	20	24	5.9	204	-8.2	2.5	162	-10.4	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	21	1	4.4	220	-8.6	3.9	253	-12.6	RB	1
78	12	21	2	3.9	203	-8.4	5.4	262	-14.3	RB	1
78	12	21	3	5.9	216	-8.5	5.8	265	-14.6	RB	1
78	12	21	4	4.9	267	-9.3	5.1	265	-14.9	RB	1
78	12	21	5	2.8	93	-10.1	4.5	264	-16.1	RB	1
78	12	21	6	4.1	179	-9.6	6.0	264	-15.3	RB	1
78	12	21	7	5.2	223	-9.0	2.5	258	-16.8	RB	1
78	12	21	8	6.4	195	-8.8	4.1	249	-15.8	RB	1
78	12	21	9	3.3	228	-7.1	1.9	150	-12.3	RB	1
78	12	21	10	5.7	149	-6.4	0.7	98	-6.6	RB	1
78	12	21	11	4.2	195	-4.5	4.4	53	-4.5	RB	1
78	12	21	12	9.0	230	-3.8	4.7	218	-1.5	RB	1
78	12	21	13	7.7	248	-2.9	7.5	259	-0.9	RB	1
78	12	21	14	7.5	232	-2.6	7.0	255	0.0	RB	1
78	12	21	15	6.8	227	-2.4	6.4	247	0.4	RB	1
78	12	21	16	7.1	229	-2.3	5.1	226	-0.5	RB	1
78	12	21	17	7.4	221	-3.6	3.3	157	-3.5	RB	1
78	12	21	18	7.3	163	-6.0	4.1	257	-6.1	RB	1
78	12	21	19	7.8	184	-6.1	5.2	263	-6.8	RB	1
78	12	21	20	7.4	232	-5.2	5.7	258	-8.3	RB	1
78	12	21	21	4.0	277	-5.5	5.9	259	-10.4	RB	1
78	12	21	22	4.0	257	-5.6	4.6	266	-12.5	RB	1
78	12	21	23	3.7	334	-7.2	6.5	266	-13.4	RB	1
78	12	21	24	3.5	235	-7.4	6.0	255	-13.0	RB	1
78	12	22	1	3.4	251	-6.4	7.0	261	-12.6	RB	1
78	12	22	2	4.7	191	-6.0	3.8	236	-13.3	RB	1
78	12	22	3	3.4	206	-6.0	4.5	257	-13.7	RB	1
78	12	22	4	3.7	123	-6.7	4.3	262	-13.9	RB	1
78	12	22	5	4.0	224	-7.1	5.5	260	-13.3	RB	1
78	12	22	6	10.5	247	-5.9	5.4	262	-13.0	RB	1
78	12	22	7	8.4	249	-6.1	3.1	282	-14.1	RB	1
78	12	22	8	6.4	218	-6.0	3.9	255	-14.5	RB	1
78	12	22	9	6.4	207	-5.1	1.3	248	-10.1	RB	1
78	12	22	10	6.9	222	-4.1	2.2	87	-5.6	RB	1
78	12	22	11	7.6	232	-3.5	6.4	231	-1.2	RB	1
78	12	22	12	7.7	236	-2.5	7.0	225	-0.4	RB	1
78	12	22	13	6.8	238	-2.0	6.0	236	0.2	RB	1
78	12	22	14	8.0	214	-2.5	7.6	170	-0.9	RB	1
78	12	22	15	7.6	219	-3.2	7.9	170	-1.8	RB	1
78	12	22	16	11.8	216	-4.0	5.0	175	-2.6	RB	1
78	12	22	17	12.0	206	-4.3	4.4	166	-5.5	RB	1
78	12	22	18	4.8	160	-5.0	1.7	334	-8.2	RB	1
78	12	22	19	3.6	163	-5.5	2.0	202	-10.2	RB	1
78	12	22	20	8.7	205	-5.7	3.3	268	-9.8	RB	1
78	12	22	21	5.9	208	-5.4	5.0	226	-5.4	RB	1
78	12	22	22	5.2	214	-4.9	3.1	328	-7.1	RB	1
78	12	22	23	14.0	248	-3.8	2.5	202	-7.6	RB	1
78	12	22	24	24.0	254	-4.5	6.0	132	-5.3	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
78	12	23	1	25.1	258	-4.5	3.4	36	-5.7	RB 1
78	12	23	2	24.9	266	-4.4	7.5	82	-7.6	RB 1
78	12	23	3	18.4	261	-4.7	4.1	80	-9.7	RB 1
78	12	23	4	23.6	269	-5.1	6.1	251	-9.0	RB 1
78	12	23	5	28.9	274	-5.3	18.7	256	-4.1	RB 1
78	12	23	6	21.8	274	-5.6	15.5	262	-4.1	RB 1
78	12	23	7	20.8	285	-5.9	16.4	268	-4.5	RB 1
78	12	23	8	24.6	290	-6.3	15.4	274	-5.1	RB 1
78	12	23	9	16.7	325	-6.6	5.3	56	-6.1	RB 1
78	12	23	10	15.2	318	-5.8	8.8	269	-4.1	RB 1
78	12	23	11	20.0	321	-4.9	9.9	300	-2.8	RB 1
78	12	23	12	14.3	323	-4.7	8.0	328	-2.2	RB 1
78	12	23	13	15.6	341	-4.7	9.0	332	-2.2	RB 1
78	12	23	14	11.1	1	-4.5	8.1	17	-2.3	RB 1
78	12	23	15	6.3	24	-4.0	8.0	67	-2.9	RB 1
78	12	23	16	4.0	113	-5.0	4.2	75	-3.9	RB 1
78	12	23	17	4.9	160	-5.9	2.7	230	-6.0	RB 1
78	12	23	18	7.1	195	-5.9	3.8	271	-7.7	RB 1
78	12	23	19	8.5	245	-5.5	3.3	253	-7.5	RB 1
78	12	23	20	10.8	255	-5.4	3.3	260	-7.3	RB 1
78	12	23	21	7.6	233	-5.7	2.3	267	-6.1	RB 1
78	12	23	22	8.9	231	-5.3	2.8	259	-5.7	RB 1
78	12	23	23	7.9	232	-5.4	2.8	84	-5.7	RB 1
78	12	23	24	9.8	253	-5.0	2.1	38	-5.5	RB 1
78	12	24	1	15.5	264	-4.4	3.2	102	-5.2	RB 1
78	12	24	2	16.3	250	-4.9	6.5	209	-3.7	RB 1
78	12	24	3	18.7	265	-4.6	4.3	76	-5.7	RB 1
78	12	24	4	11.3	260	-4.2	2.7	266	-8.6	RB 1
78	12	24	5	5.8	229	-4.6	3.4	219	-10.0	RB 1
78	12	24	6	4.6	200	-4.5	3.7	254	-11.0	RB 1
78	12	24	7	5.5	215	-4.3	4.3	274	-10.8	RB 1
78	12	24	8	4.7	240	-4.1	3.4	259	-12.0	RB 1
78	12	24	9	7.3	237	-2.8	3.3	220	-8.6	RB 1
78	12	24	10	11.8	240	-2.0	3.9	84	-3.2	RB 1
78	12	24	11	14.1	249	-1.6	8.1	232	1.0	RB 1
78	12	24	12	12.9	248	-1.0	7.1	231	1.7	RB 1
78	12	24	13	8.9	228	-0.5	6.4	218	1.9	RB 1
78	12	24	14	7.1	193	0.3	4.6	228	2.4	RB 1
78	12	24	15	9.1	200	0.6	5.6	210	2.6	RB 1
78	12	24	16	9.4	185	-0.5	7.2	225	2.9	RB 1
78	12	24	17	9.7	193	-2.0	7.1	246	-0.9	RB 1
78	12	24	18	5.3	156	-2.8	4.6	342	-4.5	RB 1
78	12	24	19	6.1	120	-2.5	3.1	266	-6.6	RB 1
78	12	24	20	8.1	145	-2.5	4.1	252	-7.6	RB 1
78	12	24	21	6.6	158	-2.5	3.5	240	-8.6	RB 1
78	12	24	22	8.6	208	-2.1	3.9	257	-9.5	RB 1
78	12	24	23	10.7	224	-2.3	6.9	269	-9.1	RB 1
78	12	24	24	8.5	202	-2.2	8.6	279	-8.4	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	25	1	7.0	167	-3.6	6.5	282	-6.9	RB	1
78	12	25	2	8.0	198	-3.5	4.6	257	-7.1	RB	1
78	12	25	3	7.5	262	-2.3	4.9	266	-8.1	RB	1
78	12	25	4	13.5	265	-2.0	3.5	208	-10.1	RB	1
78	12	25	5	10.5	285	-2.7	3.0	274	-11.5	RB	1
78	12	25	6	5.5	204	-3.8	4.0	252	-11.9	RB	1
78	12	25	7	9.1	253	-3.6	4.4	287	-11.4	RB	1
78	12	25	8	7.9	283	-3.6	3.3	258	-12.8	RB	1
78	12	25	9	3.1	77	-1.8	3.3	248	-9.1	RB	1
78	12	25	10	7.3	257	-1.9	1.3	175	-1.8	RB	1
78	12	25	11	11.8	267	-2.2	4.7	160	0.6	RB	1
78	12	25	12	9.0	261	-1.6	6.7	265	0.6	RB	1
78	12	25	13	10.0	272	-1.4	8.2	266	0.8	RB	1
78	12	25	14	10.8	284	-1.7	9.4	263	0.5	RB	1
78	12	25	15	11.1	260	-2.2	7.7	249	0.3	RB	1
78	12	25	16	15.0	258	-2.6	5.3	259	-0.3	RB	1
78	12	25	17	12.3	260	-3.8	4.0	267	-5.3	RB	1
78	12	25	18	10.4	250	-4.6	6.2	275	-8.2	RB	1
78	12	25	19	10.9	247	-4.7	4.2	249	-10.4	RB	1
78	12	25	20	10.9	247	-4.9	5.0	258	-12.0	RB	1
78	12	25	21	9.7	257	-4.7	6.4	244	-12.2	RB	1
78	12	25	22	14.5	261	-5.3	3.4	248	-14.3	RB	1
78	12	25	23	14.4	263	-5.8	5.5	262	-14.6	RB	1
78	12	25	24	9.7	272	-6.5	4.0	296	-16.3	RB	1
78	12	26	1	3.3	154	-8.2	7.5	267	-16.2	RB	1
78	12	26	2	3.0	186	-9.3	8.3	264	-15.3	RB	1
78	12	26	3	3.0	254	-9.2	7.5	264	-15.2	RB	1
78	12	26	4	3.0	266	-8.7	4.5	245	-17.3	RB	1
78	12	26	5	4.0	230	-7.5	6.6	265	-17.7	RB	1
78	12	26	6	3.5	151	-7.3	5.4	256	-16.4	RB	1
78	12	26	7	3.3	159	-6.8	3.5	258	-16.3	RB	1
78	12	26	8	2.4	254	-7.6	3.4	256	-16.9	RB	1
78	12	26	9	3.8	253	-5.8	4.5	259	-12.5	RB	1
78	12	26	10	2.8	150	-2.5	3.3	116	-6.7	RB	1
78	12	26	11	4.0	228	-2.1	5.4	74	-5.3	RB	1
78	12	26	12	6.8	249	-2.6	6.0	77	-4.2	RB	1
78	12	26	13	5.7	248	-1.8	7.1	73	-2.8	RB	1
78	12	26	14	4.0	246	-1.1	6.5	81	-2.6	RB	1
78	12	26	15	4.2	193	-1.0	6.0	79	-3.1	RB	1
78	12	26	16	3.9	77	-3.1	4.4	79	-3.8	RB	1
78	12	26	17	4.4	191	-4.9	5.7	266	-8.3	RB	1
78	12	26	18	11.9	220	-3.8	6.3	262	-10.7	RB	1
78	12	26	19	8.1	203	-4.2	3.9	268	-12.5	RB	1
78	12	26	20	6.7	155	-4.6	2.6	255	-13.8	RB	1
78	12	26	21	4.6	143	-4.7	2.4	255	-14.6	RB	1
78	12	26	22	4.0	173	-4.7	4.4	270	-15.1	RB	1
78	12	26	23	4.2	179	-4.6	5.3	268	-15.6	RB	1
78	12	26	24	5.4	178	-4.1	4.7	267	-15.6	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	27	1	6.4	168	-4.1	4.9	267	-14.9	RB	1
78	12	27	2	4.7	178	-4.6	4.1	262	-14.6	RB	1
78	12	27	3	7.4	158	-4.6	4.2	267	-14.8	RB	1
78	12	27	4	9.6	148	-4.8	3.6	262	-14.5	RB	1
78	12	27	5	6.9	145	-4.7	4.1	261	-14.8	RB	1
78	12	27	6	6.4	145	-4.7	3.0	263	-14.0	RB	1
78	12	27	7	4.6	150	-4.3	3.2	261	-13.6	RB	1
78	12	27	8	5.4	160	-4.4	3.2	262	-13.0	RB	1
78	12	27	9	10.4	131	-2.8	2.2	258	-10.2	RB	1
78	12	27	10	9.5	142	-2.0	2.3	139	-4.4	RB	1
78	12	27	11	8.7	141	-1.5	11.4	242	0.5	RB	1
78	12	27	12	6.9	151	-0.4	10.4	222	1.7	RB	1
78	12	27	13	15.1	218	-0.3	7.8	187	2.3	RB	1
78	12	27	14	23.7	229	-1.6	11.0	238	1.5	RB	1
78	12	27	15	24.4	230	-1.8	7.5	225	0.7	RB	1
78	12	27	16	22.8	227	-2.0	8.9	237	0.0	RB	1
78	12	27	17	22.4	224	-2.1	6.3	246	-0.8	RB	1
78	12	27	18	20.8	227	-2.3	4.6	256	-1.1	RB	1
78	12	27	19	22.4	216	-2.1	4.9	247	-0.9	RB	1
78	12	27	20	21.0	223	-2.1	8.1	234	-0.6	RB	1
78	12	27	21	19.8	214	-2.7	5.7	227	-1.2	RB	1
78	12	27	22	21.3	220	-2.4	4.3	124	-1.6	RB	1
78	12	27	23	23.5	219	-2.3	5.2	141	-1.5	RB	1
78	12	27	24	26.5	221	-2.3	3.8	191	-1.6	RB	1
78	12	28	1	28.7	223	-2.5	6.1	243	-1.1	RB	1
78	12	28	2	30.2	226	-2.9	12.7	240	-1.2	RB	1
78	12	28	3	29.6	227	-3.4	16.0	236	-1.6	RB	1
78	12	28	4	32.3	233	-3.6	13.1	238	-2.2	RB	1
78	12	28	5	33.2	241	-3.8	7.7	230	-2.7	RB	1
78	12	28	6	31.4	241	-4.3	7.0	237	-3.5	RB	1
78	12	28	7	28.1	235	-4.4	13.7	242	-3.4	RB	1
78	12	28	8	25.5	232	-4.2	16.9	244	-3.0	RB	1
78	12	28	9	26.1	229	-3.1	18.5	241	-1.4	RB	1
78	12	28	10	25.8	230	-2.5	20.3	239	-0.2	RB	1
78	12	28	11	23.9	221	-2.4	18.7	232	0.2	RB	1
78	12	28	12	27.5	223	-2.7	18.7	231	0.1	RB	1
78	12	28	13	23.5	217	-2.3	17.9	231	0.4	RB	1
78	12	28	14	23.4	217	-2.4	16.3	230	0.4	RB	1
78	12	28	15	21.8	216	-2.4	15.5	226	0.1	RB	1
78	12	28	16	20.7	217	-2.1	14.8	227	0.2	RB	1
78	12	28	17	19.8	216	-3.1	11.7	234	-1.6	RB	1
78	12	28	18	19.0	216	-3.7	8.0	239	-3.1	RB	1
78	12	28	19	20.2	211	-3.8	7.8	243	-3.3	RB	1
78	12	28	20	20.4	219	-3.9	9.4	241	-3.2	RB	1
78	12	28	21	20.7	219	-3.8	10.6	238	-2.9	RB	1
78	12	28	22	19.5	215	-3.8	10.1	239	-2.9	RB	1
78	12	28	23	18.9	213	-4.1	10.3	241	-3.4	RB	1
78	12	28	24	19.5	214	-4.1	10.6	239	-3.2	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
78	12	29	1	18.3	221	-4.3	9.0	248	-3.5	RB	1
78	12	29	2	16.5	215	-4.8	6.1	39	-8.8	RB	1
78	12	29	3	17.2	212	-4.7	1.8	1	-12.6	RB	1
78	12	29	4	17.0	216	-5.0	1.1	279	-15.1	RB	1
78	12	29	5	17.4	214	-5.1	2.0	264	-15.8	RB	1
78	12	29	6	19.8	214	-5.1	1.0	345	-16.2	RB	1
78	12	29	7	21.1	215	-5.1	4.0	72	-15.6	RB	1
78	12	29	8	20.8	216	-4.9	3.7	118	-11.7	RB	1
78	12	29	9	22.6	212	-4.2	13.6	222	-3.2	RB	1
78	12	29	10	23.1	211	-3.8	14.9	225	-1.6	RB	1
78	12	29	11	23.7	213	-3.9	16.5	223	-1.6	RB	1
78	12	29	12	25.8	211	-3.4	17.3	220	-0.9	RB	1
78	12	29	13	25.9	209	-3.3	17.1	220	-1.0	RB	1
78	12	29	14	23.7	214	-3.5	15.8	222	-1.4	RB	1
78	12	29	15	21.5	221	-3.4	14.2	227	-1.4	RB	1
78	12	29	16	18.0	239	-3.1	11.7	254	-1.5	RB	1
78	12	29	17	10.5	259	-4.0	7.8	332	-3.9	RB	1
78	12	29	18	6.1	9	-7.1	7.7	78	-9.6	RB	1
78	12	29	19	5.0	116	-11.5	4.1	89	-11.3	RB	1
78	12	29	20	4.3	111	-12.6	4.1	73	-11.7	RB	1
78	12	29	21	4.0	100	-12.9	2.6	81	-12.0	RB	1
78	12	29	22	3.3	76	-13.4	2.2	57	-12.5	RB	1
78	12	29	23	2.4	79	-13.9	0.7	88	-12.9	RB	1
78	12	29	24	2.3	4	-14.3	1.0	88	-13.4	RB	1
78	12	30	1	3.3	23	-14.6	1.6	69	-13.6	RB	1
78	12	30	2	4.5	43	-15.2	2.1	69	-14.3	RB	1
78	12	30	3	3.6	35	-15.6	2.0	66	-14.9	RB	1
78	12	30	4	1.7	70	-16.0	999.9	84	-15.1	RB	1
78	12	30	5	2.7	67	-16.4	1.8	53	-15.5	RB	1
78	12	30	6	1.9	74	-16.8	999.9	71	-15.8	RB	1
78	12	30	7	1.7	121	-16.9	999.9	91	-15.9	RB	1
78	12	30	8	1.9	141	-16.7	999.9	89	-15.7	RB	1
78	12	30	9	2.1	231	-15.1	999.9	236	-14.0	RB	1
78	12	30	10	2.5	114	-14.2	999.9	49	-12.9	RB	1
78	12	30	11	2.0	196	-12.0	3.0	22	-11.7	RB	1
78	12	30	12	2.8	360	-10.4	4.7	62	-12.1	RB	1
78	12	30	13	3.8	94	-11.3	4.5	80	-11.4	RB	1
78	12	30	14	3.4	131	-9.9	3.7	75	-10.3	RB	1
78	12	30	15	3.3	128	-9.7	4.3	69	-10.0	RB	1
78	12	30	16	4.2	109	-11.9	4.5	49	-10.8	RB	1
78	12	30	17	2.9	52	-13.3	3.5	263	-14.1	RB	1
78	12	30	18	2.3	294	-13.6	4.2	274	-14.5	RB	1
78	12	30	19	1.5	248	-13.4	2.8	346	-14.1	RB	1
78	12	30	20	3.0	72	-14.4	3.7	37	-16.1	RB	1
78	12	30	21	2.2	297	-16.9	6.0	270	-19.4	RB	1
78	12	30	22	1.7	163	-17.6	7.3	262	-20.3	RB	1
78	12	30	23	2.4	163	-16.8	6.7	265	-21.5	RB	1
78	12	30	24	2.5	275	-17.0	6.4	262	-22.4	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
78	12	31	1	2.9	166	-16.5	5.2	262	-23.4	RB 1
78	12	31	2	2.3	99	-17.5	5.9	263	-24.1	RB 1
78	12	31	3	2.0	293	-18.3	6.7	258	-23.8	RB 1
78	12	31	4	1.6	115	-18.8	5.1	264	-24.8	RB 1
78	12	31	5	2.2	72	-19.6	4.3	271	-24.2	RB 1
78	12	31	6	1.3	46	-20.3	3.9	273	-20.5	RB 1
78	12	31	7	2.2	235	-21.3	5.3	243	-19.1	RB 1
78	12	31	8	2.0	82	-21.7	6.6	259	-21.2	RB 1
78	12	31	9	2.2	300	-18.3	3.4	264	-21.3	RB 1
78	12	31	10	1.9	288	-14.5	2.2	108	-16.1	RB 1
78	12	31	11	1.9	126	-11.6	4.6	68	-15.7	RB 1
78	12	31	12	4.2	132	-11.8	4.4	66	-12.8	RB 1
78	12	31	13	6.7	118	-12.3	5.5	56	-11.7	RB 1
78	12	31	14	4.5	130	-11.2	7.8	77	-11.4	RB 1
78	12	31	15	5.4	75	-12.3	7.7	81	-12.9	RB 1
78	12	31	16	3.6	306	-12.8	5.2	90	-14.0	RB 1
78	12	31	17	3.1	164	-16.0	2.9	135	-17.7	RB 1
78	12	31	18	3.1	162	-17.8	4.5	269	-21.1	RB 1
78	12	31	19	3.9	290	-18.2	5.6	266	-22.1	RB 1
78	12	31	20	4.1	315	-19.3	7.4	267	-21.8	RB 1
78	12	31	21	3.9	292	-18.8	4.9	263	-19.2	RB 1
78	12	31	22	6.0	12	-18.2	2.8	173	-18.4	RB 1
78	12	31	23	6.3	16	-19.0	1.8	115	-19.1	RB 1
78	12	31	24	6.6	17	-19.9	1.6	50	-19.1	RB 1
79	1	1	1	7.4	15	-20.7	2.3	70	-19.8	RB 1
79	1	1	2	6.3	23	-21.4	3.3	86	-20.5	RB 1
79	1	1	3	4.1	31	-22.9	4.1	308	-24.4	RB 1
79	1	1	4	3.3	326	-24.4	6.5	264	-27.0	RB 1
79	1	1	5	4.5	295	-25.0	6.5	277	-27.4	RB 1
79	1	1	6	4.6	291	-25.1	7.0	267	-28.4	RB 1
79	1	1	7	2.1	156	-26.3	6.9	265	-28.6	RB 1
79	1	1	8	3.0	148	-25.1	6.3	266	-28.1	RB 1
79	1	1	9	3.4	124	-23.4	4.0	261	-25.0	RB 1
79	1	1	10	4.9	100	-22.1	4.5	120	-20.8	RB 1
79	1	1	11	4.6	158	-21.2	3.0	93	-19.1	RB 1
79	1	1	12	4.2	144	-19.5	6.8	69	-19.3	RB 1
79	1	1	13	5.2	102	-19.2	4.9	83	-18.5	RB 1
79	1	1	14	5.2	104	-19.0	6.3	49	-18.4	RB 1
79	1	1	15	3.3	144	-18.0	4.6	72	-17.7	RB 1
79	1	1	16	4.9	132	-18.9	4.4	97	-17.8	RB 1
79	1	1	17	4.3	171	-20.8	4.6	206	-21.5	RB 1
79	1	1	18	3.0	181	-21.8	6.9	271	-25.4	RB 1
79	1	1	19	4.3	184	-21.8	7.7	267	-26.4	RB 1
79	1	1	20	4.1	227	-22.4	7.4	262	-26.8	RB 1
79	1	1	21	4.3	260	-22.4	7.8	266	-26.6	RB 1
79	1	1	22	3.5	215	-21.5	5.0	257	-27.5	RB 1
79	1	1	23	3.6	204	-20.9	5.4	262	-29.5	RB 1
79	1	1	24	4.4	200	-20.6	6.3	266	-29.2	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	1	2	1	2.6	160	-21.1	4.8	262	-29.6	RB	1
79	1	2	2	4.1	148	-20.6	5.6	257	-28.4	RB	1
79	1	2	3	4.7	134	-20.3	4.3	265	-28.5	RB	1
79	1	2	4	2.5	8	-21.0	6.3	264	-28.4	RB	1
79	1	2	5	2.5	336	-20.3	5.1	263	-28.5	RB	1
79	1	2	6	3.5	46	-19.8	3.8	265	-26.5	RB	1
79	1	2	7	2.7	163	-18.9	2.1	223	-23.5	RB	1
79	1	2	8	3.7	70	-18.0	2.2	301	-22.4	RB	1
79	1	2	9	3.7	230	-17.8	3.0	277	-19.8	RB	1
79	1	2	10	3.1	102	-15.7	0.9	71	-16.0	RB	1
79	1	2	11	3.8	326	-14.8	1.3	199	-13.8	RB	1
79	1	2	12	6.2	199	-12.8	2.5	85	-12.3	RB	1
79	1	2	13	4.6	104	-10.8	5.6	49	-11.2	RB	1
79	1	2	14	4.2	169	-9.1	4.3	18	-9.6	RB	1
79	1	2	15	6.0	240	-9.8	5.1	347	-9.5	RB	1
79	1	2	16	4.9	301	-10.4	4.0	344	-9.5	RB	1
79	1	2	17	4.1	350	-11.1	1.7	302	-9.3	RB	1
79	1	2	18	2.8	13	-11.6	2.8	168	-10.7	RB	1
79	1	2	19	5.5	173	-11.1	3.5	259	-11.4	RB	1
79	1	2	20	4.0	244	-8.7	1.0	190	-12.1	RB	1
79	1	2	21	5.4	318	-8.5	1.6	108	-11.8	RB	1
79	1	2	22	5.0	137	-9.2	2.7	216	-12.0	RB	1
79	1	2	23	5.7	285	-7.4	1.5	141	-11.8	RB	1
79	1	2	24	5.4	322	-7.9	1.1	148	-11.9	RB	1
79	1	3	1	8.2	194	-7.6	2.6	74	-13.5	RB	1
79	1	3	2	5.2	241	-7.7	3.4	64	-14.1	RB	1
79	1	3	3	5.1	142	-9.5	4.1	89	-15.5	RB	1
79	1	3	4	5.1	17	-12.5	3.1	262	-15.9	RB	1
79	1	3	5	3.1	324	-12.4	5.1	264	-15.4	RB	1
79	1	3	6	3.4	329	-11.9	6.3	263	-15.6	RB	1
79	1	3	7	3.2	252	-10.2	5.5	258	-15.3	RB	1
79	1	3	8	2.8	220	-8.2	2.6	259	-15.4	RB	1
79	1	3	9	2.3	112	-9.2	2.6	270	-13.0	RB	1
79	1	3	10	2.8	158	-6.5	2.2	38	-10.1	RB	1
79	1	3	11	3.3	139	-5.1	1.4	71	-7.4	RB	1
79	1	3	12	4.2	161	-3.0	3.7	71	-5.4	RB	1
79	1	3	13	3.1	220	-1.9	5.9	84	-5.0	RB	1
79	1	3	14	3.7	268	-2.2	4.7	74	-4.3	RB	1
79	1	3	15	4.3	42	-3.3	6.7	76	-5.4	RB	1
79	1	3	16	3.3	55	-4.7	3.5	73	-6.8	RB	1
79	1	3	17	3.4	34	-6.2	2.3	163	-8.8	RB	1
79	1	3	18	3.9	39	-6.4	1.6	349	-10.0	RB	1
79	1	3	19	4.0	78	-6.8	1.0	180	-10.2	RB	1
79	1	3	20	3.7	49	-6.2	1.1	160	-11.0	RB	1
79	1	3	21	4.3	156	-4.1	1.5	291	-11.3	RB	1
79	1	3	22	2.8	67	-3.3	1.8	318	-12.1	RB	1
79	1	3	23	2.7	118	-3.4	2.1	76	-12.9	RB	1
79	1	3	24	4.1	188	-3.0	1.2	5	-12.9	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	1	4	1	5.9	196	-3.5	3.7	84	-12.9	RB 1
79	1	4	2	4.7	103	-3.5	1.7	36	-12.7	RB 1
79	1	4	3	3.0	106	-4.2	2.9	32	-12.7	RB 1
79	1	4	4	10.1	202	-3.0	2.0	242	-13.2	RB 1
79	1	4	5	16.1	233	-2.7	2.5	246	-12.3	RB 1
79	1	4	6	18.4	241	-2.8	3.1	345	-11.0	RB 1
79	1	4	7	14.1	238	-2.9	4.5	345	-10.0	RB 1
79	1	4	8	13.6	240	-2.8	1.9	116	-12.0	RB 1
79	1	4	9	17.8	240	-2.8	3.5	83	-10.6	RB 1
79	1	4	10	15.8	241	-2.5	4.8	78	-9.1	RB 1
79	1	4	11	14.5	235	-1.7	6.6	72	-7.5	RB 1
79	1	4	12	15.6	238	-1.1	6.1	78	-5.6	RB 1
79	1	4	13	16.4	243	-1.2	4.4	72	-3.5	RB 1
79	1	4	14	16.3	241	-1.3	7.5	181	0.2	RB 1
79	1	4	15	19.5	234	-1.9	6.7	121	-1.7	RB 1
79	1	4	16	13.7	232	-2.0	5.1	83	-4.3	RB 1
79	1	4	17	12.7	216	-2.3	3.8	77	-4.3	RB 1
79	1	4	18	12.3	199	-2.4	5.0	109	-4.6	RB 1
79	1	4	19	7.9	172	-3.0	3.1	122	-4.8	RB 1
79	1	4	20	10.7	200	-3.9	8.6	205	-3.3	RB 1
79	1	4	21	16.5	230	-4.2	9.9	227	-2.5	RB 1
79	1	4	22	19.6	256	-3.5	5.9	193	-2.8	RB 1
79	1	4	23	18.3	258	-2.9	3.7	267	-7.2	RB 1
79	1	4	24	19.7	251	-3.1	3.1	337	-9.6	RB 1
79	1	5	1	20.2	236	-3.2	4.2	258	-6.9	RB 1
79	1	5	2	18.4	234	-3.4	2.7	145	-5.4	RB 1
79	1	5	3	17.3	242	-2.8	1.9	250	-6.2	RB 1
79	1	5	4	17.0	244	-1.9	1.8	259	-7.0	RB 1
79	1	5	5	16.3	243	-1.9	2.8	345	-6.4	RB 1
79	1	5	6	16.3	245	-2.4	2.9	68	-7.3	RB 1
79	1	5	7	13.9	245	-2.6	3.6	74	-7.4	RB 1
79	1	5	8	5.6	265	-3.6	2.4	279	-8.4	RB 1
79	1	5	9	4.9	23	-4.1	1.2	293	-6.8	RB 1
79	1	5	10	6.2	65	-4.2	2.9	77	-3.3	RB 1
79	1	5	11	4.4	90	-3.0	4.6	70	-1.5	RB 1
79	1	5	12	3.1	60	-1.3	2.8	100	-0.6	RB 1
79	1	5	13	3.1	193	-1.6	3.1	60	-0.5	RB 1
79	1	5	14	2.9	202	-2.4	1.6	304	-1.3	RB 1
79	1	5	15	3.4	108	-3.3	2.1	34	-2.0	RB 1
79	1	5	16	5.4	58	-4.2	5.8	73	-3.5	RB 1
79	1	5	17	4.3	45	-5.4	2.8	79	-4.5	RB 1
79	1	5	18	2.7	60	-5.8	999.9	81	-5.2	RB 1
79	1	5	19	3.7	36	-6.7	999.9	77	-5.9	RB 1
79	1	5	20	3.4	332	-7.2	999.9	108	-6.2	RB 1
79	1	5	21	1.5	207	-7.3	0.7	86	-6.5	RB 1
79	1	5	22	1.5	87	-7.6	0.6	52	-7.4	RB 1
79	1	5	23	2.7	26	-7.7	0.6	253	-7.7	RB 1
79	1	5	24	1.6	47	-7.8	999.9	1	-7.5	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	1	6	1	1.1	13	-7.9	999.9	72	-7.6	RB 1
79	1	6	2	1.6	52	-8.1	999.9	70	-7.9	RB 1
79	1	6	3	2.1	26	-8.2	999.9	76	-8.3	RB 1
79	1	6	4	2.5	58	-8.9	999.9	71	-8.6	RB 1
79	1	6	5	1.2	125	-9.2	999.9	76	-8.8	RB 1
79	1	6	6	0.6	98	-9.2	3.4	71	-9.3	RB 1
79	1	6	7	2.5	83	-9.6	2.8	66	-9.6	RB 1
79	1	6	8	2.4	104	-9.7	2.5	77	-9.6	RB 1
79	1	6	9	2.8	57	-9.6	3.5	76	-9.4	RB 1
79	1	6	10	2.6	111	-9.0	3.0	77	-8.8	RB 1
79	1	6	11	3.4	121	-7.0	3.5	93	-6.6	RB 1
79	1	6	12	3.9	86	-5.9	3.5	83	-6.6	RB 1
79	1	6	13	3.4	138	-4.0	4.3	67	-6.0	RB 1
79	1	6	14	3.8	87	-4.6	4.3	58	-5.3	RB 1
79	1	6	15	4.8	258	-4.9	3.1	62	-5.5	RB 1
79	1	6	16	3.4	322	-5.7	3.4	73	-5.7	RB 1
79	1	6	17	3.4	89	-8.5	3.3	180	-9.3	RB 1
79	1	6	18	2.7	355	-9.1	5.4	262	-11.2	RB 1
79	1	6	19	2.7	276	-9.2	3.1	258	-10.5	RB 1
79	1	6	20	2.6	280	-9.3	3.5	260	-11.6	RB 1
79	1	6	21	2.5	280	-9.2	5.2	267	-11.5	RB 1
79	1	6	22	2.7	280	-9.4	2.3	292	-12.0	RB 1
79	1	6	23	3.8	3	-10.4	3.1	271	-12.9	RB 1
79	1	6	24	4.1	29	-10.6	1.9	257	-12.0	RB 1
79	1	7	1	6.2	11	-11.3	4.2	271	-15.1	RB 1
79	1	7	2	4.2	316	-12.6	5.5	271	-17.9	RB 1
79	1	7	3	3.4	279	-13.5	5.1	267	-18.8	RB 1
79	1	7	4	3.9	275	-14.1	4.9	264	-20.1	RB 1
79	1	7	5	2.4	318	-15.4	6.6	270	-20.6	RB 1
79	1	7	6	2.6	22	-15.4	6.5	276	-20.4	RB 1
79	1	7	7	2.6	342	-15.8	5.8	276	-21.0	RB 1
79	1	7	8	3.4	261	-15.5	6.2	273	-20.7	RB 1
79	1	7	9	3.0	214	-13.6	5.5	349	-18.5	RB 1
79	1	7	10	3.2	171	-12.0	3.7	81	-15.5	RB 1
79	1	7	11	4.4	124	-11.1	4.7	72	-12.7	RB 1
79	1	7	12	4.9	98	-10.6	5.1	55	-10.6	RB 1
79	1	7	13	5.0	112	-10.0	6.2	51	-9.8	RB 1
79	1	7	14	4.5	105	-9.5	5.6	52	-9.1	RB 1
79	1	7	15	4.7	139	-9.1	5.9	49	-8.8	RB 1
79	1	7	16	3.5	90	-9.1	2.8	43	-8.8	RB 1
79	1	7	17	3.0	349	-11.9	4.5	237	-13.1	RB 1
79	1	7	18	3.3	268	-12.9	7.0	277	-17.0	RB 1
79	1	7	19	3.7	223	-12.4	7.4	266	-18.4	RB 1
79	1	7	20	3.0	191	-12.3	8.3	265	-19.2	RB 1
79	1	7	21	1.8	185	-13.7	7.2	258	-19.5	RB 1
79	1	7	22	2.3	44	-13.6	7.3	255	-20.1	RB 1
79	1	7	23	2.9	22	-13.7	6.9	255	-21.1	RB 1
79	1	7	24	3.5	355	-13.6	7.7	260	-21.6	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	1	8	1	3.5	358	-14.0	7.2	257	-21.9	RB 1
79	1	8	2	5.9	47	-14.6	6.2	264	-23.2	RB 1
79	1	8	3	2.8	116	-16.9	7.9	262	-23.2	RB 1
79	1	8	4	2.9	249	-16.9	7.1	262	-22.7	RB 1
79	1	8	5	2.7	280	-16.6	7.6	260	-22.8	RB 1
79	1	8	6	3.0	32	-15.6	6.4	261	-23.6	RB 1
79	1	8	7	3.1	302	-16.3	6.5	257	-23.6	RB 1
79	1	8	8	3.1	9	-13.8	7.3	258	-22.8	RB 1
79	1	8	9	3.3	22	-11.8	3.1	237	-18.3	RB 1
79	1	8	10	3.6	109	-10.1	3.0	110	-12.5	RB 1
79	1	8	11	3.5	105	-7.6	6.3	74	-12.5	RB 1
79	1	8	12	3.3	96	-8.1	4.3	76	-11.4	RB 1
79	1	8	13	3.4	99	-6.9	5.3	72	-9.3	RB 1
79	1	8	14	2.7	181	-3.9	6.5	77	-8.4	RB 1
79	1	8	15	3.7	99	-5.8	6.6	76	-9.3	RB 1
79	1	8	16	2.9	14	-7.8	3.7	71	-10.1	RB 1
79	1	8	17	3.7	251	-7.7	2.3	65	-11.0	RB 1
79	1	8	18	2.9	56	-8.8	3.0	4	-12.8	RB 1
79	1	8	19	2.8	133	-9.1	1.6	226	-13.2	RB 1
79	1	8	20	2.5	228	-8.6	1.3	220	-13.5	RB 1
79	1	8	21	2.3	37	-9.8	1.8	261	-15.1	RB 1
79	1	8	22	2.9	306	-9.4	3.4	261	-18.4	RB 1
79	1	8	23	3.2	117	-9.3	4.9	271	-19.1	RB 1
79	1	8	24	5.2	189	-7.3	4.8	268	-19.3	RB 1
79	1	9	1	3.5	165	-7.9	3.6	267	-19.7	RB 1
79	1	9	2	2.7	165	-9.0	3.6	267	-20.5	RB 1
79	1	9	3	2.5	125	-10.5	5.2	267	-19.8	RB 1
79	1	9	4	2.8	357	-11.0	6.2	267	-19.6	RB 1
79	1	9	5	3.6	328	-11.3	6.2	261	-18.9	RB 1
79	1	9	6	4.2	281	-9.8	5.6	261	-18.1	RB 1
79	1	9	7	5.0	160	-7.6	2.8	261	-16.1	RB 1
79	1	9	8	3.9	75	-8.0	2.3	343	-15.0	RB 1
79	1	9	9	2.5	336	-9.1	1.1	339	-14.8	RB 1
79	1	9	10	2.7	307	-8.2	0.6	54	-11.8	RB 1
79	1	9	11	3.2	31	-6.8	1.9	56	-9.1	RB 1
79	1	9	12	3.0	125	-5.5	5.6	58	-8.5	RB 1
79	1	9	13	3.7	90	-4.4	4.1	70	-6.8	RB 1
79	1	9	14	3.3	86	-5.0	4.8	61	-6.1	RB 1
79	1	9	15	2.7	102	-4.9	5.0	65	-6.5	RB 1
79	1	9	16	2.7	31	-5.5	5.7	72	-7.2	RB 1
79	1	9	17	2.5	47	-6.6	3.6	68	-8.8	RB 1
79	1	9	18	3.2	313	-7.6	1.5	14	-9.9	RB 1
79	1	9	19	3.8	158	-7.3	4.0	83	-11.0	RB 1
79	1	9	20	3.1	124	-8.9	1.0	312	-11.4	RB 1
79	1	9	21	3.1	273	-8.3	0.9	178	-11.2	RB 1
79	1	9	22	2.9	11	-8.8	2.3	327	-13.1	RB 1
79	1	9	23	3.2	11	-8.0	2.0	170	-12.4	RB 1
79	1	9	24	3.6	128	-8.7	3.4	80	-13.3	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	1	10	1	2.5	133	-8.9	0.7	239	-13.0	RB	1
79	1	10	2	4.3	182	-8.6	0.6	257	-12.8	RB	1
79	1	10	3	3.4	223	-8.9	0.9	260	-13.1	RB	1
79	1	10	4	4.7	276	-8.1	0.8	2	-12.0	RB	1
79	1	10	5	4.9	300	-6.4	3.6	101	-11.6	RB	1
79	1	10	6	3.1	161	-9.2	1.6	342	-12.2	RB	1
79	1	10	7	2.8	221	-9.3	0.7	351	-11.5	RB	1
79	1	10	8	2.5	113	-9.9	0.9	67	-11.3	RB	1
79	1	10	9	3.4	134	-9.8	0.6	346	-10.1	RB	1
79	1	10	10	3.4	284	-8.1	0.7	275	-8.6	RB	1
79	1	10	11	3.8	230	-5.1	0.7	59	-6.7	RB	1
79	1	10	12	9.4	242	-5.0	0.7	48	-4.8	RB	1
79	1	10	13	6.7	232	-4.5	6.4	247	-2.7	RB	1
79	1	10	14	7.0	218	-4.1	6.8	233	-2.1	RB	1
79	1	10	15	6.4	201	-3.4	4.3	205	-1.4	RB	1
79	1	10	16	6.4	201	-3.2	4.9	152	-1.6	RB	1
79	1	10	17	6.9	226	-3.7	2.5	233	-3.0	RB	1
79	1	10	18	6.2	225	-4.0	1.1	344	-4.4	RB	1
79	1	10	19	10.7	224	-3.8	999.9	238	-4.6	RB	1
79	1	10	20	14.2	225	-3.3	999.9	310	-4.5	RB	1
79	1	10	21	12.2	238	-3.3	999.9	85	-4.2	RB	1
79	1	10	22	11.8	238	-4.2	999.9	161	-4.0	RB	1
79	1	10	23	7.2	211	-4.3	999.9	79	-4.8	RB	1
79	1	10	24	6.6	191	-3.6	999.9	74	-5.3	RB	1
79	1	11	1	6.2	167	-3.1	999.9	242	-5.4	RB	1
79	1	11	2	5.9	184	-3.1	999.9	70	-5.4	RB	1
79	1	11	3	5.7	155	-3.8	999.9	70	-4.0	RB	1
79	1	11	4	6.9	149	-3.6	999.9	186	-3.8	RB	1
79	1	11	5	8.9	193	-3.1	999.9	155	-5.7	RB	1
79	1	11	6	8.4	201	-3.1	999.9	120	-5.0	RB	1
79	1	11	7	5.2	154	-3.0	999.9	243	-1.2	RB	1
79	1	11	8	4.7	148	-2.8	8.5	241	-0.7	RB	1
79	1	11	9	8.2	177	-2.2	5.5	269	-0.8	RB	1
79	1	11	10	21.4	230	-1.9	5.5	263	-0.1	RB	1
79	1	11	11	21.1	233	-1.6	6.9	187	0.8	RB	1
79	1	11	12	21.8	241	-0.9	5.3	213	1.6	RB	1
79	1	11	13	25.6	243	-0.9	7.8	200	1.8	RB	1
79	1	11	14	29.1	243	-0.4	7.8	192	2.3	RB	1
79	1	11	15	32.4	242	-0.6	9.1	198	2.3	RB	1
79	1	11	16	32.5	242	-0.6	4.7	171	2.1	RB	1
79	1	11	17	33.2	238	-0.7	5.2	147	1.5	RB	1
79	1	11	18	30.0	239	-0.5	3.6	166	1.1	RB	1
79	1	11	19	22.3	242	0.1	3.2	120	0.5	RB	1
79	1	11	20	21.6	244	0.4	2.3	111	-0.3	RB	1
79	1	11	21	22.7	243	0.2	2.3	87	-1.0	RB	1
79	1	11	22	25.3	234	0.3	7.3	275	0.8	RB	1
79	1	11	23	26.6	232	0.3	14.0	251	1.5	RB	1
79	1	11	24	24.9	229	0.9	14.0	261	2.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	1	12	1	25.2	233	0.8	13.6	255	1.9	RB 1
79	1	12	2	24.7	230	0.4	13.2	252	1.6	RB 1
79	1	12	3	25.5	230	0.1	13.2	255	1.2	RB 1
79	1	12	4	23.6	221	0.1	13.7	240	1.6	RB 1
79	1	12	5	23.2	229	0.2	13.8	246	1.7	RB 1
79	1	12	6	21.6	234	-0.2	13.5	250	1.3	RB 1
79	1	12	7	22.2	234	-0.4	13.7	250	1.0	RB 1
79	1	12	8	19.6	237	-0.6	10.3	248	0.7	RB 1
79	1	12	9	21.5	243	-0.4	5.4	329	0.6	RB 1
79	1	12	10	18.0	251	0.2	3.4	105	1.8	RB 1
79	1	12	11	14.4	258	0.6	5.9	77	0.8	RB 1
79	1	12	12	12.7	270	0.7	4.6	90	1.3	RB 1
79	1	12	13	15.5	278	0.7	9.2	270	2.7	RB 1
79	1	12	14	13.2	305	-1.2	7.2	309	0.5	RB 1
79	1	12	15	9.7	280	-0.9	3.3	332	0.6	RB 1
79	1	12	16	6.3	26	-1.1	5.7	59	0.0	RB 1
79	1	12	17	7.6	28	-2.3	3.5	64	-0.8	RB 1
79	1	12	18	10.9	16	-2.7	3.8	62	-1.3	RB 1
79	1	12	19	10.3	26	-4.4	7.2	49	-3.5	RB 1
79	1	12	20	8.5	23	-6.7	2.8	29	-5.4	RB 1
79	1	12	21	5.1	52	-7.9	4.4	66	-6.5	RB 1
79	1	12	22	3.3	44	-8.4	4.1	81	-7.4	RB 1
79	1	12	23	4.7	31	-9.4	3.5	62	-8.9	RB 1
79	1	12	24	5.8	45	-11.5	3.0	67	-10.9	RB 1
79	1	13	1	3.6	291	-12.8	3.8	253	-12.8	RB 1
79	1	13	2	3.6	159	-12.4	5.1	271	-14.8	RB 1
79	1	13	3	2.9	256	-12.2	5.6	267	-13.8	RB 1
79	1	13	4	999.9	999	999.9	5.7	269	-14.5	RB 1
79	1	13	5	999.9	999	999.9	4.2	263	-14.3	RB 1
79	1	13	6	999.9	999	999.9	1.8	211	-12.9	RB 1
79	1	13	7	3.2	254	-11.5	1.3	314	-13.1	RB 1
79	1	13	8	3.6	184	-11.1	3.3	266	-12.3	RB 1
79	1	13	9	3.3	234	-10.0	3.1	264	-9.4	RB 1
79	1	13	10	4.8	261	-9.5	4.4	19	-7.7	RB 1
79	1	13	11	9.8	328	-7.8	6.2	77	-6.9	RB 1
79	1	13	12	8.5	327	-7.2	4.9	42	-5.2	RB 1
79	1	13	13	8.4	319	-6.5	6.1	295	-4.5	RB 1
79	1	13	14	8.5	265	-6.4	6.6	279	-4.2	RB 1
79	1	13	15	5.1	260	-5.7	4.7	284	-3.9	RB 1
79	1	13	16	4.5	273	-5.7	3.3	275	-4.0	RB 1
79	1	13	17	4.2	256	-6.9	3.2	264	-7.2	RB 1
79	1	13	18	5.2	245	-8.3	7.7	266	-11.4	RB 1
79	1	13	19	8.9	248	-9.4	7.2	271	-12.6	RB 1
79	1	13	20	9.7	247	-9.7	7.4	267	-12.4	RB 1
79	1	13	21	9.4	250	-9.9	4.7	261	-12.0	RB 1
79	1	13	22	8.6	243	-10.1	6.7	268	-13.5	RB 1
79	1	13	23	9.6	231	-9.7	6.5	265	-14.3	RB 1
79	1	13	24	8.2	216	-10.1	6.2	262	-15.7	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	1	14	1	5.9	171	-10.6	7.0	267	-16.8	RB	1
79	1	14	2	3.7	142	-10.8	6.7	264	-16.2	RB	1
79	1	14	3	3.5	164	-10.4	4.9	261	-16.9	RB	1
79	1	14	4	5.3	189	-9.9	5.0	262	-17.4	RB	1
79	1	14	5	8.8	224	-8.4	5.5	257	-16.3	RB	1
79	1	14	6	7.7	196	-8.8	4.7	261	-15.8	RB	1
79	1	14	7	4.5	143	-9.8	4.1	263	-16.4	RB	1
79	1	14	8	9.0	214	-7.9	4.4	261	-15.4	RB	1
79	1	14	9	8.8	228	-7.4	3.1	263	-12.5	RB	1
79	1	14	10	8.1	213	-6.7	2.6	295	-6.4	RB	1
79	1	14	11	7.0	178	-5.6	7.0	219	-3.3	RB	1
79	1	14	12	8.3	192	-4.8	11.2	232	-2.8	RB	1
79	1	14	13	8.6	191	-5.4	10.1	232	-3.2	RB	1
79	1	14	14	8.9	191	-6.6	11.4	240	-4.3	RB	1
79	1	14	15	7.7	128	-7.5	5.7	206	-5.8	RB	1
79	1	14	16	8.4	144	-7.5	6.3	159	-6.3	RB	1
79	1	14	17	4.2	150	-7.1	6.2	193	-6.1	RB	1
79	1	14	18	5.5	146	-6.7	6.1	187	-5.8	RB	1
79	1	14	19	15.9	239	-5.3	5.0	193	-5.0	RB	1
79	1	14	20	22.0	228	-5.2	3.3	157	-4.7	RB	1
79	1	14	21	22.3	243	-5.3	6.6	177	-4.1	RB	1
79	1	14	22	24.3	246	-5.6	10.6	235	-4.2	RB	1
79	1	14	23	33.7	235	-5.4	16.5	233	-3.9	RB	1
79	1	14	24	35.1	244	-5.6	13.8	241	-3.9	RB	1
79	1	15	1	32.3	244	-5.9	16.0	238	-4.3	RB	1
79	1	15	2	30.7	243	-5.8	15.4	249	-4.4	RB	1
79	1	15	3	28.7	242	-5.9	6.5	6	-4.6	RB	1
79	1	15	4	28.9	237	-5.9	4.8	115	-4.5	RB	1
79	1	15	5	27.0	236	-5.9	3.2	136	-4.6	RB	1
79	1	15	6	23.3	234	-6.0	3.5	315	-4.2	RB	1
79	1	15	7	16.4	222	-5.9	5.1	205	-3.8	RB	1
79	1	15	8	14.4	224	-5.6	9.7	245	-3.6	RB	1
79	1	15	9	15.1	227	-5.2	9.8	235	-3.2	RB	1
79	1	15	10	17.4	223	-4.2	7.7	230	-2.2	RB	1
79	1	15	11	20.9	234	-3.7	11.7	241	-1.3	RB	1
79	1	15	12	20.3	235	-3.7	10.7	238	-1.3	RB	1
79	1	15	13	23.7	236	-3.6	15.0	235	-1.2	RB	1
79	1	15	14	23.0	232	-3.6	13.0	242	-1.5	RB	1
79	1	15	15	18.0	221	-2.7	7.4	232	-0.3	RB	1
79	1	15	16	19.5	232	-2.5	11.6	231	-0.3	RB	1
79	1	15	17	19.2	231	-2.6	13.7	233	-0.9	RB	1
79	1	15	18	18.8	231	-2.4	13.6	232	-0.7	RB	1
79	1	15	19	19.7	235	-2.3	12.9	234	-0.7	RB	1
79	1	15	20	21.6	231	-2.2	15.6	237	-0.5	RB	1
79	1	15	21	21.5	231	-2.1	15.1	245	-0.6	RB	1
79	1	15	22	20.0	233	-2.0	12.7	247	-0.8	RB	1
79	1	15	23	19.5	231	-2.2	11.8	247	-0.8	RB	1
79	1	15	24	17.2	235	-2.5	12.7	246	-1.1	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	1	16	1	17.8	226	-2.5	11.3	246	-1.1	RB 1
79	1	16	2	19.6	229	-2.5	13.7	239	-0.8	RB 1
79	1	16	3	17.1	224	-2.3	10.9	240	-0.7	RB 1
79	1	16	4	16.0	221	-2.1	8.7	239	-0.6	RB 1
79	1	16	5	16.6	219	-2.1	9.7	236	-0.6	RB 1
79	1	16	6	15.6	226	-2.2	9.6	249	-0.7	RB 1
79	1	16	7	15.9	232	-2.2	10.2	244	-0.7	RB 1
79	1	16	8	14.8	232	-2.1	8.6	249	-0.6	RB 1
79	1	16	9	14.7	235	-2.0	10.4	242	-0.1	RB 1
79	1	16	10	16.7	229	-2.0	10.7	247	0.0	RB 1
79	1	16	11	14.0	263	-2.1	10.8	261	-0.6	RB 1
79	1	16	12	18.6	264	-1.4	13.7	257	0.9	RB 1
79	1	16	13	20.0	270	-1.2	15.8	265	1.1	RB 1
79	1	16	14	23.3	272	-0.8	15.5	266	1.5	RB 1
79	1	16	15	20.1	279	-0.7	13.0	263	1.2	RB 1
79	1	16	16	19.7	268	-1.1	6.9	272	0.9	RB 1
79	1	16	17	8.7	210	-2.3	2.6	302	-1.8	RB 1
79	1	16	18	4.6	171	-2.9	4.8	279	-3.5	RB 1
79	1	16	19	5.9	206	-3.0	5.2	260	-5.5	RB 1
79	1	16	20	3.9	235	-3.7	3.5	240	-5.6	RB 1
79	1	16	21	2.8	288	-5.2	6.2	271	-7.1	RB 1
79	1	16	22	10.8	235	-4.0	6.0	266	-9.4	RB 1
79	1	16	23	5.3	207	-4.5	4.8	270	-11.0	RB 1
79	1	16	24	7.9	241	-4.5	5.5	264	-10.6	RB 1
79	1	17	1	6.1	236	-4.5	5.3	264	-10.8	RB 1
79	1	17	2	4.4	242	-5.0	5.8	264	-11.1	RB 1
79	1	17	3	4.7	127	-5.3	4.7	265	-11.5	RB 1
79	1	17	4	3.4	193	-5.9	6.7	269	-10.7	RB 1
79	1	17	5	3.5	287	-5.4	3.6	302	-7.9	RB 1
79	1	17	6	3.0	303	-5.0	2.3	339	-8.4	RB 1
79	1	17	7	2.4	98	-5.5	4.4	271	-7.8	RB 1
79	1	17	8	5.0	255	-5.3	4.0	264	-6.9	RB 1
79	1	17	9	5.5	269	-4.2	2.0	160	-5.9	RB 1
79	1	17	10	2.9	321	-2.6	4.0	76	-5.5	RB 1
79	1	17	11	3.8	85	-3.1	4.8	76	-4.2	RB 1
79	1	17	12	3.0	79	-2.6	2.5	74	-2.9	RB 1
79	1	17	13	3.3	280	-1.7	2.8	74	-1.0	RB 1
79	1	17	14	3.4	169	-0.5	4.3	68	-1.4	RB 1
79	1	17	15	2.7	91	-1.3	3.6	82	-1.7	RB 1
79	1	17	16	2.6	125	-1.4	1.6	68	-1.8	RB 1
79	1	17	17	2.8	127	-1.3	2.5	84	-2.0	RB 1
79	1	17	18	3.5	187	0.1	2.1	69	-2.7	RB 1
79	1	17	19	5.2	179	-0.1	1.2	107	-2.8	RB 1
79	1	17	20	8.4	177	0.0	2.6	63	-2.6	RB 1
79	1	17	21	15.0	210	0.3	3.0	80	-3.4	RB 1
79	1	17	22	13.5	216	0.1	3.2	259	-3.6	RB 1
79	1	17	23	12.7	208	0.1	3.5	252	-3.2	RB 1
79	1	17	24	9.7	200	-0.2	2.7	254	-1.1	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	1	18	1	5.8	199	-0.3	2.3	255	-3.3	RB 1
79	1	18	2	5.3	189	-0.6	3.0	261	-3.8	RB 1
79	1	18	3	3.6	166	-0.5	1.9	235	-3.9	RB 1
79	1	18	4	4.4	192	-0.4	2.8	267	-3.8	RB 1
79	1	18	5	4.0	182	-0.5	2.9	260	-4.1	RB 1
79	1	18	6	4.3	278	-0.3	2.4	257	-4.2	RB 1
79	1	18	7	3.6	212	-0.6	2.4	256	-4.4	RB 1
79	1	18	8	3.6	190	-1.0	3.6	268	-5.4	RB 1
79	1	18	9	6.4	217	-0.8	3.6	271	-4.2	RB 1
79	1	18	10	14.3	224	-0.1	3.4	243	0.0	RB 1
79	1	18	11	16.3	239	0.1	7.1	226	2.7	RB 1
79	1	18	12	14.3	241	0.5	7.4	222	2.9	RB 1
79	1	18	13	14.2	241	0.6	6.3	219	3.2	RB 1
79	1	18	14	18.6	226	0.0	9.1	227	3.3	RB 1
79	1	18	15	19.9	228	-0.5	9.0	228	3.1	RB 1
79	1	18	16	17.9	239	-0.4	4.6	245	2.9	RB 1
79	1	18	17	15.7	258	-1.5	5.5	254	0.5	RB 1
79	1	18	18	13.2	267	-2.2	2.1	249	-0.5	RB 1
79	1	18	19	10.6	261	-2.8	4.9	229	-0.9	RB 1
79	1	18	20	4.4	181	-3.2	2.3	223	-2.2	RB 1
79	1	18	21	5.5	137	-3.3	1.5	88	-3.0	RB 1
79	1	18	22	2.6	207	-3.3	1.4	250	-2.9	RB 1
79	1	18	23	2.9	166	-3.3	2.5	85	-2.9	RB 1
79	1	18	24	2.8	78	-3.9	2.8	65	-3.8	RB 1
79	1	19	1	2.4	360	-4.4	2.1	234	-4.2	RB 1
79	1	19	2	3.5	266	-5.5	4.6	265	-4.8	RB 1
79	1	19	3	6.8	264	-5.0	6.4	270	-6.2	RB 1
79	1	19	4	7.0	268	-5.2	3.9	263	-7.4	RB 1
79	1	19	5	5.0	317	-5.6	4.3	261	-8.9	RB 1
79	1	19	6	2.7	278	-5.8	3.1	284	-8.2	RB 1
79	1	19	7	3.3	347	-5.9	1.1	50	-6.9	RB 1
79	1	19	8	4.1	49	-6.2	1.8	77	-6.2	RB 1
79	1	19	9	5.9	23	-6.5	4.0	78	-5.3	RB 1
79	1	19	10	3.8	24	-6.3	5.0	74	-4.7	RB 1
79	1	19	11	5.2	76	-5.9	4.4	33	-3.6	RB 1
79	1	19	12	4.3	196	-4.4	4.6	61	-2.9	RB 1
79	1	19	13	4.9	341	-4.5	6.1	79	-3.2	RB 1
79	1	19	14	5.4	24	-4.1	5.5	63	-3.0	RB 1
79	1	19	15	7.9	341	-3.7	6.4	87	-3.1	RB 1
79	1	19	16	6.2	356	-4.0	7.0	72	-3.0	RB 1
79	1	19	17	4.3	20	-5.9	2.7	110	-5.0	RB 1
79	1	19	18	2.9	325	-7.9	6.0	272	-9.9	RB 1
79	1	19	19	2.7	181	-9.0	7.1	268	-11.5	RB 1
79	1	19	20	3.8	266	-9.0	6.7	269	-12.0	RB 1
79	1	19	21	5.1	253	-8.5	6.8	268	-12.1	RB 1
79	1	19	22	2.8	188	-7.9	6.2	266	-11.5	RB 1
79	1	19	23	4.0	164	-7.8	4.3	261	-10.0	RB 1
79	1	19	24	3.9	136	-8.5	4.3	266	-12.1	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	1	20	1	3.6	149	-8.6	6.1	263	-11.9	RB 1
79	1	20	2	2.5	173	-9.1	5.5	266	-11.3	RB 1
79	1	20	3	2.8	141	-9.3	6.7	274	-13.0	RB 1
79	1	20	4	3.4	179	-9.3	6.9	266	-13.0	RB 1
79	1	20	5	4.3	258	-9.4	7.2	267	-12.7	RB 1
79	1	20	6	3.7	260	-9.4	7.0	268	-13.0	RB 1
79	1	20	7	3.2	252	-8.9	6.9	270	-13.9	RB 1
79	1	20	8	3.9	183	-8.4	7.3	267	-13.0	RB 1
79	1	20	9	3.5	187	-7.0	5.7	255	-9.8	RB 1
79	1	20	10	5.6	168	-5.8	1.0	236	-4.3	RB 1
79	1	20	11	5.3	168	-4.6	2.9	119	-2.2	RB 1
79	1	20	12	4.4	202	-3.3	3.9	246	-1.6	RB 1
79	1	20	13	7.9	256	-3.2	6.0	254	-0.9	RB 1
79	1	20	14	5.4	237	-2.1	4.5	252	-0.2	RB 1
79	1	20	15	4.4	249	-1.3	1.6	218	1.2	RB 1
79	1	20	16	4.9	262	-1.5	0.9	49	1.3	RB 1
79	1	20	17	5.6	268	-3.8	3.3	281	-2.9	RB 1
79	1	20	18	9.4	264	-5.1	4.6	267	-7.7	RB 1
79	1	20	19	8.0	258	-5.7	5.7	263	-10.1	RB 1
79	1	20	20	8.7	272	-6.1	5.6	265	-11.6	RB 1
79	1	20	21	9.7	264	-5.9	5.3	263	-12.9	RB 1
79	1	20	22	10.3	259	-5.5	5.4	270	-13.4	RB 1
79	1	20	23	7.5	262	-6.2	4.2	266	-13.1	RB 1
79	1	20	24	7.6	271	-6.3	4.9	264	-14.2	RB 1
79	1	21	1	5.6	213	-6.8	4.8	262	-14.5	RB 1
79	1	21	2	2.5	127	-7.0	3.6	261	-14.9	RB 1
79	1	21	3	2.5	299	-7.6	3.7	269	-15.6	RB 1
79	1	21	4	2.9	261	-6.7	4.1	267	-15.6	RB 1
79	1	21	5	2.2	189	-7.1	5.5	263	-15.6	RB 1
79	1	21	6	2.0	57	-7.8	6.6	264	-15.6	RB 1
79	1	21	7	1.9	334	-8.3	6.3	266	-15.3	RB 1
79	1	21	8	1.1	79	-7.7	6.2	261	-15.0	RB 1
79	1	21	9	2.3	174	-3.6	3.9	254	-10.8	RB 1
79	1	21	10	3.3	120	-1.5	2.8	128	-4.8	RB 1
79	1	21	11	3.5	96	-0.2	4.2	73	-3.0	RB 1
79	1	21	12	4.1	177	1.4	4.2	74	-0.8	RB 1
79	1	21	13	4.4	221	1.6	4.7	61	0.9	RB 1
79	1	21	14	10.4	228	0.1	6.1	144	2.0	RB 1
79	1	21	15	9.5	210	-0.8	6.0	224	1.9	RB 1
79	1	21	16	7.4	151	-1.6	3.1	189	0.4	RB 1
79	1	21	17	4.3	163	-1.9	6.9	242	-0.2	RB 1
79	1	21	18	4.5	121	-2.7	7.9	254	-1.4	RB 1
79	1	21	19	11.3	203	-2.1	7.4	251	-2.0	RB 1
79	1	21	20	13.6	212	-2.2	3.1	262	-2.7	RB 1
79	1	21	21	17.4	220	-2.4	3.4	262	-4.3	RB 1
79	1	21	22	22.5	228	-3.3	3.9	256	-3.8	RB 1
79	1	21	23	25.2	232	-3.5	4.1	250	-2.4	RB 1
79	1	21	24	24.4	229	-3.2	1.3	217	-2.7	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	1	22	1	26.2	225	-3.0	7.8	260	-2.0	RB	1
79	1	22	2	26.7	224	-3.2	11.4	253	-1.7	RB	1
79	1	22	3	25.4	226	-3.3	12.5	262	-1.8	RB	1
79	1	22	4	24.4	227	-3.3	11.4	238	-1.6	RB	1
79	1	22	5	22.8	235	-4.0	10.6	246	-2.1	RB	1
79	1	22	6	19.2	230	-4.7	9.1	246	-3.0	RB	1
79	1	22	7	18.2	233	-5.0	8.8	247	-3.3	RB	1
79	1	22	8	20.9	274	-6.8	8.2	278	-5.5	RB	1
79	1	22	9	28.2	276	-9.1	16.1	258	-7.4	RB	1
79	1	22	10	30.8	274	-9.7	17.9	262	-7.7	RB	1
79	1	22	11	27.1	282	-9.6	13.4	271	-7.3	RB	1
79	1	22	12	17.2	293	-10.0	11.7	290	-7.8	RB	1
79	1	22	13	10.8	332	-10.2	7.6	352	-8.1	RB	1
79	1	22	14	11.0	318	-10.4	7.8	321	-8.5	RB	1
79	1	22	15	14.0	319	-10.4	8.0	351	-9.2	RB	1
79	1	22	16	11.6	344	-11.7	6.4	28	-10.4	RB	1
79	1	22	17	9.0	5	-12.8	5.2	15	-11.6	RB	1
79	1	22	18	4.3	356	-14.3	3.7	6	-13.6	RB	1
79	1	22	19	3.9	337	-15.2	5.0	278	-17.0	RB	1
79	1	22	20	3.7	290	-16.1	6.3	269	-17.8	RB	1
79	1	22	21	3.9	295	-15.9	4.9	264	-16.8	RB	1
79	1	22	22	4.3	293	-16.7	6.7	277	-18.9	RB	1
79	1	22	23	5.1	271	-16.5	7.2	268	-20.0	RB	1
79	1	22	24	5.2	263	-15.7	6.5	270	-20.2	RB	1
79	1	23	1	4.8	242	-15.2	6.3	269	-20.1	RB	1
79	1	23	2	5.1	193	-14.6	5.3	270	-20.8	RB	1
79	1	23	3	5.4	250	-15.1	999.9	999	999.9	RB	1
79	1	23	4	5.4	235	-15.3	999.9	999	999.9	RB	1
79	1	23	5	2.9	242	-15.5	999.9	999	999.9	RB	1
79	1	23	6	2.4	168	-15.2	999.9	999	999.9	RB	1
79	1	23	7	4.0	232	-14.6	999.9	999	999.9	RB	1
79	1	23	8	6.9	230	-13.8	999.9	999	999.9	RB	1
79	1	23	9	5.1	199	-12.0	999.9	999	999.9	RB	1
79	1	23	10	2.4	211	-9.0	4.3	94	-13.7	RB	1
79	1	23	11	3.2	206	-7.8	6.8	65	-10.2	RB	1
79	1	23	12	5.1	237	-8.5	6.6	58	-8.2	RB	1
79	1	23	13	3.7	259	-7.2	6.2	66	-7.0	RB	1
79	1	23	14	3.1	268	-5.6	4.3	76	-5.9	RB	1
79	1	23	15	2.9	279	-5.6	5.0	70	-5.8	RB	1
79	1	23	16	3.3	336	-6.9	6.0	96	-6.4	RB	1
79	1	23	17	6.9	240	-8.8	3.8	194	-8.4	RB	1
79	1	23	18	7.7	231	-9.8	6.9	276	-12.4	RB	1
79	1	23	19	4.8	240	-10.1	4.8	266	-15.2	RB	1
79	1	23	20	3.0	228	-10.4	5.1	266	-16.9	RB	1
79	1	23	21	3.6	268	-11.0	5.7	257	-17.9	RB	1
79	1	23	22	5.2	260	-10.9	6.9	262	-18.3	RB	1
79	1	23	23	4.1	247	-10.8	5.1	265	-19.4	RB	1
79	1	23	24	2.8	344	-11.8	5.7	263	-19.4	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	1	24	1	3.4	17	-12.1	6.6	265	-19.6	RB	1
79	1	24	2	3.1	258	-12.1	6.5	259	-19.3	RB	1
79	1	24	3	3.4	172	-10.8	6.4	261	-19.9	RB	1
79	1	24	4	3.7	159	-10.9	6.7	261	-19.3	RB	1
79	1	24	5	4.5	223	-9.9	6.0	257	-19.2	RB	1
79	1	24	6	6.1	218	-9.2	4.3	254	-18.8	RB	1
79	1	24	7	5.5	166	-9.4	3.6	289	-18.6	RB	1
79	1	24	8	3.5	47	-9.2	5.0	266	-18.3	RB	1
79	1	24	9	3.6	148	-7.2	2.0	186	-12.9	RB	1
79	1	24	10	4.9	186	-6.2	5.0	67	-10.2	RB	1
79	1	24	11	10.6	203	-5.4	6.5	71	-9.0	RB	1
79	1	24	12	8.0	166	-3.9	6.3	66	-7.8	RB	1
79	1	24	13	9.9	198	-2.6	4.3	61	-4.5	RB	1
79	1	24	14	21.1	236	-3.7	9.2	238	-1.0	RB	1
79	1	24	15	21.8	237	-4.6	7.4	219	-1.8	RB	1
79	1	24	16	8.0	178	-5.1	7.5	199	-3.0	RB	1
79	1	24	17	5.5	142	-5.1	3.7	124	-3.6	RB	1
79	1	24	18	6.1	188	-5.0	1.5	158	-4.2	RB	1
79	1	24	19	5.4	204	-5.6	2.6	128	-4.3	RB	1
79	1	24	20	9.2	226	-5.8	3.0	273	-5.5	RB	1
79	1	24	21	9.9	221	-6.4	4.3	93	-8.5	RB	1
79	1	24	22	5.3	199	-6.7	2.4	81	-10.1	RB	1
79	1	24	23	4.6	175	-6.9	1.3	334	-9.9	RB	1
79	1	24	24	10.4	217	-6.2	1.7	103	-10.3	RB	1
79	1	25	1	10.0	223	-6.0	2.1	93	-11.0	RB	1
79	1	25	2	3.4	101	-7.8	1.9	238	-10.9	RB	1
79	1	25	3	4.2	1	-8.6	2.4	261	-10.3	RB	1
79	1	25	4	3.1	276	-8.4	2.9	255	-9.9	RB	1
79	1	25	5	2.9	261	-7.6	2.4	259	-9.8	RB	1
79	1	25	6	2.2	341	-7.5	1.3	183	-9.7	RB	1
79	1	25	7	2.9	59	-8.7	2.4	73	-10.2	RB	1
79	1	25	8	2.3	298	-9.0	1.3	192	-10.2	RB	1
79	1	25	9	2.7	258	-8.0	1.1	275	-8.6	RB	1
79	1	25	10	2.1	285	-5.8	1.9	113	-6.6	RB	1
79	1	25	11	2.2	189	-2.2	4.8	60	-5.7	RB	1
79	1	25	12	3.3	83	-2.7	5.7	54	-5.1	RB	1
79	1	25	13	5.7	67	-4.6	6.0	66	-4.6	RB	1
79	1	25	14	5.7	48	-5.1	6.1	68	-4.6	RB	1
79	1	25	15	5.8	46	-5.6	6.1	68	-4.7	RB	1
79	1	25	16	4.1	52	-5.8	4.8	71	-5.1	RB	1
79	1	25	17	4.1	56	-6.6	4.8	83	-5.8	RB	1
79	1	25	18	3.1	70	-7.1	3.8	69	-6.4	RB	1
79	1	25	19	2.6	68	-7.6	1.3	85	-7.1	RB	1
79	1	25	20	2.8	43	-8.0	1.3	204	-8.1	RB	1
79	1	25	21	2.2	77	-8.5	2.9	267	-9.0	RB	1
79	1	25	22	2.9	24	-8.4	2.1	257	-8.9	RB	1
79	1	25	23	2.4	57	-8.7	1.0	238	-8.8	RB	1
79	1	25	24	2.6	61	-8.9	2.2	264	-9.6	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	1	26	1	3.4	68	-9.5	0.7	328	-10.1	RB 1
79	1	26	2	2.7	75	-10.1	2.0	262	-11.1	RB 1
79	1	26	3	4.1	347	-10.3	1.3	173	-10.1	RB 1
79	1	26	4	4.3	33	-11.0	3.7	82	-10.3	RB 1
79	1	26	5	3.5	47	-11.4	3.5	101	-10.8	RB 1
79	1	26	6	3.5	8	-11.9	3.2	70	-11.0	RB 1
79	1	26	7	4.5	6	-12.4	2.7	72	-11.5	RB 1
79	1	26	8	4.9	28	-12.9	4.0	77	-11.9	RB 1
79	1	26	9	4.7	18	-12.8	3.1	46	-11.8	RB 1
79	1	26	10	6.2	13	-12.8	4.1	21	-11.4	RB 1
79	1	26	11	9.1	9	-13.0	6.0	1	-11.6	RB 1
79	1	26	12	9.0	19	-12.9	7.1	24	-11.7	RB 1
79	1	26	13	6.3	45	-12.6	6.5	51	-11.8	RB 1
79	1	26	14	8.7	28	-12.4	7.6	54	-11.6	RB 1
79	1	26	15	8.3	49	-12.8	8.3	55	-11.8	RB 1
79	1	26	16	6.9	27	-13.2	5.3	47	-12.0	RB 1
79	1	26	17	5.9	24	-13.8	3.8	30	-12.3	RB 1
79	1	26	18	5.7	7	-14.3	2.1	14	-12.9	RB 1
79	1	26	19	5.9	3	-14.9	1.3	10	-13.9	RB 1
79	1	26	20	4.9	325	-15.5	4.4	270	-16.3	RB 1
79	1	26	21	4.9	289	-16.2	6.3	271	-17.7	RB 1
79	1	26	22	4.1	271	-16.2	6.5	281	-18.5	RB 1
79	1	26	23	4.8	260	-16.2	6.5	279	-18.9	RB 1
79	1	26	24	4.9	257	-16.3	7.1	278	-18.9	RB 1
79	1	27	1	3.9	255	-16.4	8.1	270	-19.7	RB 1
79	1	27	2	3.2	230	-16.0	6.9	265	-19.6	RB 1
79	1	27	3	4.1	191	-15.6	6.8	266	-20.6	RB 1
79	1	27	4	5.5	246	-15.5	5.6	260	-22.0	RB 1
79	1	27	5	4.9	222	-15.5	5.0	264	-22.9	RB 1
79	1	27	6	6.7	233	-15.5	4.0	253	-23.1	RB 1
79	1	27	7	8.9	234	-15.4	3.7	265	-23.6	RB 1
79	1	27	8	13.1	261	-15.0	3.7	264	-24.5	RB 1
79	1	27	9	11.1	260	-14.0	3.8	235	-19.4	RB 1
79	1	27	10	6.8	242	-12.8	2.9	85	-13.6	RB 1
79	1	27	11	6.1	228	-11.4	4.6	25	-10.8	RB 1
79	1	27	12	6.2	241	-10.4	5.1	219	-8.8	RB 1
79	1	27	13	7.1	245	-10.0	6.0	244	-8.3	RB 1
79	1	27	14	7.3	235	-10.1	6.4	234	-8.0	RB 1
79	1	27	15	6.0	227	-10.1	5.7	234	-8.2	RB 1
79	1	27	16	5.2	233	-9.3	2.9	187	-8.2	RB 1
79	1	27	17	10.1	239	-11.0	5.0	219	-10.4	RB 1
79	1	27	18	6.0	213	-12.9	5.8	269	-14.8	RB 1
79	1	27	19	8.4	217	-12.8	5.9	266	-16.7	RB 1
79	1	27	20	8.8	215	-12.1	2.8	263	-17.6	RB 1
79	1	27	21	8.2	223	-11.9	3.0	259	-16.8	RB 1
79	1	27	22	6.6	225	-12.0	3.9	269	-16.4	RB 1
79	1	27	23	7.9	224	-12.4	5.0	265	-16.6	RB 1
79	1	27	24	7.8	225	-13.2	5.7	268	-18.5	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	1	28	1	2.8	209	-14.6	5.0	268	-20.3	RB	1
79	1	28	2	3.1	144	-14.0	6.0	270	-19.8	RB	1
79	1	28	3	2.5	280	-14.6	6.0	261	-19.6	RB	1
79	1	28	4	2.7	276	-15.2	7.2	258	-20.4	RB	1
79	1	28	5	4.0	280	-14.8	6.5	261	-20.8	RB	1
79	1	28	6	3.3	295	-14.9	6.2	261	-21.3	RB	1
79	1	28	7	3.3	122	-15.1	6.9	262	-21.5	RB	1
79	1	28	8	2.9	235	-15.2	6.1	267	-20.2	RB	1
79	1	28	9	2.6	247	-11.8	4.6	260	-16.3	RB	1
79	1	28	10	3.1	94	-9.5	3.9	75	-11.9	RB	1
79	1	28	11	3.8	89	-9.1	6.3	59	-10.2	RB	1
79	1	28	12	3.7	76	-8.5	6.3	62	-9.3	RB	1
79	1	28	13	5.0	62	-8.6	6.1	71	-8.5	RB	1
79	1	28	14	6.0	54	-9.4	6.3	67	-8.1	RB	1
79	1	28	15	5.5	56	-9.9	6.5	72	-8.6	RB	1
79	1	28	16	4.2	65	-10.4	4.9	63	-9.0	RB	1
79	1	28	17	4.0	39	-11.5	3.8	53	-10.3	RB	1
79	1	28	18	4.3	26	-12.8	1.7	103	-11.8	RB	1
79	1	28	19	3.1	91	-13.3	1.5	76	-12.7	RB	1
79	1	28	20	2.8	93	-14.0	1.7	157	-14.2	RB	1
79	1	28	21	2.5	236	-14.8	3.4	274	-14.8	RB	1
79	1	28	22	2.7	279	-15.4	5.4	255	-17.2	RB	1
79	1	28	23	2.1	24	-15.0	3.9	251	-17.3	RB	1
79	1	28	24	2.5	107	-15.1	1.8	263	-16.7	RB	1
79	1	29	1	1.7	295	-15.5	1.7	262	-16.1	RB	1
79	1	29	2	1.9	17	-15.8	999.9	190	-15.8	RB	1
79	1	29	3	2.2	65	-16.0	999.9	88	-15.7	RB	1
79	1	29	4	1.8	31	-16.6	0.7	37	-16.2	RB	1
79	1	29	5	2.1	346	-17.3	999.9	292	-17.7	RB	1
79	1	29	6	3.7	35	-18.0	1.0	260	-19.6	RB	1
79	1	29	7	2.2	33	-18.5	3.2	261	-19.7	RB	1
79	1	29	8	2.2	58	-18.5	999.9	263	-18.4	RB	1
79	1	29	9	2.3	82	-17.8	999.9	272	-16.7	RB	1
79	1	29	10	2.8	3	-16.9	2.2	41	-16.0	RB	1
79	1	29	11	4.1	60	-17.0	4.3	50	-16.2	RB	1
79	1	29	12	4.7	20	-16.4	4.3	357	-15.6	RB	1
79	1	29	13	5.0	2	-16.2	3.5	28	-14.8	RB	1
79	1	29	14	4.8	11	-15.3	4.5	33	-14.4	RB	1
79	1	29	15	6.9	11	-15.6	5.9	50	-14.6	RB	1
79	1	29	16	6.3	35	-16.4	5.3	56	-15.4	RB	1
79	1	29	17	5.7	6	-17.8	2.9	29	-16.6	RB	1
79	1	29	18	4.3	310	-19.3	2.8	294	-19.1	RB	1
79	1	29	19	3.3	292	-20.0	4.8	282	-20.5	RB	1
79	1	29	20	2.4	284	-20.1	4.6	267	-20.7	RB	1
79	1	29	21	2.0	282	-20.8	5.2	275	-22.2	RB	1
79	1	29	22	2.1	300	-20.9	5.7	268	-22.4	RB	1
79	1	29	23	3.2	273	-21.2	6.5	267	-23.1	RB	1
79	1	29	24	4.0	265	-21.0	6.5	267	-24.8	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	1	30	1	4.8	260	-20.8	6.6	262	-25.7	RB	1
79	1	30	2	3.9	268	-20.5	5.7	260	-26.4	RB	1
79	1	30	3	2.9	196	-20.5	5.2	263	-27.2	RB	1
79	1	30	4	1.7	99	-21.3	5.3	263	-26.3	RB	1
79	1	30	5	1.5	104	-22.2	6.3	256	-26.5	RB	1
79	1	30	6	1.3	57	-22.3	5.7	258	-26.8	RB	1
79	1	30	7	1.1	79	-22.7	6.1	256	-27.4	RB	1
79	1	30	8	1.2	128	-20.0	3.2	240	-26.0	RB	1
79	1	30	9	1.3	36	-17.4	0.7	345	-20.5	RB	1
79	1	30	10	2.2	183	-15.8	4.9	70	-19.0	RB	1
79	1	30	11	3.5	219	-15.8	5.3	71	-16.8	RB	1
79	1	30	12	5.6	248	-15.1	4.7	68	-14.4	RB	1
79	1	30	13	8.5	257	-14.8	6.3	282	-12.7	RB	1
79	1	30	14	11.6	270	-14.6	9.7	268	-12.8	RB	1
79	1	30	15	10.7	266	-14.3	10.4	257	-12.5	RB	1
79	1	30	16	5.6	221	-14.0	7.6	261	-12.6	RB	1
79	1	30	17	5.4	188	-14.9	5.3	269	-15.4	RB	1
79	1	30	18	6.8	221	-15.8	6.7	275	-19.6	RB	1
79	1	30	19	12.6	223	-16.2	6.6	255	-22.0	RB	1
79	1	30	20	13.1	220	-16.2	5.5	255	-23.5	RB	1
79	1	30	21	16.0	224	-15.9	4.4	259	-24.6	RB	1
79	1	30	22	14.2	225	-15.9	5.5	262	-24.9	RB	1
79	1	30	23	11.4	218	-15.8	5.1	266	-25.2	RB	1
79	1	30	24	8.9	220	-15.6	5.1	268	-25.5	RB	1
79	1	31	1	8.8	217	-15.5	4.8	265	-25.6	RB	1
79	1	31	2	6.1	219	-15.6	5.1	266	-25.5	RB	1
79	1	31	3	5.6	220	-15.6	6.0	267	-25.0	RB	1
79	1	31	4	6.0	220	-15.6	6.3	262	-24.5	RB	1
79	1	31	5	6.4	219	-15.3	6.1	261	-24.5	RB	1
79	1	31	6	6.5	207	-15.3	6.1	264	-23.8	RB	1
79	1	31	7	4.4	193	-17.0	5.1	264	-24.4	RB	1
79	1	31	8	4.1	199	-16.4	5.2	260	-24.0	RB	1
79	1	31	9	3.5	145	-13.6	3.6	261	-19.4	RB	1
79	1	31	10	4.4	150	-11.8	2.1	27	-13.6	RB	1
79	1	31	11	3.7	238	-9.6	4.3	43	-10.1	RB	1
79	1	31	12	8.0	232	-10.7	5.5	253	-8.3	RB	1
79	1	31	13	7.1	225	-11.0	5.9	259	-9.0	RB	1
79	1	31	14	4.5	214	-10.4	4.1	263	-9.0	RB	1
79	1	31	15	4.0	212	-10.4	999.9	290	-8.7	RB	1
79	1	31	16	2.9	202	-10.5	999.9	274	-9.3	RB	1
79	1	31	17	2.7	310	-10.8	999.9	310	-9.9	RB	1
79	1	31	18	2.7	9	-11.2	4.2	78	-12.3	RB	1
79	1	31	19	4.0	250	-11.1	3.1	77	-13.3	RB	1
79	1	31	20	2.4	146	-11.3	3.2	77	-14.0	RB	1
79	1	31	21	3.1	143	-11.6	3.2	73	-14.4	RB	1
79	1	31	22	4.1	335	-11.3	999.9	80	-14.5	RB	1
79	1	31	23	12.6	236	-10.1	999.9	71	-14.4	RB	1
79	1	31	24	4.7	188	-11.1	3.4	48	-15.6	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	2	1	1	8.4	176	-10.8	1.9	258	-16.8	RB 1
79	2	1	2	17.7	255	-9.7	1.7	277	-17.0	RB 1
79	2	1	3	9.0	337	-10.2	2.2	254	-17.9	RB 1
79	2	1	4	4.3	144	-10.6	2.6	346	-19.0	RB 1
79	2	1	5	4.0	24	-12.0	3.1	263	-18.2	RB 1
79	2	1	6	4.9	71	-13.9	0.8	280	-16.4	RB 1
79	2	1	7	2.0	193	-14.4	0.8	213	-15.8	RB 1
79	2	1	8	2.4	242	-13.6	0.9	270	-14.9	RB 1
79	2	1	9	2.9	181	-12.3	999.9	240	-13.0	RB 1
79	2	1	10	4.5	143	-10.3	999.9	69	-11.1	RB 1
79	2	1	11	6.2	220	-7.8	4.0	56	-9.8	RB 1
79	2	1	12	18.7	233	-8.8	4.7	146	-8.0	RB 1
79	2	1	13	20.4	237	-8.2	7.1	232	-5.8	RB 1
79	2	1	14	19.1	236	-7.8	7.8	239	-5.1	RB 1
79	2	1	15	20.3	229	-7.5	8.9	244	-4.7	RB 1
79	2	1	16	19.9	231	-8.1	7.3	244	-5.8	RB 1
79	2	1	17	17.2	238	-8.7	3.0	156	-7.4	RB 1
79	2	1	18	17.9	232	-8.7	2.7	77	-9.2	RB 1
79	2	1	19	17.3	233	-8.6	3.6	82	-11.8	RB 1
79	2	1	20	15.7	237	-8.4	0.9	341	-12.2	RB 1
79	2	1	21	13.2	240	-8.3	999.9	82	-12.2	RB 1
79	2	1	22	9.2	249	-8.6	3.1	77	-12.5	RB 1
79	2	1	23	4.2	262	-9.3	2.3	257	-12.9	RB 1
79	2	1	24	4.6	160	-9.3	999.9	261	-12.6	RB 1
79	2	2	1	3.3	116	-9.8	999.9	254	-12.0	RB 1
79	2	2	2	9.8	242	-8.7	999.9	257	-12.6	RB 1
79	2	2	3	10.1	244	-8.7	999.9	246	-12.0	RB 1
79	2	2	4	9.2	231	-9.0	999.9	261	-11.7	RB 1
79	2	2	5	4.9	181	-9.8	999.9	81	-12.0	RB 1
79	2	2	6	2.6	68	-10.6	999.9	254	-12.9	RB 1
79	2	2	7	2.9	106	-10.4	999.9	335	-13.4	RB 1
79	2	2	8	3.5	163	-10.1	1.6	165	-14.2	RB 1
79	2	2	9	7.7	218	-9.4	3.7	74	-13.5	RB 1
79	2	2	10	11.0	248	-8.7	3.5	68	-10.8	RB 1
79	2	2	11	8.7	254	-8.1	4.8	71	-10.0	RB 1
79	2	2	12	11.6	251	-7.8	3.0	320	-6.6	RB 1
79	2	2	13	16.2	252	-7.6	8.4	246	-5.4	RB 1
79	2	2	14	18.5	269	-7.4	10.3	268	-5.4	RB 1
79	2	2	15	15.7	256	-7.3	11.2	245	-5.0	RB 1
79	2	2	16	13.0	237	-7.5	10.3	238	-5.4	RB 1
79	2	2	17	14.1	231	-8.3	7.8	247	-7.8	RB 1
79	2	2	18	13.9	234	-9.1	7.0	252	-8.9	RB 1
79	2	2	19	13.0	251	-9.3	7.0	243	-8.2	RB 1
79	2	2	20	15.5	260	-9.4	6.9	240	-8.4	RB 1
79	2	2	21	15.7	268	-9.5	6.6	251	-8.7	RB 1
79	2	2	22	15.3	277	-10.0	7.4	251	-9.1	RB 1
79	2	2	23	14.4	275	-10.5	9.5	253	-9.4	RB 1
79	2	2	24	19.3	272	-11.5	8.1	248	-11.4	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	2	3	1	22.1	277	-11.6	4.9	81	-14.6	RB	1
79	2	3	2	20.9	268	-11.9	3.3	343	-13.9	RB	1
79	2	3	3	12.7	258	-12.3	6.3	261	-13.5	RB	1
79	2	3	4	6.6	254	-12.5	4.5	304	-17.1	RB	1
79	2	3	5	10.4	272	-12.9	6.3	262	-20.2	RB	1
79	2	3	6	3.8	179	-13.0	5.5	265	-21.4	RB	1
79	2	3	7	4.4	216	-12.8	5.1	266	-22.3	RB	1
79	2	3	8	6.1	292	-11.8	6.2	266	-22.4	RB	1
79	2	3	9	4.5	117	-10.5	6.2	266	-22.4	RB	1
79	2	3	10	4.1	159	-9.6	4.7	350	-15.3	RB	1
79	2	3	11	4.5	224	-8.5	4.6	68	-8.9	RB	1
79	2	3	12	5.1	244	-8.2	999.9	235	-6.0	RB	1
79	2	3	13	7.2	244	-8.4	6.1	251	-6.1	RB	1
79	2	3	14	7.1	259	-8.0	7.9	268	-6.3	RB	1
79	2	3	15	7.7	261	-7.9	8.3	260	-6.2	RB	1
79	2	3	16	4.5	249	-7.1	6.5	271	-6.3	RB	1
79	2	3	17	5.9	223	-7.5	4.3	276	-7.9	RB	1
79	2	3	18	4.4	212	-9.5	6.3	271	-13.5	RB	1
79	2	3	19	4.5	204	-10.1	7.2	265	-15.4	RB	1
79	2	3	20	6.3	227	-9.8	2.7	202	-14.1	RB	1
79	2	3	21	7.4	203	-9.6	2.1	263	-15.5	RB	1
79	2	3	22	6.4	195	-10.9	5.1	263	-17.1	RB	1
79	2	3	23	11.5	240	-11.4	4.5	261	-17.1	RB	1
79	2	3	24	13.3	232	-10.8	4.4	262	-16.0	RB	1
79	2	4	1	12.0	217	-10.5	3.8	272	-13.7	RB	1
79	2	4	2	7.6	232	-10.5	3.9	311	-12.5	RB	1
79	2	4	3	9.2	207	-10.5	4.4	212	-11.3	RB	1
79	2	4	4	6.8	249	-9.6	4.1	54	-10.2	RB	1
79	2	4	5	4.2	248	-9.2	2.4	86	-11.3	RB	1
79	2	4	6	4.5	321	-9.5	1.3	87	-11.7	RB	1
79	2	4	7	4.6	69	-11.2	1.7	136	-11.7	RB	1
79	2	4	8	2.4	226	-12.0	3.2	267	-13.3	RB	1
79	2	4	9	2.7	202	-10.8	2.6	263	-11.5	RB	1
79	2	4	10	2.8	165	-7.1	0.9	279	-7.0	RB	1
79	2	4	11	3.3	182	-6.1	3.3	49	-5.9	RB	1
79	2	4	12	4.0	170	-5.8	5.3	84	-5.5	RB	1
79	2	4	13	4.4	50	-5.6	6.5	74	-5.3	RB	1
79	2	4	14	5.9	46	-6.6	7.0	72	-5.4	RB	1
79	2	4	15	7.1	55	-6.5	8.2	57	-5.4	RB	1
79	2	4	16	7.0	55	-7.0	7.5	63	-5.7	RB	1
79	2	4	17	4.4	58	-7.6	2.7	111	-6.8	RB	1
79	2	4	18	3.4	2	-9.8	6.7	279	-12.6	RB	1
79	2	4	19	3.5	277	-11.2	6.9	277	-14.9	RB	1
79	2	4	20	4.1	286	-11.4	7.4	274	-15.6	RB	1
79	2	4	21	4.0	273	-11.6	7.3	274	-15.9	RB	1
79	2	4	22	3.7	277	-11.8	7.1	270	-16.6	RB	1
79	2	4	23	4.1	267	-11.7	6.9	268	-17.0	RB	1
79	2	4	24	4.0	272	-12.0	7.1	271	-17.1	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	2	5	1	3.9	260	-12.1	5.3	268	-18.2	RB	1
79	2	5	2	2.8	222	-12.1	4.4	269	-20.3	RB	1
79	2	5	3	4.4	199	-11.5	4.0	262	-21.8	RB	1
79	2	5	4	3.8	256	-12.4	999.9	999	999.9	RB	1
79	2	5	5	3.7	199	-12.9	999.9	999	999.9	RB	1
79	2	5	6	1.9	323	-14.7	999.9	999	999.9	RB	1
79	2	5	7	2.8	252	-13.4	999.9	999	999.9	RB	1
79	2	5	8	2.8	211	-11.4	999.9	999	999.9	RB	1
79	2	5	9	3.0	162	-8.7	999.9	999	999.9	RB	1
79	2	5	10	3.0	70	-7.4	5.8	70	-13.5	RB	1
79	2	5	11	3.8	90	-6.8	5.3	70	-9.4	RB	1
79	2	5	12	3.9	77	-5.4	6.7	72	-8.2	RB	1
79	2	5	13	3.4	44	-3.5	6.3	73	-6.0	RB	1
79	2	5	14	4.0	97	-4.2	6.6	74	-5.1	RB	1
79	2	5	15	5.1	79	-4.4	6.7	74	-5.0	RB	1
79	2	5	16	4.1	63	-4.3	2.1	37	-3.5	RB	1
79	2	5	17	3.5	73	-5.6	2.4	56	-4.9	RB	1
79	2	5	18	2.9	246	-6.9	3.8	271	-7.8	RB	1
79	2	5	19	5.4	183	-6.3	5.4	261	-7.9	RB	1
79	2	5	20	4.4	254	-6.2	3.2	334	-8.1	RB	1
79	2	5	21	5.6	41	-7.4	3.3	75	-8.6	RB	1
79	2	5	22	2.9	209	-9.0	1.6	92	-10.1	RB	1
79	2	5	23	3.4	154	-9.2	2.6	79	-10.8	RB	1
79	2	5	24	4.4	243	-9.0	2.9	278	-10.6	RB	1
79	2	6	1	4.5	293	-7.5	2.2	129	-10.1	RB	1
79	2	6	2	3.0	7	-9.0	1.8	149	-10.8	RB	1
79	2	6	3	3.0	172	-8.6	2.3	188	-11.2	RB	1
79	2	6	4	3.3	264	-8.0	3.3	268	-12.4	RB	1
79	2	6	5	3.1	220	-7.4	2.0	258	-14.4	RB	1
79	2	6	6	3.3	132	-8.9	3.5	262	-14.9	RB	1
79	2	6	7	3.6	217	-8.6	4.6	265	-15.2	RB	1
79	2	6	8	3.1	184	-6.5	4.9	285	-11.7	RB	1
79	2	6	9	5.4	278	-4.2	5.6	73	-8.9	RB	1
79	2	6	10	4.2	95	-3.6	5.8	80	-6.6	RB	1
79	2	6	11	5.2	358	-2.8	6.6	71	-4.8	RB	1
79	2	6	12	7.8	337	-2.9	6.8	61	-2.8	RB	1
79	2	6	13	7.4	328	-2.6	5.7	72	-1.1	RB	1
79	2	6	14	4.7	304	-1.5	4.8	46	-0.4	RB	1
79	2	6	15	7.3	252	-1.4	3.6	280	1.3	RB	1
79	2	6	16	11.2	265	-2.0	7.4	247	0.2	RB	1
79	2	6	17	9.7	263	-2.6	5.2	250	0.0	RB	1
79	2	6	18	10.2	262	-4.7	3.9	270	-4.6	RB	1
79	2	6	19	13.4	267	-5.1	4.7	260	-9.1	RB	1
79	2	6	20	16.6	257	-5.3	3.4	259	-11.0	RB	1
79	2	6	21	12.2	263	-5.3	4.0	312	-10.1	RB	1
79	2	6	22	6.0	259	-5.6	1.8	344	-11.9	RB	1
79	2	6	23	3.8	179	-5.8	5.5	262	-10.3	RB	1
79	2	6	24	5.6	201	-5.3	4.9	263	-8.7	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	2	7	1	7.6	238	-4.6	3.3	253	-8.2	RB	1
79	2	7	2	4.9	182	-4.3	1.5	241	-7.8	RB	1
79	2	7	3	20.2	242	-3.4	1.8	50	-8.1	RB	1
79	2	7	4	16.0	235	-3.2	2.6	284	-7.7	RB	1
79	2	7	5	14.6	224	-3.2	2.6	70	-6.4	RB	1
79	2	7	6	15.0	216	-3.8	3.4	263	-7.8	RB	1
79	2	7	7	18.1	213	-4.5	4.0	238	-4.2	RB	1
79	2	7	8	15.6	213	-4.5	3.3	229	-3.6	RB	1
79	2	7	9	17.5	218	-3.9	7.9	248	-2.1	RB	1
79	2	7	10	16.3	212	-3.1	11.1	246	-0.9	RB	1
79	2	7	11	20.0	227	-2.7	11.1	232	0.0	RB	1
79	2	7	12	25.8	242	-1.2	9.5	203	1.5	RB	1
79	2	7	13	26.9	246	-0.6	9.9	216	2.9	RB	1
79	2	7	14	23.0	246	-0.6	11.0	221	2.7	RB	1
79	2	7	15	22.3	250	-0.5	10.6	227	2.2	RB	1
79	2	7	16	20.8	250	-1.1	7.2	222	1.9	RB	1
79	2	7	17	22.4	251	-1.5	3.1	287	-0.2	RB	1
79	2	7	18	24.3	275	-0.9	13.8	263	0.4	RB	1
79	2	7	19	26.2	274	-1.2	11.0	257	-0.3	RB	1
79	2	7	20	30.6	276	-1.3	15.5	257	-0.3	RB	1
79	2	7	21	30.5	278	-2.0	16.2	259	-1.0	RB	1
79	2	7	22	26.2	280	-2.4	13.9	257	-1.6	RB	1
79	2	7	23	25.0	277	-2.6	9.7	252	-2.0	RB	1
79	2	7	24	18.8	278	-3.0	5.5	209	-2.7	RB	1
79	2	8	1	14.7	271	-3.4	1.5	357	-6.2	RB	1
79	2	8	2	18.1	277	-3.3	6.1	252	-6.2	RB	1
79	2	8	3	12.7	256	-3.8	7.1	264	-5.4	RB	1
79	2	8	4	9.6	259	-4.4	3.9	304	-7.9	RB	1
79	2	8	5	5.3	282	-4.9	6.9	275	-9.4	RB	1
79	2	8	6	9.2	251	-4.3	7.0	273	-9.6	RB	1
79	2	8	7	9.0	245	-4.3	7.0	278	-8.4	RB	1
79	2	8	8	5.8	253	-3.6	4.9	264	-8.2	RB	1
79	2	8	9	3.5	237	-2.0	1.4	205	-3.9	RB	1
79	2	8	10	4.9	230	-1.0	5.4	80	-2.0	RB	1
79	2	8	11	5.1	232	-0.5	5.9	67	0.4	RB	1
79	2	8	12	9.3	252	-0.1	5.6	254	2.5	RB	1
79	2	8	13	12.8	271	0.0	10.1	253	2.4	RB	1
79	2	8	14	13.2	269	0.2	10.0	268	2.3	RB	1
79	2	8	15	17.4	268	0.2	9.7	260	2.7	RB	1
79	2	8	16	14.6	276	-0.1	8.1	264	2.0	RB	1
79	2	8	17	8.4	249	-0.6	3.4	269	0.4	RB	1
79	2	8	18	6.4	215	-0.7	4.6	275	-2.2	RB	1
79	2	8	19	9.5	218	-0.9	2.7	271	-3.0	RB	1
79	2	8	20	9.1	194	-1.4	4.8	269	-3.7	RB	1
79	2	8	21	10.8	197	-1.8	3.7	281	-4.0	RB	1
79	2	8	22	9.6	216	-1.6	5.2	270	-5.5	RB	1
79	2	8	23	6.7	205	-2.0	6.5	264	-6.4	RB	1
79	2	8	24	8.1	211	-2.4	3.5	262	-9.3	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	2	9	1	9.5	224	-1.6	5.4	267	-10.0	RB 1
79	2	9	2	9.0	238	-2.5	5.2	268	-10.1	RB 1
79	2	9	3	8.3	187	-2.5	3.0	258	-11.0	RB 1
79	2	9	4	7.3	178	-2.6	4.0	261	-10.9	RB 1
79	2	9	5	6.1	172	-3.4	3.9	265	-11.0	RB 1
79	2	9	6	3.8	163	-4.0	4.7	258	-11.3	RB 1
79	2	9	7	4.4	157	-3.5	5.2	262	-10.8	RB 1
79	2	9	8	7.4	164	-2.4	2.2	186	-9.8	RB 1
79	2	9	9	4.1	65	-1.8	2.0	294	-7.2	RB 1
79	2	9	10	5.4	156	-0.5	1.9	300	-3.5	RB 1
79	2	9	11	9.4	194	0.7	7.0	71	0.1	RB 1
79	2	9	12	5.9	202	1.7	2.7	87	4.0	RB 1
79	2	9	13	5.7	199	3.1	4.6	262	5.3	RB 1
79	2	9	14	6.2	200	3.4	7.5	268	5.3	RB 1
79	2	9	15	6.8	253	3.7	8.5	268	5.5	RB 1
79	2	9	16	8.6	270	3.5	8.0	268	5.5	RB 1
79	2	9	17	5.1	249	3.6	4.9	178	4.0	RB 1
79	2	9	18	5.7	199	-0.5	3.9	251	-1.2	RB 1
79	2	9	19	3.9	197	-0.7	7.1	266	-4.3	RB 1
79	2	9	20	7.7	249	-0.7	5.4	263	-5.3	RB 1
79	2	9	21	9.9	261	-1.1	4.8	264	-7.6	RB 1
79	2	9	22	3.9	234	-2.3	8.0	268	-7.9	RB 1
79	2	9	23	4.6	256	-2.1	5.8	268	-8.3	RB 1
79	2	9	24	3.9	239	-2.1	5.3	265	-10.0	RB 1
79	2	10	1	3.1	263	-2.6	4.1	264	-10.6	RB 1
79	2	10	2	4.8	227	-1.3	4.3	267	-11.0	RB 1
79	2	10	3	7.8	261	-2.8	4.7	270	-11.3	RB 1
79	2	10	4	9.0	234	-2.3	4.5	265	-10.7	RB 1
79	2	10	5	6.7	232	-2.0	4.4	266	-10.0	RB 1
79	2	10	6	3.7	205	-2.1	3.5	261	-10.2	RB 1
79	2	10	7	6.2	229	-2.2	2.7	259	-11.0	RB 1
79	2	10	8	9.6	233	-1.1	4.8	264	-10.0	RB 1
79	2	10	9	7.2	195	-0.1	1.4	248	-3.9	RB 1
79	2	10	10	10.6	227	0.8	2.4	78	1.4	RB 1
79	2	10	11	10.4	230	2.0	5.6	201	4.2	RB 1
79	2	10	12	7.7	224	3.1	6.3	234	5.5	RB 1
79	2	10	13	7.7	206	3.8	6.8	232	6.2	RB 1
79	2	10	14	6.3	214	4.0	8.0	236	6.2	RB 1
79	2	10	15	8.8	181	3.6	8.0	230	5.9	RB 1
79	2	10	16	5.8	170	3.1	8.5	243	5.0	RB 1
79	2	10	17	6.6	159	2.3	3.0	287	3.5	RB 1
79	2	10	18	5.4	141	1.3	1.6	138	1.3	RB 1
79	2	10	19	8.9	195	1.3	2.9	80	-0.5	RB 1
79	2	10	20	6.2	145	1.0	3.3	81	-1.7	RB 1
79	2	10	21	3.2	105	0.9	1.9	121	-2.4	RB 1
79	2	10	22	3.7	94	1.2	2.1	266	-3.4	RB 1
79	2	10	23	3.5	124	0.7	3.0	254	-4.0	RB 1
79	2	10	24	4.7	181	0.8	2.0	323	-4.5	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	2	11	1	4.4	92	1.0	1.2	232	-5.3	RB	1
79	2	11	2	4.1	35	1.0	3.7	267	-5.9	RB	1
79	2	11	3	4.8	184	0.3	3.4	266	-6.7	RB	1
79	2	11	4	9.8	215	0.3	3.0	257	-7.2	RB	1
79	2	11	5	14.4	236	0.9	2.4	259	-6.8	RB	1
79	2	11	6	20.3	247	1.3	2.2	285	-6.8	RB	1
79	2	11	7	10.6	243	0.6	4.5	40	-7.4	RB	1
79	2	11	8	3.6	141	0.4	4.1	269	-6.5	RB	1
79	2	11	9	3.5	52	1.7	2.5	267	-3.6	RB	1
79	2	11	10	4.2	108	3.2	3.6	342	0.2	RB	1
79	2	11	11	4.6	213	4.4	6.5	82	1.0	RB	1
79	2	11	12	3.7	134	5.9	5.4	74	3.7	RB	1
79	2	11	13	4.6	119	5.4	5.5	77	4.7	RB	1
79	2	11	14	6.4	85	4.8	5.6	61	5.4	RB	1
79	2	11	15	4.2	48	5.5	4.9	70	6.2	RB	1
79	2	11	16	3.6	162	5.5	2.7	37	6.6	RB	1
79	2	11	17	5.7	219	4.0	3.8	106	5.1	RB	1
79	2	11	18	6.1	199	2.7	5.2	271	0.8	RB	1
79	2	11	19	7.9	224	2.8	6.6	268	-1.5	RB	1
79	2	11	20	10.4	248	1.7	3.8	278	-2.9	RB	1
79	2	11	21	7.8	243	2.1	1.7	274	-5.2	RB	1
79	2	11	22	6.3	239	2.2	3.9	266	-4.3	RB	1
79	2	11	23	10.0	237	1.6	3.0	258	-3.9	RB	1
79	2	11	24	7.9	235	1.6	1.1	274	-4.1	RB	1
79	2	12	1	8.4	237	1.5	1.5	258	-4.4	RB	1
79	2	12	2	6.1	227	1.4	1.5	257	-5.1	RB	1
79	2	12	3	5.0	225	1.0	4.6	266	-5.6	RB	1
79	2	12	4	4.6	203	1.2	5.2	263	-5.9	RB	1
79	2	12	5	6.5	248	1.5	4.7	266	-4.6	RB	1
79	2	12	6	10.8	233	1.6	1.8	196	-4.5	RB	1
79	2	12	7	6.8	244	1.6	5.7	268	-4.3	RB	1
79	2	12	8	4.1	196	1.9	1.0	271	-3.9	RB	1
79	2	12	9	3.8	86	1.6	2.5	278	-2.0	RB	1
79	2	12	10	2.9	156	4.0	1.9	287	2.1	RB	1
79	2	12	11	3.3	132	6.6	1.4	325	6.7	RB	1
79	2	12	12	8.3	230	5.9	4.3	75	7.5	RB	1
79	2	12	13	10.2	245	5.4	6.4	246	8.1	RB	1
79	2	12	14	10.9	241	5.4	5.7	236	8.3	RB	1
79	2	12	15	9.1	215	5.4	8.4	246	7.7	RB	1
79	2	12	16	8.7	214	5.6	8.7	230	8.3	RB	1
79	2	12	17	13.1	217	5.0	5.2	260	6.1	RB	1
79	2	12	18	16.6	237	3.5	7.3	251	3.9	RB	1
79	2	12	19	19.3	228	2.8	12.5	258	3.2	RB	1
79	2	12	20	17.0	221	2.6	9.3	256	2.1	RB	1
79	2	12	21	13.3	201	2.9	8.1	249	1.3	RB	1
79	2	12	22	11.3	186	2.7	8.3	258	2.8	RB	1
79	2	12	23	7.3	182	2.9	4.9	270	3.2	RB	1
79	2	12	24	7.9	185	2.6	3.9	208	2.4	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	2	13	1	3.7	179	3.0	1.0	113	1.0	RB	1
79	2	13	2	3.2	108	3.0	5.1	239	2.8	RB	1
79	2	13	3	4.7	106	3.6	6.0	242	3.8	RB	1
79	2	13	4	5.0	127	2.9	8.1	235	4.1	RB	1
79	2	13	5	5.6	144	2.4	8.1	245	2.5	RB	1
79	2	13	6	5.1	157	1.9	6.2	266	1.5	RB	1
79	2	13	7	4.3	160	2.4	3.6	276	-0.8	RB	1
79	2	13	8	5.9	150	3.6	5.1	282	0.8	RB	1
79	2	13	9	15.7	218	5.2	4.5	142	5.8	RB	1
79	2	13	10	24.3	228	6.1	5.7	119	7.9	RB	1
79	2	13	11	26.8	237	6.6	7.6	211	9.9	RB	1
79	2	13	12	29.0	236	6.8	7.4	223	9.6	RB	1
79	2	13	13	28.1	240	6.8	13.2	233	9.5	RB	1
79	2	13	14	27.1	235	6.6	12.6	231	9.1	RB	1
79	2	13	15	29.0	231	6.9	11.1	225	9.6	RB	1
79	2	13	16	30.6	225	7.1	11.2	235	9.7	RB	1
79	2	13	17	27.1	233	6.6	10.9	239	8.0	RB	1
79	2	13	18	23.3	237	5.9	4.7	226	6.7	RB	1
79	2	13	19	22.8	231	5.9	3.8	72	3.5	RB	1
79	2	13	20	21.8	235	6.1	2.1	206	4.9	RB	1
79	2	13	21	22.4	250	5.8	2.0	185	4.6	RB	1
79	2	13	22	21.5	252	5.1	3.3	338	4.2	RB	1
79	2	13	23	21.4	243	5.2	4.3	345	4.6	RB	1
79	2	13	24	19.6	230	5.6	2.7	64	3.1	RB	1
79	2	14	1	17.2	236	6.0	6.1	239	4.5	RB	1
79	2	14	2	17.6	231	5.7	6.2	243	5.1	RB	1
79	2	14	3	17.2	243	4.8	6.3	238	3.9	RB	1
79	2	14	4	16.5	245	3.8	5.5	209	1.5	RB	1
79	2	14	5	17.8	240	4.0	3.8	123	0.0	RB	1
79	2	14	6	18.0	236	4.4	2.0	166	1.2	RB	1
79	2	14	7	22.6	226	4.9	11.6	278	4.4	RB	1
79	2	14	8	20.6	229	4.5	11.5	242	5.3	RB	1
79	2	14	9	23.2	231	4.1	13.2	239	5.7	RB	1
79	2	14	10	20.4	207	4.8	10.7	230	6.8	RB	1
79	2	14	11	19.6	224	5.4	11.7	235	7.4	RB	1
79	2	14	12	23.1	217	5.5	13.9	221	7.9	RB	1
79	2	14	13	24.4	218	5.0	16.4	232	7.3	RB	1
79	2	14	14	22.3	230	4.1	14.1	233	6.6	RB	1
79	2	14	15	23.4	215	3.7	15.9	226	6.1	RB	1
79	2	14	16	24.2	215	3.0	14.5	224	5.3	RB	1
79	2	14	17	25.1	221	2.3	15.9	230	4.3	RB	1
79	2	14	18	25.4	222	1.4	15.4	235	3.0	RB	1
79	2	14	19	25.8	231	2.1	13.8	236	3.7	RB	1
79	2	14	20	23.1	233	1.3	13.5	237	2.8	RB	1
79	2	14	21	23.5	257	1.1	18.6	250	2.6	RB	1
79	2	14	22	19.8	255	0.2	14.8	251	1.6	RB	1
79	2	14	23	18.7	253	-0.6	10.1	248	0.2	RB	1
79	2	14	24	22.8	254	-1.0	10.3	247	-0.3	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	2	15	1	22.8	256	-1.6	5.3	247	-0.8	RB 1
79	2	15	2	19.6	257	-1.7	3.8	141	-2.3	RB 1
79	2	15	3	19.4	255	-1.9	2.6	183	-3.4	RB 1
79	2	15	4	10.3	248	-2.9	4.0	226	-2.4	RB 1
79	2	15	5	5.2	154	-3.3	5.2	260	-5.0	RB 1
79	2	15	6	5.1	168	-3.5	3.4	303	-6.5	RB 1
79	2	15	7	6.1	191	-3.7	7.0	271	-7.2	RB 1
79	2	15	8	3.9	249	-2.7	6.4	273	-6.2	RB 1
79	2	15	9	3.8	238	-1.2	2.0	159	-0.5	RB 1
79	2	15	10	8.5	158	-0.3	4.6	114	1.5	RB 1
79	2	15	11	6.3	215	0.5	5.1	202	2.7	RB 1
79	2	15	12	5.9	183	1.3	4.7	188	3.4	RB 1
79	2	15	13	3.8	176	3.0	3.6	185	4.4	RB 1
79	2	15	14	9.4	230	2.0	5.2	269	5.0	RB 1
79	2	15	15	10.9	221	2.0	8.4	234	4.6	RB 1
79	2	15	16	7.9	225	2.2	7.2	262	4.3	RB 1
79	2	15	17	6.7	226	1.7	6.0	80	2.7	RB 1
79	2	15	18	6.3	194	0.5	2.0	164	0.2	RB 1
79	2	15	19	4.0	178	-0.3	3.7	273	-1.4	RB 1
79	2	15	20	3.1	269	-1.0	5.0	273	-2.9	RB 1
79	2	15	21	3.0	163	-1.4	4.8	274	-3.1	RB 1
79	2	15	22	3.9	170	-1.3	4.6	266	-4.0	RB 1
79	2	15	23	2.9	188	-1.4	5.4	264	-3.8	RB 1
79	2	15	24	2.7	177	-1.3	5.7	259	-3.3	RB 1
79	2	16	1	2.7	243	-1.3	5.4	264	-2.8	RB 1
79	2	16	2	2.7	216	-1.2	4.3	265	-2.7	RB 1
79	2	16	3	5.6	195	-1.6	6.0	269	-4.3	RB 1
79	2	16	4	7.6	213	-1.5	5.1	273	-5.3	RB 1
79	2	16	5	6.6	192	-2.0	3.4	256	-5.6	RB 1
79	2	16	6	5.1	183	-2.5	4.7	275	-5.6	RB 1
79	2	16	7	3.6	197	-2.2	5.0	261	-6.8	RB 1
79	2	16	8	2.5	220	-1.5	3.7	254	-5.7	RB 1
79	2	16	9	3.1	86	1.2	2.1	112	-0.8	RB 1
79	2	16	10	2.6	173	3.1	5.7	76	0.3	RB 1
79	2	16	11	5.3	223	1.9	6.2	60	2.1	RB 1
79	2	16	12	7.2	242	2.0	5.1	24	3.7	RB 1
79	2	16	13	8.1	247	2.1	9.1	242	4.4	RB 1
79	2	16	14	8.6	234	2.6	8.1	251	4.8	RB 1
79	2	16	15	7.2	222	2.9	9.2	249	4.6	RB 1
79	2	16	16	8.0	231	2.8	10.3	238	4.5	RB 1
79	2	16	17	5.1	206	1.4	8.3	239	3.3	RB 1
79	2	16	18	5.8	245	-0.2	6.8	241	1.5	RB 1
79	2	16	19	2.6	246	-1.7	5.0	271	-1.3	RB 1
79	2	16	20	7.3	212	-1.3	4.5	276	-3.1	RB 1
79	2	16	21	6.5	240	-1.7	5.7	280	-4.0	RB 1
79	2	16	22	6.0	238	-2.1	6.0	277	-4.4	RB 1
79	2	16	23	8.3	237	-1.7	6.4	280	-3.6	RB 1
79	2	16	24	11.8	251	-2.2	3.2	253	-3.6	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	2	17	1	15.3	252	-2.6	3.7	263	-5.4	RB 1
79	2	17	2	14.7	252	-3.0	3.7	270	-6.6	RB 1
79	2	17	3	13.8	259	-2.6	5.2	262	-6.8	RB 1
79	2	17	4	16.6	266	-4.3	3.1	335	-3.9	RB 1
79	2	17	5	17.4	275	-4.7	6.1	247	-3.1	RB 1
79	2	17	6	9.1	281	-5.3	9.1	257	-3.7	RB 1
79	2	17	7	12.4	259	-6.0	5.7	293	-6.0	RB 1
79	2	17	8	10.3	260	-6.0	2.3	164	-5.2	RB 1
79	2	17	9	3.9	251	-3.9	1.8	270	-1.9	RB 1
79	2	17	10	3.4	161	-1.7	2.9	174	0.1	RB 1
79	2	17	11	5.8	306	-1.9	6.1	80	-0.3	RB 1
79	2	17	12	6.1	303	-1.8	5.2	3	0.6	RB 1
79	2	17	13	4.5	225	-0.9	5.1	277	0.9	RB 1
79	2	17	14	5.0	251	-0.1	4.7	260	1.8	RB 1
79	2	17	15	7.1	261	0.0	7.1	257	2.1	RB 1
79	2	17	16	7.4	285	-0.3	7.1	269	1.9	RB 1
79	2	17	17	7.3	293	-1.1	5.9	275	1.3	RB 1
79	2	17	18	4.6	244	-3.0	3.2	266	-2.9	RB 1
79	2	17	19	6.1	228	-3.9	4.8	259	-5.9	RB 1
79	2	17	20	5.2	208	-4.5	5.2	257	-8.0	RB 1
79	2	17	21	6.3	188	-4.2	6.5	266	-8.3	RB 1
79	2	17	22	4.8	236	-4.1	7.1	265	-8.6	RB 1
79	2	17	23	4.4	200	-4.6	6.5	262	-9.5	RB 1
79	2	17	24	3.5	253	-4.8	5.5	260	-9.8	RB 1
79	2	18	1	4.7	264	-4.6	4.8	255	-10.8	RB 1
79	2	18	2	5.9	252	-4.4	4.9	264	-11.5	RB 1
79	2	18	3	6.1	238	-4.4	3.3	259	-11.9	RB 1
79	2	18	4	4.4	204	-4.7	1.7	228	-12.9	RB 1
79	2	18	5	2.6	232	-5.6	4.9	262	-13.3	RB 1
79	2	18	6	4.4	196	-5.0	5.1	259	-12.9	RB 1
79	2	18	7	4.9	192	-4.5	4.3	261	-12.9	RB 1
79	2	18	8	8.8	221	-3.5	3.5	258	-10.4	RB 1
79	2	18	9	4.6	190	-2.2	0.9	151	-3.9	RB 1
79	2	18	10	6.9	215	-1.4	4.6	54	-1.7	RB 1
79	2	18	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	18	24	999.9	999	999.9	999.9	999	999.9	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	2	19	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	19	11	9.8	235	0.7	4.1	142	2.9	RB 1
79	2	19	12	14.5	226	1.2	9.5	234	3.7	RB 1
79	2	19	13	20.6	226	0.3	12.3	232	2.9	RB 1
79	2	19	14	18.9	225	0.1	11.3	224	2.5	RB 1
79	2	19	15	14.1	238	-0.7	10.9	230	1.7	RB 1
79	2	19	16	8.6	223	-1.5	9.7	234	0.4	RB 1
79	2	19	17	5.0	216	-2.0	4.4	257	-0.4	RB 1
79	2	19	18	5.7	189	-2.5	1.5	249	-1.0	RB 1
79	2	19	19	3.6	190	-2.8	1.2	244	-1.5	RB 1
79	2	19	20	4.1	207	-2.9	0.8	160	-2.0	RB 1
79	2	19	21	2.6	130	-3.2	0.7	71	-2.2	RB 1
79	2	19	22	2.6	230	-3.0	0.6	241	-2.9	RB 1
79	2	19	23	7.4	286	-3.0	1.0	250	-2.9	RB 1
79	2	19	24	9.7	281	-3.3	1.3	30	-2.9	RB 1
79	2	20	1	9.7	283	-3.6	1.3	285	-3.0	RB 1
79	2	20	2	12.5	277	-4.0	1.7	284	-3.3	RB 1
79	2	20	3	10.6	276	-4.0	3.5	269	-3.7	RB 1
79	2	20	4	9.8	274	-4.2	1.9	269	-5.4	RB 1
79	2	20	5	4.4	267	-4.4	3.3	73	-5.0	RB 1
79	2	20	6	5.5	261	-5.0	2.3	61	-5.5	RB 1
79	2	20	7	4.1	213	-5.3	2.7	102	-5.1	RB 1
79	2	20	8	999.9	999	999.9	4.0	67	-4.9	RB 1
79	2	20	9	999.9	999	999.9	4.3	94	-4.5	RB 1
79	2	20	10	999.9	999	999.9	3.7	82	-3.3	RB 1
79	2	20	11	999.9	999	999.9	4.3	100	-2.4	RB 1
79	2	20	12	999.9	999	999.9	5.4	326	-1.9	RB 1
79	2	20	13	999.9	999	999.9	6.5	239	-0.7	RB 1
79	2	20	14	5.1	166	-4.3	8.2	254	-0.4	RB 1
79	2	20	15	5.9	241	-1.6	7.6	278	-0.3	RB 1
79	2	20	16	7.9	227	-2.1	7.5	237	0.4	RB 1
79	2	20	17	10.1	210	-2.9	6.4	214	-0.8	RB 1
79	2	20	18	9.7	201	-3.9	4.1	238	-3.2	RB 1
79	2	20	19	8.8	186	-4.5	3.1	258	-5.8	RB 1
79	2	20	20	8.3	168	-4.4	0.8	8	-6.9	RB 1
79	2	20	21	10.0	154	-4.5	0.9	27	-7.6	RB 1
79	2	20	22	9.0	158	-3.9	3.1	291	-7.2	RB 1
79	2	20	23	7.1	196	-3.8	4.1	253	-7.2	RB 1
79	2	20	24	5.9	192	-3.6	1.3	167	-6.2	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	2	21	1	7.4	165	-3.7	4.6	269	-6.4	RB	1
79	2	21	2	6.3	144	-3.8	3.6	261	-6.1	RB	1
79	2	21	3	6.1	152	-3.5	3.3	264	-5.6	RB	1
79	2	21	4	6.5	178	-3.3	2.1	252	-4.8	RB	1
79	2	21	5	6.1	132	-4.1	2.0	241	-4.7	RB	1
79	2	21	6	6.4	131	-4.5	1.7	347	-4.1	RB	1
79	2	21	7	5.5	129	-4.6	2.2	99	-3.4	RB	1
79	2	21	8	8.5	146	-3.4	2.2	87	-3.0	RB	1
79	2	21	9	11.6	172	-1.9	4.0	213	-1.1	RB	1
79	2	21	10	19.4	194	-1.3	7.7	179	0.2	RB	1
79	2	21	11	24.6	207	-0.7	6.5	136	1.4	RB	1
79	2	21	12	19.8	200	-0.4	8.8	121	1.0	RB	1
79	2	21	13	16.1	198	0.1	8.1	127	1.4	RB	1
79	2	21	14	14.4	197	0.0	6.3	152	1.6	RB	1
79	2	21	15	14.5	195	0.0	7.7	165	1.7	RB	1
79	2	21	16	12.2	192	-0.2	6.0	143	1.0	RB	1
79	2	21	17	12.5	193	-0.9	7.3	188	0.6	RB	1
79	2	21	18	26.2	221	-2.1	9.3	203	-0.6	RB	1
79	2	21	19	24.7	220	-2.4	13.6	224	-0.9	RB	1
79	2	21	20	26.1	216	-3.0	14.7	220	-1.6	RB	1
79	2	21	21	27.4	230	-3.6	15.6	232	-2.3	RB	1
79	2	21	22	29.1	234	-3.6	11.7	232	-1.8	RB	1
79	2	21	23	27.2	241	-3.5	6.7	208	-1.9	RB	1
79	2	21	24	23.1	244	-3.3	6.0	179	-1.7	RB	1
79	2	22	1	22.8	241	-3.4	5.7	145	-2.0	RB	1
79	2	22	2	24.2	252	-3.6	4.4	111	-3.8	RB	1
79	2	22	3	16.6	247	-4.1	5.4	162	-3.7	RB	1
79	2	22	4	6.6	144	-5.3	6.7	237	-3.7	RB	1
79	2	22	5	4.4	120	-4.3	1.5	131	-5.7	RB	1
79	2	22	6	6.1	223	-4.2	4.5	264	-6.2	RB	1
79	2	22	7	6.4	226	-4.1	4.5	277	-6.5	RB	1
79	2	22	8	4.4	242	-4.1	1.5	205	-4.9	RB	1
79	2	22	9	2.9	123	-4.0	2.9	73	-4.0	RB	1
79	2	22	10	4.3	39	-4.2	3.0	67	-4.1	RB	1
79	2	22	11	5.1	30	-4.2	3.5	50	-3.5	RB	1
79	2	22	12	3.3	106	-4.1	2.8	94	-3.4	RB	1
79	2	22	13	2.8	161	-3.1	3.8	55	-3.2	RB	1
79	2	22	14	5.8	226	-3.7	2.9	11	-2.0	RB	1
79	2	22	15	7.1	263	-3.6	7.8	257	-2.1	RB	1
79	2	22	16	7.2	237	-3.9	4.4	214	-2.5	RB	1
79	2	22	17	9.0	224	-4.4	5.9	220	-3.0	RB	1
79	2	22	18	15.1	251	-4.9	7.0	229	-3.7	RB	1
79	2	22	19	17.9	255	-4.7	4.2	171	-4.6	RB	1
79	2	22	20	11.2	228	-5.1	1.9	40	-7.0	RB	1
79	2	22	21	12.8	238	-5.4	1.8	262	-9.3	RB	1
79	2	22	22	13.5	244	-5.8	6.7	265	-10.4	RB	1
79	2	22	23	14.7	252	-6.1	5.7	266	-12.1	RB	1
79	2	22	24	9.4	229	-7.1	7.0	266	-12.6	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	2	23	1	6.2	150	-7.6	6.8	270	-12.7	RB 1
79	2	23	2	5.8	174	-7.1	3.4	212	-13.4	RB 1
79	2	23	3	4.8	170	-6.9	5.8	263	-13.3	RB 1
79	2	23	4	3.7	135	-6.8	6.8	274	-11.5	RB 1
79	2	23	5	5.1	114	-6.8	4.4	261	-12.3	RB 1
79	2	23	6	7.7	159	-7.3	6.4	260	-13.0	RB 1
79	2	23	7	7.6	152	-7.1	6.6	266	-12.6	RB 1
79	2	23	8	6.2	178	-5.6	4.7	256	-11.0	RB 1
79	2	23	9	5.5	220	-5.6	2.9	265	-7.4	RB 1
79	2	23	10	8.9	153	-3.8	4.6	113	-2.5	RB 1
79	2	23	11	8.3	152	-3.4	6.8	180	-1.4	RB 1
79	2	23	12	999.9	999	999.9	7.3	182	-0.6	RB 1
79	2	23	13	999.9	999	999.9	7.6	178	-0.5	RB 1
79	2	23	14	999.9	999	999.9	6.5	175	-0.6	RB 1
79	2	23	15	999.9	999	999.9	8.0	207	-0.2	RB 1
79	2	23	16	999.9	999	999.9	8.5	225	-0.4	RB 1
79	2	23	17	999.9	999	999.9	4.7	248	-2.4	RB 1
79	2	23	18	999.9	999	999.9	2.8	162	-2.9	RB 1
79	2	23	19	999.9	999	999.9	2.2	178	-4.4	RB 1
79	2	23	20	999.9	999	999.9	3.7	264	-6.4	RB 1
79	2	23	21	999.9	999	999.9	3.4	261	-6.4	RB 1
79	2	23	22	9.5	197	-3.0	1.8	244	-5.8	RB 1
79	2	23	23	8.6	279	-4.7	1.1	260	-6.3	RB 1
79	2	23	24	12.0	279	-5.3	2.9	264	-6.4	RB 1
79	2	24	1	12.3	279	-5.9	3.9	256	-5.8	RB 1
79	2	24	2	14.6	277	-6.3	5.9	257	-5.0	RB 1
79	2	24	3	15.0	277	-6.6	9.7	240	-5.9	RB 1
79	2	24	4	14.7	273	-6.7	5.5	288	-7.7	RB 1
79	2	24	5	10.1	286	-7.5	4.6	217	-8.7	RB 1
79	2	24	6	4.8	339	-7.8	1.7	135	-9.4	RB 1
79	2	24	7	4.8	316	-7.9	4.6	249	-10.1	RB 1
79	2	24	8	999.9	255	-7.8	3.7	264	-10.7	RB 1
79	2	24	9	5.7	209	-6.3	2.8	327	-5.1	RB 1
79	2	24	10	3.9	263	-4.0	5.7	54	-4.6	RB 1
79	2	24	11	3.1	8	-2.2	6.3	76	-3.3	RB 1
79	2	24	12	3.4	121	-1.1	6.2	71	-2.8	RB 1
79	2	24	13	2.5	248	0.1	3.6	21	-1.9	RB 1
79	2	24	14	3.[illegible]	263	0.2	4.3	45	-1.0	RB 1
79	2	24	15	[illegible].3	242	-1.7	2.9	101	0.7	RB 1
79	2	24	16	4.2	245	-1.5	3.8	60	-0.5	RB 1
79	2	24	17	5.5	257	-1.8	6.1	295	-0.9	RB 1
79	2	24	18	6.7	258	-4.1	4.5	275	-4.4	RB 1
79	2	24	19	5.7	243	-5.4	6.0	274	-7.9	RB 1
79	2	24	20	7.5	250	-5.6	7.3	269	-9.6	RB 1
79	2	24	21	6.8	238	-5.2	6.6	271	-10.2	RB 1
79	2	24	22	5.7	249	-5.3	6.5	266	-10.4	RB 1
79	2	24	23	3.1	273	-5.6	4.5	263	-11.9	RB 1
79	2	24	24	2.8	257	-6.3	5.7	262	-12.3	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	2	25	1	3.7	322	-6.2	4.0	263	-13.5	RB 1
79	2	25	2	4.1	256	-6.2	4.5	265	-13.4	RB 1
79	2	25	3	3.2	74	-6.5	5.4	265	-12.8	RB 1
79	2	25	4	3.3	329	-6.7	3.7	263	-13.1	RB 1
79	2	25	5	3.6	174	-6.6	5.1	269	-13.4	RB 1
79	2	25	6	3.2	267	-6.6	5.3	265	-13.7	RB 1
79	2	25	7	3.1	302	-7.0	5.8	263	-13.9	RB 1
79	2	25	8	2.2	300	-5.2	4.5	263	-10.7	RB 1
79	2	25	9	2.3	164	-0.9	2.2	121	-4.7	RB 1
79	2	25	10	3.5	131	0.3	4.7	55	-2.3	RB 1
79	2	25	11	3.5	124	0.9	5.7	60	-0.7	RB 1
79	2	25	12	2.9	258	3.2	4.5	54	1.5	RB 1
79	2	25	13	4.6	227	2.8	4.3	58	3.0	RB 1
79	2	25	14	6.1	190	2.4	6.0	66	3.5	RB 1
79	2	25	15	5.4	188	3.0	6.5	67	3.5	RB 1
79	2	25	16	2.9	222	5.1	6.3	68	3.1	RB 1
79	2	25	17	4.0	175	1.8	5.0	68	1.0	RB 1
79	2	25	18	3.0	112	-0.5	2.4	100	-1.3	RB 1
79	2	25	19	2.0	232	-1.9	3.4	258	-3.8	RB 1
79	2	25	20	2.2	190	-2.4	3.3	262	-4.5	RB 1
79	2	25	21	2.4	189	-2.5	4.8	259	-5.6	RB 1
79	2	25	22	3.4	152	-0.7	5.6	264	-6.6	RB 1
79	2	25	23	4.4	87	-1.5	4.4	263	-8.2	RB 1
79	2	25	24	2.6	341	-4.4	4.8	266	-9.5	RB 1
79	2	26	1	4.2	43	-4.3	5.5	266	-11.0	RB 1
79	2	26	2	3.3	304	-4.8	6.3	261	-9.2	RB 1
79	2	26	3	3.7	14	-4.4	4.2	259	-7.5	RB 1
79	2	26	4	3.7	25	-3.6	3.7	259	-6.7	RB 1
79	2	26	5	3.1	53	-3.6	2.6	251	-8.2	RB 1
79	2	26	6	3.0	352	-4.7	4.3	262	-8.1	RB 1
79	2	26	7	5.2	284	-2.8	4.4	266	-6.5	RB 1
79	2	26	8	7.2	250	-0.2	2.5	280	-5.1	RB 1
79	2	26	9	8.4	234	-0.1	2.8	90	-3.4	RB 1
79	2	26	10	4.7	233	0.4	2.7	73	-2.4	RB 1
79	2	26	11	9.9	224	1.6	6.3	108	1.1	RB 1
79	2	26	12	12.6	200	0.9	8.2	212	3.4	RB 1
79	2	26	13	13.8	219	0.3	9.2	207	2.8	RB 1
79	2	26	14	9.3	215	-0.4	7.7	211	1.7	RB 1
79	2	26	15	5.5	192	-0.4	5.5	234	1.4	RB 1
79	2	26	16	3.6	150	-0.4	2.8	352	0.8	RB 1
79	2	26	17	2.9	167	-0.1	4.3	43	0.5	RB 1
79	2	26	18	3.0	124	-1.0	4.3	54	-0.6	RB 1
79	2	26	19	3.5	2	-2.0	2.0	58	-1.0	RB 1
79	2	26	20	3.0	354	-2.1	1.5	83	-1.2	RB 1
79	2	26	21	2.5	348	-2.5	2.4	73	-1.6	RB 1
79	2	26	22	3.0	224	-3.5	2.2	205	-1.7	RB 1
79	2	26	23	3.9	265	-3.4	4.9	249	-2.8	RB 1
79	2	26	24	6.4	267	-2.6	3.1	202	-3.5	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	2	27	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	27	24	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	2	28	13	13.9	206	0.3	10.4	220	2.8	RB 1
79	2	28	14	13.6	208	0.5	10.6	225	3.1	RB 1
79	2	28	15	13.0	209	0.9	11.2	229	3.3	RB 1
79	2	28	16	13.2	190	0.5	10.2	210	3.0	RB 1
79	2	28	17	9.9	177	-0.1	8.1	211	2.1	RB 1
79	2	28	18	7.1	159	-1.4	6.4	234	0.1	RB 1
79	2	28	19	8.3	165	-2.4	6.8	244	-1.9	RB 1
79	2	28	20	9.9	190	-2.2	8.7	251	-2.6	RB 1
79	2	28	21	11.2	176	-1.8	6.7	256	-2.5	RB 1
79	2	28	22	8.5	150	-1.6	1.8	99	-3.9	RB 1
79	2	28	23	7.6	148	-2.0	2.9	215	-4.2	RB 1
79	2	28	24	7.7	161	-1.0	5.6	281	-2.1	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	1	1	7.7	147	-1.4	5.2	225	-0.5	RB 1
79	3	1	2	6.8	139	-1.9	3.2	238	-0.6	RB 1
79	3	1	3	6.5	140	-1.9	6.6	176	0.1	RB 1
79	3	1	4	6.6	133	-1.7	6.2	192	0.4	RB 1
79	3	1	5	7.8	151	-2.2	5.7	209	-0.2	RB 1
79	3	1	6	10.5	126	-2.1	5.9	203	-0.3	RB 1
79	3	1	7	8.4	125	-2.0	5.4	221	-0.9	RB 1
79	3	1	8	6.8	122	-1.1	5.9	211	0.7	RB 1
79	3	1	9	8.0	158	1.0	8.9	186	3.2	RB 1
79	3	1	10	18.8	208	1.7	7.5	181	4.0	RB 1
79	3	1	11	21.4	207	1.9	9.7	217	4.3	RB 1
79	3	1	12	17.7	208	2.3	10.6	218	4.7	RB 1
79	3	1	13	21.6	209	2.2	10.1	216	4.7	RB 1
79	3	1	14	20.7	211	1.9	9.4	210	4.4	RB 1
79	3	1	15	14.5	193	1.5	6.6	173	3.8	RB 1
79	3	1	16	11.2	167	0.9	7.4	161	2.5	RB 1
79	3	1	17	12.6	180	0.2	4.4	181	2.0	RB 1
79	3	1	18	7.0	180	-0.5	3.4	199	1.3	RB 1
79	3	1	19	5.0	145	-1.0	3.2	173	0.7	RB 1
79	3	1	20	4.7	78	-1.5	4.0	169	0.5	RB 1
79	3	1	21	5.9	96	-1.4	3.9	200	0.5	RB 1
79	3	1	22	5.9	117	-1.7	3.8	217	0.2	RB 1
79	3	1	23	4.8	138	-1.6	2.3	121	-0.3	RB 1
79	3	1	24	8.5	188	-1.0	3.2	174	-0.3	RB 1
79	3	2	1	5.8	166	-1.5	1.9	246	-0.8	RB 1
79	3	2	2	5.1	132	-1.9	1.9	263	-1.5	RB 1
79	3	2	3	10.5	212	-0.9	5.6	236	-0.6	RB 1
79	3	2	4	8.2	207	-1.2	5.8	232	0.1	RB 1
79	3	2	5	8.4	205	-1.2	3.6	31	-0.9	RB 1
79	3	2	6	14.2	227	-1.3	3.2	157	-0.5	RB 1
79	3	2	7	16.7	244	-2.0	6.3	237	-0.6	RB 1
79	3	2	8	11.5	247	-1.7	3.4	129	-0.1	RB 1
79	3	2	9	9.7	248	-1.3	4.2	246	1.1	RB 1
79	3	2	10	7.6	279	0.0	4.9	296	2.0	RB 1
79	3	2	11	8.3	283	0.3	4.8	309	2.8	RB 1
79	3	2	12	6.6	302	1.0	7.5	289	2.9	RB 1
79	3	2	13	11.8	305	0.6	8.2	305	2.8	RB 1
79	3	2	14	11.0	308	0.7	8.8	301	2.7	RB 1
79	3	2	15	13.5	312	1.0	9.3	329	3.2	RB 1
79	3	2	16	11.8	338	-0.2	6.9	24	1.1	RB 1
79	3	2	17	10.3	13	-1.8	6.9	42	-1.2	RB 1
79	3	2	18	10.5	33	-3.5	6.9	52	-2.4	RB 1
79	3	2	19	7.3	21	-4.2	4.7	44	-2.7	RB 1
79	3	2	20	7.9	18	-4.7	3.8	63	-3.3	RB 1
79	3	2	21	7.1	17	-4.8	5.0	48	-3.2	RB 1
79	3	2	22	7.0	24	-5.4	6.5	47	-3.8	RB 1
79	3	2	23	6.7	20	-6.2	5.2	48	-4.5	RB 1
79	3	2	24	8.1	37	-6.6	7.4	52	-4.9	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	3	3	1	7.6	39	-7.2	6.2	50	-5.5	RB	1
79	3	3	2	8.1	36	-7.9	6.5	46	-6.2	RB	1
79	3	3	3	5.6	35	-8.8	3.3	28	-7.2	RB	1
79	3	3	4	3.9	300	-9.4	4.8	277	-9.0	RB	1
79	3	3	5	4.1	281	-9.3	5.4	262	-8.7	RB	1
79	3	3	6	3.5	285	-9.6	3.4	271	-9.2	RB	1
79	3	3	7	3.0	286	-9.6	3.9	262	-9.1	RB	1
79	3	3	8	3.9	314	-8.7	2.5	323	-7.5	RB	1
79	3	3	9	5.2	14	-7.8	4.1	34	-5.7	RB	1
79	3	3	10	5.0	4	-6.5	4.9	52	-4.7	RB	1
79	3	3	11	5.3	344	-5.1	7.0	81	-4.1	RB	1
79	3	3	12	4.9	352	-4.1	5.8	52	-3.3	RB	1
79	3	3	13	4.9	42	-3.1	5.5	33	-2.9	RB	1
79	3	3	14	8.2	335	-3.7	6.0	80	-2.6	RB	1
79	3	3	15	8.4	335	-4.1	5.0	50	-2.1	RB	1
79	3	3	16	7.5	325	-4.1	4.7	322	-1.5	RB	1
79	3	3	17	6.1	287	-4.4	4.8	313	-2.2	RB	1
79	3	3	18	3.5	285	-5.7	3.2	313	-4.4	RB	1
79	3	3	19	6.7	258	-7.2	5.1	269	-8.0	RB	1
79	3	3	20	7.0	248	-7.2	5.6	255	-9.6	RB	1
79	3	3	21	5.3	256	-7.4	6.5	258	-10.7	RB	1
79	3	3	22	1.9	226	-8.6	6.8	258	-11.4	RB	1
79	3	3	23	1.8	239	-9.9	7.5	263	-12.1	RB	1
79	3	3	24	2.5	267	-9.5	7.1	267	-12.3	RB	1
79	3	4	1	3.2	267	-9.6	6.9	263	-12.8	RB	1
79	3	4	2	3.7	278	-9.0	4.2	256	-14.2	RB	1
79	3	4	3	2.6	267	-9.2	5.5	261	-14.9	RB	1
79	3	4	4	3.2	274	-9.0	5.1	256	-15.5	RB	1
79	3	4	5	2.7	252	-9.3	4.8	258	-16.2	RB	1
79	3	4	6	2.2	107	-10.3	4.6	262	-16.7	RB	1
79	3	4	7	1.8	98	-10.6	5.7	255	-15.9	RB	1
79	3	4	8	1.7	161	-6.5	4.0	348	-11.5	RB	1
79	3	4	9	3.0	174	-4.7	4.9	77	-8.2	RB	1
79	3	4	10	4.7	122	-4.5	6.0	62	-5.2	RB	1
79	3	4	11	4.4	134	-3.5	6.0	61	-3.2	RB	1
79	3	4	12	4.2	190	-2.7	4.4	70	-1.5	RB	1
79	3	4	13	3.3	250	-0.8	5.5	70	-1.2	RB	1
79	3	4	14	4.6	126	-0.9	5.7	80	-0.3	RB	1
79	3	4	15	3.3	146	0.5	5.5	73	0.1	RB	1
79	3	4	16	3.3	127	0.6	5.4	67	0.4	RB	1
79	3	4	17	3.3	127	0.6	4.6	72	-0.1	RB	1
79	3	4	18	3.1	67	-2.5	2.5	13	-3.0	RB	1
79	3	4	19	2.5	180	-5.2	6.4	275	-6.4	RB	1
79	3	4	20	2.8	257	-6.0	7.7	262	-7.8	RB	1
79	3	4	21	3.6	219	-5.3	7.6	261	-8.7	RB	1
79	3	4	22	3.6	242	-5.2	8.2	260	-8.8	RB	1
79	3	4	23	6.6	261	-4.7	7.4	263	-9.1	RB	1
79	3	4	24	8.4	251	-4.0	3.0	205	-10.2	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	3	5	1	4.8	168	-4.6	3.0	255	-10.4	RB	1
79	3	5	2	4.2	181	-4.6	2.6	262	-8.8	RB	1
79	3	5	3	3.2	56	-5.0	1.1	131	-8.0	RB	1
79	3	5	4	2.4	84	-5.4	1.1	162	-8.5	RB	1
79	3	5	5	3.7	267	-5.2	2.6	248	-7.4	RB	1
79	3	5	6	5.1	234	-4.1	3.3	83	-7.3	RB	1
79	3	5	7	3.3	44	-5.4	2.6	127	-7.2	RB	1
79	3	5	8	8.3	282	-4.1	3.7	109	-5.9	RB	1
79	3	5	9	4.1	87	-3.9	2.1	80	-4.4	RB	1
79	3	5	10	4.3	135	-3.2	4.6	45	-3.0	RB	1
79	3	5	11	3.0	75	0.5	4.9	46	-1.0	RB	1
79	3	5	12	3.9	47	1.5	4.9	67	0.1	RB	1
79	3	5	13	4.2	35	3.4	5.6	71	1.1	RB	1
79	3	5	14	5.6	46	2.1	5.0	68	1.6	RB	1
79	3	5	15	4.1	60	2.1	5.3	74	2.1	RB	1
79	3	5	16	4.3	69	1.6	6.0	80	1.6	RB	1
79	3	5	17	2.7	56	0.8	2.9	70	1.3	RB	1
79	3	5	18	2.8	160	0.1	1.7	72	0.8	RB	1
79	3	5	19	3.4	118	-0.2	2.3	69	0.2	RB	1
79	3	5	20	4.4	29	-1.0	0.9	142	-1.0	RB	1
79	3	5	21	999.9	999	999.9	1.8	247	-1.1	RB	1
79	3	5	22	999.9	999	999.9	2.3	270	-0.8	RB	1
79	3	5	23	999.9	999	999.9	2.4	241	-0.8	RB	1
79	3	5	24	999.9	999	999.9	1.3	112	-1.1	RB	1
79	3	6	1	999.9	999	999.9	1.5	102	-1.8	RB	1
79	3	6	2	999.9	999	999.9	3.1	259	-2.5	RB	1
79	3	6	3	999.9	999	999.9	2.7	239	-2.5	RB	1
79	3	6	4	999.9	999	999.9	4.8	254	-4.4	RB	1
79	3	6	5	999.9	999	999.9	3.8	260	-5.5	RB	1
79	3	6	6	999.9	999	999.9	3.6	256	-6.2	RB	1
79	3	6	7	999.9	999	999.9	5.2	259	-6.1	RB	1
79	3	6	8	999.9	999	999.9	3.2	257	-2.9	RB	1
79	3	6	9	999.9	999	999.9	5.1	39	0.7	RB	1
79	3	6	10	3.8	267	-0.4	5.0	60	1.2	RB	1
79	3	6	11	4.0	245	0.4	3.3	48	4.3	RB	1
79	3	6	12	4.7	216	2.5	2.7	45	7.2	RB	1
79	3	6	13	4.8	260	4.6	4.4	281	7.6	RB	1
79	3	6	14	5.8	328	5.6	3.5	310	8.1	RB	1
79	3	6	15	5.4	329	5.7	5.4	274	7.8	RB	1
79	3	6	16	5.4	322	5.6	5.4	275	7.2	RB	1
79	3	6	17	5.4	316	5.6	3.0	274	6.9	RB	1
79	3	6	18	5.0	283	5.4	1.9	163	5.6	RB	1
79	3	6	19	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	6	20	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	6	21	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	6	22	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	6	23	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	6	24	999.9	999	999.9	999.9	999	999.9	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	7	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	7	24	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	8	15	10.6	10	0.0	9.5	46	1.0	RB 1
79	3	8	16	8.3	60	-1.2	8.7	70	0.2	RB 1
79	3	8	17	6.3	69	-1.5	7.3	67	-0.3	RB 1
79	3	8	18	9.4	45	-3.6	8.7	53	-2.0	RB 1
79	3	8	19	5.4	41	-4.3	4.8	48	-2.2	RB 1
79	3	8	20	5.8	31	-4.5	4.4	51	-2.7	RB 1
79	3	8	21	3.3	24	-4.7	2.3	279	-4.3	RB 1
79	3	8	22	3.6	355	-4.8	2.5	254	-4.4	RB 1
79	3	8	23	4.2	351	-5.5	2.5	280	-4.7	RB 1
79	3	8	24	5.1	338	-6.6	3.7	303	-5.5	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	9	1	4.3	335	-7.1	2.8	260	-7.6	RB 1
79	3	9	2	3.8	300	-7.7	5.9	256	-8.5	RB 1
79	3	9	3	3.7	298	-8.1	6.1	259	-9.3	RB 1
79	3	9	4	4.9	284	-8.4	6.4	262	-9.7	RB 1
79	3	9	5	4.3	289	-8.4	5.4	274	-9.7	RB 1
79	3	9	6	3.7	16	-8.2	4.9	269	-9.9	RB 1
79	3	9	7	2.6	34	-8.0	5.0	286	-8.8	RB 1
79	3	9	8	4.3	356	-7.7	2.6	162	-6.7	RB 1
79	3	9	9	3.8	316	-6.7	3.9	67	-5.6	RB 1
79	3	9	10	5.4	356	-5.3	5.4	74	-4.0	RB 1
79	3	9	11	5.7	12	-4.3	6.8	89	-3.4	RB 1
79	3	9	12	5.6	4	-3.1	6.4	62	-2.0	RB 1
79	3	9	13	7.2	344	-3.0	7.2	35	-1.5	RB 1
79	3	9	14	8.2	0	-2.6	7.7	38	-1.2	RB 1
79	3	9	15	7.0	12	-2.4	7.3	61	-1.2	RB 1
79	3	9	16	5.5	6	-2.2	5.4	51	-1.4	RB 1
79	3	9	17	7.2	25	-2.4	5.3	36	-1.7	RB 1
79	3	9	18	6.8	19	-4.6	4.0	19	-3.4	RB 1
79	3	9	19	4.2	321	-5.8	2.9	287	-6.0	RB 1
79	3	9	20	3.5	281	-6.3	5.9	261	-7.2	RB 1
79	3	9	21	3.3	282	-6.6	6.2	261	-8.3	RB 1
79	3	9	22	3.1	273	-6.6	6.3	266	-8.8	RB 1
79	3	9	23	2.2	271	-7.3	6.7	263	-9.3	RB 1
79	3	9	24	3.1	271	-7.4	7.1	263	-9.9	RB 1
79	3	10	1	5.4	256	-7.2	6.5	267	-9.9	RB 1
79	3	10	2	5.6	248	-6.7	7.4	265	-9.7	RB 1
79	3	10	3	6.0	250	-6.9	6.1	262	-10.4	RB 1
79	3	10	4	5.1	259	-7.1	1.5	243	-12.9	RB 1
79	3	10	5	4.2	262	-7.1	3.0	254	-13.2	RB 1
79	3	10	6	2.9	263	-7.5	3.3	259	-13.3	RB 1
79	3	10	7	2.9	137	-6.7	1.8	240	-13.0	RB 1
79	3	10	8	3.3	111	-5.5	1.2	271	-7.7	RB 1
79	3	10	9	3.9	114	-4.1	3.1	79	-4.1	RB 1
79	3	10	10	5.1	140	-2.6	5.5	65	-2.1	RB 1
79	3	10	11	4.8	147	-0.9	4.9	43	-0.1	RB 1
79	3	10	12	3.9	112	1.2	3.4	152	2.4	RB 1
79	3	10	13	4.2	111	2.2	3.8	270	3.5	RB 1
79	3	10	14	3.3	223	3.9	3.1	314	4.9	RB 1
79	3	10	15	3.0	249	5.0	5.2	66	4.9	RB 1
79	3	10	16	3.7	150	5.1	5.3	59	4.8	RB 1
79	3	10	17	5.0	73	3.5	5.0	78	4.8	RB 1
79	3	10	18	4.0	67	2.1	3.5	126	2.3	RB 1
79	3	10	19	3.6	286	-0.6	5.2	269	-2.3	RB 1
79	3	10	20	3.8	279	-1.3	6.0	273	-3.8	RB 1
79	3	10	21	4.0	272	-1.1	5.7	274	-4.5	RB 1
79	3	10	22	3.9	274	-1.4	6.3	267	-5.4	RB 1
79	3	10	23	3.0	160	-1.5	5.6	260	-6.2	RB 1
79	3	10	24	2.7	60	-2.6	5.9	256	-7.1	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	3	11	1	3.0	293	-2.6	5.3	255	-7.6	RB	1
79	3	11	2	3.4	206	-2.7	6.4	257	-8.2	RB	1
79	3	11	3	2.6	317	-2.8	5.2	255	-8.8	RB	1
79	3	11	4	2.9	4	-3.4	6.2	258	-9.3	RB	1
79	3	11	5	3.2	293	-4.2	6.7	259	-9.2	RB	1
79	3	11	6	3.2	266	-3.8	7.1	258	-9.5	RB	1
79	3	11	7	2.2	208	-2.9	6.8	259	-8.9	RB	1
79	3	11	8	2.9	189	0.9	2.6	209	-3.4	RB	1
79	3	11	9	3.3	123	3.7	6.5	81	-1.1	RB	1
79	3	11	10	5.0	97	2.1	5.8	96	0.6	RB	1
79	3	11	11	3.9	90	4.0	5.3	91	3.0	RB	1
79	3	11	12	3.5	128	6.1	5.5	85	5.0	RB	1
79	3	11	13	3.4	178	8.2	6.2	81	6.7	RB	1
79	3	11	14	3.7	242	8.1	6.4	86	7.8	RB	1
79	3	11	15	3.8	200	9.8	7.5	58	7.5	RB	1
79	3	11	16	4.6	37	7.2	5.7	72	7.4	RB	1
79	3	11	17	5.1	45	6.4	6.2	73	6.9	RB	1
79	3	11	18	3.9	54	3.7	3.2	342	3.5	RB	1
79	3	11	19	3.3	294	1.5	6.1	274	-0.4	RB	1
79	3	11	20	4.6	250	1.9	7.1	273	-1.3	RB	1
79	3	11	21	3.1	255	1.5	6.7	276	-2.1	RB	1
79	3	11	22	2.7	234	1.2	6.3	271	-2.6	RB	1
79	3	11	23	1.9	268	0.0	5.3	259	-3.8	RB	1
79	3	11	24	3.6	279	1.0	6.0	261	-4.3	RB	1
79	3	12	1	2.1	257	-0.1	5.7	258	-5.2	RB	1
79	3	12	2	2.3	183	-0.2	3.9	262	-6.7	RB	1
79	3	12	3	3.6	75	-1.0	4.4	263	-7.7	RB	1
79	3	12	4	2.4	53	-2.5	6.6	260	-7.8	RB	1
79	3	12	5	2.7	250	-2.4	5.8	255	-7.8	RB	1
79	3	12	6	2.7	191	-2.6	5.7	257	-8.3	RB	1
79	3	12	7	2.9	61	-0.4	5.3	257	-7.5	RB	1
79	3	12	8	3.4	124	0.9	2.7	168	-2.9	RB	1
79	3	12	9	3.5	123	2.8	3.4	85	1.4	RB	1
79	3	12	10	4.1	103	4.7	6.0	87	2.9	RB	1
79	3	12	11	3.8	188	6.6	5.0	75	5.4	RB	1
79	3	12	12	5.8	232	6.6	6.5	353	7.9	RB	1
79	3	12	13	9.0	255	6.3	11.4	260	8.5	RB	1
79	3	12	14	11.6	266	6.6	12.8	253	8.8	RB	1
79	3	12	15	11.5	265	7.0	11.9	262	9.1	RB	1
79	3	12	16	8.3	275	7.4	10.5	266	9.2	RB	1
79	3	12	17	8.3	265	7.8	5.2	282	9.4	RB	1
79	3	12	18	9.8	238	5.4	5.3	224	5.7	RB	1
79	3	12	19	10.9	246	3.2	7.1	274	1.5	RB	1
79	3	12	20	8.4	254	2.6	6.2	277	-0.4	RB	1
79	3	12	21	10.4	247	3.3	6.3	264	-1.7	RB	1
79	3	12	22	6.4	252	2.0	7.4	266	-2.1	RB	1
79	3	12	23	8.7	279	2.4	7.2	268	-2.4	RB	1
79	3	12	24	15.4	263	2.2	2.9	256	-3.9	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	13	1	13.1	261	1.6	2.8	310	-3.3	RB 1
79	3	13	2	12.4	257	0.9	3.8	33	-4.6	RB 1
79	3	13	3	13.0	254	0.6	3.6	265	-5.6	RB 1
79	3	13	4	10.8	260	0.5	4.5	262	-5.8	RB 1
79	3	13	5	8.1	257	0.2	3.1	245	-5.9	RB 1
79	3	13	6	10.7	255	0.1	4.1	238	-6.2	RB 1
79	3	13	7	9.5	258	0.7	3.3	245	-4.8	RB 1
79	3	13	8	11.7	256	1.8	4.2	129	-0.9	RB 1
79	3	13	9	10.3	261	3.2	6.6	82	1.5	RB 1
79	3	13	10	6.0	272	4.6	6.0	92	4.0	RB 1
79	3	13	11	4.2	15	6.5	7.6	73	6.0	RB 1
79	3	13	12	6.8	65	5.9	8.5	58	6.2	RB 1
79	3	13	13	6.6	73	5.9	7.2	56	6.6	RB 1
79	3	13	14	5.7	74	6.3	8.1	63	7.0	RB 1
79	3	13	15	6.1	64	6.2	7.5	62	7.2	RB 1
79	3	13	16	4.1	66	6.6	6.9	66	7.6	RB 1
79	3	13	17	5.1	76	6.3	6.1	71	7.6	RB 1
79	3	13	18	5.3	59	4.5	3.0	109	4.9	RB 1
79	3	13	19	4.3	340	2.7	6.2	270	0.4	RB 1
79	3	13	20	3.9	277	1.9	6.4	276	-0.4	RB 1
79	3	13	21	3.4	272	1.4	6.4	275	-1.7	RB 1
79	3	13	22	3.6	288	0.8	6.2	271	-2.5	RB 1
79	3	13	23	3.0	279	0.2	7.1	265	-3.2	RB 1
79	3	13	24	3.7	274	0.1	6.6	271	-3.8	RB 1
79	3	14	1	2.5	269	-0.3	6.2	260	-4.6	RB 1
79	3	14	2	1.9	180	-1.1	6.4	263	-5.1	RB 1
79	3	14	3	3.3	298	-1.3	7.0	262	-5.7	RB 1
79	3	14	4	5.6	263	-0.5	4.8	261	-5.9	RB 1
79	3	14	5	3.4	265	-0.7	3.3	256	-7.9	RB 1
79	3	14	6	3.1	248	-0.9	5.6	259	-7.3	RB 1
79	3	14	7	2.9	273	0.1	4.5	247	-6.3	RB 1
79	3	14	8	2.3	182	2.8	2.2	103	-1.4	RB 1
79	3	14	9	3.3	46	4.3	6.4	84	0.5	RB 1
79	3	14	10	4.3	92	4.2	5.9	88	2.6	RB 1
79	3	14	11	4.3	94	4.6	5.2	91	3.9	RB 1
79	3	14	12	4.3	98	5.9	5.9	90	6.1	RB 1
79	3	14	13	5.0	28	6.9	5.8	71	7.1	RB 1
79	3	14	14	4.9	26	7.2	6.5	55	8.4	RB 1
79	3	14	15	5.8	60	7.3	8.5	81	8.4	RB 1
79	3	14	16	5.5	73	6.3	7.1	85	7.5	RB 1
79	3	14	17	5.0	57	5.6	4.2	85	6.8	RB 1
79	3	14	18	4.1	141	4.3	3.5	75	5.0	RB 1
79	3	14	19	5.3	150	2.8	4.3	271	0.9	RB 1
79	3	14	20	3.7	178	2.2	6.0	268	-0.7	RB 1
79	3	14	21	3.3	205	2.3	6.0	271	-1.2	RB 1
79	3	14	22	2.7	262	2.2	6.6	268	-0.9	RB 1
79	3	14	23	3.9	270	2.2	5.6	264	-1.4	RB 1
79	3	14	24	4.4	263	2.3	4.9	260	-2.5	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	15	1	5.7	258	2.2	4.0	265	-2.5	RB 1
79	3	15	2	7.1	264	1.9	2.3	249	-4.3	RB 1
79	3	15	3	6.6	250	1.4	4.3	262	-4.9	RB 1
79	3	15	4	3.5	163	0.3	3.8	261	-5.5	RB 1
79	3	15	5	6.0	220	0.0	6.1	267	-5.1	RB 1
79	3	15	6	7.1	252	0.1	5.8	260	-4.8	RB 1
79	3	15	7	5.1	219	0.1	3.6	254	-4.6	RB 1
79	3	15	8	4.2	205	2.1	3.5	118	-0.4	RB 1
79	3	15	9	7.7	208	3.3	6.8	74	2.2	RB 1
79	3	15	10	8.9	228	3.6	5.9	71	4.6	RB 1
79	3	15	11	7.0	229	3.8	5.6	169	6.4	RB 1
79	3	15	12	9.7	212	3.8	7.4	228	6.2	RB 1
79	3	15	13	10.2	170	4.4	8.0	195	6.9	RB 1
79	3	15	14	10.6	159	4.7	6.9	178	7.3	RB 1
79	3	15	15	9.9	177	5.1	6.5	175	7.1	RB 1
79	3	15	16	10.5	202	4.8	8.5	215	7.1	RB 1
79	3	15	17	10.4	212	3.9	9.2	231	6.3	RB 1
79	3	15	18	11.0	230	2.8	4.4	229	4.0	RB 1
79	3	15	19	8.2	247	2.6	1.5	268	1.6	RB 1
79	3	15	20	6.5	232	2.4	2.9	329	0.9	RB 1
79	3	15	21	5.2	201	2.0	5.6	264	-1.2	RB 1
79	3	15	22	8.4	154	2.0	4.3	266	-2.2	RB 1
79	3	15	23	4.6	151	1.2	3.1	263	-3.3	RB 1
79	3	15	24	7.1	145	0.8	3.3	264	-3.2	RB 1
79	3	16	1	6.2	145	0.6	3.0	318	-3.0	RB 1
79	3	16	2	5.4	148	1.2	3.4	254	-2.6	RB 1
79	3	16	3	4.2	127	0.8	2.7	247	-2.8	RB 1
79	3	16	4	5.6	159	1.7	4.5	258	-2.4	RB 1
79	3	16	5	7.7	174	2.2	2.6	221	-3.0	RB 1
79	3	16	6	6.2	185	2.2	4.8	262	-2.9	RB 1
79	3	16	7	11.2	193	2.6	4.9	258	-2.5	RB 1
79	3	16	8	13.5	191	4.8	3.4	143	0.4	RB 1
79	3	16	9	19.5	202	5.7	10.5	189	6.4	RB 1
79	3	16	10	21.2	206	5.8	12.8	222	8.2	RB 1
79	3	16	11	23.1	195	5.9	14.0	221	8.5	RB 1
79	3	16	12	20.6	193	5.6	13.7	219	8.1	RB 1
79	3	16	13	18.5	210	5.4	10.9	212	8.0	RB 1
79	3	16	14	15.5	235	4.0	13.8	233	6.7	RB 1
79	3	16	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	16	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	16	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	16	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	16	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	16	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	16	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	16	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	16	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	3	16	24	999.9	999	999.9	999.9	999	999.9	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	3	17	1	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	2	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	3	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	4	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	5	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	6	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	7	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	8	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	9	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	10	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	11	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	12	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	13	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	14	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	15	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	16	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	17	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	18	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	19	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	20	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	21	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	22	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	23	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	17	24	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	1	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	2	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	3	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	4	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	5	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	6	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	7	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	8	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	9	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	10	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	11	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	12	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	13	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	14	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	15	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	16	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	17	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	18	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	19	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	20	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	21	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	22	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	23	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	18	24	999.9	999	999.9	999.9	999	999.9	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	3	19	1	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	2	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	3	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	4	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	5	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	6	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	7	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	8	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	9	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	10	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	11	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	12	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	13	999.9	999	999.9	999.9	999	999.9	RB	1
79	3	19	14	1.9	70	0.5	7.9	45	2.7	RB	1
79	3	19	15	8.2	50	1.5	8.2	36	3.1	RB	1
79	3	19	16	8.4	47	1.2	8.3	49	2.9	RB	1
79	3	19	17	6.8	39	0.5	6.0	42	2.2	RB	1
79	3	19	18	4.9	24	-0.3	2.2	35	1.2	RB	1
79	3	19	19	5.7	355	-1.4	2.1	235	-1.6	RB	1
79	3	19	20	4.2	302	-1.9	3.5	267	-2.0	RB	1
79	3	19	21	3.7	316	-1.8	3.8	268	-1.6	RB	1
79	3	19	22	2.8	31	-1.7	4.0	261	-1.5	RB	1
79	3	19	23	4.1	285	-1.9	4.1	264	-1.5	RB	1
79	3	19	24	3.6	220	-1.9	3.3	263	-1.7	RB	1
79	3	20	1	3.2	4	-3.0	1.0	269	-2.0	RB	1
79	3	20	2	2.8	291	-3.2	0.7	219	-2.4	RB	1
79	3	20	3	2.4	54	-3.2	2.1	42	-2.4	RB	1
79	3	20	4	2.7	215	-3.4	0.8	183	-2.4	RB	1
79	3	20	5	2.6	36	-3.4	0.8	89	-2.4	RB	1
79	3	20	6	2.8	306	-3.4	1.2	201	-2.2	RB	1
79	3	20	7	2.9	251	-3.1	0.8	224	-1.9	RB	1
79	3	20	8	2.0	134	-2.2	1.1	35	-1.2	RB	1
79	3	20	9	2.3	194	-0.9	1.1	359	-0.2	RB	1
79	3	20	10	3.2	98	0.5	3.5	44	0.8	RB	1
79	3	20	11	3.6	81	2.0	4.6	40	2.3	RB	1
79	3	20	12	5.8	177	2.6	3.7	74	3.8	RB	1
79	3	20	13	9.8	230	3.0	5.5	221	5.1	RB	1
79	3	20	14	8.8	234	3.2	7.1	245	5.7	RB	1
79	3	20	15	5.5	221	3.1	5.1	298	5.3	RB	1
79	3	20	16	5.5	211	0.7	6.5	177	2.9	RB	1
79	3	20	17	5.3	179	0.4	4.6	208	2.4	RB	1
79	3	20	18	4.3	127	-0.4	3.8	140	1.2	RB	1
79	3	20	19	4.3	100	-0.6	2.6	88	0.7	RB	1
79	3	20	20	5.0	99	-1.0	3.5	58	0.5	RB	1
79	3	20	21	5.9	114	-0.7	1.9	65	0.3	RB	1
79	3	20	22	4.7	128	-0.7	0.9	64	0.3	RB	1
79	3	20	23	5.0	131	-0.9	0.9	38	0.2	RB	1
79	3	20	24	4.0	117	-1.0	0.7	314	-0.1	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	21	1	2.8	86	999.9	1.2	119	999.9	RB 1
79	3	21	2	2.0	334	999.9	1.2	80	999.9	RB 1
79	3	21	3	999.9	5	999.9	0.8	105	999.9	RB 1
79	3	21	4	999.9	53	999.9	0.7	215	-0.2	RB 1
79	3	21	5	1.5	106	999.9	0.9	216	-0.3	RB 1
79	3	21	6	2.3	287	999.9	1.3	169	-0.7	RB 1
79	3	21	7	999.9	178	-1.6	2.6	70	-0.7	RB 1
79	3	21	8	999.9	282	-1.0	2.6	70	-0.3	RB 1
79	3	21	9	2.9	26	-0.6	3.8	96	-0.2	RB 1
79	3	21	10	2.6	151	0.0	3.1	111	0.6	RB 1
79	3	21	11	3.1	64	0.5	3.7	89	1.5	RB 1
79	3	21	12	4.1	75	1.4	5.6	75	2.4	RB 1
79	3	21	13	5.4	67	1.6	6.0	71	3.0	RB 1
79	3	21	14	6.3	65	1.5	6.1	80	3.3	RB 1
79	3	21	15	7.5	53	1.7	7.5	72	3.2	RB 1
79	3	21	16	5.6	133	0.4	5.4	13	2.6	RB 1
79	3	21	17	6.5	264	-0.5	6.2	237	0.3	RB 1
79	3	21	18	5.5	247	-0.8	3.3	240	0.1	RB 1
79	3	21	19	5.8	249	-0.9	1.3	318	0.0	RB 1
79	3	21	20	5.9	248	-0.9	3.4	213	-0.4	RB 1
79	3	21	21	999.9	999	-1.0	3.1	219	-1.0	RB 1
79	3	21	22	999.9	999	-1.2	0.9	225	-1.4	RB 1
79	3	21	23	999.9	999	-1.3	0.6	336	-1.7	RB 1
79	3	21	24	999.9	999	-1.4	0.6	86	-1.9	RB 1
79	3	22	1	6.5	251	-1.6	0.8	69	-1.8	RB 1
79	3	22	2	4.7	291	-2.0	0.8	81	-1.7	RB 1
79	3	22	3	7.4	302	-2.0	1.0	357	-1.6	RB 1
79	3	22	4	5.6	300	-2.1	0.8	253	-1.3	RB 1
79	3	22	5	7.4	299	-2.1	0.6	263	-1.3	RB 1
79	3	22	6	10.8	317	-2.4	2.4	273	-1.4	RB 1
79	3	22	7	10.7	324	-2.6	2.7	314	-1.5	RB 1
79	3	22	8	13.1	339	-2.7	3.8	340	-1.4	RB 1
79	3	22	9	14.0	355	-2.9	4.3	4	-1.2	RB 1
79	3	22	10	16.1	3	-2.5	6.1	28	-0.7	RB 1
79	3	22	11	999.9	999	999.9	7.6	37	-0.3	RB 1
79	3	22	12	999.9	999	999.9	5.8	28	0.0	RB 1
79	3	22	13	999.9	999	999.9	4.6	31	0.4	RB 1
79	3	22	14	999.9	999	999.9	4.2	3	0.8	RB 1
79	3	22	15	999.9	999	999.9	4.5	1	0.5	RB 1
79	3	22	16	999.9	999	999.9	4.0	8	0.5	RB 1
79	3	22	17	999.9	999	999.9	2.9	10	0.8	RB 1
79	3	22	18	999.9	999	999.9	1.4	356	-0.4	RB 1
79	3	22	19	999.9	999	999.9	4.5	258	-3.3	RB 1
79	3	22	20	999.9	999	999.9	5.7	264	-4.8	RB 1
79	3	22	21	999.9	999	999.9	6.0	267	-5.9	RB 1
79	3	22	22	999.9	999	999.9	5.9	266	-6.5	RB 1
79	3	22	23	999.9	999	999.9	5.6	263	-6.5	RB 1
79	3	22	24	999.9	999	999.9	4.8	270	-5.5	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	23	1	999.9	999	999.9	3.9	263	-5.3	RB 1
79	3	23	2	999.9	999	999.9	4.2	269	-6.1	RB 1
79	3	23	3	999.9	999	999.9	4.0	266	-5.1	RB 1
79	3	23	4	999.9	999	999.9	4.9	270	-5.7	RB 1
79	3	23	5	999.9	999	999.9	4.3	269	-5.7	RB 1
79	3	23	6	999.9	999	999.9	2.0	360	-5.4	RB 1
79	3	23	7	999.9	999	999.9	1.2	82	-5.0	RB 1
79	3	23	8	999.9	999	999.9	2.0	75	-3.7	RB 1
79	3	23	9	999.9	999	999.9	3.1	59	-0.9	RB 1
79	3	23	10	999.9	999	999.9	4.6	32	1.3	RB 1
79	3	23	11	999.9	999	999.9	6.3	285	2.3	RB 1
79	3	23	12	999.9	999	999.9	8.7	276	2.7	RB 1
79	3	23	13	999.9	999	999.9	10.1	286	3.1	RB 1
79	3	23	14	999.9	999	999.9	11.6	286	3.5	RB 1
79	3	23	15	999.9	999	999.9	11.8	283	4.0	RB 1
79	3	23	16	999.9	999	999.9	11.2	287	3.8	RB 1
79	3	23	17	999.9	999	999.9	9.2	277	3.7	RB 1
79	3	23	18	999.9	999	999.9	6.2	266	2.7	RB 1
79	3	23	19	999.9	999	999.9	5.6	277	1.2	RB 1
79	3	23	20	999.9	999	999.9	2.5	174	-0.1	RB 1
79	3	23	21	999.9	999	999.9	5.1	255	-1.4	RB 1
79	3	23	22	999.9	999	999.9	3.6	237	-2.8	RB 1
79	3	23	23	999.9	999	999.9	6.3	256	-3.9	RB 1
79	3	23	24	999.9	999	999.9	6.6	264	-4.2	RB 1
79	3	24	1	999.9	999	999.9	6.9	262	-4.8	RB 1
79	3	24	2	999.9	999	999.9	6.4	255	-5.2	RB 1
79	3	24	3	999.9	999	999.9	6.4	260	-5.7	RB 1
79	3	24	4	999.9	999	999.9	6.3	262	-5.8	RB 1
79	3	24	5	999.9	999	999.9	4.9	257	-6.6	RB 1
79	3	24	6	999.9	999	999.9	4.3	256	-6.9	RB 1
79	3	24	7	999.9	999	999.9	2.4	240	-4.8	RB 1
79	3	24	8	999.9	999	999.9	3.1	92	-0.2	RB 1
79	3	24	9	999.9	999	999.9	6.6	65	0.6	RB 1
79	3	24	10	999.9	999	999.9	5.5	22	3.5	RB 1
79	3	24	11	999.9	999	999.9	6.0	252	4.8	RB 1
79	3	24	12	999.9	999	999.9	6.5	255	5.5	RB 1
79	3	24	13	999.9	999	999.9	7.7	266	6.2	RB 1
79	3	24	14	999.9	999	999.9	8.7	266	7.1	RB 1
79	3	24	15	999.9	999	999.9	7.8	247	7.5	RB 1
79	3	24	16	999.9	999	999.9	8.3	246	8.0	RB 1
79	3	24	17	11.7	333	999.9	7.3	268	8.2	RB 1
79	3	24	18	8.7	235	4.1	6.2	253	6.7	RB 1
79	3	24	19	7.1	261	1.8	5.9	275	0.5	RB 1
79	3	24	20	7.6	259	2.0	5.5	253	0.5	RB 1
79	3	24	21	8.6	245	1.7	4.5	260	-0.7	RB 1
79	3	24	22	6.3	225	1.7	5.4	270	-1.6	RB 1
79	3	24	23	12.6	258	1.8	5.0	262	-2.8	RB 1
79	3	24	24	9.6	256	1.7	4.5	265	-3.5	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	3	25	1	6.9	205	1.4	4.5	260	-3.7	RB	1
79	3	25	2	7.6	209	1.4	5.0	265	-3.5	RB	1
79	3	25	3	6.8	268	1.3	3.4	248	-4.1	RB	1
79	3	25	4	7.0	256	0.7	5.3	262	-4.5	RB	1
79	3	25	5	10.4	249	0.3	5.0	263	-3.8	RB	1
79	3	25	6	11.9	245	0.6	2.3	311	-5.3	RB	1
79	3	25	7	11.6	248	1.0	1.3	136	-2.8	RB	1
79	3	25	8	13.4	253	2.0	5.2	77	1.1	RB	1
79	3	25	9	13.7	252	2.8	6.7	162	5.4	RB	1
79	3	25	10	10.8	249	3.7	8.4	242	6.7	RB	1
79	3	25	11	7.2	228	5.0	6.8	223	7.5	RB	1
79	3	25	12	7.5	190	5.3	6.2	193	8.0	RB	1
79	3	25	13	10.8	152	5.6	7.4	168	8.2	RB	1
79	3	25	14	9.7	176	5.4	7.4	178	8.0	RB	1
79	3	25	15	13.8	263	5.7	9.9	249	8.6	RB	1
79	3	25	16	11.3	234	4.5	9.6	233	7.6	RB	1
79	3	25	17	11.9	225	3.3	9.0	232	5.7	RB	1
79	3	25	18	10.7	222	3.5	5.9	248	5.0	RB	1
79	3	25	19	13.7	224	2.7	2.7	246	1.8	RB	1
79	3	25	20	13.1	260	2.5	3.6	203	1.3	RB	1
79	3	25	21	12.4	251	1.9	6.3	251	1.7	RB	1
79	3	25	22	8.0	253	0.9	6.7	256	1.5	RB	1
79	3	25	23	8.4	257	1.0	4.3	240	-0.7	RB	1
79	3	25	24	8.7	253	0.9	3.9	259	-2.5	RB	1
79	3	26	1	6.2	255	0.5	5.9	269	-2.7	RB	1
79	3	26	2	6.4	253	0.0	5.1	268	-2.8	RB	1
79	3	26	3	5.9	256	0.1	5.5	262	-2.8	RB	1
79	3	26	4	5.7	250	0.2	5.9	257	-2.0	RB	1
79	3	26	5	5.8	254	0.5	5.7	260	-2.1	RB	1
79	3	26	6	5.7	254	0.3	6.0	267	-2.9	RB	1
79	3	26	7	5.9	251	0.9	4.0	255	-1.4	RB	1
79	3	26	8	6.6	232	2.6	2.0	124	3.5	RB	1
79	3	26	9	7.3	217	3.7	6.1	187	5.6	RB	1
79	3	26	10	9.3	234	4.4	8.4	241	7.1	RB	1
79	3	26	11	9.1	234	5.5	9.6	231	8.3	RB	1
79	3	26	12	9.4	245	5.7	9.1	217	8.3	RB	1
79	3	26	13	11.6	263	4.0	7.9	282	5.5	RB	1
79	3	26	14	10.6	223	3.3	8.4	240	5.7	RB	1
79	3	26	15	7.6	244	5.5	7.4	218	8.0	RB	1
79	3	26	16	9.3	250	6.4	4.7	272	8.7	RB	1
79	3	26	17	16.0	229	6.3	7.5	243	8.7	RB	1
79	3	26	18	15.1	242	5.0	7.7	238	7.1	RB	1
79	3	26	19	4.9	246	2.5	6.4	263	3.8	RB	1
79	3	26	20	5.5	185	2.5	2.5	261	1.3	RB	1
79	3	26	21	3.0	311	2.1	3.9	273	0.6	RB	1
79	3	26	22	3.4	310	1.6	4.9	257	-0.6	RB	1
79	3	26	23	2.5	235	1.7	2.7	211	-1.1	RB	1
79	3	26	24	6.3	205	3.3	3.8	251	-0.8	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	27	1	13.9	221	4.8	3.8	260	-0.9	RB 1
79	3	27	2	14.4	218	4.6	2.6	250	-0.2	RB 1
79	3	27	3	13.8	224	3.8	4.5	259	0.1	RB 1
79	3	27	4	14.6	206	2.8	5.7	175	4.0	RB 1
79	3	27	5	11.7	205	2.9	2.9	175	2.7	RB 1
79	3	27	6	7.3	156	2.5	4.2	265	-0.2	RB 1
79	3	27	7	4.6	148	2.5	4.9	234	2.1	RB 1
79	3	27	8	11.7	193	4.4	6.2	160	6.3	RB 1
79	3	27	9	13.2	200	4.9	8.6	207	6.8	RB 1
79	3	27	10	21.9	213	5.1	9.5	202	7.3	RB 1
79	3	27	11	23.2	212	5.6	11.4	200	8.1	RB 1
79	3	27	12	24.5	209	5.5	15.6	218	8.3	RB 1
79	3	27	13	23.0	204	4.3	14.1	221	7.0	RB 1
79	3	27	14	20.1	206	4.2	12.5	223	6.7	RB 1
79	3	27	15	16.4	197	3.9	10.5	217	6.1	RB 1
79	3	27	16	17.2	200	3.7	9.5	220	5.8	RB 1
79	3	27	17	18.0	199	3.2	10.8	213	5.2	RB 1
79	3	27	18	17.1	205	2.8	9.0	218	4.6	RB 1
79	3	27	19	18.4	208	3.4	12.6	221	5.1	RB 1
79	3	27	20	19.8	206	3.3	12.1	223	5.1	RB 1
79	3	27	21	20.5	204	3.6	12.2	231	5.2	RB 1
79	3	27	22	19.9	224	3.5	12.0	239	5.3	RB 1
79	3	27	23	22.3	227	3.8	14.0	234	5.4	RB 1
79	3	27	24	22.9	237	3.5	16.7	244	5.2	RB 1
79	3	28	1	19.8	234	3.4	11.1	247	4.8	RB 1
79	3	28	2	20.9	233	3.4	10.0	248	4.7	RB 1
79	3	28	3	17.5	230	3.4	9.6	249	5.0	RB 1
79	3	28	4	17.0	230	3.0	6.2	72	2.3	RB 1
79	3	28	5	12.9	227	2.1	5.6	72	0.6	RB 1
79	3	28	6	4.5	69	-0.1	2.7	72	0.1	RB 1
79	3	28	7	3.9	129	-0.4	1.5	50	0.1	RB 1
79	3	28	8	3.3	95	-0.1	1.3	68	0.3	RB 1
79	3	28	9	3.4	88	0.6	3.5	63	0.6	RB 1
79	3	28	10	6.4	141	2.2	4.0	76	1.4	RB 1
79	3	28	11	8.5	178	3.1	5.7	73	2.1	RB 1
79	3	28	12	16.7	210	4.1	5.5	76	3.0	RB 1
79	3	28	13	22.1	214	4.3	14.1	222	7.0	RB 1
79	3	28	14	13.6	232	3.9	10.2	245	6.3	RB 1
79	3	28	15	10.5	228	4.0	7.0	219	6.5	RB 1
79	3	28	16	8.8	239	2.6	6.5	115	3.9	RB 1
79	3	28	17	6.2	124	2.8	8.2	77	2.2	RB 1
79	3	28	18	4.5	343	0.5	3.9	108	1.4	RB 1
79	3	28	19	3.6	58	0.5	3.2	204	1.4	RB 1
79	3	28	20	3.5	276	0.6	1.7	226	1.4	RB 1
79	3	28	21	4.2	181	1.1	3.3	98	1.3	RB 1
79	3	28	22	3.6	153	0.8	1.4	88	0.9	RB 1
79	3	28	23	4.2	106	0.2	2.6	50	0.3	RB 1
79	3	28	24	2.7	329	-0.1	1.5	35	0.2	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	29	1	2.8	157	0.0	1.3	60	0.2	RB 1
79	3	29	2	6.8	189	0.4	4.4	206	1.4	RB 1
79	3	29	3	2.9	246	0.3	3.6	246	0.9	RB 1
79	3	29	4	3.7	88	0.1	3.9	231	0.8	RB 1
79	3	29	5	8.3	237	-0.3	6.6	205	1.6	RB 1
79	3	29	6	19.4	230	-1.0	9.8	218	0.9	RB 1
79	3	29	7	22.4	226	-1.4	10.0	209	0.6	RB 1
79	3	29	8	21.4	219	-1.8	7.9	205	0.2	RB 1
79	3	29	9	17.1	223	-1.4	7.8	199	0.8	RB 1
79	3	29	10	15.8	208	-1.1	10.3	221	1.1	RB 1
79	3	29	11	12.1	197	-0.9	10.1	212	1.0	RB 1
79	3	29	12	14.0	212	-1.1	7.4	219	0.5	RB 1
79	3	29	13	15.3	216	-1.1	11.0	231	0.4	RB 1
79	3	29	14	22.8	240	-1.2	7.1	221	1.0	RB 1
79	3	29	15	19.0	253	-1.2	8.9	246	1.0	RB 1
79	3	29	16	16.8	257	-0.6	9.1	248	1.5	RB 1
79	3	29	17	13.8	261	-0.3	5.3	249	1.7	RB 1
79	3	29	18	13.9	269	-0.5	4.3	229	1.3	RB 1
79	3	29	19	8.3	260	-0.9	2.9	235	0.8	RB 1
79	3	29	20	5.8	226	-1.2	2.8	241	-0.2	RB 1
79	3	29	21	9.1	252	-1.4	3.6	273	-1.7	RB 1
79	3	29	22	13.0	258	-0.9	2.3	133	-2.8	RB 1
79	3	29	23	13.3	262	-0.5	2.6	198	-2.7	RB 1
79	3	29	24	12.9	254	-0.9	2.5	350	-2.6	RB 1
79	3	30	1	6.0	253	-1.0	3.3	261	-1.2	RB 1
79	3	30	2	6.9	253	-0.9	3.8	249	-1.2	RB 1
79	3	30	3	7.0	234	-1.6	5.2	269	-2.6	RB 1
79	3	30	4	6.8	258	-2.4	6.3	279	-4.5	RB 1
79	3	30	5	4.9	233	-2.8	6.0	275	-6.0	RB 1
79	3	30	6	7.4	249	-2.5	5.3	269	-5.2	RB 1
79	3	30	7	7.6	258	-2.1	3.7	272	-3.5	RB 1
79	3	30	8	6.9	216	-0.8	5.8	255	0.2	RB 1
79	3	30	9	5.9	213	0.1	5.0	280	1.2	RB 1
79	3	30	10	5.8	194	1.2	3.4	346	2.4	RB 1
79	3	30	11	10.5	203	1.9	5.8	151	3.7	RB 1
79	3	30	12	16.4	210	2.1	11.4	237	4.2	RB 1
79	3	30	13	15.7	215	2.5	9.9	248	4.2	RB 1
79	3	30	14	11.6	271	1.9	11.0	262	3.8	RB 1
79	3	30	15	10.5	264	2.0	9.0	275	4.4	RB 1
79	3	30	16	9.3	227	0.8	8.2	240	3.1	RB 1
79	3	30	17	11.0	146	1.7	6.1	130	3.3	RB 1
79	3	30	18	11.0	164	1.1	5.3	162	3.0	RB 1
79	3	30	19	9.3	202	-1.0	8.0	223	0.7	RB 1
79	3	30	20	4.1	157	-0.9	2.2	271	0.2	RB 1
79	3	30	21	7.8	216	-1.1	2.7	217	-0.2	RB 1
79	3	30	22	6.9	262	-1.1	0.9	290	-0.4	RB 1
79	3	30	23	8.5	240	-0.8	0.8	345	-0.7	RB 1
79	3	30	24	7.9	239	-0.9	1.3	251	-1.4	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	3	31	1	4.9	347	-1.3	1.0	205	-1.6	RB 1
79	3	31	2	6.2	32	-2.3	3.1	48	-1.2	RB 1
79	3	31	3	5.6	15	-2.8	2.3	42	-1.5	RB 1
79	3	31	4	4.8	3	-3.1	3.6	54	-1.9	RB 1
79	3	31	5	7.2	12	-3.4	3.0	45	-2.3	RB 1
79	3	31	6	9.1	2	-4.3	4.1	41	-2.9	RB 1
79	3	31	7	6.7	25	-4.6	4.4	62	-3.3	RB 1
79	3	31	8	7.5	47	-4.6	6.7	69	-3.4	RB 1
79	3	31	9	9.3	54	-4.6	8.2	62	-3.3	RB 1
79	3	31	10	8.9	56	-4.4	9.0	67	-3.3	RB 1
79	3	31	11	9.1	55	-4.1	8.4	60	-2.8	RB 1
79	3	31	12	6.9	36	-3.4	6.5	59	-2.0	RB 1
79	3	31	13	6.0	27	-3.0	4.3	65	-1.3	RB 1
79	3	31	14	5.4	25	-2.3	5.3	52	-0.9	RB 1
79	3	31	15	5.4	21	-1.3	4.7	53	-0.2	RB 1
79	3	31	16	4.7	358	-1.5	4.4	92	0.2	RB 1
79	3	31	17	4.9	82	-2.0	3.8	69	-1.1	RB 1
79	3	31	18	3.0	130	-3.4	1.5	204	-2.3	RB 1
79	3	31	19	5.2	218	-3.9	5.9	280	-4.9	RB 1
79	3	31	20	4.3	259	-4.0	6.6	271	-6.0	RB 1
79	3	31	21	4.1	257	-3.8	5.9	269	-5.2	RB 1
79	3	31	22	4.7	326	-4.6	3.2	297	-4.5	RB 1
79	3	31	23	5.0	345	-5.2	4.0	248	-3.9	RB 1
79	3	31	24	3.0	337	-5.4	2.8	96	-4.2	RB 1
79	4	1	1	3.9	126	-5.7	1.8	126	-4.5	RB 1
79	4	1	2	2.8	182	-5.9	2.9	268	-5.6	RB 1
79	4	1	3	1.8	250	-6.1	2.8	257	-5.7	RB 1
79	4	1	4	2.8	39	-6.5	0.8	6	-5.7	RB 1
79	4	1	5	2.7	348	-6.6	1.4	255	-6.0	RB 1
79	4	1	6	3.1	333	-6.7	0.7	204	-5.7	RB 1
79	4	1	7	3.5	18	-6.6	0.8	105	-5.2	RB 1
79	4	1	8	3.3	338	-5.9	1.7	299	-3.5	RB 1
79	4	1	9	4.0	349	-4.5	4.1	37	-3.2	RB 1
79	4	1	10	5.2	349	-4.2	3.6	78	-3.5	RB 1
79	4	1	11	7.0	349	-3.8	3.4	342	-2.0	RB 1
79	4	1	12	7.7	326	-3.1	6.1	317	-1.5	RB 1
79	4	1	13	11.3	300	-3.6	8.2	312	-1.6	RB 1
79	4	1	14	10.0	289	-3.2	8.0	294	-1.4	RB 1
79	4	1	15	8.8	271	-2.8	6.0	268	-0.3	RB 1
79	4	1	16	8.5	281	-2.7	6.9	296	-0.5	RB 1
79	4	1	17	8.0	286	-3.3	6.8	255	-1.9	RB 1
79	4	1	18	9.4	263	-4.4	4.4	319	-3.3	RB 1
79	4	1	19	7.0	260	-5.4	1.7	166	-5.2	RB 1
79	4	1	20	6.3	258	-5.9	3.8	230	-5.3	RB 1
79	4	1	21	5.0	283	-5.9	1.5	105	-5.6	RB 1
79	4	1	22	4.0	1	-6.3	2.7	88	-5.5	RB 1
79	4	1	23	2.4	14	-6.6	2.4	337	-5.7	RB 1
79	4	1	24	4.0	357	-7.1	3.2	41	-6.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	4	2	1	2.0	144	-7.5	1.3	173	-6.3	RB	1
79	4	2	2	3.2	177	-7.8	1.4	253	-7.1	RB	1
79	4	2	3	2.6	211	-8.8	5.0	267	-9.8	RB	1
79	4	2	4	5.9	208	-8.4	5.5	271	-10.4	RB	1
79	4	2	5	5.8	235	-9.1	6.9	284	-11.5	RB	1
79	4	2	6	6.5	204	-8.4	6.6	281	-11.9	RB	1
79	4	2	7	7.9	176	-8.1	4.0	255	-10.4	RB	1
79	4	2	8	4.3	195	-6.5	2.8	61	-6.9	RB	1
79	4	2	9	5.0	195	-5.3	5.7	51	-4.7	RB	1
79	4	2	10	6.2	240	-4.7	5.6	285	-2.9	RB	1
79	4	2	11	6.2	248	-3.9	5.6	252	-2.0	RB	1
79	4	2	12	6.5	252	-4.3	7.6	254	-2.0	RB	1
79	4	2	13	7.4	267	-4.0	6.3	263	-1.9	RB	1
79	4	2	14	7.2	191	-4.2	7.8	211	-2.0	RB	1
79	4	2	15	7.3	197	-4.1	7.2	194	-2.3	RB	1
79	4	2	16	5.4	308	-3.6	5.7	283	-2.6	RB	1
79	4	2	17	4.9	24	-3.8	4.0	296	-2.2	RB	1
79	4	2	18	6.1	352	-5.0	5.2	275	-3.4	RB	1
79	4	2	19	3.2	92	-6.3	4.5	241	-4.7	RB	1
79	4	2	20	4.4	224	-6.5	6.3	259	-6.5	RB	1
79	4	2	21	4.6	261	-6.7	7.7	255	-7.6	RB	1
79	4	2	22	4.4	268	-6.6	7.5	258	-8.0	RB	1
79	4	2	23	4.4	267	-6.7	5.9	259	-8.4	RB	1
79	4	2	24	3.9	269	-7.0	6.7	263	-9.2	RB	1
79	4	3	1	4.5	272	-7.3	7.6	262	-10.2	RB	1
79	4	3	2	5.6	277	-7.6	6.5	265	-10.5	RB	1
79	4	3	3	5.2	281	-7.9	4.2	260	-11.3	RB	1
79	4	3	4	4.9	277	-7.9	3.4	250	-12.4	RB	1
79	4	3	5	4.4	279	-8.0	5.5	260	-11.9	RB	1
79	4	3	6	4.4	284	-8.1	5.0	260	-12.1	RB	1
79	4	3	7	3.2	232	-6.1	3.3	185	-8.8	RB	1
79	4	3	8	3.3	134	-4.5	3.4	90	-5.3	RB	1
79	4	3	9	3.0	254	-3.9	4.2	74	-3.5	RB	1
79	4	3	10	3.1	239	-2.3	4.7	64	-1.5	RB	1
79	4	3	11	5.4	250	-2.0	4.6	240	0.0	RB	1
79	4	3	12	8.4	268	-2.4	7.7	257	-0.1	RB	1
79	4	3	13	9.6	268	-1.6	8.5	265	0.6	RB	1
79	4	3	14	9.9	254	-1.7	8.9	251	0.1	RB	1
79	4	3	15	12.5	262	-1.2	8.7	278	0.7	RB	1
79	4	3	16	15.2	255	-1.8	11.0	259	1.1	RB	1
79	4	3	17	13.2	257	-2.6	10.3	241	-0.2	RB	1
79	4	3	18	11.8	296	-3.9	7.9	249	-2.8	RB	1
79	4	3	19	9.6	269	-4.1	2.6	240	-4.1	RB	1
79	4	3	20	6.2	322	-4.7	2.3	247	-5.5	RB	1
79	4	3	21	4.5	304	-5.4	4.6	267	-6.8	RB	1
79	4	3	22	5.9	266	-5.9	4.2	253	-6.9	RB	1
79	4	3	23	9.5	292	-5.4	4.7	257	-9.8	RB	1
79	4	3	24	13.1	263	-5.4	3.1	275	-9.6	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	4	4	1	13.9	255	-5.6	3.3	257	-9.5	RB 1
79	4	4	2	15.6	252	-5.6	5.5	232	-7.1	RB 1
79	4	4	3	18.0	263	-5.8	4.3	55	-8.8	RB 1
79	4	4	4	19.3	257	-5.5	1.9	120	-9.6	RB 1
79	4	4	5	15.2	267	-5.3	3.2	265	-9.1	RB 1
79	4	4	6	17.4	251	-4.4	3.9	354	-7.3	RB 1
79	4	4	7	19.5	249	-4.0	4.5	73	-5.8	RB 1
79	4	4	8	21.3	244	-3.6	5.9	69	-2.9	RB 1
79	4	4	9	19.5	243	-2.8	6.0	172	0.1	RB 1
79	4	4	10	13.9	231	-2.0	12.0	232	0.5	RB 1
79	4	4	11	11.8	218	-0.8	11.6	228	1.3	RB 1
79	4	4	12	10.8	208	0.0	8.9	233	2.3	RB 1
79	4	4	13	10.6	222	0.3	7.3	208	2.4	RB 1
79	4	4	14	11.3	217	0.2	9.9	224	1.9	RB 1
79	4	4	15	13.7	238	0.4	10.1	231	2.6	RB 1
79	4	4	16	13.3	232	0.7	9.5	233	2.7	RB 1
79	4	4	17	16.8	226	0.5	8.8	223	2.9	RB 1
79	4	4	18	15.8	230	1.3	2.6	204	3.1	RB 1
79	4	4	19	12.0	262	2.4	1.6	187	2.5	RB 1
79	4	4	20	14.0	269	2.6	1.9	266	1.4	RB 1
79	4	4	21	11.7	252	2.4	1.9	93	1.3	RB 1
79	4	4	22	15.1	247	2.3	2.2	269	0.8	RB 1
79	4	4	23	16.8	249	2.4	1.3	195	0.3	RB 1
79	4	4	24	12.4	248	2.3	4.0	211	0.9	RB 1
79	4	5	1	14.9	248	2.2	5.7	247	0.9	RB 1
79	4	5	2	11.5	242	1.9	1.8	210	-1.1	RB 1
79	4	5	3	8.3	242	1.6	5.6	257	-0.1	RB 1
79	4	5	4	14.2	265	1.9	4.1	259	-1.9	RB 1
79	4	5	5	14.7	268	2.3	5.7	263	-2.2	RB 1
79	4	5	6	15.8	272	2.4	4.3	267	-2.2	RB 1
79	4	5	7	7.4	256	3.1	2.4	304	1.5	RB 1
79	4	5	8	5.8	246	4.1	6.2	208	5.9	RB 1
79	4	5	9	8.2	264	4.5	7.4	260	6.7	RB 1
79	4	5	10	11.5	271	4.8	9.2	263	7.4	RB 1
79	4	5	11	10.1	252	5.5	9.8	255	7.9	RB 1
79	4	5	12	11.6	250	6.1	11.1	249	8.9	RB 1
79	4	5	13	8.3	237	7.3	9.2	233	9.8	RB 1
79	4	5	14	8.6	218	7.7	8.3	202	9.9	RB 1
79	4	5	15	8.8	207	8.1	8.6	209	10.6	RB 1
79	4	5	16	9.3	216	8.6	7.9	211	11.1	RB 1
79	4	5	17	9.0	208	8.7	7.6	184	10.9	RB 1
79	4	5	18	7.2	196	7.6	5.4	189	10.0	RB 1
79	4	5	19	10.3	202	6.4	5.0	248	5.1	RB 1
79	4	5	20	12.0	203	6.0	6.6	267	2.0	RB 1
79	4	5	21	11.8	204	6.2	6.4	265	1.5	RB 1
79	4	5	22	11.9	209	6.0	7.5	262	1.1	RB 1
79	4	5	23	11.4	207	5.8	5.8	256	0.9	RB 1
79	4	5	24	11.8	206	6.0	5.2	263	-1.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	4	6	1	11.7	200	5.7	4.9	262	-1.6	RB 1
79	4	6	2	13.3	211	5.7	4.2	264	-2.6	RB 1
79	4	6	3	13.2	211	5.5	2.7	257	-3.2	RB 1
79	4	6	4	11.7	203	5.0	4.2	265	-3.5	RB 1
79	4	6	5	14.1	206	5.0	4.0	264	-3.8	RB 1
79	4	6	6	13.5	208	5.1	3.7	268	-3.7	RB 1
79	4	6	7	10.8	194	6.1	2.6	211	0.2	RB 1
79	4	6	8	9.0	180	7.4	4.7	80	5.6	RB 1
79	4	6	9	11.8	185	8.5	6.7	176	10.6	RB 1
79	4	6	10	11.2	167	9.4	8.9	202	11.7	RB 1
79	4	6	11	13.4	168	9.6	9.7	194	12.1	RB 1
79	4	6	12	14.5	156	9.8	10.0	187	12.5	RB 1
79	4	6	13	15.0	201	11.2	10.0	187	13.4	RB 1
79	4	6	14	19.2	210	11.4	13.2	210	14.1	RB 1
79	4	6	15	19.6	215	11.6	12.5	219	14.5	RB 1
79	4	6	16	20.4	207	11.9	13.6	223	14.6	RB 1
79	4	6	17	16.1	211	11.5	8.1	212	13.8	RB 1
79	4	6	18	14.5	211	10.5	5.9	218	12.5	RB 1
79	4	6	19	14.0	220	9.9	3.3	259	6.4	RB 1
79	4	6	20	13.8	215	9.8	4.9	275	3.3	RB 1
79	4	6	21	14.0	214	9.3	6.0	272	2.4	RB 1
79	4	6	22	15.5	222	8.6	6.3	271	2.0	RB 1
79	4	6	23	18.1	226	8.5	7.2	251	3.0	RB 1
79	4	6	24	18.3	225	7.9	2.3	297	1.1	RB 1
79	4	7	1	17.8	232	7.9	2.0	78	0.5	RB 1
79	4	7	2	16.0	241	6.8	3.0	95	0.6	RB 1
79	4	7	3	16.7	236	6.3	3.4	93	-0.1	RB 1
79	4	7	4	15.6	228	6.2	2.9	211	-0.5	RB 1
79	4	7	5	14.4	232	5.8	5.3	265	-1.1	RB 1
79	4	7	6	15.2	235	5.6	4.8	268	-1.5	RB 1
79	4	7	7	13.5	233	6.5	3.4	263	2.7	RB 1
79	4	7	8	14.1	227	7.6	6.5	241	9.8	RB 1
79	4	7	9	14.9	228	8.5	9.9	225	11.5	RB 1
79	4	7	10	14.7	232	9.1	11.7	252	11.8	RB 1
79	4	7	11	14.5	250	9.5	13.6	251	12.5	RB 1
79	4	7	12	15.0	246	9.6	13.7	249	13.1	RB 1
79	4	7	13	17.0	226	10.2	13.7	234	13.3	RB 1
79	4	7	14	15.5	234	10.2	14.1	233	13.3	RB 1
79	4	7	15	18.3	249	10.1	14.8	249	13.7	RB 1
79	4	7	16	18.0	264	10.4	14.1	256	13.5	RB 1
79	4	7	17	17.4	258	10.6	12.5	249	13.1	RB 1
79	4	7	18	13.1	264	10.3	6.2	273	12.3	RB 1
79	4	7	19	11.3	306	8.5	4.3	285	9.6	RB 1
79	4	7	20	6.6	315	7.1	3.3	252	5.8	RB 1
79	4	7	21	6.2	52	4.7	3.2	128	3.8	RB 1
79	4	7	22	5.1	54	3.2	6.1	274	0.9	RB 1
79	4	7	23	4.4	6	2.5	7.1	270	-0.2	RB 1
79	4	7	24	2.5	292	1.3	7.2	272	-0.8	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	4	8	1	3.5	269	1.5	6.5	280	-1.3	RB	1
79	4	8	2	4.1	266	1.4	6.3	276	-1.9	RB	1
79	4	8	3	3.7	270	1.1	6.6	268	-2.5	RB	1
79	4	8	4	2.9	270	0.5	6.5	269	-2.9	RB	1
79	4	8	5	2.7	281	0.3	6.2	266	-3.6	RB	1
79	4	8	6	2.1	247	0.0	6.4	271	-3.4	RB	1
79	4	8	7	3.5	184	2.7	3.8	281	0.0	RB	1
79	4	8	8	6.0	106	3.9	3.1	114	5.3	RB	1
79	4	8	9	6.9	102	4.7	6.4	56	6.3	RB	1
79	4	8	10	6.5	107	5.8	5.9	94	7.9	RB	1
79	4	8	11	4.7	109	7.5	4.3	149	9.5	RB	1
79	4	8	12	5.4	238	8.6	4.3	144	10.9	RB	1
79	4	8	13	5.3	247	9.7	4.2	224	12.2	RB	1
79	4	8	14	5.2	308	10.8	5.2	258	13.2	RB	1
79	4	8	15	4.7	296	11.8	5.6	292	13.8	RB	1
79	4	8	16	6.2	275	11.8	6.0	280	14.1	RB	1
79	4	8	17	5.0	291	12.0	6.7	308	13.5	RB	1
79	4	8	18	4.1	288	11.3	5.4	301	12.3	RB	1
79	4	8	19	4.5	254	8.7	6.7	266	6.8	RB	1
79	4	8	20	4.9	262	7.7	6.8	264	4.1	RB	1
79	4	8	21	4.1	267	7.1	7.0	270	2.7	RB	1
79	4	8	22	3.0	182	6.9	7.4	270	1.6	RB	1
79	4	8	23	4.6	217	7.4	7.6	269	1.2	RB	1
79	4	8	24	5.4	192	7.7	7.5	269	0.9	RB	1
79	4	9	1	4.3	242	6.8	6.0	270	0.2	RB	1
79	4	9	2	5.1	272	6.1	4.2	257	-1.7	RB	1
79	4	9	3	3.1	280	5.6	4.8	268	-2.4	RB	1
79	4	9	4	1.7	154	4.6	4.6	267	-3.3	RB	1
79	4	9	5	2.8	282	4.2	6.2	263	-2.9	RB	1
79	4	9	6	3.2	146	4.4	6.2	259	-2.1	RB	1
79	4	9	7	2.7	131	6.5	2.7	209	1.1	RB	1
79	4	9	8	3.2	91	8.4	4.8	77	4.6	RB	1
79	4	9	9	3.7	120	10.1	4.0	75	8.4	RB	1
79	4	9	10	6.4	217	10.9	5.6	75	11.5	RB	1
79	4	9	11	6.1	258	11.0	6.3	239	12.9	RB	1
79	4	9	12	18.1	170	11.0	9.8	196	13.7	RB	1
79	4	9	13	18.1	197	10.9	13.6	206	13.1	RB	1
79	4	9	14	16.9	197	10.7	13.9	217	13.0	RB	1
79	4	9	15	16.7	215	10.1	13.2	223	12.6	RB	1
79	4	9	16	14.8	197	9.9	12.6	213	12.5	RB	1
79	4	9	17	12.9	204	9.0	8.0	198	11.4	RB	1
79	4	9	18	19.0	254	6.3	11.6	252	8.7	RB	1
79	4	9	19	11.4	248	2.8	9.2	232	5.1	RB	1
79	4	9	20	4.6	245	2.9	2.9	201	3.6	RB	1
79	4	9	21	4.5	158	2.9	3.1	208	3.8	RB	1
79	4	9	22	3.4	2	3.1	2.2	219	4.1	RB	1
79	4	9	23	6.0	262	1.7	3.8	216	3.1	RB	1
79	4	9	24	5.6	219	0.7	3.9	212	1.7	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	4	10	1	3.4	178	0.5	1.8	6	1.1	RB 1
79	4	10	2	4.6	141	0.8	2.0	72	1.2	RB 1
79	4	10	3	1.6	52	0.5	3.5	68	1.2	RB 1
79	4	10	4	999.9	60	0.2	3.5	51	1.1	RB 1
79	4	10	5	999.9	70	0.1	4.2	61	1.0	RB 1
79	4	10	6	999.9	39	-0.2	4.6	71	0.9	RB 1
79	4	10	7	999.9	22	-0.3	5.7	65	0.9	RB 1
79	4	10	8	999.9	40	-0.6	8.5	56	0.7	RB 1
79	4	10	9	999.9	36	-0.7	8.3	53	0.8	RB 1
79	4	10	10	999.9	5	-1.0	8.1	30	0.7	RB 1
79	4	10	11	999.9	2	-1.3	6.7	21	0.5	RB 1
79	4	10	12	999.9	322	-1.9	5.6	356	0.0	RB 1
79	4	10	13	999.9	329	-2.1	5.1	341	-0.3	RB 1
79	4	10	14	999.9	291	-2.2	4.2	21	-0.4	RB 1
79	4	10	15	999.9	319	-2.0	5.1	35	-1.0	RB 1
79	4	10	16	999.9	315	-2.0	3.7	9	-0.9	RB 1
79	4	10	17	999.9	314	-2.3	4.6	314	-1.0	RB 1
79	4	10	18	999.9	304	-2.7	1.5	2	-1.3	RB 1
79	4	10	19	999.9	296	-3.1	1.4	230	-1.5	RB 1
79	4	10	20	999.9	306	-3.3	2.9	303	-1.7	RB 1
79	4	10	21	999.9	297	-3.4	2.0	293	-2.1	RB 1
79	4	10	22	999.9	293	-3.3	3.6	263	-1.9	RB 1
79	4	10	23	999.9	280	-3.3	5.2	265	-1.9	RB 1
79	4	10	24	999.9	276	-3.8	4.9	253	-2.3	RB 1
79	4	11	1	999.9	281	-4.1	5.4	248	-2.7	RB 1
79	4	11	2	999.9	278	-4.3	6.4	253	-3.0	RB 1
79	4	11	3	999.9	280	-4.3	6.6	264	-2.8	RB 1
79	4	11	4	999.9	287	-4.2	8.0	268	-2.8	RB 1
79	4	11	5	999.9	287	-4.4	7.5	269	-2.9	RB 1
79	4	11	6	999.9	284	-4.7	4.7	270	-3.0	RB 1
79	4	11	7	6.3	288	-4.4	5.4	295	-2.6	RB 1
79	4	11	8	15.2	292	-4.1	6.0	315	-2.2	RB 1
79	4	11	9	12.5	291	-3.9	8.3	308	-1.9	RB 1
79	4	11	10	12.8	293	-3.5	7.9	303	-1.4	RB 1
79	4	11	11	13.2	294	-3.3	9.0	299	-1.0	RB 1
79	4	11	12	13.1	297	-3.0	9.8	291	-0.9	RB 1
79	4	11	13	13.0	298	-2.7	10.2	297	-0.8	RB 1
79	4	11	14	11.3	293	-2.1	8.8	308	-0.1	RB 1
79	4	11	15	10.3	287	-2.1	9.9	295	0.2	RB 1
79	4	11	16	11.5	278	-1.8	8.7	287	0.4	RB 1
79	4	11	17	8.2	279	-2.5	5.3	325	-0.8	RB 1
79	4	11	18	7.5	275	-2.7	3.4	179	-1.0	RB 1
79	4	11	19	3.4	261	-3.1	2.9	262	-1.2	RB 1
79	4	11	20	6.4	278	-3.4	4.3	275	-1.6	RB 1
79	4	11	21	5.6	289	-3.8	2.2	209	-1.8	RB 1
79	4	11	22	7.0	267	-3.2	4.4	233	-1.7	RB 1
79	4	11	23	6.0	273	-4.0	3.1	257	-3.3	RB 1
79	4	11	24	9.3	283	-4.3	2.1	192	-5.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	4	12	1	9.3	286	-4.7	1.6	183	-6.3	RB	1
79	4	12	2	9.0	281	-4.9	1.8	101	-5.7	RB	1
79	4	12	3	8.1	270	-5.1	2.8	260	-5.0	RB	1
79	4	12	4	11.7	274	-4.4	3.6	185	-4.2	RB	1
79	4	12	5	10.5	269	-4.7	3.4	61	-5.9	RB	1
79	4	12	6	9.4	262	-5.3	7.6	201	-4.7	RB	1
79	4	12	7	8.0	283	-4.2	3.8	83	-3.7	RB	1
79	4	12	8	8.5	303	-3.2	5.4	337	-0.7	RB	1
79	4	12	9	11.0	302	-2.7	7.5	325	-0.4	RB	1
79	4	12	10	11.9	308	-2.3	7.3	318	-0.1	RB	1
79	4	12	11	11.9	303	-2.4	7.2	313	0.0	RB	1
79	4	12	12	11.9	303	-2.4	8.7	319	1.3	RB	1
79	4	12	13	11.9	303	-2.4	11.6	306	1.8	RB	1
79	4	12	14	8.4	298	-2.0	10.7	297	1.1	RB	1
79	4	12	15	14.5	300	-2.2	12.7	283	0.4	RB	1
79	4	12	16	13.2	261	-2.5	11.0	239	0.4	RB	1
79	4	12	17	11.6	269	-0.4	8.2	241	2.5	RB	1
79	4	12	18	15.7	249	-2.6	12.1	256	0.2	RB	1
79	4	12	19	8.7	242	-2.8	6.8	242	-1.4	RB	1
79	4	12	20	8.8	249	-2.9	7.2	235	-2.1	RB	1
79	4	12	21	13.2	266	-2.3	2.8	256	-3.3	RB	1
79	4	12	22	11.4	272	-2.5	4.7	237	-2.4	RB	1
79	4	12	23	9.0	246	-3.3	4.0	261	-4.2	RB	1
79	4	12	24	8.9	238	-3.7	4.3	263	-5.2	RB	1
79	4	13	1	7.8	223	-3.9	4.1	269	-5.9	RB	1
79	4	13	2	6.4	235	-4.4	5.1	265	-6.6	RB	1
79	4	13	3	5.4	195	-4.1	5.4	269	-6.7	RB	1
79	4	13	4	4.1	180	-3.5	4.0	256	-6.6	RB	1
79	4	13	5	6.9	180	-2.8	2.0	272	-7.6	RB	1
79	4	13	6	5.7	190	-2.2	2.9	204	-6.5	RB	1
79	4	13	7	10.6	200	-0.9	4.2	160	-4.1	RB	1
79	4	13	8	9.9	210	-0.2	3.8	109	-0.7	RB	1
79	4	13	9	9.9	197	0.4	8.9	232	2.6	RB	1
79	4	13	10	12.9	210	0.9	12.7	232	3.2	RB	1
79	4	13	11	15.6	218	3.0	13.4	228	5.7	RB	1
79	4	13	12	17.2	225	4.5	13.0	235	6.9	RB	1
79	4	13	13	17.1	229	5.6	12.6	219	7.8	RB	1
79	4	13	14	16.2	227	6.3	14.1	222	9.1	RB	1
79	4	13	15	16.0	225	6.5	15.1	224	9.4	RB	1
79	4	13	16	14.2	223	6.7	12.4	222	9.5	RB	1
79	4	13	17	12.6	231	6.6	11.0	222	9.6	RB	1
79	4	13	18	11.0	238	6.8	7.6	231	8.7	RB	1
79	4	13	19	8.9	222	5.4	4.8	249	5.8	RB	1
79	4	13	20	10.3	207	4.7	5.2	268	1.7	RB	1
79	4	13	21	11.5	213	5.0	7.0	276	0.6	RB	1
79	4	13	22	11.0	215	5.2	5.0	280	0.1	RB	1
79	4	13	23	10.6	216	5.3	6.3	272	-0.1	RB	1
79	4	13	24	5.4	238	4.7	7.2	269	-0.4	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	4	14	1	7.4	220	4.9	7.3	262	-0.9	RB	1
79	4	14	2	5.0	236	4.5	999.9	274	-0.8	RB	1
79	4	14	3	5.8	248	4.6	999.9	270	-1.0	RB	1
79	4	14	4	5.8	265	4.9	999.9	268	-0.8	RB	1
79	4	14	5	6.7	250	5.0	7.6	271	-0.9	RB	1
79	4	14	6	6.6	246	4.9	7.2	274	-0.5	RB	1
79	4	14	7	4.2	147	6.9	4.4	311	3.8	RB	1
79	4	14	8	8.5	230	8.3	4.3	68	8.2	RB	1
79	4	14	9	8.7	234	8.9	7.8	243	11.3	RB	1
79	4	14	10	8.1	258	9.7	10.3	264	12.1	RB	1
79	4	14	11	8.8	231	10.5	9.1	268	12.8	RB	1
79	4	14	12	9.9	229	10.9	8.4	273	13.0	RB	1
79	4	14	13	7.4	288	11.0	7.3	269	13.5	RB	1
79	4	14	14	7.6	284	11.9	9.3	272	14.3	RB	1
79	4	14	15	8.1	225	12.5	5.7	216	14.7	RB	1
79	4	14	16	11.3	222	12.8	8.4	231	15.0	RB	1
79	4	14	17	11.2	214	12.7	8.8	223	15.0	RB	1
79	4	14	18	10.8	209	11.7	8.2	218	14.2	RB	1
79	4	14	19	9.4	195	10.0	7.1	248	9.3	RB	1
79	4	14	20	9.7	189	9.6	7.7	267	5.4	RB	1
79	4	14	21	11.1	205	9.6	7.8	273	4.2	RB	1
79	4	14	22	7.4	208	9.5	8.2	276	3.2	RB	1
79	4	14	23	4.9	264	8.5	8.2	272	2.7	RB	1
79	4	14	24	11.8	206	9.8	7.3	263	2.4	RB	1
79	4	15	1	11.9	203	9.3	8.4	260	2.5	RB	1
79	4	15	2	13.6	209	9.3	6.8	268	2.3	RB	1
79	4	15	3	14.4	202	9.1	5.9	269	2.1	RB	1
79	4	15	4	13.3	201	9.0	3.6	268	1.3	RB	1
79	4	15	5	13.4	208	9.2	5.5	264	1.4	RB	1
79	4	15	6	13.5	216	9.7	5.8	274	1.3	RB	1
79	4	15	7	11.2	215	11.2	5.0	250	6.8	RB	1
79	4	15	8	9.7	203	12.3	6.8	165	13.5	RB	1
79	4	15	9	11.1	207	12.9	9.3	180	14.9	RB	1
79	4	15	10	14.5	204	13.8	13.1	229	16.1	RB	1
79	4	15	11	14.6	193	14.2	10.7	200	16.2	RB	1
79	4	15	12	13.6	209	14.8	12.0	219	17.0	RB	1
79	4	15	13	16.5	195	15.2	12.2	210	17.4	RB	1
79	4	15	14	15.7	201	15.3	12.5	217	17.6	RB	1
79	4	15	15	11.9	207	15.7	11.2	223	17.9	RB	1
79	4	15	16	9.6	214	15.9	9.2	224	18.2	RB	1
79	4	15	17	11.8	190	15.2	9.4	214	17.8	RB	1
79	4	15	18	8.9	188	13.6	7.0	213	16.4	RB	1
79	4	15	19	10.9	206	12.6	7.3	254	10.2	RB	1
79	4	15	20	12.0	216	12.3	6.9	251	6.8	RB	1
79	4	15	21	12.8	217	12.5	7.1	249	6.3	RB	1
79	4	15	22	12.5	215	13.0	7.3	251	5.0	RB	1
79	4	15	23	12.8	220	13.4	7.2	253	5.6	RB	1
79	4	15	24	12.4	217	13.5	4.1	262	2.9	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	4	16	1	11.1	213	11.9	5.6	268	1.0	RB	1
79	4	16	2	7.0	130	10.2	4.2	259	-0.1	RB	1
79	4	16	3	3.2	15	8.4	6.2	262	0.4	RB	1
79	4	16	4	4.3	188	8.7	7.8	261	0.5	RB	1
79	4	16	5	12.6	207	10.2	6.7	259	0.2	RB	1
79	4	16	6	13.2	209	10.8	4.8	265	0.2	RB	1
79	4	16	7	10.9	208	12.8	1.7	218	6.5	RB	1
79	4	16	8	12.3	182	13.7	6.9	161	14.9	RB	1
79	4	16	9	13.6	185	14.7	9.4	191	17.0	RB	1
79	4	16	10	10.8	135	15.3	10.3	212	17.9	RB	1
79	4	16	11	999.9	999	999.9	9.5	186	18.0	RB	1
79	4	16	12	999.9	999	999.9	10.7	210	18.5	RB	1
79	4	16	13	999.9	999	999.9	12.7	227	18.7	RB	1
79	4	16	14	999.9	999	999.9	9.0	181	19.0	RB	1
79	4	16	15	999.9	999	999.9	8.7	201	19.3	RB	1
79	4	16	16	9.9	176	16.6	9.3	218	19.5	RB	1
79	4	16	17	9.2	159	16.9	7.4	202	19.6	RB	1
79	4	16	18	8.4	198	15.9	5.2	191	18.8	RB	1
79	4	16	19	10.0	212	14.0	6.0	260	12.4	RB	1
79	4	16	20	11.2	218	13.2	6.4	267	8.1	RB	1
79	4	16	21	11.9	220	12.5	5.0	268	7.0	RB	1
79	4	16	22	10.9	209	12.0	4.6	260	4.2	RB	1
79	4	16	23	8.4	175	11.3	7.1	263	3.6	RB	1
79	4	16	24	6.5	193	11.1	6.5	258	3.1	RB	1
79	4	17	1	3.7	182	10.6	4.8	258	2.8	RB	1
79	4	17	2	8.3	161	10.3	6.1	262	3.0	RB	1
79	4	17	3	11.4	197	11.1	7.0	273	3.7	RB	1
79	4	17	4	13.2	198	10.9	4.4	263	2.6	RB	1
79	4	17	5	11.8	203	10.0	4.6	268	2.2	RB	1
79	4	17	6	10.1	191	8.9	6.5	260	3.9	RB	1
79	4	17	7	11.1	177	8.5	4.1	237	7.2	RB	1
79	4	17	8	12.4	167	11.0	6.7	197	12.9	RB	1
79	4	17	9	14.1	167	12.5	10.2	183	15.1	RB	1
79	4	17	10	16.3	178	13.8	11.7	191	16.1	RB	1
79	4	17	11	22.3	185	15.0	13.9	202	17.5	RB	1
79	4	17	12	21.6	186	15.7	15.2	203	18.1	RB	1
79	4	17	13	19.5	199	15.9	13.4	202	18.3	RB	1
79	4	17	14	18.9	206	15.2	15.7	220	18.1	RB	1
79	4	17	15	16.4	192	15.6	12.3	211	17.8	RB	1
79	4	17	16	17.3	187	15.4	12.0	201	17.9	RB	1
79	4	17	17	12.7	189	14.9	10.0	209	17.5	RB	1
79	4	17	18	12.4	169	14.0	5.3	208	16.4	RB	1
79	4	17	19	15.7	181	13.1	6.3	228	14.5	RB	1
79	4	17	20	15.6	180	11.8	7.2	234	13.5	RB	1
79	4	17	21	12.8	179	11.3	5.6	255	8.6	RB	1
79	4	17	22	10.9	185	10.5	6.5	251	6.9	RB	1
79	4	17	23	9.4	206	10.0	5.1	258	5.1	RB	1
79	4	17	24	7.9	199	9.7	4.0	269	3.5	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	4	18	1	10.5	187	9.4	5.7	263	2.1	RB 1
79	4	18	2	10.9	173	9.4	6.5	270	1.5	RB 1
79	4	18	3	10.5	168	8.5	6.7	270	2.1	RB 1
79	4	18	4	7.9	164	7.9	7.7	269	1.8	RB 1
79	4	18	5	7.8	176	7.9	7.4	271	2.1	RB 1
79	4	18	6	9.2	174	7.4	8.0	267	3.3	RB 1
79	4	18	7	13.3	174	9.0	10.5	227	10.3	RB 1
79	4	18	8	17.9	180	9.8	14.4	222	12.0	RB 1
79	4	18	9	22.6	193	10.3	16.5	215	12.7	RB 1
79	4	18	10	21.5	191	11.1	16.8	208	13.3	RB 1
79	4	18	11	23.1	185	11.4	15.5	201	13.5	RB 1
79	4	18	12	999.9	999	12.1	999.9	999	13.5	RB 1
79	4	18	13	999.9	999	12.5	999.9	999	13.5	RB 1
79	4	18	14	999.9	999	12.6	999.9	999	14.0	RB 1
79	4	18	15	19.5	197	13.2	17.3	220	15.4	RB 1
79	4	18	16	20.3	204	13.2	16.4	226	15.9	RB 1
79	4	18	17	17.1	215	13.3	12.6	216	15.9	RB 1
79	4	18	18	15.0	223	12.1	11.6	228	14.6	RB 1
79	4	18	19	11.3	244	10.5	6.8	250	11.1	RB 1
79	4	18	20	12.2	231	10.2	6.4	247	8.5	RB 1
79	4	18	21	11.0	265	8.1	7.6	250	8.7	RB 1
79	4	18	22	15.1	271	6.6	7.5	217	7.9	RB 1
79	4	18	23	11.6	262	5.8	5.4	239	6.3	RB 1
79	4	18	24	13.4	265	5.3	3.9	16	4.2	RB 1
79	4	19	1	18.7	270	2.6	9.7	253	4.3	RB 1
79	4	19	2	9.4	203	2.2	6.9	227	3.9	RB 1
79	4	19	3	8.0	273	2.5	4.8	345	3.9	RB 1
79	4	19	4	2.6	159	1.2	2.4	311	1.6	RB 1
79	4	19	5	3.3	298	-0.1	4.9	272	-0.2	RB 1
79	4	19	6	7.7	261	0.4	5.2	278	-0.4	RB 1
79	4	19	7	2.7	152	1.5	3.9	268	1.6	RB 1
79	4	19	8	5.3	154	3.4	4.4	250	5.6	RB 1
79	4	19	9	10.1	260	3.7	7.5	252	6.5	RB 1
79	4	19	10	11.9	258	4.1	999.9	999	999.9	RB 1
79	4	19	11	8.9	264	4.1	999.9	999	999.9	RB 1
79	4	19	12	11.8	241	5.1	999.9	999	999.9	RB 1
79	4	19	13	11.7	286	4.6	999.9	999	999.9	RB 1
79	4	19	14	13.3	276	5.2	999.9	999	999.9	RB 1
79	4	19	15	15.8	277	2.7	16.2	264	5.6	RB 1
79	4	19	16	9.1	225	2.9	8.2	227	4.4	RB 1
79	4	19	17	7.4	164	2.7	7.6	232	3.9	RB 1
79	4	19	18	2.7	179	2.5	2.8	255	4.1	RB 1
79	4	19	19	4.1	267	2.3	3.0	266	1.1	RB 1
79	4	19	20	8.0	267	1.6	5.4	260	-1.2	RB 1
79	4	19	21	5.8	323	0.7	3.4	231	-1.5	RB 1
79	4	19	22	3.8	1	0.2	5.6	256	-2.2	RB 1
79	4	19	23	5.2	353	-0.6	6.0	266	-3.7	RB 1
79	4	19	24	4.2	303	-1.5	7.0	268	-3.8	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	4	20	1	3.8	286	-2.0	6.3	276	-4.0	RB 1
79	4	20	2	4.0	275	-2.2	6.5	277	-4.2	RB 1
79	4	20	3	3.7	272	-2.4	6.2	279	-4.7	RB 1
79	4	20	4	3.1	276	-2.6	6.2	281	-5.1	RB 1
79	4	20	5	3.4	275	-3.0	6.5	277	-5.4	RB 1
79	4	20	6	2.9	264	-2.5	5.8	279	-5.1	RB 1
79	4	20	7	2.0	297	-0.9	3.5	292	-1.6	RB 1
79	4	20	8	3.3	104	1.3	4.0	36	2.2	RB 1
79	4	20	9	4.0	359	2.5	5.4	89	3.8	RB 1
79	4	20	10	7.2	257	4.1	6.0	354	6.2	RB 1
79	4	20	11	10.2	252	5.0	10.6	253	7.6	RB 1
79	4	20	12	11.5	255	6.1	12.5	245	8.7	RB 1
79	4	20	13	11.8	266	7.1	13.6	258	9.5	RB 1
79	4	20	14	8.2	246	8.2	10.1	267	10.5	RB 1
79	4	20	15	7.6	256	8.9	9.8	268	11.2	RB 1
79	4	20	16	8.2	215	9.4	7.1	269	11.7	RB 1
79	4	20	17	9.9	149	9.0	7.1	201	11.7	RB 1
79	4	20	18	8.7	163	8.3	5.9	175	10.8	RB 1
79	4	20	19	8.3	194	7.0	4.8	215	8.3	RB 1
79	4	20	20	7.1	226	6.5	5.7	262	4.2	RB 1
79	4	20	21	4.7	256	5.4	6.2	263	2.6	RB 1
79	4	20	22	5.7	251	5.9	8.0	269	1.9	RB 1
79	4	20	23	8.0	253	5.2	7.3	269	1.7	RB 1
79	4	20	24	5.7	234	5.3	3.8	265	0.9	RB 1
79	4	21	1	2.1	228	4.9	3.5	302	0.5	RB 1
79	4	21	2	3.7	263	5.1	4.6	254	-0.8	RB 1
79	4	21	3	4.6	229	5.8	5.9	263	-1.4	RB 1
79	4	21	4	4.5	228	6.2	6.1	271	-0.2	RB 1
79	4	21	5	4.0	243	6.0	2.9	260	-1.7	RB 1
79	4	21	6	4.0	166	6.4	3.4	257	-1.2	RB 1
79	4	21	7	2.6	59	7.0	2.8	262	3.1	RB 1
79	4	21	8	7.7	166	9.5	3.4	94	8.1	RB 1
79	4	21	9	10.3	193	10.5	5.9	158	12.6	RB 1
79	4	21	10	8.4	197	11.8	7.4	222	14.1	RB 1
79	4	21	11	12.4	199	13.0	9.1	221	15.2	RB 1
79	4	21	12	15.4	206	13.7	10.9	202	16.1	RB 1
79	4	21	13	14.4	214	13.5	12.0	207	16.0	RB 1
79	4	21	14	14.2	208	13.6	11.8	222	16.0	RB 1
79	4	21	15	16.3	223	14.2	12.2	223	16.7	RB 1
79	4	21	16	16.7	214	14.4	13.5	227	17.0	RB 1
79	4	21	17	13.9	205	14.4	11.1	216	17.0	RB 1
79	4	21	18	11.1	221	13.6	8.3	226	15.9	RB 1
79	4	21	19	10.7	221	12.1	7.2	253	11.0	RB 1
79	4	21	20	8.5	233	10.9	7.6	265	6.5	RB 1
79	4	21	21	7.5	237	10.9	7.8	257	5.7	RB 1
79	4	21	22	7.7	232	10.7	7.0	272	5.7	RB 1
79	4	21	23	5.6	264	9.1	7.8	277	5.0	RB 1
79	4	21	24	7.5	249	9.4	7.3	272	3.3	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	4	22	1	8.2	248	9.7	5.4	262	2.9	RB	1
79	4	22	2	7.7	235	10.6	6.1	267	2.6	RB	1
79	4	22	3	10.7	216	10.4	5.7	275	1.4	RB	1
79	4	22	4	11.7	210	9.6	5.0	260	-0.6	RB	1
79	4	22	5	13.1	213	9.5	5.2	269	-1.1	RB	1
79	4	22	6	10.3	200	9.3	5.2	266	-0.3	RB	1
79	4	22	7	11.3	178	10.7	3.0	197	6.6	RB	1
79	4	22	8	12.4	188	11.3	7.5	178	13.1	RB	1
79	4	22	9	13.7	185	12.3	8.6	162	14.3	RB	1
79	4	22	10	14.6	178	12.7	10.4	198	15.0	RB	1
79	4	22	11	16.5	191	14.0	10.4	189	16.2	RB	1
79	4	22	12	18.4	200	14.7	12.4	199	17.3	RB	1
79	4	22	13	17.9	200	15.1	13.2	205	17.6	RB	1
79	4	22	14	16.4	191	15.3	11.8	218	18.1	RB	1
79	4	22	15	16.0	197	15.2	11.3	211	17.7	RB	1
79	4	22	16	14.8	218	14.8	11.0	223	17.3	RB	1
79	4	22	17	12.6	203	14.6	9.5	227	17.0	RB	1
79	4	22	18	8.7	209	13.7	7.0	227	16.0	RB	1
79	4	22	19	8.9	205	12.8	4.7	252	12.9	RB	1
79	4	22	20	9.5	207	12.5	6.5	271	9.8	RB	1
79	4	22	21	10.9	212	11.9	7.7	270	7.2	RB	1
79	4	22	22	11.4	216	11.5	7.9	275	6.1	RB	1
79	4	22	23	12.2	225	11.3	6.6	265	4.6	RB	1
79	4	22	24	15.2	221	11.6	5.4	267	3.5	RB	1
79	4	23	1	12.9	216	11.3	5.6	265	2.3	RB	1
79	4	23	2	11.0	206	11.0	7.4	272	2.6	RB	1
79	4	23	3	11.3	203	10.6	8.1	271	3.0	RB	1
79	4	23	4	9.7	196	10.4	8.7	275	3.3	RB	1
79	4	23	5	10.2	200	9.9	7.0	273	2.3	RB	1
79	4	23	6	8.5	191	9.5	6.7	268	2.3	RB	1
79	4	23	7	7.0	167	10.5	4.0	348	7.8	RB	1
79	4	23	8	13.5	201	11.8	7.3	158	13.2	RB	1
79	4	23	9	15.6	200	12.6	10.3	193	14.6	RB	1
79	4	23	10	18.8	204	13.1	14.3	214	15.4	RB	1
79	4	23	11	18.9	214	13.7	14.9	212	15.3	RB	1
79	4	23	12	999.9	999	999.9	999.9	999	999.9	RB	1
79	4	23	13	999.9	999	999.9	999.9	999	999.9	RB	1
79	4	23	14	999.9	999	999.9	999.9	999	999.9	RB	1
79	4	23	15	999.9	999	999.9	999.9	999	999.9	RB	1
79	4	23	16	17.3	208	15.7	13.1	211	18.0	RB	1
79	4	23	17	15.9	210	15.2	10.9	222	17.5	RB	1
79	4	23	18	15.2	218	14.5	9.9	228	16.7	RB	1
79	4	23	19	12.7	216	13.4	6.6	236	14.6	RB	1
79	4	23	20	13.3	215	12.9	4.8	257	12.4	RB	1
79	4	23	21	13.5	220	12.6	6.0	254	11.2	RB	1
79	4	23	22	9.7	219	12.1	6.7	251	9.4	RB	1
79	4	23	23	9.1	206	11.4	6.9	256	8.2	RB	1
79	4	23	24	11.6	218	11.8	7.4	249	8.5	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	4	24	1	11.8	238	11.6	4.9	260	6.9	RB 1
79	4	24	2	12.3	261	10.5	4.9	261	9.2	RB 1
79	4	24	3	5.6	299	8.0	5.0	10	7.8	RB 1
79	4	24	4	5.6	58	4.6	5.9	69	5.7	RB 1
79	4	24	5	3.8	347	3.1	3.5	184	4.7	RB 1
79	4	24	6	2.8	283	3.1	3.5	266	4.3	RB 1
79	4	24	7	2.7	296	4.2	3.2	238	5.5	RB 1
79	4	24	8	3.1	182	6.5	4.2	309	8.0	RB 1
79	4	24	9	3.4	107	8.2	3.2	121	9.7	RB 1
79	4	24	10	13.3	196	10.6	6.5	98	11.4	RB 1
79	4	24	11	11.3	256	10.9	12.0	254	13.4	RB 1
79	4	24	12	12.1	265	11.2	9.9	248	13.9	RB 1
79	4	24	13	12.1	258	11.8	12.0	254	14.4	RB 1
79	4	24	14	18.4	240	12.1	11.7	252	14.5	RB 1
79	4	24	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	4	24	16	13.0	243	12.1	9.4	284	14.3	RB 1
79	4	24	17	7.1	296	11.2	8.4	294	13.4	RB 1
79	4	24	18	11.3	239	11.1	7.4	256	13.0	RB 1
79	4	24	19	10.4	276	10.7	8.1	255	12.7	RB 1
79	4	24	20	13.9	299	9.5	8.6	289	11.4	RB 1
79	4	24	21	9.0	321	8.1	4.7	12	9.0	RB 1
79	4	24	22	8.0	55	5.7	8.2	57	7.5	RB 1
79	4	24	23	10.4	25	3.9	6.3	31	6.3	RB 1
79	4	24	24	7.1	7	0.8	3.6	27	3.4	RB 1
79	4	25	1	3.7	46	0.3	4.1	55	1.9	RB 1
79	4	25	2	4.9	21	0.2	4.1	69	1.7	RB 1
79	4	25	3	5.0	31	0.2	2.9	92	1.7	RB 1
79	4	25	4	3.2	89	-0.2	3.0	160	1.3	RB 1
79	4	25	5	3.9	192	-0.5	3.8	257	0.0	RB 1
79	4	25	6	3.4	240	0.0	4.2	278	0.0	RB 1
79	4	25	7	3.0	302	1.0	2.8	299	2.8	RB 1
79	4	25	8	5.7	3	2.1	4.8	24	4.4	RB 1
79	4	25	9	4.0	42	4.1	6.5	92	4.8	RB 1
79	4	25	10	4.8	25	4.6	7.1	67	6.0	RB 1
79	4	25	11	6.1	38	5.7	5.6	62	7.5	RB 1
79	4	25	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	4	25	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	4	25	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	4	25	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	4	25	16	8.4	274	8.9	7.5	291	11.5	RB 1
79	4	25	17	12.6	285	8.8	8.6	285	11.2	RB 1
79	4	25	18	10.4	287	8.8	7.2	295	10.9	RB 1
79	4	25	19	6.0	306	6.8	3.0	284	7.5	RB 1
79	4	25	20	3.8	289	4.9	6.7	260	3.1	RB 1
79	4	25	21	5.0	283	4.2	7.4	273	1.5	RB 1
79	4	25	22	4.2	268	4.5	7.0	272	1.0	RB 1
79	4	25	23	3.2	272	4.4	7.0	279	0.8	RB 1
79	4	25	24	4.1	278	3.6	7.6	280	0.0	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	4	26	1	3.9	281	3.1	7.3	282	-0.6	RB	1
79	4	26	2	3.9	279	2.6	7.4	276	-1.2	RB	1
79	4	26	3	2.8	265	2.2	7.3	276	-1.8	RB	1
79	4	26	4	1.4	276	1.1	7.5	278	-2.5	RB	1
79	4	26	5	2.1	262	0.9	7.3	274	-3.2	RB	1
79	4	26	6	2.3	270	1.5	6.2	276	-2.2	RB	1
79	4	26	7	3.9	61	3.6	3.1	298	3.0	RB	1
79	4	26	8	5.3	97	4.6	5.5	53	6.3	RB	1
79	4	26	9	6.4	130	5.6	5.4	85	7.2	RB	1
79	4	26	10	6.3	180	7.4	4.6	35	9.1	RB	1
79	4	26	11	999.9	999	999.9	999.9	999	999.9	RB	1
79	4	26	12	999.9	999	999.9	999.9	999	999.9	RB	1
79	4	26	13	999.9	999	999.9	999.9	999	999.9	RB	1
79	4	26	14	999.9	999	999.9	999.9	999	999.9	RB	1
79	4	26	15	999.9	999	999.9	999.9	999	999.9	RB	1
79	4	26	16	16.2	271	11.2	12.5	269	13.7	RB	1
79	4	26	17	13.4	289	10.7	11.5	254	13.2	RB	1
79	4	26	18	13.4	282	10.3	8.5	263	12.6	RB	1
79	4	26	19	10.2	265	8.8	6.0	257	8.6	RB	1
79	4	26	20	8.1	246	7.4	8.8	271	5.4	RB	1
79	4	26	21	12.6	221	7.7	7.8	263	3.7	RB	1
79	4	26	22	11.8	226	7.7	6.5	256	3.0	RB	1
79	4	26	23	8.9	255	6.4	6.6	275	2.3	RB	1
79	4	26	24	10.5	264	6.1	4.1	345	1.3	RB	1
79	4	27	1	7.6	293	6.1	4.4	216	0.0	RB	1
79	4	27	2	5.1	4	5.5	6.6	269	-0.8	RB	1
79	4	27	3	4.5	313	4.4	3.9	264	-1.4	RB	1
79	4	27	4	4.0	297	2.8	6.7	271	-2.4	RB	1
79	4	27	5	4.0	265	2.8	6.7	276	-1.5	RB	1
79	4	27	6	3.4	262	3.6	5.5	275	-0.7	RB	1
79	4	27	7	2.7	40	5.7	2.9	50	4.0	RB	1
79	4	27	8	3.5	51	7.1	5.0	74	6.3	RB	1
79	4	27	9	5.3	113	8.0	4.4	79	8.9	RB	1
79	4	27	10	5.5	110	9.3	5.8	50	10.6	RB	1
79	4	27	11	6.1	59	10.4	4.3	327	12.5	RB	1
79	4	27	12	6.2	6	11.7	6.1	353	13.5	RB	1
79	4	27	13	8.4	270	12.7	6.4	313	15.0	RB	1
79	4	27	14	8.7	256	13.5	8.6	272	15.7	RB	1
79	4	27	15	13.2	275	13.6	8.9	275	16.1	RB	1
79	4	27	16	14.1	274	13.1	12.2	262	15.9	RB	1
79	4	27	17	16.6	273	12.0	13.7	257	14.8	RB	1
79	4	27	18	15.6	265	9.8	14.4	249	12.6	RB	1
79	4	27	19	10.2	258	9.3	7.2	248	11.2	RB	1
79	4	27	20	12.5	240	7.8	5.1	246	8.0	RB	1
79	4	27	21	11.1	231	7.3	7.8	244	6.8	RB	1
79	4	27	22	9.8	251	6.8	7.7	251	5.5	RB	1
79	4	27	23	9.9	242	7.0	7.1	238	5.1	RB	1
79	4	27	24	11.9	255	7.0	6.0	281	2.8	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	4	28	1	13.2	263	6.4	4.4	271	0.7	RB	1
79	4	28	2	12.2	293	6.0	4.1	276	4.5	RB	1
79	4	28	3	7.7	288	5.3	5.5	262	5.6	RB	1
79	4	28	4	9.8	269	5.1	4.9	273	3.4	RB	1
79	4	28	5	9.7	259	4.4	6.3	280	2.3	RB	1
79	4	28	6	9.2	257	4.8	5.5	257	3.9	RB	1
79	4	28	7	9.3	281	6.3	5.6	257	7.5	RB	1
79	4	28	8	12.7	306	7.7	9.6	286	10.2	RB	1
79	4	28	9	12.6	322	8.1	10.0	343	10.0	RB	1
79	4	28	10	14.8	19	6.2	11.3	26	8.0	RB	1
79	4	28	11	10.8	14	7.0	8.5	27	9.0	RB	1
79	4	28	12	9.0	25	8.0	7.5	24	10.1	RB	1
79	4	28	13	9.9	19	8.8	8.0	16	10.8	RB	1
79	4	28	14	9.4	330	10.5	6.1	359	12.3	RB	1
79	4	28	15	9.1	340	10.6	8.3	24	12.2	RB	1
79	4	28	16	7.6	52	9.1	7.5	60	11.6	RB	1
79	4	28	17	7.1	27	9.9	6.7	34	12.5	RB	1
79	4	28	18	6.5	33	9.9	5.0	31	12.2	RB	1
79	4	28	19	5.0	12	8.8	3.5	310	8.9	RB	1
79	4	28	20	5.1	10	7.7	7.0	264	3.7	RB	1
79	4	28	21	3.7	321	6.4	9.1	264	2.5	RB	1
79	4	28	22	3.8	281	6.0	8.2	268	1.9	RB	1
79	4	28	23	4.6	258	5.9	7.0	269	1.9	RB	1
79	4	28	24	5.6	259	5.9	6.0	270	3.1	RB	1
79	4	29	1	3.0	257	5.1	7.7	274	1.3	RB	1
79	4	29	2	4.1	264	5.2	6.7	274	0.2	RB	1
79	4	29	3	3.1	302	4.5	5.3	268	-1.5	RB	1
79	4	29	4	3.7	296	2.9	6.9	271	-1.9	RB	1
79	4	29	5	2.8	289	2.6	5.9	266	-2.0	RB	1
79	4	29	6	2.4	297	2.9	4.5	273	-1.0	RB	1
79	4	29	7	2.7	344	4.7	1.8	132	4.8	RB	1
79	4	29	8	4.4	36	6.4	5.2	58	6.8	RB	1
79	4	29	9	4.7	68	8.1	4.1	53	9.0	RB	1
79	4	29	10	6.1	87	9.8	5.6	66	11.3	RB	1
79	4	29	11	6.9	38	11.2	7.1	66	12.8	RB	1
79	4	29	12	6.7	62	11.8	7.6	89	13.7	RB	1
79	4	29	13	10.3	283	11.7	6.9	31	14.8	RB	1
79	4	29	14	14.4	251	10.4	10.8	266	14.2	RB	1
79	4	29	15	17.0	272	9.3	14.6	249	11.9	RB	1
79	4	29	16	12.5	268	9.5	10.2	237	11.8	RB	1
79	4	29	17	8.6	272	10.2	10.6	248	13.1	RB	1
79	4	29	18	8.8	262	10.1	8.8	251	12.8	RB	1
79	4	29	19	11.9	260	9.3	7.8	243	9.7	RB	1
79	4	29	20	9.9	301	8.8	3.5	283	8.9	RB	1
79	4	29	21	4.1	153	8.4	5.4	212	6.7	RB	1
79	4	29	22	7.1	237	8.3	6.6	270	4.7	RB	1
79	4	29	23	8.3	251	7.1	4.1	261	3.0	RB	1
79	4	29	24	9.2	261	6.9	3.8	265	1.8	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	4	30	1	9.8	261	6.7	2.1	221	0.8	RB 1
79	4	30	2	9.5	253	6.9	1.8	45	2.1	RB 1
79	4	30	3	6.5	289	6.5	2.5	277	2.4	RB 1
79	4	30	4	3.0	290	4.8	6.8	272	1.1	RB 1
79	4	30	5	2.8	241	5.0	7.4	278	0.5	RB 1
79	4	30	6	2.6	223	6.1	5.9	277	1.9	RB 1
79	4	30	7	2.4	333	8.7	4.4	59	5.8	RB 1
79	4	30	8	3.9	28	10.2	5.3	61	9.2	RB 1
79	4	30	9	8.5	251	10.6	6.3	10	11.8	RB 1
79	4	30	10	8.6	267	11.2	8.0	283	13.7	RB 1
79	4	30	11	10.9	263	12.0	11.3	276	14.0	RB 1
79	4	30	12	13.5	269	12.8	12.6	263	15.4	RB 1
79	4	30	13	14.6	281	13.4	13.0	265	15.7	RB 1
79	4	30	14	14.1	290	13.8	12.1	255	16.4	RB 1
79	4	30	15	15.4	266	13.8	12.7	257	16.5	RB 1
79	4	30	16	12.0	204	12.8	10.9	241	15.7	RB 1
79	4	30	17	12.7	203	11.8	12.6	231	14.8	RB 1
79	4	30	18	8.1	220	10.9	8.8	232	13.3	RB 1
79	4	30	19	6.8	211	9.6	4.6	263	10.7	RB 1
79	4	30	20	6.9	260	9.5	5.1	258	9.6	RB 1
79	4	30	21	5.5	225	9.3	3.8	265	8.9	RB 1
79	4	30	22	3.2	215	9.0	2.7	270	7.2	RB 1
79	4	30	23	4.8	53	7.3	4.1	265	5.4	RB 1
79	4	30	24	2.6	301	6.4	5.3	274	4.9	RB 1
79	5	1	1	3.5	293	5.9	4.8	276	5.6	RB 1
79	5	1	2	5.7	271	6.0	6.7	264	5.8	RB 1
79	5	1	3	7.7	289	6.4	4.0	255	6.6	RB 1
79	5	1	4	7.0	260	6.2	3.4	260	6.6	RB 1
79	5	1	5	6.6	239	5.2	5.7	288	6.3	RB 1
79	5	1	6	3.2	308	3.7	2.2	268	5.0	RB 1
79	5	1	7	4.4	294	4.0	2.5	248	5.4	RB 1
79	5	1	8	7.2	320	3.8	3.2	270	5.5	RB 1
79	5	1	9	5.3	317	2.7	3.3	223	4.8	RB 1
79	5	1	10	5.0	295	2.7	4.3	227	5.2	RB 1
79	5	1	11	4.0	314	3.5	4.7	237	5.0	RB 1
79	5	1	12	3.8	97	5.9	3.3	90	7.6	RB 1
79	5	1	13	3.2	112	8.2	4.2	72	9.6	RB 1
79	5	1	14	3.6	183	8.8	2.8	69	10.6	RB 1
79	5	1	15	4.8	264	9.2	3.6	185	10.8	RB 1
79	5	1	16	8.1	101	9.7	5.7	81	11.5	RB 1
79	5	1	17	10.9	174	6.7	8.2	163	10.0	RB 1
79	5	1	18	9.4	318	4.3	7.5	280	5.9	RB 1
79	5	1	19	7.4	248	4.9	3.3	249	5.6	RB 1
79	5	1	20	7.7	149	4.5	6.2	87	5.9	RB 1
79	5	1	21	4.0	145	3.6	2.9	225	5.1	RB 1
79	5	1	22	4.2	204	3.3	3.4	257	3.9	RB 1
79	5	1	23	3.3	278	3.0	5.4	260	3.0	RB 1
79	5	1	24	5.6	259	3.3	6.4	261	2.6	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	5	2	1	3.1	273	4.3	4.8	271	3.0	RB	1
79	5	2	2	3.3	210	4.6	2.8	268	3.3	RB	1
79	5	2	3	3.3	211	4.5	1.7	131	3.3	RB	1
79	5	2	4	4.9	341	3.6	2.3	92	2.9	RB	1
79	5	2	5	4.4	24	2.6	2.2	211	2.6	RB	1
79	5	2	6	4.0	272	2.9	3.8	268	2.8	RB	1
79	5	2	7	2.5	9	5.7	3.0	359	5.4	RB	1
79	5	2	8	4.0	63	6.7	3.7	73	6.7	RB	1
79	5	2	9	3.9	15	7.2	3.2	50	9.0	RB	1
79	5	2	10	3.7	319	6.9	4.0	351	9.7	RB	1
79	5	2	11	7.3	246	6.0	5.0	279	8.3	RB	1
79	5	2	12	4.2	158	5.8	4.9	193	8.0	RB	1
79	5	2	13	10.3	144	5.4	6.4	172	7.7	RB	1
79	5	2	14	7.9	218	4.9	7.7	213	7.3	RB	1
79	5	2	15	7.5	156	5.2	6.1	191	7.1	RB	1
79	5	2	16	5.0	59	4.4	4.6	14	5.9	RB	1
79	5	2	17	9.1	26	2.1	8.9	44	3.0	RB	1
79	5	2	18	7.1	19	0.8	5.5	43	2.1	RB	1
79	5	2	19	2.6	69	0.5	2.4	69	1.8	RB	1
79	5	2	20	2.2	111	0.4	2.5	66	1.6	RB	1
79	5	2	21	4.3	23	0.3	2.6	33	1.7	RB	1
79	5	2	22	4.4	12	0.3	2.9	9	1.6	RB	1
79	5	2	23	5.6	11	-0.1	3.1	33	1.2	RB	1
79	5	2	24	4.1	34	-0.4	3.4	87	0.5	RB	1
79	5	3	1	4.1	37	-0.6	2.8	96	0.3	RB	1
79	5	3	2	4.7	34	-0.8	1.0	78	0.3	RB	1
79	5	3	3	5.0	33	-1.1	1.6	86	0.1	RB	1
79	5	3	4	5.2	25	-1.4	2.4	65	-0.1	RB	1
79	5	3	5	4.5	18	-1.6	3.0	51	-0.2	RB	1
79	5	3	6	4.9	23	-1.7	3.1	50	-0.3	RB	1
79	5	3	7	7.3	21	-1.9	3.6	36	-0.3	RB	1
79	5	3	8	7.0	12	-1.9	3.9	14	-0.1	RB	1
79	5	3	9	7.9	10	-1.7	4.6	14	0.3	RB	1
79	5	3	10	7.9	18	-1.1	6.2	37	0.9	RB	1
79	5	3	11	8.5	17	-0.5	5.8	31	1.6	RB	1
79	5	3	12	6.6	11	0.3	6.2	46	2.5	RB	1
79	5	3	13	6.5	30	1.6	6.3	50	3.6	RB	1
79	5	3	14	6.1	28	2.1	5.8	52	4.3	RB	1
79	5	3	15	8.1	35	2.6	7.6	55	5.0	RB	1
79	5	3	16	8.5	27	3.4	7.5	48	5.4	RB	1
79	5	3	17	7.3	53	3.5	7.2	61	5.7	RB	1
79	5	3	18	6.4	55	3.5	8.0	76	5.9	RB	1
79	5	3	19	4.3	71	2.5	2.9	84	3.7	RB	1
79	5	3	20	4.4	88	1.3	3.9	257	0.3	RB	1
79	5	3	21	4.2	121	1.0	6.3	263	-0.4	RB	1
79	5	3	22	5.4	156	1.1	6.3	266	-0.8	RB	1
79	5	3	23	5.5	205	1.0	7.1	269	-0.9	RB	1
79	5	3	24	4.9	263	1.1	7.4	263	-1.0	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	5	4	1	3.9	235	1.9	6.7	266	-1.3	RB	1
79	5	4	2	4.2	258	2.1	5.6	259	-1.6	RB	1
79	5	4	3	2.9	267	2.1	5.0	265	-2.2	RB	1
79	5	4	4	1.7	209	1.7	3.3	259	-3.4	RB	1
79	5	4	5	1.9	88	0.8	3.7	260	-4.2	RB	1
79	5	4	6	2.6	113	2.3	4.6	268	-2.4	RB	1
79	5	4	7	2.8	134	4.2	2.0	286	2.7	RB	1
79	5	4	8	4.5	120	6.2	4.5	61	5.6	RB	1
79	5	4	9	5.6	105	7.6	6.3	63	8.3	RB	1
79	5	4	10	5.9	112	9.2	4.7	123	11.1	RB	1
79	5	4	11	6.7	286	10.4	5.4	127	12.6	RB	1
79	5	4	12	7.9	226	11.4	6.3	243	13.8	RB	1
79	5	4	13	8.9	228	12.3	7.3	225	14.9	RB	1
79	5	4	14	11.2	214	13.0	10.0	223	15.4	RB	1
79	5	4	15	10.5	216	13.5	10.2	226	15.9	RB	1
79	5	4	16	10.8	219	13.4	10.1	230	16.0	RB	1
79	5	4	17	12.5	221	13.0	9.9	227	15.3	RB	1
79	5	4	18	13.1	219	12.6	9.6	230	15.1	RB	1
79	5	4	19	12.2	227	10.7	6.5	248	11.7	RB	1
79	5	4	20	13.2	225	10.2	5.6	258	9.1	RB	1
79	5	4	21	12.9	241	10.5	3.1	203	8.7	RB	1
79	5	4	22	8.0	236	10.1	5.2	253	9.1	RB	1
79	5	4	23	8.9	246	10.3	4.5	248	7.5	RB	1
79	5	4	24	8.1	256	9.8	4.0	285	6.5	RB	1
79	5	5	1	9.6	239	10.2	5.3	271	5.0	RB	1
79	5	5	2	12.1	245	10.1	3.8	264	3.9	RB	1
79	5	5	3	10.6	244	9.9	2.7	269	4.1	RB	1
79	5	5	4	11.9	233	10.0	3.1	273	4.0	RB	1
79	5	5	5	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	6	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	7	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	8	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	9	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	10	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	11	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	12	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	13	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	14	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	15	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	16	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	17	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	18	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	19	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	20	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	21	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	22	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	23	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	5	24	999.9	999	999.9	999.9	999	999.9	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	5	6	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	6	24	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	7	24	999.9	999	999.9	999.9	999	999.9	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	5	8	1	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	2	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	3	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	4	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	5	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	6	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	7	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	8	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	9	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	10	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	11	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	12	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	13	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	14	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	15	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	16	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	17	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	18	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	19	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	20	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	21	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	22	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	23	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	8	24	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	1	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	2	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	3	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	4	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	5	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	6	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	7	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	8	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	9	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	10	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	11	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	12	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	13	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	14	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	15	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	16	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	17	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	18	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	19	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	20	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	21	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	22	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	23	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	9	24	999.9	999	999.9	999.9	999	999.9	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	5	10	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	10	24	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	11	24	999.9	999	999.9	999.9	999	999.9	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	5	12	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	12	24	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	13	24	999.9	999	999.9	999.9	999	999.9	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3 -			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	5	14	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	14	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	14	24	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	11	10.4	277	19.1	9.6	257	21.6	RB 1
79	5	15	12	11.0	242	17.7	11.3	257	20.9	RB 1
79	5	15	13	15.1	304	16.3	13.3	277	18.9	RB 1
79	5	15	14	14.7	270	18.9	13.5	263	21.0	RB 1
79	5	15	15	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	16	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	17	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	18	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	19	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	20	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	21	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	22	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	23	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	15	24	999.9	999	999.9	999.9	999	999.9	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	5	16	1	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	2	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	3	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	4	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	5	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	6	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	7	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	8	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	9	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	10	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	11	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	12	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	16	13	25.0	292	14.6	18.6	280	16.9	RB	1
79	5	16	14	15.4	302	16.0	11.4	287	18.2	RB	1
79	5	16	15	20.4	275	15.4	14.5	251	18.2	RB	1
79	5	16	16	13.3	181	15.8	7.6	209	18.0	RB	1
79	5	16	17	12.9	187	15.6	7.3	207	17.8	RB	1
79	5	16	18	10.4	192	15.7	7.1	194	17.8	RB	1
79	5	16	19	8.4	164	14.3	2.8	144	15.7	RB	1
79	5	16	20	7.5	150	12.7	3.3	229	11.5	RB	1
79	5	16	21	4.3	239	12.1	4.0	224	8.9	RB	1
79	5	16	22	3.5	89	10.9	5.7	267	6.6	RB	1
79	5	16	23	12.4	210	11.9	5.1	263	5.4	RB	1
79	5	16	24	11.9	201	11.8	3.2	267	4.0	RB	1
79	5	17	1	6.5	214	10.9	4.2	261	4.3	RB	1
79	5	17	2	14.0	238	11.4	4.0	263	3.6	RB	1
79	5	17	3	10.6	250	10.7	4.8	269	2.5	RB	1
79	5	17	4	3.3	235	9.8	5.3	270	2.3	RB	1
79	5	17	5	6.0	252	9.6	4.5	261	2.4	RB	1
79	5	17	6	3.8	164	10.7	3.6	259	5.1	RB	1
79	5	17	7	4.4	125	12.9	3.9	58	11.2	RB	1
79	5	17	8	9.4	237	14.6	6.5	11	15.3	RB	1
79	5	17	9	12.4	261	15.8	6.4	234	18.2	RB	1
79	5	17	10	14.6	254	16.7	11.6	260	19.4	RB	1
79	5	17	11	12.7	271	17.2	12.7	259	19.8	RB	1
79	5	17	12	11.7	284	18.1	11.6	280	20.3	RB	1
79	5	17	13	14.9	296	18.3	12.7	275	20.7	RB	1
79	5	17	14	17.8	290	18.8	14.2	274	21.1	RB	1
79	5	17	15	15.2	289	19.3	14.8	260	21.5	RB	1
79	5	17	16	999.9	999	999.9	999.9	999	999.9	RB	1
79	5	17	17	15.0	291	18.7	12.9	259	21.2	RB	1
79	5	17	18	15.7	264	18.1	11.1	264	20.7	RB	1
79	5	17	19	12.2	224	16.4	9.8	234	18.3	RB	1
79	5	17	20	12.0	207	15.4	6.8	250	16.4	RB	1
79	5	17	21	9.7	242	14.1	6.2	245	13.3	RB	1
79	5	17	22	10.8	256	14.0	6.0	242	11.3	RB	1
79	5	17	23	10.8	250	13.4	5.7	247	10.4	RB	1
79	5	17	24	12.1	252	13.1	6.1	278	9.1	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	5	18	1	10.7	245	12.7	6.5	268	8.7	RB	1
79	5	18	2	11.7	241	12.7	5.4	245	8.5	RB	1
79	5	18	3	9.8	238	12.3	5.2	257	9.2	RB	1
79	5	18	4	9.8	240	11.5	5.3	269	8.6	RB	1
79	5	18	5	12.8	221	12.1	4.1	266	7.3	RB	1
79	5	18	6	8.0	246	12.0	3.0	293	8.8	RB	1
79	5	18	7	10.8	244	14.5	1.7	339	12.7	RB	1
79	5	18	8	12.6	243	15.3	8.8	252	17.8	RB	1
79	5	18	9	18.1	271	16.0	14.6	260	18.1	RB	1
79	5	18	10	17.7	273	16.6	12.2	271	18.8	RB	1
79	5	18	11	16.8	284	16.9	15.1	265	19.8	RB	1
79	5	18	12	19.4	285	18.1	12.3	267	20.7	RB	1
79	5	18	13	17.9	281	18.6	13.3	275	21.3	RB	1
79	5	18	14	14.9	280	19.1	14.0	260	21.9	RB	1
79	5	18	15	16.7	280	19.7	14.7	273	22.3	RB	1
79	5	18	16	10.7	250	19.4	12.3	272	22.6	RB	1
79	5	18	17	9.9	247	19.8	10.1	284	22.5	RB	1
79	5	18	18	11.4	287	19.7	9.1	287	21.9	RB	1
79	5	18	19	8.6	287	16.9	5.5	266	17.7	RB	1
79	5	18	20	9.8	269	15.0	6.5	277	13.4	RB	1
79	5	18	21	11.7	270	14.3	6.6	276	12.3	RB	1
79	5	18	22	16.8	273	14.1	5.5	300	12.7	RB	1
79	5	18	23	12.0	286	13.0	3.8	25	10.5	RB	1
79	5	18	24	6.4	355	11.9	6.0	270	7.3	RB	1
79	5	19	1	4.8	288	10.1	7.7	277	7.2	RB	1
79	5	19	2	3.8	282	9.8	7.2	278	6.3	RB	1
79	5	19	3	3.3	283	9.5	7.4	279	5.4	RB	1
79	5	19	4	3.5	288	9.0	7.8	274	4.6	RB	1
79	5	19	5	3.2	278	8.8	7.6	274	4.5	RB	1
79	5	19	6	3.0	322	10.0	6.2	282	6.6	RB	1
79	5	19	7	5.6	38	11.6	4.1	50	12.5	RB	1
79	5	19	8	8.7	53	12.3	8.1	68	14.0	RB	1
79	5	19	9	9.0	51	13.2	10.0	74	14.8	RB	1
79	5	19	10	7.7	59	14.1	7.7	65	15.9	RB	1
79	5	19	11	5.7	0	15.4	5.7	8	17.5	RB	1
79	5	19	12	5.9	343	17.1	6.2	19	18.9	RB	1
79	5	19	13	7.3	15	18.0	7.0	49	19.6	RB	1
79	5	19	14	8.8	360	18.3	7.7	19	20.1	RB	1
79	5	19	15	8.4	27	19.0	7.2	39	21.1	RB	1
79	5	19	16	8.6	353	19.1	7.7	8	21.5	RB	1
79	5	19	17	9.2	359	19.1	7.6	22	21.3	RB	1
79	5	19	18	7.1	37	18.5	6.3	31	20.9	RB	1
79	5	19	19	5.7	24	17.4	3.3	324	17.4	RB	1
79	5	19	20	3.5	291	14.8	8.8	268	11.7	RB	1
79	5	19	21	4.3	273	14.4	8.7	275	10.0	RB	1
79	5	19	22	4.0	268	14.6	8.2	274	9.2	RB	1
79	5	19	23	3.9	262	14.1	8.3	274	8.6	RB	1
79	5	19	24	2.5	221	13.7	6.9	272	8.1	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	5	20	1	3.1	262	13.0	7.0	275	7.7	RB 1
79	5	20	2	3.4	332	12.6	6.0	264	5.9	RB 1
79	5	20	3	4.1	295	11.5	6.3	262	5.1	RB 1
79	5	20	4	5.0	297	9.7	7.6	266	4.1	RB 1
79	5	20	5	5.0	276	9.6	7.1	270	4.6	RB 1
79	5	20	6	4.0	297	10.7	4.5	275	7.3	RB 1
79	5	20	7	5.8	3	11.8	3.5	39	12.6	RB 1
79	5	20	8	6.3	14	12.5	5.6	37	13.9	RB 1
79	5	20	9	6.4	46	13.5	6.5	33	15.0	RB 1
79	5	20	10	5.4	55	15.1	6.2	58	16.6	RB 1
79	5	20	11	6.9	62	16.9	6.6	74	18.3	RB 1
79	5	20	12	6.3	57	18.3	6.3	47	19.9	RB 1
79	5	20	13	7.9	2	18.7	6.6	69	20.7	RB 1
79	5	20	14	9.2	30	19.3	7.5	28	21.3	RB 1
79	5	20	15	10.2	15	19.6	8.7	26	21.5	RB 1
79	5	20	16	8.4	6	19.5	6.7	33	21.7	RB 1
79	5	20	17	8.6	14	19.4	7.3	33	21.6	RB 1
79	5	20	18	7.9	13	19.2	7.1	38	21.3	RB 1
79	5	20	19	6.5	42	17.8	4.1	339	17.9	RB 1
79	5	20	20	4.2	324	16.2	7.8	273	12.8	RB 1
79	5	20	21	4.2	279	15.5	7.1	270	11.8	RB 1
79	5	20	22	6.6	355	14.5	6.0	270	11.1	RB 1
79	5	20	23	4.5	3	12.9	7.7	262	9.2	RB 1
79	5	20	24	4.9	270	12.6	8.0	273	8.7	RB 1
79	5	21	1	6.4	245	12.9	6.6	272	8.1	RB 1
79	5	21	2	5.7	275	12.5	5.8	262	7.4	RB 1
79	5	21	3	4.4	267	12.5	4.5	235	6.7	RB 1
79	5	21	4	2.9	195	11.3	5.4	268	6.5	RB 1
79	5	21	5	5.2	248	11.2	6.1	266	6.6	RB 1
79	5	21	6	4.1	238	12.0	3.6	264	7.0	RB 1
79	5	21	7	5.7	262	13.9	3.0	27	12.6	RB 1
79	5	21	8	8.1	260	15.2	4.4	42	16.6	RB 1
79	5	21	9	6.6	323	16.1	3.0	304	19.0	RB 1
79	5	21	10	7.5	301	17.1	8.0	34	19.2	RB 1
79	5	21	11	7.5	7	18.1	6.1	106	19.8	RB 1
79	5	21	12	10.5	301	18.1	7.1	329	21.1	RB 1
79	5	21	13	12.1	280	18.9	9.6	270	21.3	RB 1
79	5	21	14	10.5	302	19.5	8.4	323	21.8	RB 1
79	5	21	15	12.3	301	20.3	8.6	306	22.7	RB 1
79	5	21	16	12.7	304	20.4	8.5	297	22.3	RB 1
79	5	21	17	13.4	337	19.8	13.3	339	21.2	RB 1
79	5	21	18	8.0	355	19.8	5.7	80	21.1	RB 1
79	5	21	19	8.3	338	18.3	4.4	326	20.1	RB 1
79	5	21	20	11.6	320	16.6	5.2	281	15.4	RB 1
79	5	21	21	11.7	314	15.7	5.3	283	13.8	RB 1
79	5	21	22	10.7	316	15.1	4.7	273	12.5	RB 1
79	5	21	23	7.0	300	14.5	4.3	272	10.0	RB 1
79	5	21	24	7.4	265	13.8	7.2	263	8.8	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METFOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	5	22	1	10.1	257	12.7	8.4	260	8.4	RB	1
79	5	22	2	7.7	267	12.0	6.9	261	7.4	RB	1
79	5	22	3	7.6	262	11.6	6.7	263	7.4	RB	1
79	5	22	4	6.7	282	12.0	8.3	269	6.5	RB	1
79	5	22	5	5.1	274	12.0	7.4	269	6.4	RB	1
79	5	22	6	3.1	283	13.5	5.1	277	9.6	RB	1
79	5	22	7	2.4	351	16.1	2.5	19	15.0	RB	1
79	5	22	8	3.8	4	17.1	4.6	77	17.5	RB	1
79	5	22	9	7.9	357	17.5	7.6	63	19.3	RB	1
79	5	22	10	8.7	296	18.1	7.7	0	20.6	RB	1
79	5	22	11	6.6	268	18.7	7.6	320	21.4	RB	1
79	5	22	12	8.6	307	19.5	6.6	296	21.9	RB	1
79	5	22	13	12.8	320	20.0	8.3	303	22.5	RB	1
79	5	22	14	12.6	305	20.5	7.3	310	23.1	RB	1
79	5	22	15	12.7	318	20.9	8.4	301	23.3	RB	1
79	5	22	16	10.5	305	20.6	6.3	355	23.1	RB	1
79	5	22	17	11.3	311	21.3	6.2	355	23.2	RB	1
79	5	22	18	9.6	323	21.1	5.9	313	23.3	RB	1
79	5	22	19	6.3	27	19.0	4.7	41	20.1	RB	1
79	5	22	20	4.5	330	16.4	5.5	260	14.9	RB	1
79	5	22	21	5.9	250	16.3	8.2	264	12.9	RB	1
79	5	22	22	6.2	246	16.4	10.2	262	12.3	RB	1
79	5	22	23	5.1	261	16.1	8.9	267	11.6	RB	1
79	5	22	24	5.4	293	14.8	7.5	277	10.0	RB	1
79	5	23	1	4.4	281	14.4	6.2	273	9.3	RB	1
79	5	23	2	2.5	48	13.2	6.7	267	7.5	RB	1
79	5	23	3	3.0	12	12.1	6.9	271	6.6	RB	1
79	5	23	4	2.8	259	11.2	7.0	275	6.6	RB	1
79	5	23	5	3.9	265	10.9	6.7	275	6.0	RB	1
79	5	23	6	3.3	324	12.1	3.3	251	8.3	RB	1
79	5	23	7	3.5	32	13.1	4.5	88	12.1	RB	1
79	5	23	8	3.6	16	14.9	4.6	96	14.7	RB	1
79	5	23	9	4.3	56	16.7	5.4	92	17.3	RB	1
79	5	23	10	7.2	60	17.4	6.5	58	19.2	RB	1
79	5	23	11	6.2	47	18.7	6.6	74	20.6	RB	1
79	5	23	12	6.9	45	19.8	6.8	53	21.5	RB	1
79	5	23	13	8.2	14	20.4	7.0	40	22.4	RB	1
79	5	23	14	7.9	29	21.1	8.3	68	22.8	RB	1
79	5	23	15	7.2	3	21.4	7.7	40	23.3	RB	1
79	5	23	16	4.6	349	20.7	7.4	57	23.2	RB	1
79	5	23	17	6.2	218	20.2	4.8	339	22.7	RB	1
79	5	23	18	7.5	267	20.4	3.3	28	21.7	RB	1
79	5	23	19	5.0	263	19.4	3.2	266	18.6	RB	1
79	5	23	20	7.6	278	16.9	6.4	278	14.5	RB	1
79	5	23	21	16.4	276	16.2	8.2	253	15.4	RB	1
79	5	23	22	13.5	272	15.2	7.3	253	15.1	RB	1
79	5	23	23	11.0	261	14.7	7.6	256	14.2	RB	1
79	5	23	24	8.6	260	14.8	5.4	212	11.5	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	5	24	1	9.9	247	14.3	7.1	264	9.7	RB	1
79	5	24	2	10.3	266	13.7	3.9	260	9.6	RB	1
79	5	24	3	9.0	272	13.0	2.7	134	8.8	RB	1
79	5	24	4	8.8	257	13.1	2.2	262	9.0	RB	1
79	5	24	5	3.2	6	12.8	3.7	260	9.4	RB	1
79	5	24	6	5.2	173	13.4	3.8	18	11.7	RB	1
79	5	24	7	3.4	153	13.9	2.7	82	13.7	RB	1
79	5	24	8	2.7	208	14.5	2.4	328	16.7	RB	1
79	5	24	9	6.1	239	16.0	3.5	263	17.4	RB	1
79	5	24	10	10.3	228	16.2	3.7	191	18.7	RB	1
79	5	24	11	6.7	276	15.2	8.1	317	17.0	RB	1
79	5	24	12	10.9	324	15.0	7.5	7	16.3	RB	1
79	5	24	13	10.4	9	15.5	7.5	10	16.7	RB	1
79	5	24	14	11.5	105	13.0	9.7	97	15.9	RB	1
79	5	24	15	18.2	269	10.1	12.3	250	12.2	RB	1
79	5	24	16	13.3	263	10.9	9.6	239	13.0	RB	1
79	5	24	17	12.1	271	11.8	8.2	245	14.3	RB	1
79	5	24	18	6.6	159	10.6	7.0	133	12.7	RB	1
79	5	24	19	8.4	160	8.9	5.0	226	10.8	RB	1
79	5	24	20	5.0	262	8.7	5.0	252	10.2	RB	1
79	5	24	21	3.4	261	9.2	3.2	245	9.8	RB	1
79	5	24	22	2.5	268	9.4	2.7	256	9.8	RB	1
79	5	24	23	1.7	89	9.1	1.2	110	9.1	RB	1
79	5	24	24	2.2	255	8.3	2.1	249	9.0	RB	1
79	5	25	1	3.8	256	8.7	3.7	261	9.0	RB	1
79	5	25	2	3.2	260	8.8	3.2	263	8.2	RB	1
79	5	25	3	2.4	233	8.8	3.9	264	8.3	RB	1
79	5	25	4	2.1	188	8.8	3.0	256	8.5	RB	1
79	5	25	5	3.2	195	8.5	3.8	270	8.7	RB	1
79	5	25	6	3.5	27	8.9	2.8	87	9.0	RB	1
79	5	25	7	2.8	338	9.4	0.8	207	10.4	RB	1
79	5	25	8	2.4	86	10.4	1.3	119	11.4	RB	1
79	5	25	9	2.2	110	10.7	1.4	40	11.8	RB	1
79	5	25	10	2.8	171	13.1	3.1	75	14.3	RB	1
79	5	25	11	5.6	89	13.8	6.6	76	15.2	RB	1
79	5	25	12	9.1	309	11.3	7.0	68	15.3	RB	1
79	5	25	13	5.1	261	10.8	8.1	234	13.8	RB	1
79	5	25	14	6.1	265	11.9	7.9	237	15.4	RB	1
79	5	25	15	6.7	302	14.2	7.4	335	16.1	RB	1
79	5	25	16	6.2	348	13.7	3.2	302	15.8	RB	1
79	5	25	17	4.4	248	14.4	4.9	80	17.8	RB	1
79	5	25	18	4.0	256	14.1	4.1	62	17.6	RB	1
79	5	25	19	2.9	260	14.2	3.2	291	16.0	RB	1
79	5	25	20	4.4	282	12.7	5.9	266	12.5	RB	1
79	5	25	21	4.7	282	12.1	7.0	275	10.7	RB	1
79	5	25	22	4.8	288	11.7	6.1	275	9.8	RB	1
79	5	25	23	3.7	285	11.4	6.5	267	9.2	RB	1
79	5	25	24	4.7	276	10.8	6.7	275	8.8	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3				
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE	
79	5	26	1	4.7	282	10.4	5.6	271	8.0	RB	1
79	5	26	2	3.5	308	10.0	5.8	271	7.1	RB	1
79	5	26	3	2.7	284	8.9	6.1	271	6.7	RB	1
79	5	26	4	3.8	287	8.1	6.3	275	6.2	RB	1
79	5	26	5	3.0	269	8.4	5.9	278	6.1	RB	1
79	5	26	6	3.5	284	9.3	4.7	287	7.5	RB	1
79	5	26	7	3.1	23	11.4	2.4	39	12.3	RB	1
79	5	26	8	3.4	86	13.3	4.7	61	13.7	RB	1
79	5	26	9	4.9	42	14.5	4.5	73	15.5	RB	1
79	5	26	10	5.4	28	15.2	6.8	69	16.8	RB	1
79	5	26	11	5.6	59	16.2	6.1	71	18.2	RB	1
79	5	26	12	5.1	86	17.2	6.7	72	19.3	RB	1
79	5	26	13	4.3	324	18.2	6.2	48	20.2	RB	1
79	5	26	14	6.1	87	18.9	5.7	54	21.2	RB	1
79	5	26	15	5.7	51	19.7	5.4	61	21.8	RB	1
79	5	26	16	8.0	40	19.8	6.7	44	22.0	RB	1
79	5	26	17	8.3	25	19.6	7.0	45	21.9	RB	1
79	5	26	18	8.3	17	19.2	6.2	42	21.5	RB	1
79	5	26	19	6.0	6	18.2	3.5	339	19.3	RB	1
79	5	26	20	3.1	310	16.0	7.7	271	13.3	RB	1
79	5	26	21	3.6	270	15.4	8.5	275	11.4	RB	1
79	5	26	22	4.0	264	15.7	9.4	269	10.4	RB	1
79	5	26	23	4.7	242	16.2	9.1	270	10.0	RB	1
79	5	26	24	4.0	248	15.4	8.4	273	9.5	RB	1
79	5	27	1	8.5	253	14.2	9.3	272	9.8	RB	1
79	5	27	2	9.7	259	13.7	4.5	27	9.0	RB	1
79	5	27	3	11.2	250	13.4	2.2	323	5.9	RB	1
79	5	27	4	6.9	230	12.5	4.1	265	5.1	RB	1
79	5	27	5	3.6	203	11.9	4.6	270	5.5	RB	1
79	5	27	6	4.1	113	13.1	3.2	268	8.5	RB	1
79	5	27	7	4.3	144	14.9	2.5	69	14.3	RB	1
79	5	27	8	6.7	237	16.0	4.5	326	18.0	RB	1
79	5	27	9	5.8	199	17.2	5.5	225	19.6	RB	1
79	5	27	10	6.7	258	17.8	6.0	234	20.5	RB	1
79	5	27	11	7.0	244	18.3	7.2	260	21.0	RB	1
79	5	27	12	8.2	240	19.0	6.5	239	20.9	RB	1
79	5	27	13	6.5	338	19.4	8.8	64	19.3	RB	1
79	5	27	14	7.1	350	16.0	8.9	307	17.4	RB	1
79	5	27	15	4.5	273	15.1	6.3	242	13.1	RB	1
79	5	27	16	6.3	231	17.5	5.3	258	15.9	RB	1
79	5	27	17	10.1	205	19.0	6.3	231	20.4	RB	1
79	5	27	18	11.2	219	17.8	3.8	252	18.8	RB	1
79	5	27	19	12.1	219	16.9	3.2	263	16.0	RB	1
79	5	27	20	12.0	239	16.1	6.5	244	14.3	RB	1
79	5	27	21	11.5	248	15.6	4.5	260	13.7	RB	1
79	5	27	22	11.1	235	15.5	3.0	267	12.4	RB	1
79	5	27	23	12.7	221	15.4	3.6	257	12.1	RB	1
79	5	27	24	999.9	999	999.9	999.9	999	999.9	RB	1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	5	28	1	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	2	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	3	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	4	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	5	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	6	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	7	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	28	13	10.9	232	16.0	13.8	230	15.7	RB 1
79	5	28	14	11.7	260	16.7	9.2	249	18.5	RB 1
79	5	28	15	15.3	213	18.5	10.8	233	20.4	RB 1
79	5	28	16	14.4	222	17.9	11.1	238	19.6	RB 1
79	5	28	17	13.4	201	17.2	9.3	230	19.1	RB 1
79	5	28	18	12.4	202	16.7	5.9	204	18.6	RB 1
79	5	28	19	13.0	200	15.9	4.9	224	17.5	RB 1
79	5	28	20	17.2	200	15.2	5.6	247	16.1	RB 1
79	5	28	21	17.9	203	14.9	2.0	316	14.3	RB 1
79	5	28	22	17.8	195	14.5	4.9	254	14.3	RB 1
79	5	28	23	17.4	200	14.3	5.9	266	13.6	RB 1
79	5	28	24	18.7	199	13.9	3.0	202	12.1	RB 1
79	5	29	1	17.0	200	13.4	5.8	264	13.0	RB 1
79	5	29	2	10.9	205	12.7	7.7	252	12.6	RB 1
79	5	29	3	10.0	243	12.5	5.0	268	10.1	RB 1
79	5	29	4	14.3	215	13.1	7.6	251	11.4	RB 1
79	5	29	5	10.9	221	12.7	7.7	249	11.7	RB 1
79	5	29	6	13.0	236	12.8	5.7	260	12.5	RB 1
79	5	29	7	7.0	329	13.1	9.6	69	13.0	RB 1
79	5	29	8	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	29	9	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	29	10	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	29	11	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	29	12	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	29	13	999.9	999	999.9	999.9	999	999.9	RB 1
79	5	29	14	4.0	325	11.7	9.1	58	11.7	RB 1
79	5	29	15	8.3	56	11.0	10.4	54	12.0	RB 1
79	5	29	16	9.5	50	10.5	10.5	63	11.4	RB 1
79	5	29	17	8.0	55	10.1	8.8	59	11.8	RB 1
79	5	29	18	7.3	40	9.7	7.8	56	11.4	RB 1
79	5	29	19	6.9	21	8.4	5.4	32	10.2	RB 1
79	5	29	20	7.3	12	6.7	3.5	20	8.1	RB 1
79	5	29	21	6.5	31	5.7	2.4	335	5.8	RB 1
79	5	29	22	9.9	33	4.6	4.4	41	5.3	RB 1
79	5	29	23	9.4	28	3.3	5.4	54	4.8	RB 1
79	5	29	24	7.3	39	2.4	2.0	43	2.8	RB 1

*** NUS CORPORATION - ENVIRONMENTAL SAFEGUARDS***

DATA LISTING FOR
RBOSC METEOROLOGY
TOWERS 2 AND 3

				- 10 M TOWER 2 -			- 10 M TOWER 3			
YR	MN	DY	HR	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	WIND SPEED (MPH)	WIND DIR DEG	AMB TEMP (C)	SITE
79	5	30	1	6.1	20	1.8	2.9	269	1.7	RB 1
79	5	30	2	5.3	1	1.3	2.8	281	2.2	RB 1
79	5	30	3	5.1	344	0.9	3.2	289	1.9	RB 1
79	5	30	4	7.9	352	0.6	3.6	331	2.0	RB 1
79	5	30	5	9.0	358	0.3	4.9	18	2.0	RB 1
79	5	30	6	7.2	1	-0.2	5.2	33	1.6	RB 1
79	5	30	7	8.5	13	0.3	7.4	26	2.1	RB 1
79	5	30	8	6.5	17	1.9	7.7	50	3.5	RB 1
79	5	30	9	6.2	35	3.7	6.7	54	5.4	RB 1
79	5	30	10	5.8	39	5.4	9.4	67	6.9	RB 1
79	5	30	11	5.9	37	7.1	7.3	55	8.9	RB 1
79	5	30	12	6.2	349	8.1	6.6	5	10.1	RB 1
79	5	30	13	8.6	316	10.0	5.1	349	11.4	RB 1
79	5	30	14	13.5	297	9.9	10.5	283	12.3	RB 1
79	5	30	15	15.9	292	10.4	12.9	294	12.5	RB 1
79	5	30	16	13.7	296	10.2	12.4	289	12.6	RB 1
79	5	30	17	14.6	311	10.4	10.7	281	12.4	RB 1
79	5	30	18	13.1	310	9.7	10.0	292	11.8	RB 1
79	5	30	19	11.5	306	7.3	5.6	349	9.2	RB 1
79	5	30	20	14.8	352	4.3	9.3	340	5.9	RB 1
79	5	30	21	9.3	348	0.5	5.5	355	3.2	RB 1
79	5	30	22	2.3	359	0.6	2.8	163	2.2	RB 1
79	5	30	23	0.8	271	0.6	4.1	242	1.5	RB 1
79	5	30	24	999.9	999	0.5	3.9	264	0.7	RB 1
79	5	31	1	999.9	999	0.2	4.8	257	0.1	RB 1
79	5	31	2	999.9	999	0.2	5.0	265	-0.3	RB 1
79	5	31	3	999.9	999	-0.2	5.2	269	-0.9	RB 1
79	5	31	4	999.9	999	-0.6	5.5	267	-1.4	RB 1
79	5	31	5	999.9	999	-0.5	5.4	264	-1.3	RB 1
79	5	31	6	2.8	284	0.2	4.4	277	0.0	RB 1
79	5	31	7	4.7	1	1.6	4.0	33	3.4	RB 1
79	5	31	8	6.3	63	2.3	8.8	72	3.9	RB 1
79	5	31	9	7.3	78	3.7	8.3	71	4.9	RB 1
79	5	31	10	6.3	79	5.2	5.5	95	7.1	RB 1
79	5	31	11	5.3	62	6.7	5.8	107	8.5	RB 1
79	5	31	12	4.5	48	7.5	4.7	24	9.8	RB 1
79	5	31	13	4.8	302	8.7	4.8	357	10.9	RB 1
79	5	31	14	5.6	305	10.0	5.4	29	11.7	RB 1
79	5	31	15	7.5	336	9.9	5.2	6	12.4	RB 1
79	5	31	16	4.7	319	10.3	5.6	51	12.6	RB 1
79	5	31	17	4.4	26	10.2	6.1	57	12.6	RB 1
79	5	31	18	4.9	40	10.0	5.0	52	12.4	RB 1
79	5	31	19	4.7	50	9.5	3.9	39	11.0	RB 1
79	5	31	20	4.2	342	8.1	5.4	258	5.6	RB 1
79	5	31	21	3.6	278	6.8	8.8	269	3.8	RB 1
79	5	31	22	3.6	266	6.8	8.1	268	2.8	RB 1
79	5	31	23	2.9	257	6.6	8.3	271	1.9	RB 1
79	5	31	24	3.8	222	6.5	8.7	266	1.5	RB 1

APPENDIX 2-2.3

Precipitation Data - Sites 1, 2, and 3

APPENDIX 2-2.3

RBOSC Site 1 Precipitation Data (Inches)
December 1978-May 1979

Date	Weather Measure Tipping Bucket Gauge	Belford Weighing Bucket Gauge	Wedge Gauge
12/01-12/03	0.08	0.70	0.68
12/04-12/07	0.09	0.65	0.56
12/17-12/18	0.20	0.25	0.07
12/18-12/20	0.01	0.05	T
12/29-12/31	0.00	0.08	0.04
01/01-01/02	0.00	T	0.01
01/05-01/06	0.03	0.25	0.26
01/07-01/08	0.00	0.00	0.04
01/09-01/16	0.09	0.30	0.18
01/16-01/19	0.14	0.18	0.19
01/22	0.00	0.04	0.00
01/24-01/26	0.00	0.24	0.05
01/28-01/29	0.00	0.13	0.00
01/30-02/02	0.06	M	M
02/13-02/14	0.01	0.00	0.00
02/19-02/23	0.27	0.65	0.35
03/01-03/04	0.00	0.04	0.04
03/15-03/18	0.01	0.15	0.08
03/19-03/22	0.36	0.67	0.48
03/26-03/28	0.23	0.15	0.26
03/28-03/31	0.63	0.81	0.80
03/31-04/04	0.10	0.27	0.17
04/09-04/13	0.16	0.55	0.50
04/24-04/25	0.02	0.03	0.04
04/30-05/03	0.51	0.76	0.70
05/06-05/09	0.44	1.04	0.92
05/10-05/12	0.09	0.12	0.14
05/15-05/16	0.02	0.00	0.00
05/24-05/26	0.75	0.60	0.49
05/27-05/28	0.25	0.80	0.72
05/29-05/31	0.09	0.07	0.10
Monthly Total			
December	0.38	1.73	1.35
January	0.26	1.14	0.73
February	0.34	0.65	0.35
March	1.23	1.82	1.66
April	0.28	0.85	0.71
May	2.15	3.39	3.07
Six Month Total	4.64	9.58	7.87

Dates not listed had no precipitation

M Missing data

APPENDIX 2-2.3

RBOSC Site 2 Precipitation Data (Inches)
December 1978-May 1979

Date	Weather Measure Tipping Bucket Gauge	Belford Weighing Bucket Gauge	Wedge Gauge
12/01-12/03	0.49	0.93	0.66
12/04-12/09	0.21	0.55	0.44
12/16-12/18	0.02	0.15	0.07
12/29-01/02	0.00	0.05	0.08
01/05-01/06	0.07	0.25	0.24
01/06-01/09	0.00	0.00	0.04
01/10-01/11	0.00	0.05	0.04
01/13-01/16	0.02	0.30	0.10
01/16-01/19	0.07	0.19	0.16
01/22	0.00	0.02	0.00
01/24-01/26	0.01	0.29	0.21
01/26-01/29	0.01	0.10	0.16
01/30-02/02	0.03	0.29	0.20
02/19-02/23	0.23	0.35	0.40
02/27-02/28	T	0.01	0.00
03/01-03/04	0.04	0.00	0.03
03/09-03/10	0.00	0.01	0.00
03/16-03/18	0.01	0.03	0.07
03/19-03/22	0.28	0.59	0.48
03/27-03/29	0.31	0.35	0.41
03/29-03/31	0.27	0.48	0.41
03/31-04/04	0.09	0.07	0.11
04/09-04/13	0.17	0.45	0.37
04/24-04/26	0.03	0.05	0.00
04/30-05/03	0.45	0.70	0.65
05/06-05/09	0.67	0.33	1.05
05/09-05/13	0.10	0.66	0.04
05/24-05/26	0.85	1.00	0.92
05/27-05/28	0.02	0.00	0.00
05/29-05/31	0.04	0.06	0.05
Monthly Total			
December	0.72	1.63	1.17
January	0.18	1.25	1.03
February	0.26	0.65	0.60
March	0.91	1.46	1.40
April	0.29	0.57	0.48
May	2.13	2.75	2.71
Six Month Total	4.49	8.31	7.39

Dates not listed had no precipitation

T Trace of precipitation

APPENDIX 2-2.3

RBOSC Site 3 Precipitation Data (Inches)
December 1978-May 1979

Date	Weather Measure Tipping Bucket Gauge	Belford Weighing Bucket Gauge	Wedge Gauge
12/01-12/03	0.37	None	0.60
12/04-12/07	0.30	on	0.40*
12/17-12/18	0.08	site	0.10
12/29-12/31	0.00		0.05
01/05-01/06	0.15		0.27
01/10-01/13	0.00		0.02
01/13-01/16	0.05		0.06
01/16-01/19	0.10		0.13
01/24-01/26	0.02		0.16
01/26-01/28	0.01		0.07
01/28-01/30	0.00		0.09
01/30-02/02	0.07		0.21
02/13-02/14	0.01		0.00
02/19-02/23	0.28		0.35
02/26-02/27	0.00		0.01
03/01-03/03	0.05		0.08
03/16-03/18	0.02		0.04
03/19-03/22	0.41		0.39
03/25-03/26	0.01		0.01
03/27-03/29	0.52		0.58
03/29-03/31	0.32		0.43
03/31-04/04	0.10		0.12
04/09-04/11	0.24		0.32
04/25-04/26	0.03		0.00
04/30-05/03	0.58		0.63
05/06-05/09	0.98		0.92
05/11-05/12	0.26		0.25
05/24-05/25	0.26		0.22
05/28-05/31	0.17		0.17
Monthly Total			
December	0.75		1.15*
January	0.33		0.80
February	0.36		0.57
March	1.33		1.53
April	0.37		0.44
May	2.25		2.19
Six Month Total	5.39		6.68

Dates not listed had no precipitation

* Value is approximate due to the spill of a wedge gauge sample

APPENDIX 3-1

Vegetation Data

APPENDIX 3-1.1

Browse Data

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 1 Date 5/2/79

Location: T 1S R 99W S 31 Aspect (°) N Slope (°) _____

Field Analyst(s). C.V. Braun, D.A. Boyce Elevation (ft/m) 7400/2256

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Ame uta	2		M		10		M		100	
2	Art tri	1		M		0		L		100	
3	Ame uta	2		M		25		M		100	
4	Art tri	5		D		0		M		75	
5	Ame uta	6		D		0		S		5	
6	Art tri	1		M		0		L		100	
7	Ame uta	2		M		5		M		100	
8	Ame uta	5		M		15		M		80	
9	Ame uta	1		M		20		L		100	
10	Art tri	1		M		0		L		100	
11	Ame uta	2		M		15		M		100	
12	Ame uta	1		M		5		L		100	
13	Ame uta	2		M		10		M		100	
14	Ame uta	1		M		5		L		100	
15	Art tri	1		M		0		N		100	
16	Ame uta	1		Y		0		N		100	
17	Sym ore	6		D		0		S		50	
18	Art tri	5		D		0		M		75	
19	Art tri	2		M		5		M		100	
20	Ame uta	2		M		20		M		100	
21	Ame uta	1		M		5		L		100	
22	Art tri	5		M		0		M		80	
23	Art tri	2		M		5		M		100	
24	Art tri	1		M		5		L		100	
25	Pin edu	1		M		2		N		100	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 2 Date 5/2/79

Location: T 1S R 99W S 31 Aspect (°) N Slope (°) _____

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7440/2268

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Ame uta	4		D		0		N		50	
2	Art tri	1		M		0		L		100	
3	Ame uta	6		M		5		S		80	
4	Sym ore	4		D		0		M		30	
5	Ame uta	3		M		15		S		100	
6	Sym ore	4		D		0		L		40	
7	Ame uta	1		M		10		L		100	
8	Art tri	1		M		0		N		80	
9	Ame uta	2		M		0		M		95	
10	Ame uta	8		D		-		-		-	
11	Ame uta	4		D		0		L		50	
12	Ame uta	6		D		0		S		40	
13	Sym ore	4		M		0		L		80	
14	Art tri	4		D		0		L		30	
15	Sym ore	5		M		0		M		80	
16	Ame uta	6		M		10		S		80	
17	Sym ore	4		D		0		N		30	
18	Ame uta	6		D		10		S		75	
19	Art tri	5		M		5		M		90	
20	Ame uta	4		M		10		L		90	
21	Art tri	1		M		0		L		100	
22	Ame uta	3		M		30		S		100	
23	Sym ore	5		D		0		M		30	
24	Ame uta	6		M		30		S		90	
25	Art tri	2		M		5		M		100	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 3 Date 5/2/79

Location: T 1S R 99W S 31 Aspect (°) N Slope (°) 30

Field Analyst(s): C.V. Braun, D.A. Boyce Elevation (ft/m) 7520/2292

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Ame uta	6		D		15		S		60	
2	Sym ore	5		D		0		M		40	
3	Art tri	4		D		5		L		50	
4	Art tri	8		D		-		-		-	
5	Art tri	5		M		0		M		80	
6	Sym ore	8		D		-		-		-	
7	Sym ore	4		D		0		M		10	
8	Art tri	6		M		5		S		80	
9	Art tri	1		M		0		L		100	
10	Art tri	1		M		0		L		100	
11	Sym ore	4		D		0		L		50	
12	Ame uta	5		D		5		M		70	
13	Sym ore	5		D		0		M		30	
14	Art tri	1		M		0		L		100	
15	Art tri	2		M		0		M		100	
16	Ame uta	5		D		0		M		50	
17	Art tri	2		M		0		M		100	
18	Art tri	6		D		0		S		70	
19	Ame uta	1		M		0		S		100	
20	Art tri	5		D		0		M		35	
21	Art tri	2		M		0		M		100	
22	Ame uta	1		M		0		L		100	
23	Art tri	2		M		0		M		100	
24	Ame uta	3		M		2		S		100	
25	Sym ore	5		D		0		M		20	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 4 Date 5/2/79

Location: T 1S R 99W S 31 Aspect (°) N Slope (°) 10

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7600/2316

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Ame uta	3		M		10		S		80	
2	Sym ore	4		D		0		L		50	
3	Art tri	6		D		0		S		20	
4	Sym ore	1		Y		0		L		100	
5	Ame uta	6		D		0		S		70	
6	Art tri	2		M		0		M		90	
7	Pin edu	2		M		5		M		100	
8	Art tri	2		M		0		M		100	
9	Sym ore	5		D		5		M		20	
10	Art tri	2		M		0		M		100	
11	Art tri	8		D		-		-		-	
12	Art tri	1		M		0		L		80	
13	Art tri	2		M		0		M		100	
14	Sym ore	8		D		-		-		-	
15	Ame uta	2		M		25		M		100	
16	Art tri	1		M		0		L		100	
17	Sym ore	2		M		0		M		80	
18	Art tri	8		D		-		-		-	
19	Ame uta	3		M		10		S		100	
20	Sym ore	4		D		40		L		70	
21	Art tri	2		M		0		M		100	
22	Art tri	1		M		0		L		90	
23	Ame uta	4		D		0		L		70	
24	Ame uta	1		M		10		L		100	
25	Ame uta	5		D		0		M		50	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 6 Date 5/2/79

Location: T 2S R 99W S 6 Aspect (°) S Slope (°) 30

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7440/2268

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Ame uta	3		M		20		S		100	
2	Ame uta	3		M		10		S		100	
3	Pin edu	2		M		30		M		100	
4	Sym ore	6		D		20		S		50	
5	Pin edu	4		M		10		L		30	
6	Ame uta	8		D		-		-		-	
7	Ame uta	3		M		10		S		80	
8	Sym ore	1		Y		100		L		100	
9	Cer mon	6		M		10		S		80	
10	Ame uta	3		M		0		S		100	
11	Cer mon	3		M		0		S		100	
12	Ame uta	6		D		0		S		10	
13	Ame uta	2		M		30		M		100	
14	Ame uta	5		D		0		M		15	
15	Ame uta	5		D		15		M		70	
16	Cer mon	2		M		20		M		100	
17	Cer mon	2		M		80		M		100	
18	Ame uta	2		M		10		M		90	
19	Cer mon	2		M		60		M		100	
20	Ame uta	2		M		35		M		80	
21	Cer mon	2		M		70		M		100	
22	Cer mon	3		M		100		S		80	
23	Cer mon	6		D		30		S		70	
24	Cer mon	2		M		40		M		80	
25	Cer mon	4		D		15		L		40	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 31 Date 5/4/79

Location: T 1S R 99W S 30 Aspect (°) N Slope (°) 20

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7600/2316

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Ame uta	5		D		0		M		60	
2	Ame uta	1		M		0		L		100	
3	Ame uta	4		D		0		L		40	
4	Ame uta	4		D		0		L		10	
5	Ame uta	1		M		0		L		80	
6	Ame uta	1		D		0		M		10	
7	Ame uta	8		D		-		-		-	
8	Ame uta	4		M		0		L		80	
9	Ame uta	1		M		0		L		90	
10	Ame uta	1		D		0		L		75	
11	Ame uta	1		D		0		L		40	
12	Ame uta	5		D		0		M		25	
13	Ame uta	8		D		-		-		-	
14	Ame uta	8		D		-		-		-	
15	Ame uta	8		D		-		-		-	
16	Ame uta	8		D		-		-		-	
17	Ame uta	8		S		-		-		-	
18	Ame uta	1		S		0		L		100	
19	Ame uta	1		M		0		L		100	
20	Ame uta	1		S		0		L		70	
21	Ame uta	4		D		0		L		30	
22	Ame uta	1		D		0		L		70	
23	Ame uta	1		M		0		L		100	
24	Ame uta	1		M		0		L		80	
25	Ame uta	1		M		0		L		80	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 32 Date 5/3/79

Location: T 2S R 99W S 7 Aspect (°) NE Slope (°) 50

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7025/2141

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Ame uta	5		D		0		M		50	
2	Ame uta	1		M		0		L		100	
3	Sym ore	4		D		0		L		30	
4	Ame uta	1		D		0		L		10	
5	Ame uta	2		M		0		M		100	
6	Ame uta	1		M		0		L		100	
7	Ame uta	1		M		0		L		100	
8	Ame uta	1		M		0		L		100	
9	Ame uta	8		D		-		-		-	
10	Sym ore	1		M		0		L		100	
11	Sym ore	8		D		-		-		-	
12	Ame uta	4		D		0		L		25	
13	Ame uta	1		M		0		L		90	
14	Sym ore	1		M		0		L		100	
15	Sym ore	7		S		0		L		0	
16	Ame uta	1		M		0		L		100	
17	Art tri	5		D		0		M		50	
18	Ame uta	1		M		0		L		90	
19	Art tri	8		D		-		-		-	
20	Sym ore	7		D		0		M		20	
21	Art tri	4		D		0		L		60	
22	Ame uta	1		M		0		L		90	
23	Ame uta	8		D		-		-		-	
24	Sym ore	4		D		0		L		60	
25	Ame uta	5		D		0		M		10	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 33 Date 5/23/79

Location: T 2S R 99W S 7 Aspect (°) Slope (°) 10

Field Analyst(s). D. A. Boyce Elevation (ft/m) 7000/2134

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Sym ore	1		Y		0		L		100	
2	Sym ore	1		M		0		L		100	
3	Ame uta	1		M		20		M		80	
4	Art tri	1		M		0		L		90	
5	Ame uta	5		D		0		L		70	
6	Sym ore	5		M		0		L		80	
7	Art tri	4		D		0		L		20	
8	Sym ore	5		M		0		L		85	
9	Art tri	8		D		-		-		-	
10	Sym ore	1		M		0		L		100	
11	Art tri	4		M		5		L		95	
12	Sym ore	1		M		0		L		100	
13	Ame uta	1		M		0		L		100	
14	Ame uta	1		Y		0		L		100	
15	Sym ore	1		Y		0		L		100	
16	Art tri	6		M		10		S		80	
17	Art tri	8		D		-		-		-	
18	Art tri	5		D		5		M		75	
19	Sym ore	1		M		0		L		100	
20	Art tri	2		M		100		M		100	
21	Art tri	5		D		0		M		35	
22	Art tri	5		M		0		M		90	
23	Art tri	1		M		0		L		100	
24	Sym ore	1		M		0		L		100	
25	Sym ore	1		M		0		L		100	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 34 Date 5/3/79

Location: T 1S R 99W S 32 Aspect (°) N Slope (°) _____

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7150/2179

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Ame uta	4		M		30		M		100	
2	Art tri	1		M		0		L		100	
3	Ame uta	1		Y		0		L		100	
4	Ame uta	1		M		0		M		100	
5	Ame uta	5		D		10		M		30	
6	Ame uta	1		Y		0		L		100	
7	Ame uta	5		D		0		M		70	
8	Art tri	1		M		0		L		100	
9	Ame uta	5		D		50		M		60	
10	Ame uta	5		D		60		M		40	
11	Ame uta	5		D		0		M		75	
12	Ame uta	4		M		30		L		80	
13	Sym ore	1		M		0		L		90	
14	Art tri	1		M		10		L		100	
15	Ame uta	2		M		20		M		100	
16	Ame uta	2		M		10		M		100	
17	Ame uta	1		Y		20		L		100	
18	Ame uta	2		M		10		M		100	
19	Ame uta	6		D		30		S		60	
20	Art tri	5		D		0		M		20	
21	Art tri	6		D		75		S		20	
22	Ame uta	4		M		60		L		95	
23	Art tri	5		D		30		M		20	
24	Ame uta	2		M		80		M		100	
25	Art tri	4		M		5		L		80	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Mixed Brush Sample Unit #: 35 Date 5/3/79

Location: T 1S R 99W S 32 Aspect (°) N Slope (°) _____

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 6950/2118

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Cer mon	5		D		0		M		55	
2	Ame uta	1		Y		0		L		100	
3	Ame uta	1		S		33		L		100	
4	Pin edu	1		M		0		L		100	
5	Ame uta	4		M		5		L		90	
6	Ame uta	1		M		20		L		100	
7	Ame uta	5		D		0		M		50	
8	Ame uta	4		D		10		L		50	
9	Ame uta	5		D		0		M		70	
10	Ame uta	4		D		0		L		70	
11	Ame uta	1		M		15		L		100	
12	Ame uta	1		M		5		L		100	
13	Ame uta	1		M		0		L		100	
14	Ame uta	5		D		10		M		50	
15	Cer mon	8		D		-		-		-	
16	Ame uta	1		M		0		L		100	
17	Ame uta	5		M		0		M		80	
18	Ame uta	1		M		0		L		80	
19	Sym ore	5		D		0		M		30	
20	Pin edu	1		M		0		L		100	
21	Cer mon	8		S		-		-		-	
22	Ame uta	1		M		0		L		100	
23	Cer mon	1		S		0		L		100	
24	Ame uta	1		Y		0		L		100	
25	Sym ore	1		D		0		L		50	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 5 Date 5/2/79

Location: T 2D R 99W S 4 Aspect (°) NNW Slope (°) _____

Field Analyst(s) D.A. Boyce, C.V. Braun Elevation (ft/m) 7025/2141

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Pin edu	7		M		0		L		10	
2	Jun ost	7		M		0		L		10	
3	Pin edu	7		M		0		L		10	
4	Pin edu	8		D		-		-		-	
5	Art tri	1		M		5		L		100	
6	Pin edu	7		M		0		L		5	
7	Pin edu	7		M		5		L		10	
8	Pin edu	7		M		0		L		40	
9	Art tri	8		D		-		-		-	
10	Art tri	5		D		10		M		60	
11	Art tri	5		D		0		M		50	
12	Jun ost	7		M		0		L		5	
13	Art tri	5		D		0		S		15	
14	Art tri	8		D		-		-		-	
15	Art tri	4		M		0		L		80	
16	Art tri	8		D		-		-		-	
17	Art tri	5		D		0		M		40	
18	Pin edu	1		Y		0		L		100	
19	Art tri	6		M		0		S		100	
20	Art tri	6		D		0		S		40	
21	Art tri	6		D		0		S		60	
22	Art tri	6		D		10		S		40	
23	Art tri	6		D		0		S		20	
24	Jun ost	7		D		-		L		-	
25	Art tri	1		M		5		L		100	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 7 Date 5/2/79

Location: T 2S R 99W S 4 Aspect (°) S Slope (°) 30

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7000/2134

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Pin edu	4		M		0		L		50	
2	Art tri	6		D		0		S		10	
3	Art tri	5		D		0		M		10	
4	Art tri	6		D		0		S		50	
5	Pin edu	4		M		0		L		75	
6	Jun ost	7		D		0		L		-	
7	Art tri	3		M		5		S		100	
8	Art tri	3		M		5		S		90	
9	Art tri	6		D		10		S		60	
10	Art tri	5		D		5		M		60	
11	Pin edu	4		M		0		L		20	
12	Art tri	6		D		0		S		65	
13	Art tri	1		M		5		L		100	
14	Jun ost	8		D		-		-		-	
15	Art tri	6		D		0		S		20	
16	Art tri	1		D		0		L		70	
17	Art tri	5		D		10		M		50	
18	Art tri	2		M		0		M		100	
19	Art tri	2		M		0		M		80	
20	Pin edu	1		M		0		L		100	
21	Art tri	6		D		0		S		50	
22	Pin edu	4		M		0		L		50	
23	Pin edu	4		M		0		L		50	
24	Art tri	5		M		0		M		80	
25	Jun ost	4		M		0		L		30	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 11 Date 5/2/79
Location: T 2S R 99W S 4 Aspect (°) S Slope (°) _____
Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7080/2158

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Jun ost	4		M		0		I		5	
2	Pin edu	5		D		5		M		10	
3	Pur tri	8		D		-		-		-	
4	Pur tri	2		M		5		M		90	
5	Pur tri	3		D		20		S		50	
6	Pur tri	3		M		10		M		50	
7	Jun ost	1		M		0		L		100	
8	Pin edu	5		M		5		M		20	
9	Pin edu	5		D		0		M		75	
10	Jun ost	5		D		0		M		20	
11	Pur tri	6		D		40		S		70	
12	Pur tri	6		D		50		S		50	
13	Pur tri	3		M		50		S		90	
14	Pur tri	6		D		10		S		60	
15	Pin edu	2		M		0		M		100	
16	Pin edu	3		M		30		S		100	
17	Jun ost	5		M		0		M		15	
18	Pur tri	2		M		80		M		85	
19	Pin edu	1		M		0		L		100	
20	Pur tri	2		M		40		M		100	
21	Pin edu	2		M		0		M		100	
22	Pur tri	6		D		10		S		25	
23	Pin edu	1		Y		0		L		100	
24	Jun ost	4		D		0		L		70	
25	Pur tri	8		D		-		-		-	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 12 Date 5/1/79

Location: T 1S R 99W S 34 Aspect (°) NE Slope (°) 5

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 6800/2073

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Pin edu	7		M		-		M		0	
2	Cer mon	6		D		0		S		25	
3	Cer mon	6		M		90		S		75	
4	Pur tri	5		M		20		M		80	
5	Ame uta	6		D		35		S		50	
6	Cer mon	6		M		90		S		80	
7	Pin edu	7		M		-		M		0	
8	Pin edu	7		M		-		M		0	
9	Art tri	4		D		6		L		20	
10	Cer mon	6		M		80		S		80	
11	Art tri	4		D		0		L		10	
12	Cer mon	6		M		10		S		80	
13	Jun ost	4		M		0		L		10	
14	Art tri	6		D		70		M		70	
15	Pin edu	5		M		0		M		10	
16	Pin edu	7		M		-		M		0	
17	Pin edu	7		M		-		L		0	
18	Jun ost	8		D		-		-		-	
19	Art tri	4		M		90		M		85	
20	Pin edu	5		M		0		M		15	
21	Cer mon	6		D		0		S		2	
22	Cer mon	6		M		90		S		90	
23	Cer mon	6		M		85		S		80	
24	Pin edu	1		S		0		N		100	
25	Cer mon	6		M		80		S		80	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 16 Date 5/4/79

Location: T 2S R 99W S 2 Aspect (°) E Slope (°) 40

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 6880/2097

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Pin edu	4		M		2		L		40	
2	Pin edu	2		M		15		M		80	
3	Art tri	4		D		0		L		30	
4	Jun ost	4		M		0		L		30	
5	Art tri	8		D		-		-		-	
6	Pin edu	1		S		33		N		100	
7	Jun ost	8		D		-		-		-	
8	Pin edu	1		S		0		N		100	
9	Art tri	8		D		-		-		-	
10	Art tri	2		M		20		M		100	
11	Jun ost	5		M		0		M		5	
12	Jun ost	8		D		-		-		-	
13	Art tri	4		D		20		L		70	
14	Sym ore	3		M		0		S		100	
15	Sym ore	8		M		-		-		-	
16	Sym ore	3		D		100		S		1	
17	Sym ore	2		M		100		M		1	
18	Art tri	6		M		0		S		80	
19	Art tri	4		D		15		L		40	
20	Pur tri	6		D		30		S		50	
21	Art tri	8		D		-		-		-	
22	Pin edu	4		M		10		L		60	
23	Jun ost	1		M		0		L		100	
24	Art tri	8		D		-		-		-	
25	Cer mon	6		M		10		S		80	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 17 Date 5/3/79

Location: T 2S R 99W S 3 Aspect (°) NW Slope (°) 15

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 6950/2118

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Jun ost	5		M		0		M		20	
2	Art tri	1		M		15		L		100	
3	Art tri	2		M		0		M		90	
4	Art tri	5		D		0		M		5	
5	Art tri	2		D		0		M		70	
6	Art tri	2		M		0		M		100	
7	Art tri	6		D		0		S		20	
8	Art tri	1		S		0		L		100	
9	Cer mon	6		D		70		S		40	
10	Cer mon	6		D		60		S		60	
11	Pin edu	1		Y		25		L		100	
12	Cer mon	3		M		80		S		100	
13	Cer mon	3		M		100		S		100	
14	Jun ost	7		M		-		M		0	
15	Jun ost	6		M		0		S		10	
16	Jun ost	8		D		-		-		-	
17	Art tri	6		D		0		S		60	
18	Art tri	3		M		10		S		100	
19	Art tri	8		D		-		-		-	
20	Art tri	3		M		20		S		100	
21	Pur tri	5		D		0		M		40	
22	Cer mon	6		D		15		S		50	
23	Cer mon	6		D		30		S		70	
24	Art tri	6		D		0		S		60	
25	Cer mon	5		M		60		S		90	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 18 Date 5/4/79

Location: T 2S R 99W S 10 Aspect (°) SE Slope (°) 1

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7100/2164

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Jun ost	7		M		-		N		0	
2	Pin edu	3		M		50		S		80	
3	Art tri	8		D		-		-		-	
4	Pin edu	3		M		0		S		100	
5	Art tri	8		D		-		-		-	
6	Jun ost	4		M		0		L		5	
7	Pin edu	5		M		0		M		5	
8	Art tri	8		D		-		-		-	
9	Pur tri	5		M		0		M		80	
10	Pur tri	1		D		0		L		70	
11	Pur tri	5		D		0		M		75	
12	Pin edu	2		M		0		M		100	
13	Pur tri	2		M		5		M		100	
14	Jun ost	7		M		0		L		15	
15	Pur tri	8		D		-		-		-	
16	Jun ost	5		M		0		M		25	
17	Pur tri	2		D		30		M		60	
18	Pur tri	5		D		10		M		25	
19	Pur tri	6		D		0		S		75	
20	Pur tri	5		D		30		M		60	
21	Pur tri	6		D		30		S		50	
22	Pur tri	5		M		0		M		80	
23	Pur tri	5		M		0		M		80	
24	Pur tri	6		M		0		S		90	
25	Jun ost	5		M		0		M		20	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 19 Date 5/4/79

Location: T 2S R 99W S 9 Aspect (°) SE Slope (°) 1

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7340/2237

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	4		D		0		L		60	
2	Pur tri	5		D		0		M		10	
3	Pin edu	1		M		0		L		100	
4	Art tri	1		D		0		L		70	
5	Jun ost	4		M		0		L		50	
6	Jun ost	4		M		0		L		50	
7	Pin edu	1		M		30		L		100	
8	Art tri	5		M		25		M		90	
9	Art tri	5		M		40		M		90	
10	Pin edu	4		M		10		L		60	
11	Jun ost	4		M		0		L		75	
12	Pin edu	4		M		60		L		15	
13	Art tri	3		M		50		S		100	
14	Art tri	3		M		0		S		100	
15	Jun ost	1		M		0		L		100	
16	Pin edu	3		D		33		S		75	
17	Art tri	2		M		0		M		90	
18	Art tri	2		M		20		M		100	
19	Art tri	1		M		20		L		100	
20	Art tri	8		D		-		-		-	
21	Art tri	4		D		0		L		30	
22	Art tri	8		D		-		-		-	
23	Art tri	6		D		0		S		50	
24	Art tri	5		D		0		M		75	
25	Pin edu	3		M		5		S		100	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 36 Date 5/4/79

Location: T 2S R 99W S 17 Aspect (°) ESE Slope (°) _____

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7355/2242

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Jun ost	1		M		2		L		100	
2	Pin edu	4		M		20		L		5	
3	Art tri	6		D		30		S		10	
4	Art tri	1		M		30		L		100	
5	Art tri	1		M		0		L		100	
6	Art tri	6		M		70		S		80	
7	Art tri	1		M		30		L		100	
8	Art tri	4		D		0		L		50	
9	Art tri	4		D		0		L		30	
10	Art tri	1		M		0		L		100	
11	Art tri	4		D		0		L		65	
12	Art tri	5		D		80		M		70	
13	Art tri	6		D		5		S		65	
14	Art tri	2		M		10		M		100	
15	Art tri	1		M		10		L		100	
16	Art tri	2		M		0		M		100	
17	Ame uta	2		D		50		M		30	
18	Ame uta	4		M		2		L		10	
19	Jun ost	1		M		0		L		100	
20	Art tri	1		M		0		L		100	
21	Jun ost	1		M		0		L		100	
22	Art tri	4		M		0		L		80	
23	Art tri	1		M		0		L		100	
24	Art tri	4		D		0		L		20	
25	Art tri	4		D		20		L		60	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Pinyon-Juniper Sample Unit #: 37 Date 5/4/79

Location: T 1S R 99W S 29 Aspect (°) SF Slope (°) _____

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7400/2256

No.	Species	Form Class	Age Class	Leader Use (%)	Hedging Class	Availability (%)
1	Pin edu	1	M	0	L	100
2	Art tri	5	M	5	M	90
3	Jun ost	1	M	0	L	100
4	Pur tri	5	D	0	M	70
5	Pur tri	2	M	5	M	90
6	Art tri	6	D	5	S	65
7	Art tri	5	M	5	M	80
8	Pin edu	1	M	0	L	100
9	Pur tri	4	D	50	L	40
10	Pin edu	1	M	0	L	100
11	Jun ost	1	Y	0	L	100
12	Pur tri	2	M	0	M	100
13	Art tri	5	M	0	M	80
14	Art tri	2	M	10	M	100
15	Art tri	6	M	40	S	85
16	Art tri	6	D	60	S	70
17	Pur tri	5	D	80	S	70
18	Pur tri	6	D	95	S	70
19	Pur tri	5	M	85	M	80
20	Art tri	3	M	60	S	100
21	Jun ost	1	M	0	L	100
22	Art tri	6	D	80	S	75
23	Art tri	6	D	0	S	20
24	Pin edu	1	M	0	L	100
25	Art tri	5	D	0	M	30

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 8 Date 5/2/79

Location: T 2S R 99W S 4 Aspect (°) N Slope (°) 60

Field Analyst(s) C. V. Braun, D. A. Boyce Elevation (ft/m) 7120/2170

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	6		M		5		S		80	
2	Ame uta	5		M		0		L		90	
3	Art tri	6		D		0		S		50	
4	Art tri	6		M		0		S		80	
5	Art tri	6		D		0		S		50	
6	Art tri	6		D		0		S		15	
7	Art tri	5		D		0		M		30	
8	Art tri	8		D		-		-		-	
9	Sym ore	3		M		0		S		100	
10	Art tri	6		D		0		S		20	
11	Art tri	5		D		0		M		50	
12	Art tri	6		D		0		S		50	
13	Ame uta	2		M		0		M		100	
14	Art tri	2		M		0		M		100	
15	Art tri	8		D		-		-		-	
16	Art tri	6		M		60		S		90	
17	Sym ore	5		D		0		M		5	
18	Sym ore	5		D		0		M		5	
19	Sym ore	5		D		0		M		5	
20	Ame uta	1		Y		10		L		100	
21	Art tri	8		D		-		-		-	
22	Art tri	3		M		5		S		100	
23	Art tri	3		M		5		S		100	
24	Art tri	6		M		10		S		90	
25	Art tri	6		D		0		S		50	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 10 Date 5/2/79

Location: T 2S R 99W S 4 Aspect (°) N Slope (°) 0-5

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7040/2146

No.	Species	Form Class	Age Class	Leader Use (%)	Hedging Class	Availability (%)
1	Art tri	4	M	0	L	90
2	Art tri	8	D	-	-	-
3	Art tri	5	D	0	M	40
4	Art tri	5	D	0	M	60
5	Art tri	5	M	0	M	95
6	Art tri	6	D	2	S	10
7	Art tri	6	D	0	S	45
8	Art tri	8	D	-	-	-
9	Art tri	2	M	0	M	100
10	Art tri	2	M	5	M	100
11	Art tri	6	M	5	S	80
12	Art tri	8	D	-	-	-
13	Art tri	8	D	-	-	-
14	Art tri	1	M	0	L	100
15	Art tri	4	D	0	L	60
16	Art tri	8	D	-	-	-
17	Art tri	8	D	-	-	-
18	Art tri	2	M	S	M	100
19	Art tri	8	D	-	-	-
20	Art tri	4	D	0	L	20
21	Art tri	8	D	-	-	-
22	Art tri	2	M	0	M	100
23	Art tri	8	D	-	-	-
24	Art tri	4	D	0	L	40
25	Art tri	6	D	0	S	40

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 14 Date 5/3/79

Location: T 1S R 99W S 33 Aspect (°) SE Slope (°) 15

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) May 3, 1979

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	1		M		0		L		80	
2	Art tri	1		M		0		N		20	
3	Art tri	5		D		0		M		10	
4	Art tri	1		M		0		L		80	
5	Art tri	3		M		0		S		80	
6	Art tri	8		D		-		-		-	
7	Art tri	4		D		0		L		5	
8	Art tri	8		M		-		-		-	
9	Art tri	8		D		-		-		-	
10	Art tri	8		D		-		-		-	
11	Art tri	1		M		15		N		100	
12	Art tri	8		D		-		-		-	
13	Art tri	2		M		0		M		100	
14	Art tri	1		M		0		L		80	
15	Art tri	8		D		0		-		-	
16	Art tri	1		M		0		N		90	
17	Art tri	8		D		-		-		-	
18	Art tri	1		D		0		L		70	
19	Art tri	1		M		0		L		90	
20	Art tri	1		M		0		N		100	
21	Art tri	1		M		0		N		100	
22	Art tri	5		M		0		M		80	
23	Art tri	8		D		0		-		-	
24	Art tri	4		D		0		L		60	
25	Art tri	8		M		-		-		-	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 15 Date 5/3/79

Location: T 2S R 99W S 5 Aspect (°) S Slope (°) 10-15

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7040/2146

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	5		M		0		M		90	
2	Art tri	2		M		70		M		100	
3	Art tri	4		D		50		L		20	
4	Art tri	1		M		0		N		100	
5	Art tri	5		D		0		M		3	
6	Art tri	5		M		0		M		90	
7	Art tri	4		D		0		L		30	
8	Art tri	8		M		-		-		-	
9	Art tri	8		D		-		-		1	
10	Art tri	8		D		-		-		-	
11	Art tri	4		D		30		L		40	
12	Art tri	4		D		0		L		40	
13	Art tri	5		D		15		M		75	
14	Art tri	8		D		-		-		-	
15	Art tri	2		M		20		M		100	
16	Art tri	1		M		20		L		100	
17	Art tri	8		D		-		-		-	
18	Art tri	8		D		-		-		-	
19	Art tri	5		M		0		M		90	
20	Art tri	2		M		0		M		100	
21	Art tri	2		M		0		M		100	
22	Art tri	2		D		5		M		40	
23	Art tri	4		D		0		N		20	
24	Art tri	1		M		0		N		100	
25	Art tri	1		M		0		N		100	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 20 Date 5/4/79

Location: T 2S R 99W S 9 Aspect (°) SW Slope (°) 50

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7200/2195

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	3		M		0		S		100	
2	Art tri	5		M		0		M		90	
3	Art tri	6		D		0		S		75	
4	Art tri	3		M		15		S		100	
5	Ame uta	1		D		0		N		40	
6	Art tri	6		D		0		S		50	
7	Art tri	8		D		-		-		-	
8	Art tri	8		D		-		-		-	
9	Art tri	5		D		0		M		75	
10	Art tri	6		D		5		S		65	
11	Art tri	3		M		2		S		100	
12	Art tri	8		D		-		-		-	
13	Art tri	6		D		2		S		75	
14	Art tri	6		M		0		S		80	
15	Art tri	6		D		0		S		50	
16	Art tri	5		D		0		M		60	
17	Art tri	8		D		-		-		-	
18	Art tri	6		D		5		S		50	
19	Art tri	8		D		-		-		-	
20	Art tri	1		M		0		L		100	
21	Art tri	3		M		0		S		100	
22	Art tri	6		D		15		S		50	
23	Art tri	6		D		5		S		75	
24	Art tri	1		M		20		L		100	
25	Art tri	1		M		0		L		100	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 22 Date 7/4/79

Location: T 2S R 99W S 17 Aspect (°) E Slope (°) 7-8

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7300/2225

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	2		M		0		M		80	
2	Art tri	6		D		0		S		30	
3	Art tri	2		M		0		M		100	
4	Art tri	8		D		-		-		-	
5	Ame uta	2		M		0		L		90	
6	Art tri	5		M		0		M		90	
7	Ame uta	8		D		-		-		-	
8	Art tri	6		D		0		S		50	
9	Art tri	8		D		-		-		-	
10	Art tri	6		D		2		S		60	
11	Art tri	2		M		5		M		100	
12	Art tri	8		D		-		-		-	
13	Art tri	5		D		0		M		35	
14	Art tri	5		D		0		-		-	
15	Art tri	1		M		0		L		90	
16	Art tri	8		D		-		-		-	
17	Ame uta	1		M		0		L		100	
18	Art tri	4		M		0		L		90	
19	Art tri	1		M		10		L		100	
20	Art tri	6		D		0		S		10	
21	Art tri	6		M		20		S		85	
22	Art tri	2		M		0		M		100	
23	Art tri	6		D		0		S		45	
24	Art tri	2		M		20		M		100	
25	Ame uta	8		D		0		1		100	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 28 Date 5/3/79

Location: T2S R 99W S 4 Aspect (°) SE Slope (°) 10

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7050/2149

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	4		M		5		L		85	
2	Art tri	8		D		-		-		-	
3	Art tri	1		M		0		L		100	
4	Art tri	1		M		0		L		90	
5	Art tri	1		M		0		L		100	
6	Art tri	1		M		0		L		80	
7	Art tri	5		M		0		M		90	
8	Art tri	4		D		0		L		75	
9	Art tri	1		M		0		L		80	
10	Art tri	8		D		-		-		-	
11	Art tri	8		D		-		-		-	
12	Art tri	1		M		0		L		100	
13	Art tri	8		D		-		-		-	
14	Art tri	8		M		-		-		-	
15	Art tri	4		M		0		L		85	
16	Art tri	4		D		5		L		70	
17	Art tri	8		D		-		-		-	
18	Art tri	1		D		0		L		50	
19	Art tri	8		D		-		-		-	
20	Art tri	4		M		0		L		50	
21	Art tri	8		D		-		-		-	
22	Art tri	1		M		0		L		100	
23	Art tri	1		D		0		L		70	
24	Art tri	1		M		0		L		100	
25	Art tri	8		D		-		-		-	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 30 Date 5/3/79
Location: T 2S R 99W S 2 Aspect (°) NW Slope (°) _____
Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7020/2140

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	2		M		0		M		100	
2	Art tri	3		D		0		S		70	
3	Art tri	8		D		-		-		-	
4	Art tri	2		M		0		M		100	
5	Art tri	2		M		0		M		95	
6	Art tri	6		D		0		S		60	
7	Art tri	5		M		1		M		80	
8	Art tri	2		M		0		M		100	
9	Art tri	5		D		0		M		60	
10	Art tri	6		D		0		M		25	
11	Art tri	1		M		5		L		100	
12	Art tri	8		D		0		-		-	
13	Art tri	1		M		20		L		100	
14	Art tri	6		D		0		S		50	
15	Art tri	2		M		0		M		100	
16	Art tri	2		M		0		M		100	
17	Art tri	1		M		0		L		100	
18	Art tri	6		D		0		S		35	
19	Art tri	6		D		0		S		75	
20	Art tri	8		D		-		-		-	
21	Art tri	6		M		5		S		60	
22	Art tri	1		M		0		L		100	
23	Art tri	2		M		0		M		100	
24	Art tri	4		M		0		L		60	
25	Art tri	4		M		60		L		80	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 38 Date 5/3/79

Location: T 2S R 99W S 7 Aspect (°) SE Slope (°) 1-2

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7500/2286

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	4		M		0		L		90	
2	Art tri	5		M		0		M		85	
3	Art tri	6		D		0		S		50	
4	Art tri	6		D		0		S		20	
5	Art tri	2		M		0		M		100	
6	Art tri	4		D		0		L		70	
7	Art tri	4		M		0		M		90	
8	Art tri	5		M		0		S		90	
9	Art tri	1		M		50		L		100	
10	Art tri	4		D		0		L		20	
11	Art tri	5		D		0		M		75	
12	Art tri	2		M		25		M		100	
13	Art tri	8		D		-		-		-	
14	Art tri	1		M		0		L		100	
15	Art tri	5		D		0		M		20	
16	Art tri	8		D		-		-		-	
17	Art tri	8		D		-		-		-	
18	Art tri	8		D		-		-		-	
19	Art tri	4		M		30		L		90	
20	Art tri	2		M		0		M		100	
21	Art tri	2		M		0		M		100	
22	Art tri	2		M		0		M		100	
23	Art tri	2		M		0		M		100	
24	Ame uta	4		M		0		L		90	
25	Art tri	2		M		30		M		100	

BROWSE CONDITION & UTILIZATION DATA SHEET

Vegetation Type: Sagebrush Sample Unit #: 39 Date 5/4/79

Location: T 2S R 99W S 17 Aspect (°) SSE Slope (°) _____

Field Analyst(s) C.V. Braun, D.A. Boyce Elevation (ft/m) 7350/2240

No.	Species	Form Class		Age Class		Leader Use (%)		Hedging Class		Availability (%)	
1	Art tri	1		M		5		L		100	
2	Art tri	8		D		-		-		-	
3	Art tri	2		M		0		M		100	
4	Ame uta	1		M		0		L		100	
5	Art tri	8		D		-		-		-	
6	Ame uta	1		Y		20		L		100	
7	Art tri	4		M		0		L		85	
8	Art tri	8		D		-		-		-	
9	Art tri	5		M		0		M		85	
10	Art tri	5		M		5		M		90	
11	Art tri	5		M		0		M		90	
12	Art tri	5		D		0		M		60	
13	Art tri	5		D		0		M		70	
14	Art tri	2		M		0		M		100	
15	Art tri	1		M		0		L		100	
16	Art tri	2		M		0		M		100	
17	Art tri	6		D		0		S		25	
18	Art tri	5		D		0		M		65	
19	Art tri	5		M		0		S		5	
20	Art tri	4		D		0		L		75	
21	Art tri	1		S		0		L		100	
22	Art tri	5		D		0		M		60	
23	Art tri	5		M		0		M		80	
24	Art tri	4		M		5		L		90	
25	Art tri	4		D		0		L		50	

APPENDIX 4-1

Abiotic Data

APPENDIX 4-1.1

Physical Data

APPENDIX 4-1.1

PHYSICAL AND CHEMICAL CHARACTERISTICS OF STREAMS, RBOSC AQUATIC MDP STUDIES, APRIL, 1979

Parameter	Station 13	14	20	21	27	29
Water Temperature (^{o}C)	15	17	22	21	11.3	11.5
Conductivity (mhos/cm)	1,050	2,000	2,500	3,220	600;600;600[2]	600;600;1,000[2]
Dissolved oxygen (mg/l)	6.3	8.5	8.7	8.6	9.3	9.5
Alkalinity, total (mg/l)	450	600	1,544	1,554	182	179
pH	7.8	7.0	8.3	8.4	7.5	9.5
Substrate[1]	Gr	Sa,Si	Gr,Sa	Gr,Sa	Co,Gr	Gr
Width	57"	102"	6'8"	9'3"	54'4"	47'6"
Depth	9"	8"	5"	3"	14";15";8"[2]	10";11";14"[2]
Velocity (ft/sec)	2.5	1.0	1.3	1.7	1.9;2.0;1.2[2]	2.3;3.6;2.1[2]
Turbidity (JTU)	155	1.0	120	145	98	103

[1] Substrate abbreviations: Gr=Gravel; Sa=Sand; De=Detritus; Co=Cobble; Si=Silt

APPENDIX 4-1.2

Water Quality Data

APPENDIX 4-1.2

WATER QUALITY DATA FOR THE WHITE RIVER RBOSC MDP AQUATIC MONITORING, APRIL, 1979. (Data are expressed in mg/l, unless otherwise noted.)

Parameter	Station 27 Replicate A	Replicate B
Boron (B), diss	<0.5	<0.5
Calcium (Ca), diss	57	60
Chloride (Cl), diss	21	22
Fluoride (F), diss	0.14	0.16
Magnesium (Mg), diss	19	20
Nitrate (n), diss	<0.2	<0.2
Phosphorus, Ortho (P), diss	0.01	0.01
Phosphorus, total (P), diss	0.02	0.02
Potassium (K), diss	2.0	2.0
Silica (Si), diss	6.2	6.4
Sodium (Na), diss	39	39
Solids, diss	379	376
Sulfate (S)	40	40
Turbidity (JTU)	95	100

diss = dissolved

Appendix 4-1.2 (Continued)

Parameter	Station 29 Replicate A	B
Boron (B), diss	<0.5	0.6
Calcium (Ca), diss	58	62
Chloride (Cl), diss	19	42
Fluoride (F), diss	0.16	0.17
Magnesium (Mg), diss	20	19
Nitrate (n), diss	<0.2	<0.2
Phosphorus, Ortho (P), diss	<0.01	<0.01
Phosphorus, total (P), diss	0.02	0.02
Potassium (K), diss	1.9	2.2
Silica (Si), diss	5.8	6.2
Sodium (Na), diss	43	45
Solids, diss	397	395
Sulfate (S)	40	42
Turbidity (JTU)	100	105

diss = dissolved

APPENDIX 4-2

Biotic Data

APPENDIX 4-2.1

Periphyton Data

APPENDIX 4-2.1a

Periphyton Enumeration and Biomass Data

PERIPHYTON BENCH SHEET
RIO BLANCO OIL SHALE COMPANY

STATION - 13
NUMBER OF REPLICATES - 4
COVERSLIP AREA - 625 MM2 DROPS/ML - 40 AREA SCRAPED - 5000 MM2
ORIGINAL VOLUME - 100 ML SUBSAMPLE VOLUME - 10 ML
CONCENTRATE VOLUME - 1.0 SAMPLE COLLECTION DATE - APRIL
SAMPLE STATION DESCRIPTION - CORRAL GULCH ANALYST - HIATT PROJECT NO. - 116

VARIABLE PARAMETERS	REP1	REP2	REP3	REP4
AREA OF TRANSECT	.4320	.2340	1.2200	2.8300
NUMBER OF TRANSECTS	1	1	1	1
NUMBER OF DROPS	10	10	10	10

CODE	TAXON	NUMBER OBSERVED REP1	REP2	REP3	REP4
1ACLAN	ACHNANTHES LANCEOLATA	P	1	2	3
1ACMIN	ACHNANTHES MINUTISSIMA	113	102	14	43
1AMJVP	AMPHORA OVALIS VAR. PEDICULUS	P			
1AMVEN	AMPHORA VENETA	P		P	
1CBAMP	CALONEIS AMPHISBAENA			P	
1COCPE	COCCONEIS PEDICULUS	P	P		
1CYMAR	CYMBELLA AMPHICEPHALA	P		P	P
1CYMCY	CYMBELLA CYMBIFORMIS	P	P		P
1DISPP	DIATOMA SPP.			1	P
1EPSCR	EPITHEMIA SOREX	P	P		
1FRAVA	FRAGILARIA VAUCHERIAE	7	45	100	3
1GOANG	GOMPHONEMA ANGUSTATUM	1	3	2	1
1GOOLI	GOMPHONEMA OLIVACEUM		P	P	P
1GOPAR	GOMPHONEMA PARVULUM	1	P		
1HANAM	HANTZSCHIA AMPHIOXYS		P		
1MERCI	MERIDION CIRCULARE	P	P		P
1NAARV	NAVICULA ARVENSIS	P		P	1
1NACRY	NAVICULA CRYPTOCEPHALA	P			
1NACRV	NAVICULA CRYPTOCEPHALA VAR. VENETA	1	1	4	3
1NAHEU	NAVICULA HEUFLERI	P	P	1	3
1NAPEL	NAVICULA PELLICULOSA	2		P	3
1NAPYG	NAVICULA PYGMAEA	1			
1NASEA	NAVICULA SECRETA VAR. APICULATA	1	1	1	11
1NATRI	NAVICULA TRIPUNCTATA	P	P		
1NAVIR	NAVICULA VIRIDULA	1	5	1	2
1NIAPI	NITZSCHIA APICULATA	P			P
1NIDEN	NITZSCHIA DENTICULA		P		
1NIDIS	NITZSCHIA DISSIPATA	P			
1NIFON	NITZSCHIA FONTICOLA	2	1		
1NIFRU	NITZSCHIA FRUSTULUM	P	1	P	6
1NIHOL	NITZSCHIA HOLSATICA		P	3	1
1NILAT	NITZSCHIA LATENS				P
1NILIN	NITZSCHIA LINEARIS	P			P
1NIPAL	NITZSCHIA PALEA		P	1	P
1NITRL	NITZSCHIA TRYBLIONELLA VAR. LEVIDENSIS				1
1NISPP	NITZSCHIA SPP.				5
1PIHOR	PINNULARIA BOREALIS	P			
1PIBRE	PINNULARIA BREBISSONII	P	P		
1PISPP	PINNULARIA SPP.				P
1RHGIV	RHOPALODIA GIBBA VAR. VENTRICOSA	P			
1SUOVA	SURIRELLA OVATA	P	P	2	1
1SYFAM	SYNEDRA FAMELICA	P	13	8	1
1SYFAS	SYNEDRA FASCICULATA		P		
1SYULN	SYNEDRA ULNA	P			
1UNPEN	UNIDENTIFIED PENNATE DIATOMS			2	
3PHSPP	PHORMIDIUM SPP.	165	467	127	104

P = PRESENT IN SAMPLE BUT NOT OBSERVED ON TRANSECT

PEPIPHYTON BENCH SHEET
RIO BLANCO OIL SHALE COMPANY

STATION - 14
NUMBER OF REPLICATES - 4
COVERSLIP AREA - 625 MM2 DROPS/ML - 40 AREA SCRAPED - 5000 MM2
ORIGINAL VOLUME - 100 ML SUBSAMPLE VOLUME - 10 ML
CONCENTRATE VOLUME - 1.0 SAMPLE COLLECTION DATE - APRIL
SAMPLE STATION DESCRIPTION - CORRAL GULCH ANALYST - HIATT PROJECT NO. - 116

VARIABLE PARAMETERS	REP1	REP2	REP3	REP4
AREA OF TRANSECT	.0324	.0254	.0254	.0254
NUMBER OF TRANSECTS	8	6	5	15
NUMBER OF DROPS	10	10	10	10

CODE	TAXON	NUMBER OBSERVED REP1	REP2	REP3	REP4
1ACLAN	ACHNANTHES LANCEOLATA	7	7	5	6
1ACMIN	ACHNANTHES MINUTISSIMA	115	256	291	66
1AMSVP	AMPHORA OVALIS VAR. PEDICULUS	P	P		
1COCPE	COCCONEIS PEDICULUS		P		
1COCPL	COCCONEIS PLACENTULA		P		P
1CYCME	CYCLOTELLA MENEGHENIANA		1	P	1
1CYMAF	CYMBELLA AFFINIS	1	P	1	1
1CYMCY	CYMBELLA CYMBIFORMIS	P	P	1	P
1CYMMI	CYMBELLA MINUTA		P		
1DESLE	DENTICULA ELEGANS	P	P	P	1
1DITSE	DIATOMA TENUE VAR. ELONGATUM		P	P	P
1FRACR	FRAGILARIA CROTONENSIS	P	P	P	P
1FRAVA	FRAGILARIA VAUCHERIAE	6	4	1	1
1GOANG	GOMPHONEMA ANGUSTATUM	15	15	8	P
1GOINT	GOMPHONEMA INTRICATUM	P	P		
1GOPAR	GOMPHONEMA PARVULUM		P	P	1
1GYSPE	GYROSIGMA SPENCERII		P		P
1HANAM	HANTZSCHIA AMPHIOXYS	1			
1MERCI	MERIDION CIRCULARE			1	P
1NAARV	NAVICULA ARVENSIS	67	40	150	141
1NACRV	NAVICULA CRYPTOCEPHALA VAR. VENETA	2	1	P	P
1NACUS	NAVICULA CUSPIDATA	P		P	P
1NAHEU	NAVICULA HEUFLERI	1	P		1
1NAPEL	NAVICULA PELLICULOSA	32	4	8	15
1NASEA	NAVICULA SECRETA VAR. APICULATA	18	5	6	4
1NAVIR	NAVICULA VIRIDULA	P	P	1	P
1NIACI	NITZSCHIA ACICULARIS	P	P		1
1NIAMP	NITZSCHIA AMPHIBIA	1			
1NIAPI	NITZSCHIA APICULATA				P
1NIDEN	NITZSCHIA DENTICULA	4	1	P	
1NICIS	NITZSCHIA CISSIPATA	1			
1NIFON	NITZSCHIA FONTICOLA	4	4		
1NIFRU	NITZSCHIA FRUSTULUM	11		1	2
1NIHOL	NITZSCHIA HOLSATICA	9		2	1
1NILIT	NITZSCHIA LATENS	1	P		
1NILIN	NITZSCHIA LINEARIS	P	P	P	1
1NISPP	NITZSCHIA SPP.	2		4	1
1PIBIC	PINNULARIA BICEPS	P			
1PIBRE	PINNULARIA BREBISSONII		P		P
1RHGIV	RHOPALODIA GIBBA VAR. VENTRICOSA	P	P	P	P
1SUOVA	SURIRELLA OVATA	1	1	P	P
1SUOVL	SURIRELLA OVALIS		P	P	P
1SYFAM	SYNEDRA FAMELICA	22		5	2
1SYFAS	SYNEDRA FASCICULATA	5	3	5	4
1SYULN	SYNEDRA ULNA	P	P	1	P
1UNPEN	UNIDENTIFIED PENNATE DIATOMS	5		4	1
2CLOSP	CLOSTERIUM SPP.		P		
2MOLSP	MOUGEOTIA SPP.	P			
2SCACG	SCENEDESMUS ACUTUS VAR. GLOBOSIS		P		
2STISP	STIGEOCLONIUM SPP.		P	P	P
2ULSPP	ULOTHRIX SPP.	P	P	P	P
3ENTRI	ENTOPHYSALIS RIVULARIS		P		20
3MICIN	MICROCYSTIS INCERTA				P
3PHSPP	PHORMIDIUM SPP.		P	P	P
4PHSPP	PHACUS SPP.		P		

P = PRESENT IN SAMPLE BUT NOT OBSERVED ON TRANSECT

PERIPHYTON BENCH SHEET
RIO BLANCO OIL SHALE COMPANY

STATION - 20
NUMBER OF REPLICATES - 8
COVERSLIP AREA - 625 MM2 DROPS/ML - 40 AREA SCRAPED - 5000 MM2
ORIGINAL VOLUME - 100 ML SUBSAMPLE VOLUME - 10 ML
CONCENTRATE VOLUME - 1.0 SAMPLE COLLECTION DATE - APRIL
SAMPLE STATION DESCRIPTION - YELLOW CREEK ANALYST - HIATT PROJECT NO. - 116

VARIABLE PARAMETERS	REP1	REP2	REP3	REP4	REP5	REP6	REP7	REP8
AREA OF TRANSECT	.5000	.2200	1.4800	1.2100	1.4800	3.6700	1.4200	.0254
NUMBER OF TRANSECTS	1	1	1	1	1	1	1	*100
NUMBER OF DROPS	9	8	15	8	12	12	15	7

CODE	TAXON	NUMBER OBSERVED REP1	REP2	REP3	REP4	REP5	REP6	REP7	REP8
1ACLAN	ACHNANTHES LANCEOLATA	P	P	2	1	P	4	P	
1ACMIN	ACHNANTHES MINUTISSIMA	3	P	1	13	8	6	10	4
1CAAPP	CALONEIS AMPHISBAENA	P					P		
1CCCPL	COCCONEIS PLACENTULA								1
1CYMMI	CYMBELLA MINUTA					P			
1CYMMS	CYMBELLA MINUTA VAR. SILESIACA	2	P	P	P		3	1	2
1ENORN	ENTOMONEIS ORNATA	2		5	1	P	1	2	2
1FRAVA	FRAGILARIA VAUCHERIAE	91	5	32	47	102	78	43	53
1GOANG	GOMPHONEMA ANGUSTATUM			1	P	P	1	1	2
1GOGRA	GOMPHONEMA GRACILE		P						
1GOINT	GOMPHONEMA INTRICATUM	P							
1GOOLI	GOMPHONEMA OLIVACEUM	10	P		5	10	12	6	30
1GOPAR	GOMPHONEMA PARVULUM		P			P	3	P	
1GYSPE	GYROSIGMA SPENCERII			P					
1HANAM	HANTZSCHIA AMPHIOXYS				P				
1NAARV	NAVICULA ARVENSIS				1	15		6	1
1NACRY	NAVICULA CRYPTOCEPHALA	1			1	P	5		3
1NACRV	NAVICULA CRYPTOCEPHALA VAR. VENETA		P			P			
1NACUS	NAVICULA CUSPIDATA		P						
1NAHEU	NAVICULA HEUFLERI	P			P				
1NAPUP	NAVICULA PUPULA								P
1NAPEL	NAVICULA PELLICULOSA	114	121	27	121	67	29	49	37
1NAPYG	NAVICULA PYGMAEA					2			
1NARHY	NAVICULA RHYNCHOCEPHALA	P							
1NASEA	NAVICULA SECRETA VAR. APICULATA	2		9	P	P	5	P	1
1NATRI	NAVICULA TRIPUNCTATA			P					
1NAVIR	NAVICULA VIRIDULA		P	P	P	P			
1NIAPI	NITZSCHIA APICULATA	1	1	8	P	3	3	P	1
1NIDIS	NITZSCHIA DISSIPATA	6				1			
1NIFON	NITZSCHIA FONTICOLA	41	37	3	45	14	19	8	10
1NIFRU	NITZSCHIA FRUSTULUM	2	1	4	3	P	1	3	1
1NIHOL	NITZSCHIA HOLSATICA	106	56	38	100	33	48	119	2
1NILAT	NITZSCHIA LATENS			P		P			
1NILIN	NITZSCHIA LINEARIS	P		1					
1NITRL	NITZSCHIA TRYBLIONELLA VAR. LEVIDENSIS	P				P			
1NISPP	NITZSCHIA SPP.	5	2	17	7	3	4	5	6
1PIBRE	PINNULARIA BREBISSONII			P	1	P	P		
1PISPP	PINNULARIA SPP.							P	
1SOLIN	SURIRELLA LINEARIS	P							
1SIOVA	SURIRELLA OVATA	78	9	108	44	63	100	33	100
1SUOVL	SURIRELLA OVALIS	1	2	11	4	P	2	P	1
1SUSPP	SURIRELLA SPP.	P							
1SYAMF	SYNEDRA AMPHICEPHALA	2							7
1SYFAM	SYNEDRA FAMELICA	7	P	2	13	4	26	1	4
1SYFAS	SYNEDRA FASCICULATA				P				
1SYINC	SYNEDRA INCISA								1
1SYULN	SYNEDRA ULNA		P						
1UNPEN	UNIDENTIFIED PENNATE DIATOMS		2	5			2		4
2STISP	STIGEOCLONIUM SPP.	P		P	P		6	P	2
4EUSPP	EUGLENA SPP.				P				

P = PRESENT IN SAMPLE BUT NOT OBSERVED ON TRANSECT

PERIPHYTON BENCH SHEET
RIO BLANCO OIL SHALE COMPANY

STATION - 21
NUMBER OF REPLICATES - 8
COVERSLIP AREA - 625 MM2 DROPS/ML - 40 AREA SCRAPED - 5000 MM2
ORIGINAL VOLUME - 100 ML SUBSAMPLE VOLUME - 10 ML
CONCENTRATE VOLUME - 1.0 SAMPLE COLLECTION DATE - APRIL
SAMPLE STATION DESCRIPTION - YELLOW CREEK ANALYST - HIATT PROJECT NO. - 116

VARIABLE PARAMETERS	REP1	REP2	REP3	REP4	REP5	REP6	REP7	REP8
AREA OF TRANSECT	.8800	1.1300	2.5000	2.3000	3.6000	4.5000	4.5000	4.5000
NUMBER OF TRANSECTS	1	1	1	1	1	1	2	1
NUMBER OF DROPS	15	15	10	10	10	15	15	10

CODE	TAXON	NUMBER OBSERVED REP1	REP2	REP3	REP4	REP5	REP6	REP7	REP8
1ACLAN	ACHNANTHES LANCEOLATA	P	3	4	13	12	1	P	
1ACLIN	ACHNANTHES LINEARIS								4
1ACMIN	ACHNANTHES MINUTISSIMA	11	5	2	9	7	9	1	46
1AMOVP	AMPHORA OVALIS VAR. PEDICULUS						P		
1COCPE	COCCONEIS PEDICULUS	P	1						
1COCPL	COCCONEIS PLACENTULA	P				1			
1CYCME	CYCLOTELLA MENEGHENIANA	P	P		1	2			
1CYMCY	CYMBELLA CYMBIFORMIS		P						
1CYMMI	CYMBELLA MINUTA			1		1	P	1	
1CYMMS	CYMBELLA MINUTA VAR. SILESIACA	P	P						1
1DITEE	DIATOMA TENUE VAR. ELONGATUM								2
1ENCRN	ENTOMONEIS ORNATA	P	2	4		3	P	3	1
1FRACO	FRAGILARIA CONSTRUENS						P		
1FRACR	FRAGILARIA CROTONENSIS							P	
1FRAVA	FRAGILARIA VAUCHERIAE	43	53	54	25	105	78	90	111
1GOANG	GOMPHONEMA ANGUSTATUM	3			3	1		P	P
1GOOLI	GOMPHONEMA OLIVACEUM	15	P	2	7	4	2		3
1GOPAR	GOMPHONEMA PARVULUM			2	1				
1GOTER	GOMPHONEMA TERGESTINUM				6				
1GYSPE	GYROSIGMA SPENCERII							P	
1NAARV	NAVICULA ARVENSIS	5	3	P		1	1	1	
1NACRY	NAVICULA CRYPTOCEPHALA	3	11	7	7	4	1	2	1
1NAHEU	NAVICULA HEUFLERI	1		1	6				
1NAMUT	NAVICULA MUTICA					1			
1NAPEL	NAVICULA PELLICULOSA	18	29	29	107	64	26	38	28
1NASEA	NAVICULA SECRETA VAR. APICULATA	1	9	2		3	2	6	
1NATRI	NAVICULA TRIPUNCTATA								1
1NAVIR	NAVICULA VIRIDULA							1	2
1NASPP	NAVICULA SPP.			1				3	1
1NIAPI	NITZSCHIA APICULATA	1	1	1	1	1	P	4	1
1NIDIS	NITZSCHIA DISSIPATA	1	1		3	1	1		2
1NIFON	NITZSCHIA FONTICOLA	4	2	10	51	28	2	2	6
1NIFRU	NITZSCHIA FRUSTULUM	6		2	6	26	20	10	20
1NIHOL	NITZSCHIA HOLSATICA	68	12	6	12	40	13	19	12
1NILAT	NITZSCHIA LATENS	P							
1NILIN	NITZSCHIA LINEARIS			P					
1NIMIC	NITZSCHIA MICROCEPHALA						P		1
1NIPAL	NITZSCHIA PALEA			P	1			P	3
1NISPP	NITZSCHIA SPP.	5	4	5	12		6	P	P
1PIBOR	PINNULARIA BOREALIS	P							
1PIBRE	PINNULARIA BREBISSONII		P						
1PISPP	PINNULARIA SPP.			1					
1RHCUR	RHOICOSPHENIA CURVATA								P
1SUOVA	SURIRELLA OVATA		115	105	38	100	101	22	124
1SUOVL	SURIRELLA OVALIS	110			3	2	1		1
1SYAMP	SYNEDRA AMPHICEPHALA							2	
1SYFAM	SYNEDRA FAMELICA	4	1						
1SYINC	SYNEDRA INCISA						2		
1SYULN	SYNEDRA ULNA							1	
1UNPEN	UNIDENTIFIED PENNATE DIATOMS	1		2	3	2	2	2	4
2STISP	STIGEOCLONIUM SPP.	2	4	3	P	1	P		4
3PHSPP	PHORMIDIUM SPP.					P			
4EUGPP	EUGLENA SPP.			1			P		

P = PRESENT IN SAMPLE BUT NOT OBSERVED ON TRANSECT

PERIPHYTON BENCH SHEET
RIO BLANCO OIL SHALE COMPANY

STATION - 27
NUMBER OF REPLICATES - 4
COVERSLIP AREA - 625 MM2 DROPS/ML - 40 AREA SCRAPED - 5000 MM2
ORIGINAL VOLUME - 100 ML SUBSAMPLE VOLUME - 10 ML
CONCENTRATE VOLUME - 1.0 SAMPLE COLLECTION DATE - APRIL
SAMPLE STATION DESCRIPTION - WHITE RIVER ANALYST - HIATT PROJECT NO. - 116

VARIABLE PARAMETERS	REP1	REP2	REP3	REP4
AREA OF TRANSECT	1.3000	3.1000	1.5000	4.5000
NUMBER OF TRANSECTS	1	1	1	1
NUMBER OF DROPS	11	8	15	8

CODE	TAXON	NUMBER OBSERVED REP1	REP2	REP3	REP4
1ACLAN	ACHNANTHES LANCEOLATA		3	3	5
1ACLIN	ACHNANTHES LINEARIS				1
1ACMIC	ACHNANTHES MICROCEPHALA		3		
1ACMIN	ACHNANTHES MINUTISSIMA		15	57	1
1AMCVP	AMPHORA OVALIS VAR. PEDICULUS	1	4		3
1AMPER	AMPHORA PERPUSILLA		8	6	1
1COCPE	COCCONEIS PEDICULUS	P	P	P	4
1COCPL	COCCONEIS PLACENTULA		3	1	5
1CYMAF	CYMBELLA AFFINIS	4	P	1	
1CYMMI	CYMBELLA MINUTA	17	5	1	4
1CYMSI	CYMBELLA SINUATA		1	2	2
1DIVUL	DIATOMA VULGARE				2
1EPSOR	EPITHEMIA SOREX	20	151		47
1EPTUR	EPITHEMIA TURGIDA	P			
1FRACO	FRAGILARIA CONSTRUENS		P		
1FRVA	FRAGILARIA VAUCHERIAE	P	5		1
1GOANG	GOMPHONEMA ANGUSTATUM	1	9	P	
1GOCLE	GOMPHONEMA CLEVEI		P		1
1GOOLI	GOMPHONEMA OLIVACEUM	181	53	120	116
1GOPAR	GOMPHONEMA PARVULUM		9		
1GYSPE	GYROSIGMA SPENCERII			P	
1NACAP	NAVICULA CAPITATA		P		
1NACRY	NAVICULA CRYPTOCEPHALA	1		1	1
1NACRV	NAVICULA CRYPTOCEPHALA VAR. VENETA	18	19	10	38
1NAPEL	NAVICULA PELLICULOSA		8	53	3
1NASAI	NAVICULA SALINARIUM VAR. INTERMEDIA	P			
1NASEA	NAVICULA SECRETA VAR. APICULATA				P
1NATRI	NAVICULA TRIPUNCTATA	4	8		2
1NAVIR	NAVICULA VIRIDULA	5	13	8	82
1NASPP	NAVICULA SPP.				1
1NIDIS	NITZSCHIA DISSIPATA	7	33	2	16
1NIFON	NITZSCHIA FONTICOLA	1	22	3	7
1NIFRU	NITZSCHIA FRUSTULUM	10	2	3	10
1NIHOL	NITZSCHIA HOLSATICA	5	10		17
1NIIGN	NITZSCHIA IGNORATA		2	2	1
1NISPP	NITZSCHIA SPP.		3		
1PISPP	PINNULARIA SPP.		P		
1RHGIV	RHOPALODIA GIBBA VAR. VENTRICOSA	P			
1RHCUR	RHOICOSPHENIA CURVATA	11	5	1	19
1SUOVA	SURIRELLA OVATA				4
1SYULN	SYNEDRA ULNA			P	
1UNPEN	UNIDENTIFIED PENNATE DIATOMS	2		2	5
2CLASP	CLADOPHORA SPP.				P
2STISP	STIGEOCLONIUM SPP.		P		
3OSPSE	OSCILLATORIA PSEUDOGEMINATA				P
3PHSPP	PHORMIDIUM SPP.	62	61	2	163

P = PRESENT IN SAMPLE BUT NOT OBSERVED ON TRANSECT

PERIPHYTON BENCH SHEET
RIO BLANCO OIL SHALE COMPANY

STATION - 29
NUMBER OF REPLICATES - 4
COVERSLIP AREA - 625 MM2 DROPS/ML - 40 AREA SCRAPED - 5000 MM2
ORIGINAL VOLUME - 100 ML SUBSAMPLE VOLUME - 10 ML
CONCENTRATE VOLUME - 1.0 SAMPLE COLLECTION DATE - APRIL
SAMPLE STATION DESCRIPTION - WHITE RIVER ANALYST - HIATT PROJECT NO. - 116

VARIABLE PARAMETERS	REP1	REP2	REP3	REP4
AREA OF TRANSECT	4.5000	4.5000	4.5000	4.5000
NUMBER OF TRANSECTS	1	3	1	1
NUMBER OF DROPS	8	15	15	15

CODE	TAXON	NUMBER OBSERVED REP1	REP2	REP3	REP4
1ACLAN	ACHNANTHES LANCEOLATA	5	2	5	
1ACMIN	ACHNANTHES MINUTISSIMA	109	3	186	172
1AMOVP	AMPHORA OVALIS VAR. PEDICULUS			1	
1AMPER	AMPHORA PERPUSILLA	1		14	
1COCPE	COCCONEIS PEDICULUS	P	1		
1COCPL	COCCONEIS PLACENTULA	3	14	1	P
1CYCBO	CYCLOTELLA BODANICA				P
1CYMAF	CYMBELLA AFFINIS	1	2		1
1CYMME	CYMBELLA MEXICANA	P			
1CYMMI	CYMBELLA MINUTA	2	2	1	P
1CYMSI	CYMBELLA SINUATA	3	1	P	P
1DIVUL	DIATOMA VULGARE	P			
1EPSOR	EPITHEMIA SOREX	P	6	2	
1FRACR	FRAGILARIA CROTONENSIS			P	
1FRALE	FRAGILARIA LEPTOSTAURON			P	
1FRAVA	FRAGILARIA VAUCHERIAE	7	8	11	
1GOANG	GOMPHONEMA ANGUSTATUM	P			
1GOCLE	GOMPHONEMA CLEVEI	P	6	P	
1GOOLI	GOMPHONEMA OLIVACEUM	15	40	18	20
1GOPAR	GOMPHONEMA PARVULUM	1	2		
1HAARC	HANNAEA ARCUS	P			
1NACRY	NAVICULA CRYPTOCEPHALA		1	2	
1NACRV	NAVICULA CRYPTOCEPHALA VAR. VENETA		1	6	4
1NACUS	NAVICULA CUSPIDATA		1		
1NAPEL	NAVICULA PELLICULOSA	32		86	6
1NASEA	NAVICULA SECRETA VAR. APICULATA				P
1NATRI	NAVICULA TRIPUNCTATA	2	2		P
1NAVIR	NAVICULA VIRIDULA	9	133	7	4
1NASPP	NAVICULA SPP.		1		
1NIDIS	NITZSCHIA DISSIPATA		1	6	1
1NIFON	NITZSCHIA FONTICOLA	2	2	6	3
1NIFRU	NITZSCHIA FRUSTULUM	1	1	6	
1NIHOL	NITZSCHIA HOLSATICA	2	2		P
1NILIN	NITZSCHIA LINEARIS				P
1NIPAL	NITZSCHIA PALEA		1		
1NISPP	NITZSCHIA SPP.	P			P
1RHCUR	RHOICOSPHENIA CURVATA	P	4		1
1SUOVA	SURIRELLA OVATA	2	7	1	1
1SUOVL	SURIRELLA OVALIS	P			
1SYULN	SYNEDRA ULNA	P	1		
1UNCEN	UNIDENTIFIED CENTRIC DIATOMS		1		
1UNPEN	UNIDENTIFIED PENNATE DIATOMS	1	2	4	
2STISP	STIGEOCLONIUM SPP.			P	
3OSSPP	OSCILLATORIA SPP.		P		
3PHSPP	PHORMIDIUM SPP.	2			1
4PHSPP	PHACUS SPP.				P

P = PRESENT IN SAMPLE BUT NOT OBSERVED ON TRANSECT

PERIPHYTON BIOMASS BENCH SHEET
PIO BLANCO OIL SHALE COMPANY

SAMPLE COLLECTION DATE - APRIL 1979
ANALYST - HIATT
AREA SCRAPED - 50 CM2

LOG #	STATION-REP	DRY WEIGHT (GM)	ASH WEIGHT (GM)
60-116	13A	110.9395	110.8476
61-116	13B	105.8455	105.7637
62-116	14A	104.4997	104.4375
63-116	14B	108.8818	108.8448
64-116	20A	113.6400	113.5831
65-116	20B	112.8262	112.8048
66-116	21A	154.2554	154.1905
67-116	21B	113.0923	112.9931
68-116	27A	115.3901	115.2829
69-116	27B	93.7542	93.6149
70-116	29A	104.0629	104.0224
71-116	29B	106.1297	106.1008

APPENDIX 4-2.1b

Occurrence of Periphyton Taxa by Sampling Stations

PERIPHYTON SPECIES LIST
RBOSC AQUATIC STUDIES
APRIL 1979

TAXON	STATION NUMBER 13	14	20	21	27	29
CHRYSOPHYTA						
ACHNANTHES LANCEOLATA	X	X	X	X	X	X
ACHNANTHES LINEARIS				X	X	
ACHNANTHES MICROCEPHALA	X	X	X	X	X	
ACHNANTHES MINUTISSIMA	X	X		X	X	X
AMPHORA OVALIS VAR. PEDICULUS					X	X
AMPHORA PERPUSILLA	X				X	X
AMPHORA VENETA	X		X			
CALONEIS AMPHISBAENA	X	X		X	X	
COCCONEIS PEDICULUS		X	X	X	X	X
COCCONEIS PLACENTULA					X	X
CYCLOTELLA BODANICA		X		X		X
CYCLOTELLA MENEGHENIANA		X			X	
CYMBELLA AFFINIS	X				X	X
CYMBELLA AMPHICEPHALA	X	X		X		
CYMBELLA MEXICANA		X	X	X	X	X
CYMBELLA MINUTA			X	X	X	X
CYMBELLA MINUTA VAR. SILESIACA					X	
CYMBELLA SINUATA		X			X	X
DENTICULA ELEGANS		X		X		
DIATOMA TENUE VAR. ELONGATUM					X	
DIATOMA VULGARE	X				X	X
DIATOMA SPP.			X	X		
ENTOMONEIS ORNATA	X				X	
EPITHEMIA SOREX					X	X
EPITHEMIA TURGIDA				X	X	
FRAGILARIA CONSTRUENS		X		X	X	
FRAGILARIA CROTONENSIS						X
FRAGILARIA LEPTOSTAURON	X	X	X	X	X	X
FRAGILARIA VAUCHERIAE	X	X	X	X	X	X
GOMPHONEMA ANGUSTATUM					X	X
GOMPHONEMA CLEVEI			X		X	X
GOMPHONEMA GRACILE		X	X			
GOMPHONEMA INTRICATUM	X		X	X	X	
GOMPHONEMA OLIVACEUM	X	X	X	X	X	X
GOMPHONEMA PARVULUM				X	X	X
GOMPHONEMA TERGESTINUM		X	X	X	X	
GYROSIGMA SPENCERII					X	
HANNAEA ARCUS	X	X	X			X
HANTZSCHIA AMPHIOXYS	X	X				
MERIDION CIRCULARE	X	X	X	X		
NAVICULA ARVENSIS					X	
NAVICULA CAPITATA	X		X	X	X	
NAVICULA CRYPTOCEPHALA	X	X	X		X	X
NAVICULA CRYPTOCEPHALA VAR. VENETA		X	X		X	X
NAVICULA CUSPIDATA	X	X	X	X		X
NAVICULA HEUFLERI				X		

NAVICULA MUTICA						
NAVICULA PUPULA			X			
NAVICULA RELICULOSA	X	X	X	X	X	
NAVICULA RYSMATA	X		X		X	X
NAVICULA SALINARIUM VAR. INTERMEDIA			X			
NAVICULA SECRETA VAR. APICULATA	X	X	X	X	X	
NAVICULA TRIPUNCTATA	X		X	X	X	X
NAVICULA VIRIDULA	X	X	X	X	X	X
NAVICULA SPP.				X	X	X
NITZSCHIA ACICULARIS		X			X	X
NITZSCHIA AMPHIBIA		X				
NITZSCHIA APICULATA	X	X	X	X		
NITZSCHIA DENTICULA	X	X				
NITZSCHIA DISSIPATA	X	X	X	X	X	
NITZSCHIA FONTICOLA	X	X	X	X	X	X
NITZSCHIA FRUSTULUM	X	X	X	X	X	X
NITZSCHIA HOLSATICA	X	X	X	X	X	X
NITZSCHIA IGNORATA					X	X
NITZSCHIA LATENS	X	X	X	X	X	
NITZSCHIA LINEARIS	X	X	X	X		
NITZSCHIA MICROCEPHALA				X		X
NITZSCHIA PALEA	X			X		
NITZSCHIA TRYBLIONELLA VAR. LEVIDENSIS	X		X			X
NITZSCHIA SPP.	X	X	X	X		
PINNULARIA BICEPS		X			X	X
PINNULARIA BOREALIS	X			X		
PINNULARIA BREBISSONII	X	X	X	X		
PINNULARIA SPP.	X		X	X	X	
RHOPALODIA GIBBA VAR. VENTRICOSA	X	X			X	
RHOICOSPHENIA CURVATA				X	X	
SURIRELLA LINEARIS			X		X	X
SURIRELLA OVATA	X	X	X	X	X	
SURIRELLA OVALIS		X	X	X	X	X
SURIRELLA SPP.			X			X
SYNEDRA AMPHICEPHALA			X	X		
SYNEDRA FAMELICA	X	X	X	X		
SYNEDRA FASCICULATA	X	X	X			
SYNEDRA INCISA			X	X		
SYNEDRA ULNA	X	X	X	X	X	
UNIDENTIFIED CENTRIC DIATOMS					X	X
UNIDENTIFIED PENNATE DIATOMS	X	X	X	X	X	X
					X	X
CHLOROPHYTA						
CLADOPHORA SPP.						
CLOSTERIUM SPP.		X			X	
MOUGEOTIA SPP.		X				
SCENEDESMUS ACUTUS VAR. GLOBOSIS		X				
STIGEOCLONIUM SPP.		X	X	X	X	
		X			X	X
CYANOPHYTA						
ENTOPHYSALIS RIVULARIS						
MICROCYSTIS INCERTA		X				
OSCILLATORIA PSEUDOGEMINATA					X	
OSCILLATORIA SPP.					X	
PHORMIDIUM SPP.	X	X	X	X	X	
					X	X

EUGLENOPHYTA		
EUGLENA SPP.	X	
PHACUS SPP.		X

X = TAXON OBSERVED AT SAMPLING STATION

APPENDIX 4-2.1c

Periphyton Density Data

PERIPHYTON DENSITIES
RBOSC AQUATIC SURVEYS
APRIL 1979

STATION NUMBER - 13
NUMBER OF REPITITIONS - 4

TAXON	DENSITY (UNITS/MM2) REP 1	REP 2	REP 3	REP 4	REP 5	REP 6	REP 7	REP 8	MEAN	S.D.
CHRYSOPHYTA										
ACHNANTHES LANCEOLATA	.0	21.4	8.2	5.3					8.7	9.1
ACHNANTHES MINUTISSIMA	1307.9	2179.5	57.4	76.0					905.2	1031.6
DIATOMA SPP.	.0	.0	4.1	.0					1.0	2.0
FRAGILARIA VAUCHERIAE	81.0	961.5	409.8	5.3					364.4	435.1
GOMPHONEMA ANGUSTATUM	11.6	64.1	8.2	1.8					21.4	28.8
GOMPHONEMA PARVULUM	11.6	.0	.0	.0					2.9	5.8
NAVICULA ARVENSIS	.0	.0	.0	1.8					.4	.9
NAVICULA CRYPTOCEPHALA VAR. VENETA	11.6	21.4	16.4	5.3					13.7	6.9
NAVICULA HEUFLERI	.0	.0	4.1	5.3					2.3	2.8
NAVICULA PELLICULOSA	23.1	.0	.0	5.3					7.1	11.0
NAVICULA PYGMAEA	11.6	.0	.0	.0					2.9	5.8
NAVICULA SECRETA VAR. APICULATA	11.6	21.4	4.1	19.4					14.1	7.9
NAVICULA VIRIDULA	11.6	106.8	4.1	3.5					31.5	50.4
NITZSCHIA FONTICOLA	23.1	21.4	.0	.0					11.1	12.9
NITZSCHIA FRUSTULUM	.0	21.4	.0	10.6					8.0	10.2
NITZSCHIA HOLSATICA	.0	.0	12.3	1.8					3.5	5.9
NITZSCHIA PALEA	.0	.0	4.1	.0					1.0	2.0
NITZSCHIA TRYBLIONELLA VAR. LEVIDENS	.0	.0	.0	1.8					.4	.9
NITZSCHIA SPP.	.0	.0	.0	8.8					2.2	4.4
SURIRELLA OVATA	.0	.0	8.2	1.8					2.5	3.9
SYNEDRA FAMELICA	.0	277.8	32.8	1.8					78.1	134.0
UNICENTIFIED PENNATE DIATOMS	.0	.0	8.2	.0					2.0	4.1
DIVISION TOTAL	1504.6	3696.6	582.0	155.5					1484.7	
CHLOROPHYTA										
CYANOPHYTA										
PHORMIDIUM SPP.	1909.7	9978.6	520.5	183.7					3148.1	4614.5
DIVISION TOTAL	1909.7	9978.6	520.5	183.7					3148.1	
EUGLENOPHYTA										
TOTAL DENSITY	3414.4	13675.2	1102.5	339.2					4632.8	

PERIPHYTON DENSITIES
RBOSC AQUATIC SURVEYS
APRIL 1979

STATION NUMBER - 14
NUMBER OF REPITITIONS - 4

TAXON	DENSITY (UNITS/MM2) REP 1	REP 2	REP 3	REP 4	REP 5	REP 6	REP 7	REP 8	MEAN	S.D.
CHRYSOPHYTA										
ACHNANTHES LANCEOLATA	135.0	229.7	196.9	78.7					160.1	66.9
ACHNANTHES MINUTISSIMA	2218.4	8399.0	11456.7	866.1					5735.0	5030.1
CYCLOTELLA MENEGHENIANA	.0	32.8	.0	13.1					11.5	15.5
CYMBELLA AFFINIS	19.3	.0	39.4	13.1					17.9	16.4
CYMBELLA CYMBIFORMIS	.0	.0	39.4	.0					9.8	19.7
DENTICULA ELEGANS	.0	.0	.0	13.1					3.3	6.6
FRAGILARIA VAUCHERIAE	115.7	131.2	39.4	13.1					74.9	57.5
GOMPHONEMA ANGUSTATUM	289.4	492.1	315.0	.0					274.1	203.8
GOMPHONEMA PARVULUM	.0	.0	.0	13.1					3.3	6.6
HANTZSCHIA AMPHIOXYS	19.3	.0	.0	.0					4.8	9.6
MERIDION CIRCULARE	.0	.0	39.4	.0					9.8	19.7
NAVICULA ARVENSIS	1292.4	1312.3	5905.5	1850.4					2590.2	2225.3
NAVICULA CRYPTOCEPHALA VAR. VENETA	38.6	32.8	.0	.0					17.8	20.7
NAVICULA HEUFLERI	19.3	.0	.0	13.1					8.1	9.7
NAVICULA PELLICULOSA	617.3	131.2	315.0	196.9					315.1	215.3
NAVICULA SECRETA VAR. APICULATA	347.2	164.0	236.2	52.5					200.0	123.9
NAVICULA VIRIDULA	.0	.0	39.4	.0					9.8	19.7
NITZSCHIA ACICULARIS	.0	.0	.0	13.1					3.3	6.6
NITZSCHIA AMPHIBIA	19.3	.0	.0	.0					4.8	9.6
NITZSCHIA DENTICULA	77.2	32.8	.0	.0					27.5	36.5
NITZSCHIA DISSIPATA	19.3	.0	.0	.0					4.8	9.6
NITZSCHIA FONTICOLA	77.2	131.2	.0	.0					52.1	64.1
NITZSCHIA FRUSTULUM	212.2	.0	39.4	26.2					69.5	96.6
NITZSCHIA HOLSATICA	173.6	.0	78.7	13.1					66.4	79.4
NITZSCHIA LATENS	19.3	.0	.0	.0					4.8	9.6
NITZSCHIA LINEARIS	.0	.0	.0	13.1					3.3	6.6
NITZSCHIA SPP.	38.6	.0	157.5	13.1					52.3	71.9
SURIRELLA OVATA	19.3	32.8	.0	.0					13.0	16.0
SYNEDRA FAMELICA	424.4	.0	196.9	26.2					161.9	195.6
SYNEDRA FASCICULATA	96.5	98.4	196.9	52.5					111.1	61.0
SYNEDRA ULNA	.0	.0	39.4	.0					9.8	19.7
UNIDENTIFIED PENNATE DIATOMS	96.5	.0	157.5	13.1					66.8	74.0
DIVISION TOTAL	6385.0	11220.5	19488.2	3294.0					10096.9	
CHLOROPHYTA										
CYANOPHYTA										
ENTOPHYSALIS RIVULARIS	.0	.0	.0	262.5					65.6	131.2
DIVISION TOTAL	.0	.0	.0	262.5					65.6	

EUGLENOPHYTA

TOTAL DENSITY	6385.0	11220.5	15488.2	3556.4	10162.5

PERIPHYTON DENSITIES
RROSC AQUATIC SURVEYS
APRIL 1979

STATION NUMBER - 20
NUMBER OF REPITITIONS - 8

TAXON	DENSITY (UNITS/MM2) REP 1	REP 2	REP 3	REP 4	REP 5	REP 6	REP 7	REP 8	MEAN	S.D.
CHRYSOPHYTA										
ACHNANTHES LANCEOLATA	.0	.0	4.5	5.2	.0	4.5	.0	.0	1.8	2.5
ACHNANTHES MINUTISSIMA	33.3	.0	2.3	67.1	22.5	6.8	23.5	11.2	20.8	22.0
COCCONEIS PLACENTULA	.0	.0	.0	.0	.0	.0	.0	2.8	.4	1.
CYMBELLA MINUTA VAR. SILESIACA	22.2	.0	.0	.0	.0	3.4	2.3	5.6	4.2	7.6
ENTOMONEIS ORNATA	22.2	.0	11.3	5.2	.0	1.1	4.7	5.6	6.3	7.4
FRAGILARIA VAUCHERIAE	1011.1	142.0	72.1	242.8	287.2	88.6	100.9	149.0	261.7	312.0
GOMPHONEMA ANGUSTATUM	.0	.0	2.3	.0	.0	1.1	2.3	5.6	1.4	2.0
GOMPHONEMA CLIVACEUM	111.1	.0	.0	25.8	28.2	13.6	14.1	84.4	34.6	40.9
GOMPHONEMA PARVULUM	.0	.0	.0	.0	.0	3.4	.0	.0	.4	1.2
NAVICULA ARVENSIS	.0	.0	.0	5.2	42.2	.0	14.1	2.8	8.0	14.6
NAVICULA CRYPTOCEPHALA	11.1	.0	.0	5.2	.0	5.7	.0	8.4	3.8	4.4
NAVICULA PELLICULOSA	1266.7	3437.5	60.8	625.0	188.6	32.9	115.0	104.0	728.8	1172.7
NAVICULA PYGMAEA	.0	.0	.0	.0	5.6	.0	.0	.0	.7	2.0
NAVICULA SECRETA VAR. APICULATA	22.2	.0	20.3	.0	.0	5.7	.0	2.8	6.4	9.4
NITZSCHIA APICULATA	11.1	28.4	18.0	.0	8.4	3.4	.0	2.8	9.0	10.0
NITZSCHIA DISSIPATA	66.7	.0	.0	.0	2.8	.0	.0	.0	8.7	23.4
NITZSCHIA FONTICOLA	455.6	1051.1	6.8	232.4	39.4	21.6	18.8	28.1	231.7	366.5
NITZSCHIA FRUSTULUM	22.2	28.4	9.0	15.5	.0	1.1	7.0	2.8	10.8	10.4
NITZSCHIA HOLSATICA	1177.8	1590.9	85.6	516.5	92.9	54.5	279.3	5.6	475.4	594.5
NITZSCHIA LINEARIS	.0	.0	2.3	.0	.0	.0	.0	.0	.3	.8
NITZSCHIA SPP.	55.6	56.8	38.3	36.2	8.4	4.5	11.7	16.9	28.6	21.0
PINNULARIA BREBISSONII	.0	.0	.0	5.2	.0	.0	.0	.0	.6	1.8
SURIRELLA OVATA	866.7	255.7	243.2	227.3	177.4	113.5	77.5	281.2	280.3	247.3
SURIRELLA OVALIS	11.1	56.8	24.8	20.7	.0	2.3	.0	2.8	14.8	19.5
SYNEDRA AMPHICEPHALA	22.2	.0	.0	.0	.0	.0	.0	19.7	5.2	9.7
SYNEDRA FAMELICA	77.8	.0	4.5	67.1	11.3	29.5	2.3	11.2	25.5	30.5
SYNEDRA INCISA	.0	.0	.0	.0	.0	.0	.0	2.8	.4	1.
UNIDENTIFIED PENNATE DIATOMS	.0	56.8	11.3	.0	.0	2.3	.0	11.2	10.2	19.5
DIVISION TOTAL	5266.7	6704.5	617.1	2102.3	915.0	399.6	673.7	767.7	2180.8	
CHLOROPHYTA										
STIGEOCLONIUM SPP.	.0	.0	.0	.0	.0	6.8	.0	5.6	1.6	2.9
DIVISION TOTAL	.0	.0	.0	.0	.0	6.8	.0	5.6	1.6	

Periphyton Densities, Station 20

CYANOPHYTA									
EUGLENOPHYTA									
TOTAL DENSITY	5266.7	6704.5	617.1	2102.3	915.0	406.4	673.7	773.3	2182.4

PERIPHYTON DENSITIES
RBOSC AQUATIC SURVEYS
APRIL 1979

STATION NUMBER - 21
NUMBER OF REPITITIONS - 8

TAXON	DENSITY (UNITS/MM2) REP 1	REP 2	REP 3	REP 4	REP 5	REP 6	REP 7	REP 8	MEAN	S.D.
CHRYSOPHYTA										
ACHNANTHES LANCEOLATA	.0	8.8	8.0	28.3	16.7	.7	.0	.0	7.8	10.2
ACHNANTHES LINEARIS	.0	.0	.0	.0	.0	.0	.0	4.4	.6	1.6
ACHNANTHES MINUTISSIMA	41.7	14.7	4.0	19.6	9.7	6.7	.4	51.1	18.5	18.4
COCCONEIS PEDICULUS	.0	2.9	.0	.0	.0	.0	.0	.0	.4	1.0
COCCONEIS PLACENTULA	.0	.0	.0	.0	1.4	.0	.0	.0	.2	.5
CYCLOTELLA MENEGHENIANA	.0	.0	.0	2.2	2.8	.0	.0	.0	.6	1.2
CYMBELLA MINUTA	.0	.0	2.0	.0	1.4	.0	.4	.0	.5	.8
CYMBELLA MINUTA VAR. SILESIACA	.0	.0	.0	.0	.0	.0	.0	1.1	.1	.4
DIATOMA TENUE VAR. ELONGATUM	.0	.0	.0	.0	.0	.0	.0	2.2	.3	.8
ENTOMONEIS ORNATA	.0	5.9	8.0	.0	4.2	.0	1.1	1.1	2.5	3.1
FRAGILARIA VAUCHERIAE	162.9	156.3	108.0	56.5	145.8	57.8	33.3	123.3	105.5	50.3
GOMPHONEMA ANGUSTATUM	11.4	.0	.0	6.5	1.4	.0	.0	.0	2.4	4.3
GOMPHONEMA OLIVACEUM	56.8	.0	4.0	15.2	5.6	1.5	.0	3.3	10.8	19.2
GOMPHONEMA PARVULUM	.0	.0	4.0	2.2	.0	.0	.0	.0	.8	1.5
GOMPHONEMA TERGESTINUM	.0	.0	.0	13.0	.0	.0	.0	.0	1.6	4.6
NAVICULA ARVENSIS	18.9	8.8	.0	.0	1.4	.7	.4	.0	3.8	6.8
NAVICULA CRYPTOCEPHALA	11.4	32.4	14.0	15.2	5.6	.7	.7	1.1	10.1	10.8
NAVICULA HEUFLERI	3.8	.0	2.0	13.0	.0	.0	.0	.0	2.4	4.5
NAVICULA MUTICA	.0	.0	.0	.0	1.4	.0	.0	.0	.2	.5
NAVICULA PELLICULOSA	68.2	85.5	58.0	232.6	88.9	19.3	14.1	31.1	74.7	69.9
NAVICULA SECRETA VAR. APICULATA	3.8	26.5	4.0	.0	4.2	1.5	2.2	.0	5.3	8.8
NAVICULA TRIPUNCTATA	.0	.0	.0	.0	.0	.0	.0	1.1	.1	.4
NAVICULA VIRIDULA	.0	.0	.0	.0	.0	.0	.4	2.2	.3	.8
NAVICULA SPP.	.0	.0	2.0	.0	.0	.0	1.1	1.1	.5	.8
NITZSCHIA APICULATA	3.8	2.9	2.0	2.2	1.4	.0	1.5	1.1	1.9	1.2
NITZSCHIA DISSIPATA	3.8	2.9	.0	6.5	1.4	.7	.0	2.2	2.2	2.2
NITZSCHIA FONTICOLA	15.2	5.9	20.0	110.9	38.9	1.5	.7	6.7	25.0	36.9
NITZSCHIA FRUSTULUM	22.7	.0	4.0	13.0	36.1	14.8	3.7	22.2	14.6	12.2
NITZSCHIA HOLSATICA	257.6	35.4	12.0	26.1	55.6	9.6	7.0	13.3	52.1	84.6
NITZSCHIA MICROCEPHALA	.0	.0	.0	.0	.0	.0	.0	1.1	.1	.4
NITZSCHIA PALEA	.0	.0	.0	2.2	.0	.0	.0	3.3	.7	1.3
NITZSCHIA SPP.	18.9	11.8	10.0	26.1	.0	4.4	.0	.0	8.9	9.7
PINNULARIA SPP.	.0	.0	2.0	.0	.0	.0	.0	.0	.3	.7
SURIRELLA OVATA	.0	339.2	210.0	82.6	138.9	74.8	8.1	137.8	123.9	111.5
SURIRELLA OVALIS	416.7	.0	.0	6.5	2.8	.7	.0	1.1	53.5	146.8
SYNEDRA AMPHICEPHALA	.0	.0	.0	.0	.0	.0	.7	.0	.1	.3
SYNEDRA FAMELICA	15.2	2.9	.0	.0	.0	.0	.0	.0	2.3	5.3
SYNEDRA INCISA	.0	.0	.0	.0	.0	1.5	.0	.0	.2	.5
SYNEDRA ULNA	.0	.0	.0	.0	.0	.0	.4	.0	.0	.1
UNIDENTIFIED PENNATE DIATOMS	3.8	.0	4.0	6.5	2.8	1.5	.7	4.4	3.0	2.2
DIVISION TOTAL	1136.4	743.4	482.0	687.0	568.1	198.5	77.0	416.7	538.6	

Periphyton Densities, Station 21

CHLOROPHYTA										
STIGEOCLONIUM SPP.	7.6	11.8	6.0	.0	1.4	.0	.0	4.4	3.9	4.4
DIVISION TOTAL	7.6	11.8	6.0	.0	1.4	.0	.0	4.4	3.9	
CYANOPHYTA										
EUGLENOPHYTA										
EUGLENA SPP.	.0	.0	2.0	.0	.0	.0	.0	.0	.3	.7
DIVISION TOTAL	.0	.0	2.0	.0	.0	.0	.0	.0	.3	
TOTAL DENSITY	1143.9	755.2	490.0	687.0	569.4	198.5	77.0	421.1	542.8	

PERIPHYTON DENSITIES
RBOSC AQUATIC SURVEYS
APRIL 1979

STATION NUMBER - 27
NUMBER OF REPITITIONS - 4

TAXON	DENSITY (UNITS/MM2) REP 1	REP 2	REP 3	REP 4	REP 5	REP 6	REP 7	REP 8	MEAN	S.D.
CHRYSOPHYTA										
ACHNANTHES LANCEOLATA	.0	6.0	6.7	6.9					4.9	3.3
ACHNANTHES LINEARIS	.0	.0	.0	1.4					.3	.7
ACHNANTHES MICORCEPHALA	.0	6.0	.0	.0					1.5	3.0
ACHNANTHES MINUTISSIMA	.0	30.2	126.7	1.4					39.6	59.7
AMPHORA OVALIS VAR. PEDICULUS	3.5	8.1	.0	4.2					3.9	3.3
AMPHORA PERPUSILLA	.0	16.1	13.3	1.4					7.7	8.2
COCCONEIS PEDICULUS	.0	.0	.0	5.6					1.4	2.8
COCCONEIS PLACENTULA	.0	6.0	2.2	6.9					3.8	3.3
CYMBELLA AFFINIS	14.0	.0	2.2	.0					4.1	6.7
CYMBELLA MINUTA	59.4	10.1	2.2	5.6					19.3	26.9
CYMBELLA SINUATA	.0	2.0	4.4	2.8					2.3	1.8
DIATOMA VULGARE	.0	.0	.0	2.8					.7	1.4
EPITHEMIA SOREX	69.9	304.4	.0	65.3					109.9	133.6
FRAGILARIA VAUCHERIAE	.0	10.1	.0	1.4					2.9	4.9
GOMPHONEMA ANGUSTATUM	3.5	18.1	.0	.0					5.4	8.6
GOMPHONEMA CLEVEI	.0	.0	.0	1.4					.3	.7
GOMPHONEMA OLIVACEUM	632.9	106.9	266.7	161.1					291.9	236.8
GOMPHONEMA PARVULUM	.0	18.1	.0	.0					4.5	9.1
NAVICULA CRYPTOCEPHALA	3.5	.0	2.2	1.4					1.8	1.5
NAVICULA CRYPTOCEPHALA VAR. VENETA	62.9	38.3	22.2	52.8					44.1	17.7
NAVICULA PELLICULOSA	.0	16.1	117.8	4.2					34.5	55.9
NAVICULA TRIPUNCTATA	14.0	16.1	.0	2.8					8.2	8.0
NAVICULA VIRIDULA	17.5	26.2	17.8	113.9					43.8	46.9
NAVICULA SPP.	.0	.0	.0	1.4					.3	.7
NITZSCHIA DISSIPATA	24.5	66.5	4.4	22.2					29.4	26.3
NITZSCHIA FONTICOLA	3.5	44.4	6.7	9.7					16.1	19.0
NITZSCHIA FRUSTULUM	35.0	4.0	6.7	13.9					14.9	14.0
NITZSCHIA HOLSATICA	17.5	20.2	.0	23.6					15.3	10.5
NITZSCHIA IGNORATA	.0	4.0	4.4	1.4					2.5	2.1
NITZSCHIA SPP.	.0	6.0	.0	.0					1.5	3.0
RHOICOSPHENIA CURVATA	38.5	10.1	2.2	26.4					19.3	16.3
SURIRELLA OVATA	.0	.0	.0	5.6					1.4	2.8
UNIDENTIFIED PENNATE DIATOMS	7.0	.0	4.4	6.9					4.6	3.3
DIVISION TOTAL	1007.0	794.4	613.3	554.2					742.2	
CHLOROPHYTA										
CYANOPHYTA										
PHORMIDIUM SPP.	216.8	123.0	4.4	226.4					142.7	103.3
DIVISION TOTAL	216.8	123.0	4.4	226.4					142.7	

EUGLENOPHYTA

Periphyton Densities, Station 27

TOTAL DENSITY	1223.8	917.3	617.8	780.6	884.9

PERIPHYTON DENSITIES
RBOSC AQUATIC SURVEYS
APRIL 1979

STATION NUMBER - 29
NUMBER OF REPITITIONS - 4

TAXON	DENSITY (UNITS/MM2) REP 1	REP 2	REP 3	REP 4	REP 5	REP 6	REP 7	REP 8	MEAN	S.D.
CHRYSOPHYTA										
ACHNANTHES LANCEOLATA	6.9	.5	3.7	.0					2.8	3.2
ACHNANTHES MINUTISSIMA	151.4	.7	137.8	127.4					104.3	69.8
AMPHORA OVALIS VAR. PEDICULUS	.0	.0	.7	.0					.2	.4
AMPHORA PERPUSILLA	1.4	.0	10.4	.0					2.9	5.0
COCCONEIS PEDICULUS	.0	.2	.0	.0					.1	.1
COCCONEIS PLACENTULA	4.2	3.5	.7	.0					2.1	2.0
CYMBELLA AFFINIS	1.4	.5	.0	.7					.7	.6
CYMBELLA MINUTA	2.8	.5	.7	.0					1.0	1.2
CYMBELLA SINUATA	4.2	.2	3.0	.0					1.8	2.0
EPITHEMIA SOREX	.0	1.5	1.5	.0					.7	.9
FRAGILARIA VAUCHERIAE	9.7	2.0	8.1	.0					5.0	4.7
GOMPHONEMA CLEVEI	.0	1.5	.0	.0					.4	.7
GOMPHONEMA OLIVACEUM	20.8	9.9	13.3	14.8					14.7	4.6
GOMPHONEMA PARVULUM	1.4	.5	.0	.0					.5	.7
NAVICULA CRYPTOCEPHALA	.0	.2	1.5	.0					.4	.7
NAVICULA CRYPTOCEPHALA VAR. VENETA	.0	.2	4.4	3.0					1.9	2.2
NAVICULA CUSPIDATA	.0	.2	.0	.0					.1	.1
NAVICULA PELLICULOSA	44.4	.0	63.7	4.4					28.1	31.0
NAVICULA TRIPUNCTATA	2.8	.5	.0	.0					.8	1.3
NAVICULA VIRIDULA	12.5	32.8	5.2	3.0					13.4	13.6
NAVICULA SPP.	.0	.7	.0	.0					.2	.2
NITZSCHIA DISSIPATA	.0	.2	4.4	.7					1.4	2.1
NITZSCHIA FONTICOLA	2.8	.5	4.4	2.2					2.5	1.6
NITZSCHIA FRUSTULUM	1.4	.2	4.4	.0					1.5	2.0
NITZSCHIA HOLSATICA	2.8	.5	.0	.0					.8	1.3
NITZSCHIA PALEA	.0	.2	.0	.0					.1	.1
RHOICOSPHENIA CURVATA	.0	1.	.0	.7					.4	.5
SURIRELLA OVATA	2.8	1.7	.7	.7					1.5	1.
SYNEDRA ULNA	.0	.2	.0	.0					.1	.1
UNIDENTIFIED CENTRIC DIATOMS	.0	.2	.0	.0					.1	.1
UNIDENTIFIED PENNATE DIATOMS	1.4	.5	3.0	.0					1.2	1.3
DIVISION TOTAL	275.0	61.7	271.9	157.8					191.6	
CHLOROPHYTA										
CYANOPHYTA										
PHORMIDIUM SPP.	2.8	.0	.0	.7					.9	1.3
DIVISION TOTAL	2.8	.0	.0	.7					.9	

EUGLENOPHYTA

Periphyton Densities, Station 29

TOTAL DENSITY	277.8	61.7	271.9	158.5		192.5

APPENDIX 4-2.1d

Biomass Analysis Data

PERIPHYTON BIOMASS ANALYSIS
RIO BLANCO OIL SHALE COMPANY

SAMPLE COLLECTION DATE - APRIL 1979
ANALYST - HIATT
AREA SCRAPED - 50 CM2

STATION-REP	DRY WEIGHT (GM)	ASH WEIGHT (GM)	BIOMASS (MG/CM2)	STATION AVERAGE (MG/CM2)
13A	110.9395	110.8476	1.838	
13B	105.8455	105.7637	1.636	1.737
14A	104.4997	104.4375	1.244	
14B	108.8818	108.8448	.740	.992
20A	113.6400	113.5831	1.138	
20B	112.9262	112.8048	.428	.783
21A	154.2554	154.1905	1.298	
21B	113.0923	112.9931	1.984	1.641
27A	115.3901	115.2829	2.144	
27B	93.7542	93.6149	2.786	2.465
29A	104.0629	104.0224	.810	
29B	106.1297	106.1008	.578	.694

APPENDIX 4-2.2

Macroinvertebrate Data

APPENDIX 4-2.2a

Macroinvertebrate Enumeration Data

BENTHOS DATA SHEET
RIO BLANCO OIL SHALE COMPANY

PROJECT NO. - 116 STATION NO. - 13 LOG NUMBER - (1-3)-116
SAMPLE DATE - 4/25/79 SAMPLES COLLECTED BY - RBOSC NO. OF REPLICATES - 3
ANALYSIS DATE - 5/29/79 SAMPLES ANALYZED BY - AMES
SAMPLE STATION LOCATION - CORRAL GULCH

CODE	TAXON	REPLICATE DESIGNATION A	B	C
NEMA	PHYLUM NEMATODA	1	0	0
COLL	ORDER COLLEMBOLA	1	0	0
DOLI	FAMILY DOLICHOPODIDAE	0	1	0
MICP	MICROPSECTRA KIEFFER	1	0	0
ORTB	ORTHOCLADINAE B	1	0	1
CIAM	CIAMESA MEIGEN	0	1	1
ENCH	FAMILY ENCHYTRAEIDAE	1	0	0
NAIC	FAMILY NAIDIDAE	0	1	3
TUBY	FAMILY TUBIFICIDAE	0	0	2

BENTHOS DATA SHEET
RIO BLANCO OIL SHALE COMPANY

PROJECT NO. - 116 STATION NO. - 14 LOG NUMBER - (4-7)-116
SAMPLE DATE - 4/25/79 SAMPLES COLLECTED BY - RBOSC NO. OF REPLICATES - 3
ANALYSIS DATE - 5/29/79 SAMPLES ANALYZED BY - AMES
SAMPLE STATION LOCATION - CORRAL GULCH

CODE	TAXON	REPLICATE DESIGNATION A	B	C
BAET	BAETIS LEACH	1	1	0
EPIN	EPHEMERELLA INERMIS EATON	0	1	0
OCHR	OCHROTRICHIA MOSELY	2	1	1
NEPA	PHYLUM NEMATODA	1	0	0
CERA	FAMILY CERATOPOGONIDAE	0	0	1
CULI	FAMILY CULICIDAE	0	1	0
SIMU	SIMULIDAE LARVAE	0	3	0
PUPA	CHIRONOMIDAE PUPAE	7	9	14
STIC	STICTOCHIRONOMUS	0	0	1
MICP	MICROPSECTRA KIEFFER	1	14	14
CARC	CARDIOCLADIUS KIEFFER	10	11	6
CIAM	CIAMESA MEIGEN	1	1	1
ORTB	ORTHOCLADINAE B	1	0	0
CRYP	CRYPTOCHIRONOMUS KIEFFER	1	0	3
POLY	POLYPEDILUM FALLAX GP.	2	2	1
ORTH	ORTHOCLADIUS VAN DER WULP	0	2	0
PROC	PROCLADIUS SKUSE	0	2	0
PENT	PENTANEURINI	0	0	1
TUBY	FAMILY TUBIFICIDAE	52	70	118
OLIG	CLASS OLIGOCHAETA	1	1	0

BENTHOS DATA SHEET
RIO BLANCO OIL SHALE COMPANY

PROJECT NO. - 116 STATION NO. - 20 LOG NUMBER - (8-10)-116
SAMPLE DATE - 4/25/79 SAMPLES COLLECTED BY - RBOSC NO. OF REPLICATES - 3
ANALYSIS DATE - 5/29/79 SAMPLES ANALYZED BY - AMES
SAMPLE STATION LOCATION - YELLOW CREEK

CODE	TAXON	REPLICATE DESIGNATION A	B	C
SIMU	SIMULIDAE LARVAE	6	5	3
PUPA	CHIRONOMIDAE PUPAE	3	10	8
DIAM	DIAMESA MEIGEN	9	5	4
CARD	CARDIOCLADIUS KIEFFER	1	15	3
ORTH	ORTHOCLADIUS VAN DER WULP	0	4	5
NAID	FAMILY NAIDIDAE	1	0	0
TUBY	FAMILY TUBIFICIDAE	0	0	1

BENTHOS DATA SHEET
RIO BLANCO OIL SHALE COMPANY

PROJECT NO. - 116 STATION NO. - 21 LOG NUMBER - (11-13)-116
SAMPLE DATE - 4/25/79 SAMPLES COLLECTED BY - RBOSC NO. OF REPLICATES - 3
ANALYSIS DATE - 5/29/79 SAMPLES ANALYZED BY - AMES
SAMPLE STATION LOCATION - YELLOW CREEK

CODE	TAXON	REPLICATE DESIGNATION A	B	C
PALP	PALPOMYIA GP. SPP. MEIGEN	2	2	0
PUPA	CHIRONOMIDAE PUPAE	1	4	2
SIMU	SIMULIDAE LARVAE	0	3	2
CARD	CARDIOCLADIUS KIEFFER	4	10	0
DIAM	DIAMESA MEIGEN	5	3	0
PENT	PENTANEURINI	1	1	0
ORTH	ORTHOCLADIUS VAN DER WULP	0	0	1
TUBY	FAMILY TUBIFICIDAE	0	1	0

BENTHOS DATA SHEET
RIO BLANCO OIL SHALE COMPANY

PROJECT NO. - 116 STATION NO. - 27 LOG NUMBER - (14-16)-116
SAMPLE DATE - 4/26/79 SAMPLES COLLECTED BY - RBOSC NO. OF REPLICATES - 3
ANALYSIS DATE - 5/29/79 SAMPLES ANALYZED BY - AMES
SAMPLE STATION LOCATION - WHITE RIVER

CODE	TAXON	REPLICATE DESIGNATION A	B	C
ISOP	ISOPERLA BANKS	2	0	0
EPIN	EPHEMERELLA INERMIS EATON	32	22	0
BAET	BAETIS LEACH	4	2	0
RHIT	RHITHROGENA EATON	8	1	0
TRIC	TRICORYTHODES ULMER	6	4	0
ODON	ORDER ODONATA (ANISOPTERA)	1	0	0
MICR	MICROTENDIPES KIEFFER	1	0	0
PENT	PENTANEURINI	0	1	0
TUBY	FAMILY TUBIFICIDAE	7	8	1
NAID	FAMILY NAIDIDAE	0	0	1

BENTHOS DATA SHEET
RIO BLANCO OIL SHALE COMPANY

PROJECT NO. - 116 STATION NO. - 29 LOG NUMBER - (17-19)-116
SAMPLE DATE - 4/26/79 SAMPLES COLLECTED BY - RBOSC NO. OF REPLICATES - 3
ANALYSIS DATE - 5/22/79 SAMPLES ANALYZED BY - AMES
SAMPLE STATION LOCATION - WHITE RIVER

CODE	TAXON	REPLICATE DESIGNATION A	B	C
ISO6	ISOGENUS NEWMAN	1	0	0
ISOP	ISOPERLA BANKS	5	1	0
CLAA	CLAASSENIA SABLUOSA BANKS	0	1	0
TRIC	TRICORYTHODES ULMER	1	0	0
EPIN	EPHEMERELLA INERMIS EATON	29	2	5
RHIT	RHITHROGENA EATON	11	16	18
BAET	BAETIS LEACH	9	2	3
PUPA	CHIRONOMIDAE PUPAE	1	0	0
TUBY	FAMILY TUBIFICIDAE	5	39	1
PARA	PARACLADOPELMA HARRISCH	0	1	0
PENT	PENTANEURINI	1	0	0
NEMA	PHYLUM NEMATODA	0	0	1

APPENDIX 4-2.2b

Occurrence of Macroinvertebrate Species at each Sampling Station

BENTHOS (MACROINVERTEBRATES) SPECIES LIST
RBOSC AQUATIC STUDIES
APRIL 1979

TAXON	STATION NUMBER					
	13	14	20	21	27	29
PHYLUM NEMATODA	X	X				X
PHYLUM ANNELIDA						
CLASS OLIGOCHAETA		X				
ORDER HAPLOTAXIDA						
FAMILY ENCHYTRAEIDAE	X					
FAMILY TUBIFICIDAE	X	X	X	X	X	X
FAMILY NAIDIDAE	X		X		X	
PHYLUM ARTHROPODA						
CLASS INSECTA						
ORDER COLLEMBOLA	X					
ORDER EPHEMEROPTERA						
FAMILY BAETIDAE						
BAETIS LEACH		X			X	X
CENTROPTILUM EATON						
FAMILY HEPTAGENIIDAE						
RHITHROGENA EATON					X	X
FAMILY EPHEMERELLIDAE						
EPHEMERELLA INERMIS EATON		X			X	X
FAMILY TRICORYTHIDAE						
TRICORYTHODES ULMER					X	X
ORDER ODONATA (ANISOPTERA)					X	
ORDER PLECOPTERA						
FAMILY PERLODIDAE						
ISOPERLA BANKS					X	X
ISOGENUS NEWMAN						X
CLAASSENIA SABULOSA BANKS						X
ORDER COLEOPTERA						
FAMILY DYTISCIDAE						
DERONECTES SHARP						
HYDROPORUS CLAIRVILLE						
ORDER TRICHOPTERA						
FAMILY HYDROPTILIDAE						
OCHROTRICHIA MOSELY		X				
ORDER DIPTERA						
FAMILY CERATOPOGONIDAE		X				
PALPOMYIA GP. SPP. MEIGEN				X		
FAMILY CHIRONOMIDAE						
SUBFAMILY TANYPODIANE						
PENTANEURINI		X		X	X	X
PROCLADIUS SKUSE		X				
SUBFAMILY DIAMESINAE						
DIAMESA MEIGEN	X	X	X	X		
SUBFAMILY ORTHOCLADIINAE						
CARDIOCLADIUS KIEFFER		X	X	X		
ORTHOCLADIUS VAN DER WULP		X	X	X		
ORTHOCLADINAE A						
ORTHOCLADINAE B	X	X				

SUBFAMILY CHIRONOMINAE						
TRIBE CHIRONOMINI						
CRYPTOCHIRONOMUS KIEFFER		X				
MICROTENDIPES KIEFFER					X	
PARACLADOPELMA HARRISCH						X
POLYPEDILUM FALLAX GP.		X				
STICTOCHIRONOMUS		X				
TRIBELOS						
TRIBE TANYTARSINI						
MICROPSECTRA KIEFFER	X	X				
CHIRONOMIDAE PUPAE		X	X	X		X
FAMILY CULICIDAE		X				
FAMILY DOLICHOPODIDAE	X					
FAMILY SIMULIDAE						
SIMULUUM ARCTICUM MALLOCH (PUPAE)						
SIMULIDAE LARVAE		X	X	X		

X = ORGANISM IDENTIFIED TO THIS TAXONOMIC LEVEL OBSERVED AT SAMPLING STATION

APPENDIX 4-2.2c

Macroinvertebrate Density Data

BENTHOS (MACROINVERTEBRATES) DENSITIES
RBOSC AQUATIC STUDIES
APRIL 1979

STATION NUMBER - 13
NUMBER OF REPITITIONS - 3

TAXON	DENSITY (#/M2) REP 1	REP 2	REP 3	MEAN	S.D.	PERCENT RELATIVE ABUNDANCE
PHYLUM NEMATODA	18.1	.0	.0	6.0	10.4	6.7
PHYLUM ANNELIDA						
CLASS OLIGOCHAETA						
ORDER HAPLOTAXIDA						
FAMILY ENCHYTRAEIDAE	18.1	.0	.0	6.0	10.4	6.7
FAMILY TUBIFICIDAE	.0	.0	36.1	12.0	20.8	13.3
FAMILY NAIDIDAE	.0	18.1	54.2	24.1	27.6	26.7
PHYLUM ARTHROPODA						
CLASS INSECTA						
ORDER COLLEMBOLA	18.1	.0	.0	6.0	10.4	6.7
ORDER DIPTERA						
FAMILY CHIRONOMIDAE						
SUBFAMILY DIAMESINAE						
DIAMESA MEIGEN	.0	18.1	18.1	12.0	10.4	13.3
SUBFAMILY ORTHOCLADIINAE						
ORTHOCLADINAE B	18.1	.0	18.1	12.0	10.4	13.3
SUBFAMILY CHIRONOMINAE						
TRIBE TANYTARSINI						
MICROPSECTRA KIEFFER	18.1	.0	.0	6.0	10.4	6.7
FAMILY DOLICHOPODIDAE	.0	18.1	.0	6.0	10.4	6.7
TOTAL	90.3	54.2	126.4	90.3		100.0

SUMMARY - MAJOR BENTHOS TAXA

PHYLUM NEMATODA	18.1	.0	.0	6.0	10.4	6.7
CLASS OLIGOCHAETA	18.1	18.1	90.3	42.1	41.7	46.7
ORDER EPHEMEROPTERA	.0	.0	.0	.0	.0	.0
ORDER ODONATA	.0	.0	.0	.0	.0	.0
ORDER PLECOPTERA	.0	.0	.0	.0	.0	.0
ORDER COLEOPTERA	.0	.0	.0	.0	.0	.0
ORDER TRICHOPTERA	.0	.0	.0	.0	.0	.0
FAMILY CHIRONOMIDAE	36.1	36.1	36.1	36.1	.0	40.0

BENTHOS (MACROINVERTEBRATES) DENSITIES
RBOSC AQUATIC STUDIES
APRIL 1979

STATION NUMBER - 14
NUMBER OF REPITITIONS - 3

TAXON	DENSITY (#/M2) REP 1	REP 2	REP 3	MEAN	S.D.	PERCENT RELATIVE ABUNDANCE
PHYLUM NEMATODA	18.1	.0	.0	6.0	10.4	.3
PHYLUM ANNELIDA						
CLASS OLIGOCHAETA	18.1	18.1	.0	12.0	10.4	.6
ORDER HAPLOTAXIDA						
FAMILY TUBIFICIDAE	938.6	1263.5	2130.0	1444.0	615.8	66.7
PHYLUM ARTHROPODA						
CLASS INSECTA						
ORDER EPHEMEROPTERA						
FAMILY BAETIDAE						
BAETIS LEACH	18.1	18.1	.0	12.0	10.4	.6
FAMILY EPHEMERELLIDAE						
EPHEMERELLA INERMIS EATON	.0	18.1	.0	6.0	10.4	.3
ORDER TRICHOPTERA						
FAMILY HYDROPTILIDAE						
OCHROTRICHIA MOSELY	36.1	18.1	18.1	24.1	10.4	1.1
ORDER DIPTERA						
FAMILY CERATOPOGONIDAE	.0	.0	18.1	6.0	10.4	.3
FAMILY CHIRONOMIDAE						
SUBFAMILY TANYPODIANE						
PENTANEURINI	.0	.0	18.1	6.0	10.4	.3
PROCLADIUS SKUSE	.0	36.1	.0	12.0	20.8	.6
SUBFAMILY DIAMESINAE						
DIAMESA MEIGEN	18.1	18.1	18.1	18.1	.0	.8
SUBFAMILY ORTHOCLADIINAE						
CARDIOCLADIUS KIEFFER	180.5	198.6	108.3	162.5	47.8	7.5
ORTHOCLADIUS VAN DER WULP	.0	36.1	.0	12.0	20.8	.6
ORTHOCLADINAE B	18.1	.0	.0	6.0	10.4	.3
SUBFAMILY CHIRONOMINAE						
TRIBE CHIRONOMINI						
CRYPTOCHIRONOMUS KIEFFER	18.1	.0	54.2	24.1	27.6	1.1
POLYPEDILUM FALLAX GP.	36.1	36.1	18.1	30.1	10.4	1.4
STICTOCHIRONOMUS	.0	.0	18.1	6.0	10.4	.3
TRIBE TANYTARSINI						
MICROPSECTRA KIEFFER	18.1	252.7	252.7	174.5	135.5	8.1
CHIRONOMIDAE PUPAE	126.4	162.5	252.7	180.5	65.1	8.3
FAMILY CULICIDAE	.0	18.1	.0	6.0	10.4	.3
FAMILY SIMULIDAE						
SIMULIDAE LARVAE	.0	54.2	.0	18.1	31.3	.8
TOTAL	1444.0	2148.0	2906.1	2166.1		100.0

SUMMARY - MAJOR BENTHOS TAXA

PHYLUM NEMATODA	18.1	.0	.0	6.0	10.4	.3
CLASS OLIGOCHAETA	956.7	1281.6	2130.0	1456.1	605.8	67.2
ORDER EPHEMEROPTERA	18.1	36.1	.0	18.1	18.1	.8
ORDER ODONATA	.0	.0	.0	.0	.0	.0
ORDER PLECOPTERA	.0	.0	.0	.0	.0	.0
ORDER COLEOPTERA	.0	.0	.0	.0	.0	.0
ORDER TRICHOPTERA	36.1	18.1	18.1	24.1	10.4	1.1
FAMILY CHIRONOMIDAE	415.2	812.3	740.1	655.8	211.5	30.3

BENTHOS (MACROINVERTEBRATES) DENSITIES
RBOSC AQUATIC STUDIES
APRIL 1979

STATION NUMBER - 20
NUMBER OF REPITITIONS - 3

TAXON	DENSITY (#/M2) REP 1	REP 2	REP 3	MEAN	S.D.	PERCENT RELATIVE ABUNDANCE
PHYLUM ANNELIDA						
CLASS OLIGOCHAETA						
ORDER HAPLOTAXIDA						
FAMILY TUBIFICIDAE	.0	.0	18.1	6.0	10.4	1.2
FAMILY NAIDIDAE	18.1	.0	.0	6.0	10.4	1.2
PHYLUM ARTHROPODA						
CLASS INSECTA						
ORDER DIPTERA						
FAMILY CHIRONOMIDAE						
SUBFAMILY DIAMESINAE						
DIAMESA MEIGEN	162.5	90.3	72.2	108.3	47.8	21.7
SUBFAMILY ORTHOCLADIINAE						
CARDIOCLADIUS KIEFFER	18.1	270.8	54.2	114.3	136.7	22.9
ORTHOCLADIUS VAN DER WULP	.0	72.2	90.3	54.2	47.8	10.8
CHIRONOMIDAE PUPAE	54.2	180.5	144.4	126.4	65.1	25.3
FAMILY SIMULIDAE						
SIMULIDAE LARVAE	108.3	90.3	54.2	84.2	27.6	16.9
TOTAL	361.0	704.0	433.2	499.4		100.0

SUMMARY - MAJOR BENTHOS TAXA

PHYLUM NEMATODA	.0	.0	.0	.0	.0	.0
CLASS OLIGOCHAETA	18.1	.0	18.1	12.0	10.4	2.4
ORDER EPHEMEROPTERA	.0	.0	.0	.0	.0	.0
ORDER ODONATA	.0	.0	.0	.0	.0	.0
ORDER PLECOPTERA	.0	.0	.0	.0	.0	.0
ORDER COLEOPTERA	.0	.0	.0	.0	.0	.0
ORDER TRICHOPTERA	.0	.0	.0	.0	.0	.0
FAMILY CHIRONOMIDAE	343.0	704.0	415.2	487.4	191.0	97.6

BENTHOS (MACROINVERTEBRATES) DENSITIES
RBOSC AQUATIC STUDIES
APRIL 1979

STATION NUMBER - 21
NUMBER OF REPITITIONS - 3

TAXON	DENSITY (#/M2) REP 1	REP 2	REP 3	MEAN	S.D.	PERCENT RELATIVE ABUNDANCE
PHYLUM ANNELIDA						
CLASS OLIGOCHAETA						
ORDER HAPLOTAXIDA						
FAMILY TUBIFICIDAE	.0	18.1	.0	6.0	10.4	2.4
PHYLUM ARTHROPODA						
CLASS INSECTA						
ORDER DIPTERA						
FAMILY CERATOPOGONIDAE						
PALPOMYIA GP. SPP. MEIGEN	36.1	36.1	.0	24.1	20.8	9.5
FAMILY CHIRONOMIDAE						
SUBFAMILY TANYPODIANE						
PENTANEURINI	18.1	18.1	.0	12.0	10.4	4.8
SUBFAMILY DIAMESINAE						
DIAMESA MEIGEN	90.3	54.2	.0	48.1	45.4	19.0
SUBFAMILY ORTHOCLADIINAE						
CARDIOCLADIUS KIEFFER	72.2	180.5	.0	84.2	90.9	33.3
ORTHOCLADIUS VAN DER WULP	.0	.0	18.1	6.0	10.4	2.4
CHIRONOMIDAE PUPAE	18.1	72.2	36.1	42.1	27.6	16.7
FAMILY SIMULIDAE						
SIMULIDAE LARVAE	.0	54.2	36.1	30.1	27.6	11.9
TOTAL	234.7	433.2	90.3	252.7		100.0

SUMMARY - MAJOR BENTHOS TAXA

PHYLUM NEMATODA	.0	.0	.0	.0	.0	.0
CLASS OLIGOCHAETA	.0	18.1	.0	6.0	10.4	2.4
ORDER EPHEMEROPTERA	.0	.0	.0	.0	.0	.0
ORDER ODONATA	.0	.0	.0	.0	.0	.0
ORDER PLECOPTERA	.0	.0	.0	.0	.0	.0
ORDER COLEOPTERA	.0	.0	.0	.0	.0	.0
ORDER TRICHOPTERA	.0	.0	.0	.0	.0	.0
FAMILY CHIRONOMIDAE	198.6	379.1	90.3	222.6	145.9	88.1

BENTHOS (MACROINVERTEBRATES) DENSITIES
RBOSC AQUATIC STUDIES
APRIL 1979

STATION NUMBER - 27
NUMBER OF REPITITIONS - 3

TAXON	DENSITY (#/M2) REP 1	REP 2	REP 3	MEAN	S.D.	PERCENT RELATIVE ABUNDANCE
PHYLUM ANNELIDA						
CLASS OLIGOCHAETA						
ORDER HAPLOTAXIDA						
FAMILY TUBIFICIDAE	136.5	155.9	19.5	104.0	73.8	15.8
FAMILY NAIDIDAE	.0	.0	19.5	6.5	11.3	1.
PHYLUM ARTHROPODA						
CLASS INSECTA						
ORDER EPHEMEROPTERA						
FAMILY BAETIDAE						
BAETIS LEACH	78.0	39.0	.0	39.0	39.0	5.9
FAMILY HEPTAGENIIDAE						
RHITHROGENA EATON	155.9	19.5	.0	58.5	85.0	8.9
FAMILY EPHEMERELLIDAE						
EPHEMERELLA INERMIS EATON	623.8	428.8	.0	350.9	319.1	53.5
FAMILY TRICORYTHIDAE						
TRICORYTHODES ULMER	117.0	78.0	.0	65.0	59.6	9.9
ORDER ODONATA (ANISOPTERA)	19.5	.0	.0	6.5	11.3	1.
ORDER PLECOPTERA						
FAMILY PERLODIDAE						
ISOPERLA BANKS	39.0	.0	.0	13.0	22.5	2.0
ORDER DIPTERA						
FAMILY CHIRONOMIDAE						
SUBFAMILY TANYPODIANE						
PENTANEURINI	.0	19.5	.0	6.5	11.3	1.
SUBFAMILY CHIRONOMINAE						
TRIBE CHIRONOMINI						
MICROTENDIPES KIEFFER	19.5	.0	.0	6.5	11.3	1.
TOTAL	1189.1	740.7	39.0	656.3		100.0

SUMMARY - MAJOR BENTHOS TAXA

PHYLUM NEMATODA	.0	.0	.0	.0	.0	.0
CLASS OLIGOCHAETA	136.5	155.9	39.0	110.5	62.7	16.8
ORDER EPHEMEROPTERA	974.7	565.3	.0	513.3	489.4	78.2
ORDER ODONATA	19.5	.0	.0	6.5	11.3	1.
ORDER PLECOPTERA	39.0	.0	.0	13.0	22.5	2.0
ORDER COLEOPTERA	.0	.0	.0	.0	.0	.0
ORDER TRICHOPTERA	.0	.0	.0	.0	.0	.0
FAMILY CHIRONOMIDAE	19.5	19.5	.0	13.0	11.3	2.0

BENTHOS (MACROINVERTEBRATES) DENSITIES
RBOSC AQUATIC STUDIES
APRIL 1979

STATION NUMBER - 29
NUMBER OF REPITITIONS - 3

TAXON	DENSITY (#/M2) REP 1	REP 2	REP 3	MEAN	S.D.	PERCENT RELATIVE ABUNDANCE
PHYLUM NEMATODA	.0	.0	19.5	6.5	11.3	.7
PHYLUM ANNELIDA						
CLASS OLIGOCHAETA						
ORDER HAPLOTAXICA						
FAMILY TUBIFICIDAE	97.5	760.2	19.5	292.4	407.0	29.4
PHYLUM ARTHROPODA						
CLASS INSECTA						
ORDER EPHEMEROPTERA						
FAMILY BAETIDAE						
BAETIS LEACH	175.4	39.0	58.5	91.0	73.8	9.2
FAMILY HEPTAGENIIDAE						
RHITHROGENA EATON	214.4	311.9	350.9	292.4	70.3	29.4
FAMILY EPHEMERELLIDAE						
EPHEMERELLA INERMIS EATON	565.3	39.0	97.5	233.9	288.5	23.5
FAMILY TRICORYTHIDAE						
TRICORYTHODES ULMER	19.5	.0	.0	6.5	11.3	.7
ORDER PLECOPTERA						
FAMILY PERLODIDAE						
ISOPERLA BANKS	97.5	19.5	.0	39.0	51.6	3.9
ISOGENUS NEWMAN	19.5	.0	.0	6.5	11.3	.7
CLAASSENIA SABLUOSA BANKS	.0	19.5	.0	6.5	11.3	.7
ORDER DIPTERA						
FAMILY CHIRONOMIDAE						
SUBFAMILY TANYPODIANE						
PENTANEURINI	19.5	.0	.0	6.5	11.3	.7
SUBFAMILY CHIRONOMINAE						
TRIBE CHIRONOMINI						
PARACLADOPELMA HARRISCH	.0	19.5	.0	6.5	11.3	.7
CHIRONOMIDAE PUPAE	19.5	.0	.0	6.5	11.3	.7
TOTAL	1228.1	1208.6	545.8	994.2		100.0

SUMMARY - MAJOR BENTHOS TAXA

PHYLUM NEMATODA	.0	.0	19.5	6.5	11.3	.7
CLASS OLIGOCHAETA	97.5	760.2	19.5	292.4	407.0	29.4
ORDER EPHEMEROPTERA	974.7	389.9	506.8	623.8	309.4	62.7
ORDER ODONATA	.0	.0	.0	.0	.0	.0
ORDER PLECOPTERA	117.0	39.0	.0	52.0	59.6	5.2
ORDER COLEOPTERA	.0	.0	.0	.0	.0	.0
ORDER TRICHOPTERA	.0	.0	.0	.0	.0	.0
FAMILY CHIRONOMIDAE	39.0	19.5	.0	19.5	19.5	2.0

APPENDIX 5-1

Surface Water Data

APPENDIX 5-1.1

USGS Surface Gaging Station Data - Statistical Summaries

APPENDIX 5-1.1

WATER QUALITY STATISTICS FOR USGS GAGING STATIONS
(Corral Gulch East 09306242)
For Reporting Period

PARAMETER	NUMBER OF SAMPLES	MAXIMUM	MINIMUM	MEAN	STD. DEV.
Calcium	4	82	48	65.51	1.26
Chloride	4	18	9.9	12.12	1.31
Fluoride	4	1.2	.5	0.79	1.43
Magnesium	4	79	75	77.49	1.02
Potassium	4	1.8	0.5	1.10	1.79
Silica	4	27	22	24.17	1.10
Sodium	4	180	170	172.45	1.03
Sulfate	3	400	370	383.13	1.04
pH	4	8.1	7.5	7.8	0.24
Conductivity	4	1800	1450	1556.77	1.1
Temperature	4	8.6	5.4	7.0	1.31

APPENDIX 5-1.1

WATER QUALITY STATISTICS FOR USGS GAGING STATIONS
(Yellow Creek 09306255)
For Reporting Period

PARAMETER	NUMBER OF SAMPLES	MAXIMUM	MINIMUM	MEAN	STD. DEV.
Calcium	4	36	28	30.55	1.14
Chloride	4	220	63	125.68	1.77
Fluoride	4	2.9	1.4	2.39	1.42
Magnesium	4	120	31	79.98	1.89
Potassium	4	8.6	3.3	5.77	1.51
Silica	4	13	6.5	9.82	1.34
Sodium	4	1200	370	814.24	1.70
Sulfate	4	580	110	294.44	2.03
pH	4	8.8	8.0	8.48	0.34
Conductivity	4	5200	1800	3689.65	1.62
Temperature	4	2.0	0	.75	.87

APPENDIX 5-1.1

WATER QUALITY STATISTICS FOR USGS GAGING STATIONS
(Corral Gulch West 09306235)
For Reporting Period

PARAMETER	NUMBER OF SAMPLES	MAXIMUM	MINIMUM	MEAN	STD. DEV.
Calcium	4	93	68	85.30	1.16
Chloride	4	7.8	5.8	6.88	1.14
Fluoride	4	.2	.3	0.22	1.22
Magnesium	4	62	46	55.65	1.14
Potassium	4	1.5	.8	1.07	1.33
Silica	4	22	16	19.59	1.16
Sodium	4	83	67	78.67	1.11
Sulfate	4	280	230	261.67	1.10
pH	4	8.3	8.1	8.25	.1
Conductivity	4	1125	900	1052.07	1.11
Temperature	4	2.0	.5	1.13	0.63

APPENDIX 5-1.2

USGS Surface Gaging Station Data - Individual Analyses

UNITED STATES DEPARTMENT OF INTERIOR - GEOLOGICAL SURVEY PROCESS DATE 05/30/79
09306235 - CORRAL GULCH BELOW WATER GULCH, NR RANGELY, CO. DISTRICT CODE 08

WATER QUALITY DATA, WATER YEAR OCTOBER 1978 TO SEPTEMBER 1979

DATE	TIME	TEMPERATURE (DEG C)	AGENCY ANALYZING SAMPLE (CODE NUMBER)	WEATHER (WMO CODE NUMBER)	SURFACE AREA (SQ MI)	STREAMFLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (MICROMHOS)	OXYGEN, DISSOLVED (MG/L)
OCT								
24...	0830	2.5	80020	--	8	.32	1700	10.6
NOV								
21...	1030	1.5	80020	--	8	.26	1100	10.8
DEC								
04...	0940	2.0	80020	--	8	.25	1100	10.2
JAN								
24...	1000	.5	80020	--	8	.06	1100	12.6
FEB								
22...	1300	1.0	80020	--	8	.16	1125	11.2
MAR								
12...	1235	--	80010	--	8	--	--	--
APR								
03...	1130	1.0	80020	1	8	--	900	10.8
24...	0845	--	--	--	8	--	--	--

UNITED STATES DEPARTMENT OF INTERIOR - GEOLOGICAL SURVEY PROCESS DATE 05/30/79
09306235 - CORRAL GULCH BELOW WATER GULCH, NR RANGELY, CO. DISTRICT CODE 08

WATER QUALITY DATA, WATER YEAR OCTOBER 1978 TO SEPTEMBER 1979

DATE	PH (UNITS)	OIL AND GREASE, TOTAL RECOV. GRAVIMETRIC (MG/L)	HARDNESS (MG/L AS CACO3)	CALCIUM DISSOLVED (MG/L AS CA)	MAGNESIUM, DISSOLVED (MG/L AS MG)	SODIUM, DISSOLVED (MG/L AS NA)	SODIUM ADSORPTION RATIO	SODIUM PERCENT	POTASSIUM, DISSOLVED (MG/L AS K)
OCT 24...	8.2	--	470	97	55	150	3.0	38	56
NOV 21...	8.0	--	460	87	58	82	1.7	28	1.1
DEC 04...	8.3	--	470	91	59	83	1.7	28	1.5
JAN 24...	8.3	--	490	93	62	83	1.6	27	1.2
FEB 22...	8.3	--	460	92	57	83	1.7	28	.9
MAR 12...	--	0	--	--	--	--	--	--	--
APR 03...	8.1	--	360	68	46	67	1.5	29	.8
24...	--	--	--	--	--	--	--	--	--

UNITED STATES DEPARTMENT OF INTERIOR - GEOLOGICAL SURVEY PROCESS DATE 05/30/79
09306235 - CORRAL GULCH BELOW WATER GULCH, NR RANGELY, CO. DISTRICT CODE 08

WATER QUALITY DATA, WATER YEAR OCTOBER 1978 TO SEPTEMBER 1979

DATE	CHLORIDE, DISSOLVED (MG/L AS CL)	SULFATE DISSOLVED (MG/L AS SO4)	FLUORIDE, DISSOLVED (MG/L AS F)	SILICA, DISSOLVED (MG/L AS SIO2)	ODOR, ATMOSPHERIC (SEVERITY)	COLIFORM, TOTAL, IMMED. (COLS. PER 100 ML)	COLIFORM, FECAL, 0.7 UM-MF (COLS./ 100 ML)	ELEV. OF LAND SURFACE DATUM (FT. ABOVE NGVD)
OCT								
24...	150	310	.3	22	--	--	--	6980.00
NOV								
21...	7.6	300	.2	24	--	--	--	6980.00
DEC								
04...	7.8	280	.3	22	--	--	--	6980.00
JAN								
24...	7.4	280	.2	22	--	--	--	6980.00
FEB								
22...	6.7	260	.2	19	--	--	--	6980.00
MAR								
12...	--	--	--	--	--	--	--	6980.00
APR								
03...	5.8	230	.2	16	0	--	--	6980.00
24...	--	--	--	--	--	K80	K8	6980.00

UNITED STATES DEPARTMENT OF INTERIOR - GEOLOGICAL SURVEY
09306240 - BOX ELDER GULCH NEAR RANGELY, CO.

PROCESS DATE 05/30/79
DISTRICT CODE 08

WATER QUALITY DATA, WATER YEAR OCTOBER 1978 TO SEPTEMBER 1979

DATE	TIME	SURFACE AREA (SQ MI)	COLI-FORM, TOTAL, IMMED, (COLS. PER 100 ML)	COLI-FORM, FECAL, 0.7 UM-MF (COLS./ 100 ML)	STREP-TOCOCCI FECAL, (COLS. PER 100 ML)	ELEV. OF LAND SURFACE DATUM (FT. ABOVE NGVD)
APR 18...	1430	9	K280	80	480	6955.00

UNITED STATES DEPARTMENT OF INTERIOR - GEOLOGICAL SURVEY
09306242 - CORRAL GULCH NEAR RANGELY, CO.

PROCESS DATE 05/30/79
DISTRICT CODE 08

WATER QUALITY DATA, WATER YEAR OCTOBER 1978 TO SEPTEMBER 1979

DATE	TIME	TEMPERATURE (DEG C)	AGENCY ANALYZING SAMPLE (CODE NUMBER)	WEATHER (WMO CODE NUMBER)	SURFACE AREA (SQ MI)	STREAMFLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (MICROMHOS)	OXYGEN, DISSOLVED (MG/L)	OXYGEN DEMAND, BIOCHEMICAL, 5 DAY (MG/L)	PH (UNITS)	HARDNESS (MG/L AS CACO3)	CALCIUM DISSOLVED (MG/L AS CA)
OCT												
24...	1000	9.0	80020	--	31	3.2	1400	9.5	--	7.9	440	58
NOV												
21...	1120	8.0	80020	--	31	1.6	1500	9.8	--	7.7	520	80
DEC												
06...	1215	5.4	80020	--	31	1.3	1450	9.0	--	7.5	530	82
JAN												
24...	1150	7.0	80020	--	31	2.1	1500	9.6	--	7.8	480	65
FEB												
22...	1520	8.6	80020	--	31	2.0	1500	7.2	--	7.8	510	72
APR												
03...	1540	7.0	80020	1	31	--	1800	7.1	--	8.1	430	48
24...	0955	--	--	--	31	--	--	--	2.4	--	--	--

UNITED STATES DEPARTMENT OF INTERIOR - GEOLOGICAL SURVEY
09306242 - CORRAL GULCH NEAR RANGELY, CO.

PROCESS DATE 05/30/79
DISTRICT CODE 08

WATER QUALITY DATA, WATER YEAR OCTOBER 1978 TO SEPTEMBER 1979

DATE	MAGNESIUM, DISSOLVED (MG/L AS MG)	SODIUM, DISSOLVED (MG/L AS NA)	SODIUM ADSORPTION RATIO	SODIUM PERCENT	POTASSIUM, DISSOLVED (MG/L AS K)	CHLORIDE, DISSOLVED (MG/L AS CL)	SULFATE DISSOLVED (MG/L AS SO4)	FLUORIDE, DISSOLVED (MG/L AS F)	SILICA, DISSOLVED (MG/L AS SIO2)	COLIFORM, TOTAL, IMMED. (COLS. PER 100 ML)	COLIFORM, FECAL, 0.7 UM-MF (COLS./ 100 ML)	ELEV. OF LAND SURFACE DATUM (FT. ABOVE NGVD)
OCT												
24...	71	180	3.7	47	1.9	11	330	1.0	31	--	--	6580.00
NOV												
21...	78	150	2.9	38	1.3	10	400	.5	23	--	--	6580.00
DEC												
06...	78	170	3.2	41	1.8	18	--	.5	22	--	--	6580.00
JAN												
24...	78	170	3.4	43	1.6	11	380	.8	27	--	--	6580.00
FEB												
22...	79	170	3.3	42	1.0	11	400	.8	23	--	--	6580.00
APR												
03...	75	180	3.8	48	.5	9.9	370	1.2	25	--	--	6580.00
24...	--	--	--	--	--	--	--	--	--	K80	<1	6580.00

UNITED STATES DEPARTMENT OF INTERIOR - GEOLOGICAL SURVEY
09306255 - YELLOW CREEK NEAR WHITE RIVER, CO.

PROCESS DATE 05/30/79
DISTRICT CODE 08

WATER QUALITY DATA, WATER YEAR OCTOBER 1978 TO SEPTEMBER 1979

DATE	TIME	TEMPERATURE (DEG C)	AGENCY ANALYZING SAMPLE (CODE NUMBER)	SURFACE AREA (SQ MI)	STREAMFLOW, INSTANTANEOUS (CFS)	SPECIFIC CONDUCTANCE (MICROMHOS)	OXYGEN, DISSOLVED (MG/L)	OXYGEN DEMAND, BIOCHEMICAL, 5 DAY (MG/L)	PH (UNITS)	HARDNESS (MG/L AS CACO3)	CALCIUM DISSOLVED (MG/L AS CA)
OCT 24...	1320	13.5	80020	262	.30	4200	9.5	--	8.4	320	47
NOV 22...	0900	.5	80020	262	.70	4600	14.2	--	8.3	700	100
DEC 06...	0940	.5	80020	262	.60	4400	10.8	--	8.0	520	28
JAN 24...	1515	.0	80020	262	.02	5200	11.0	--	8.5	570	32
FEB 23...	1000	.5	80020	262	.18	4500	12.2	--	8.8	480	27
MAR 28...	0940	2.0	80020	262	11	1800	11.4	--	8.6	220	36
APR 24...	1300	--	--	262	--	--	--	2.1	--	--	--

UNITED STATES DEPARTMENT OF INTERIOR - GEOLOGICAL SURVEY
09306255 - YELLOW CREEK NEAR WHITE RIVER, CO.

PROCESS DATE 05/30/79
DISTRICT CODE 08

WATER QUALITY DATA, WATER YEAR OCTOBER 1978 TO SEPTEMBER 1979

DATE	MAGNESIUM, DISSOLVED (MG/L AS MG)	SODIUM, DISSOLVED (MG/L AS NA)	SODIUM ADSORPTION RATIO	SODIUM PERCENT	POTASSIUM, DISSOLVED (MG/L AS K)	CHLORIDE, DISSOLVED (MG/L AS CL)	SULFATE DISSOLVED (MG/L AS SO4)	FLUORIDE, DISSOLVED (MG/L AS F)	SILICA, DISSOLVED (MG/L AS SIO2)	COLIFORM, FECAL, 0.7 UM-MF (COLS./ 100 ML)	ELEV. OF LAND SURFACE DATUM (FT. ABOVE NGVD)
OCT											
24...	50	900	22	86	5.5	210	550	2.5	10	--	5535.00
NOV											
22...	110	1000	16	75	6.1	210	610	2.8	11	--	5535.00
DEC											
06...	110	990	19	80	7.1	180	110	2.9	11	--	5535.00
JAN											
24...	120	1200	22	82	8.6	220	580	2.6	13	--	5535.00
FEB											
23...	100	1000	20	82	5.5	100	380	2.9	10	--	5535.00
MAR											
28...	31	370	11	78	3.3	63	310	1.4	6.5	--	5535.00
APR											
24...	--	--	--	--	--	--	--	--	--	K100	5535.00

APPENDIX 5-1.3

USGS Sediment Data - Water Year 1978

09306237 DRY FORK NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		OCTOBER			NOVEMBER			DECEMBER	
1	.00	---	---	.00			.00		
2	.00	---	---	.00			.00		
3	.00	---	---	.00			.00		
4	.00	---	---	.00			.00		
5	.00	---	---	.00			.00		
6	.14	6580	21	.00			.00		
7	.00	---	---	.00			.00		
8	.00	---	---	.00			.00		
9	.00	---	---	.00			.00		
10	.00	---	---	.00			.00		
11	.00	---	---	.00			.00		
12	.00	---	---	.00			.00		
13	.00	---	---	.00			.00		
14	.00	---	---	.00			.00		
15	.00	---	---	.00			.00		
16	.00	---	---	.00			.00		
17	.00	---	---	.00			.00		
18	.00	---	---	.00			.00		
19	.00	---	---	.00			.00		
20	.00	---	---	.00			.00		
21	.00	---	---	.00			.00		
22	.00	---	---	.00			.00		
23	.00	---	---	.00			.00		
24	.00	---	---	.00			.00		
25	.00	---	---	.00			.00		
26	.00	---	---	.00			.00		
27	.00	---	---	.00			.00		
28	.00	---	---	.00			.00		
29	.00	---	---	.00			.00		
30	.00	---	---	.00			.00		
31	.00	---	---	---			.00		
TOTAL	0.14	---	21	0.00			0.00		
YEAR	0.14		21						

09306235 CORRAL GULCH BELOW WATER GULCH, NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		OCTOBER			NOVEMBER			DECEMBER	
1	.00		.00	.00		.00	.00		.00
2	.00		.00	.00		.00	.00		.00
3	.00		.00	.00		.00	.00		.00
4	.00		.00	.00		.00	.00		.00
5	.17		.12	.00		.00	.00		.00
6	.00		.00	.00		.00	.00		.00
7	.00		.00	.00		.00	.00		.00
8	.00		.00	.00		.00	.00		.00
9	.00		.00	.00		.00	.00		.00
10	.00		.00	.00		.00	.00		.00
11	.00		.00	.00		.00	.00		.00
12	.00		.00	.00		.00	.00		.00
13	.00		.00	.00		.00	.00		.00
14	.00		.00	.00		.00	.00		.00
15	.00		.00	.00		.00	.00		.00
16	.00		.00	.00		.00	.00		.00
17	.00		.00	.00		.00	.00		.00
18	.00		.00	.00		.00	.00		.00
19	.00		.00	.00		.00	.00		.00
20	.00		.00	.00		.00	.00		.00
21	.00		.00	.00		.00	.00		.00
22	.00		.00	.00		.00	.00		.00
23	.00		.00	.00		.00	.00		.00
24	.00		.00	.00		.00	.00		.00
25	.00		.00	.00		.00	.00		.00
26	.00		.00	.00		.00	.00		.00
27	.00		.00	.00		.00	.00		.00
28	.00		.00	.00		.00	.00		.00
29	.00		.00	.00		.00	.00		.00
30	.00		.00	.00		.00	.00		.00
31	.00		.00	---			.00		.00
TOTAL	0.17		0.12	0.00		0.00	0.00		0.00

GREEN RIVER BASIN

09306235 CORRAL GULCH BELOW WATER GULCH, NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		JANUARY			FEBRUARY			MARCH	
1	.00		.00	.00		.00	.00	---	.00
2	.00		.00	.00		.00	.00	---	.00
3	.00		.00	.00		.00	.00	---	.00
4	.00		.00	.00		.00	.00	---	.00
5	.00		.00	.00		.00	.00	---	.00
6	.00		.00	.00		.00	.00	---	.00
7	.00		.00	.00		.00	.00	---	.00
8	.00		.00	.00		.00	.00	---	.00
9	.00		.00	.00		.00	.00	---	.00
10	.00		.00	.00		.00	.00	---	.00
11	.00		.00	.00		.00	.00	---	.00
12	.00		.00	.00		.00	.00	---	.00
13	.00		.00	.00		.00	.00	---	.00
14	.00		.00	.00		.00	.00	---	.00
15	.00		.00	.00		.00	.00	---	.00
16	.00		.00	.00		.00	.00	---	.00
17	.00		.00	.00		.00	.00	---	.00
18	.00		.00	.00		.00	.00	---	.00
19	.00		.00	.00		.00	.00	---	.00
20	.00		.00	.00		.00	.01	---	.04
21	.00		.00	.00		.00	.03	475	.18
22	.00		.00	.00		.00	.01	---	.08
23	.00		.00	.00		.00	.03	---	.18
24	.00		.00	.00		.00	.00	---	.00
25	.00		.00	.00		.00	.00	---	.00
26	.00		.00	.00		.00	.00	---	.00
27	.00		.00	.00		.00	.00	---	.00
28	.00		.00	.00		.00	.00	---	.00
29	.00		.00	---			.00	---	.00
30	.00		.00	---			.02	---	.14
31	.00		.00	---			.00	---	.00
TOTAL	0.00		0.00	0.00		0.00	0.10	---	0.62

GREEN RIVER BASIN

09306235 CORRAL GULCH BELOW WATER GULCH, NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		APRIL			MAY			JUNE	
1	.00		.00	.06	---	.95	.48	---	1.5
2	.00		.00	.04	6530	.71	.48	---	1.3
3	.00		.00	.08	---	1.1	.48	---	1.1
4	.00		.00	.16	---	1.8	.48	831	1.1
5	.00		.00	.20	---	2.1	.56	---	4.5
6	.00		.00	.12	---	1.5	.48	---	.92
7	.00		.00	.13	---	1.6	.44	---	.83
8	.00		.00	.00	---	.00	.53	---	.75
9	.00		.00	.06	---	.95	.50	---	.65
10	.00		.00	.07	---	1.0	.50	---	.55
11	.00		.00	.09	---	1.2	.47	---	.45
12	.00		.00	.07	---	1.0	.47	---	.35
13	.00		.00	.12	---	1.5	.47	---	.25
14	.00		.00	.11	---	1.4	.44	---	.15
15	.00		.00	.16	4220	1.8	.41	---	.05
16	.00		.00	.26	---	2.5	.38	62	.06
17	.00		.00	.32	---	3.0	.35	---	.10
18	.00		.00	.38	---	3.2	.35	---	.10
19	.00		.00	.38	---	3.2	.35	---	.10
20	.00		.00	.44	---	3.6	.32	---	.08
21	.01		.30	.47	---	3.8	.32	---	.08
22	.01		.30	.35	---	3.1	.30	35	.03
23	.00		.00	.32	---	3.0	.28	---	.06
24	.00		.00	.35	---	3.1	.28	---	.06
25	.00		.00	.53	---	2.9	.28	---	.06
26	.00		.00	.53	---	2.7	.28	---	.06
27	.02		.45	.53	---	2.5	.28	---	.06
28	.01		.30	.47	---	2.3	.28	102	.08
29	.04		.60	.50	---	2.1	.28	---	.06
30	.04		.60	.50	---	1.9	.22	---	.04
31	---			.50	---	1.7	---	---	---
TOTAL	0.13		2.55	8.30	---	63.21	11.74	---	15.48

09306235 CORRAL GULCH BELOW WATER GULCH, NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCENTRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCENTRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCENTRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		JULY			AUGUST			SEPTEMBER	
1	.22	---	.04	.53	180	.26	.49	143	.19
2	.08	---	.01	.56	---	.40	.46	---	.20
3	.16	---	.02	.56	---	.40	.37	---	.12
4	.20	---	.07	.60	---	.60	.15	---	.02
5	.20	197	.11	.56	---	.40	.06	---	.01
6	.16	---	.06	.56	---	.40	.04	---	.01
7	.10	---	.01	.51	173	.24	.15	---	.02
8	.12	---	.02	.54	---	.35	.23	---	.04
9	.02	---	.01	.54	---	.35	.28	---	.06
10	.00	---	.00	.57	---	.45	.37	---	.11
11	.00	---	.00	.58	---	.50	.37	---	.11
12	.03	---	.01	.56	---	.40	.37	---	.11
13	.16	---	.02	.59	---	.55	.35	---	.10
14	.08	---	.01	.60	257	.42	.30	---	.07
15	.10	---	.01	.59	---	.55	.28	---	.06
16	.08	---	.01	.58	---	.50	.28	---	.06
17	.23	---	.04	.56	---	.40	.28	---	.06
18	.41	---	.15	.57	---	.45	.30	---	.07
19	.47	329	.42	.56	---	.40	.30	64	.05
20	.47	---	.42	.57	---	.45	.30	---	.07
21	.44	---	.42	.57	---	.45	.30	---	.07
22	.50	---	.44	.53	---	.35	.30	---	.07
23	.50	---	.44	.51	---	.30	.28	---	.06
24	.50	---	.44	.50	---	.30	.28	---	.06
25	.50	---	.44	.51	---	.30	.28	---	.06
26	.50	327	.44	.52	---	.35	.28	81	.06
27	.50	---	.41	.53	---	.35	.28	---	.06
28	.50	---	.38	.55	---	.40	.28	---	.06
29	.53	---	.35	.56	---	.40	.30	---	.07
30	.50	---	.32	.52	---	.35	.28	---	.06
31	.50	---	.29	.52	---	.35	---	---	---
TOTAL	8.76	---	5.81	17.11	---	12.37	8.59	---	2.17
YEAR	54.90		102.33						

SUSPENDED-SEDIMENT, WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DATE	TIME	STREAM-FLOW, INSTANTANEOUS (CFS) (00061)	SEDIMENT, SUSPENDED (MG/L) (80154)	SEDIMENT DISCHARGE, SUSPENDED (T/DAY) (80155)	SED. SUSP. SIEVE DIAM. % FINER THAN .062 MM (70331)	SED. SUSP. SIEVE DIAM. % FINER THAN 1.00 MM (70335)	SED. SUSP. SIEVE DIAM. % FINER THAN 2.00 MM (70336)	SED. SUSP. FALL DIAM. % FINER THAN .062 MM (70342)	SED. SUSP. FALL DIAM. % FINER THAN .125 MM (70343)	SED. SUSP. FALL DIAM. % FINER THAN .250 MM (70344)	SED. SUSP. FALL DIAM. % FINER THAN .500 MM (70345)
MAR											
21...	1500	.21	3240	1.8	97	--	--	--	--	--	--
21...	1515	.21	2670	1.5	98	--	--	--	--	--	--
MAY											
02...	1335	.10	6530	1.8	93	--	--	--	--	--	--
15...	1340	.22	4220	2.5	--	87	92	71	75	78	85

09306240 BOX ELDER GULCH NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT, WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		JANUARY			FEBRUARY			MARCH	
1	.00			.00			.00	---	---
2	.00			.00			.00	---	---
3	.00			.00			.00	---	---
4	.00			.00			.00	---	---
5	.00			.00			.00	---	---
6	.00			.00			.00	---	---
7	.00			.00			.00	---	---
8	.00			.00			.00	---	---
9	.00			.00			.00	---	---
10	.00			.00			.00	---	---
11	.00			.00			.00	---	---
12	.00			.00			.00	---	---
13	.00			.00			.00	---	---
14	.00			.00			.00	---	---
15	.00			.00			.00	---	---
16	.00			.00			.00	---	---
17	.00			.00			.00	---	---
18	.00			.00			.00	---	---
19	.00			.00			.02	---	.05
20	.00			.00			.06	---	.10
21	.00			.00			.04	---	.10
22	.00			.00			.30	1610	2.6
23	.00			.00			.40	3820	6.1
24	.00			.00			.65	4900	5.3
25	.00			.00			.11	---	.40
26	.00			.00			.16	4310	2.5
27	.00			.00			.49	3840	5.1
28	.00			.00			.76	8670	18
29	.00			---			.84	6480	15
30	.00			---			1.2	7980	26
31	.00			---			1.2	---	25
TOTAL	0.00			0.00			6.23	---	106.25

GREEN RIVER BASIN

09306240 BOX ELDER GULCH NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT, WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		APRIL			MAY			JUNE	
1	1.4	8400	32	1.6	510	2.4	1.0	---	.38
2	1.4	5060	19	1.5	612	2.5	1.0	---	.36
3	1.5	---	20	1.4	437	1.7	.96	---	.28
4	1.0	---	14	1.5	512	2.1	.84	116	.26
5	1.4	---	18	1.7	604	2.8	.92	209	.52
6	1.6	4810	21	1.7	570	2.6	.84	99	.22
7	1.7	3450	16	1.7	551	2.5	.76	110	.23
8	2.1	3620	21	1.7	518	2.4	.72	104	.20
9	1.9	2520	13	1.6	506	2.2	.68	---	.12
10	2.0	1980	11	1.7	552	2.5	.68	---	.12
11	1.8	2800	14	1.7	513	2.4	.65	---	.12
12	1.7	1760	8.1	1.7	506	2.3	.59	---	.10
13	1.8	1830	8.9	1.7	636	2.9	.43	---	.06
14	1.8	1980	9.6	1.7	989	4.5	.32	---	.04
15	1.8	2340	11	1.7	764	3.5	.25	---	.03
16	1.8	2150	10	1.7	847	3.9	.26	---	.03
17	1.7	1260	5.8	1.6	924	4.0	.18	---	.02
18	2.0	---	20	1.6	836	3.6	.15	---	.02
19	1.8	---	18	1.5	666	2.7	.12	---	.02
20	1.5	1350	5.5	1.7	688	3.2	.13	---	.02
21	1.6	1250	5.4	1.7	622	2.9	.07	---	.01
22	1.7	---	6.0	1.6	462	2.0	.07	---	.01
23	1.5	---	5.5	1.6	407	1.8	.07	---	.01
24	1.4	2100	7.9	1.6	429	1.9	.05	---	.01
25	1.4	0	5.5	1.4	522	2.0	.06	---	.01
26	1.4	---	4.0	1.4	390	1.5	.05	---	.01
27	1.5	1060	4.3	1.4	336	1.3	.00	---	---
28	1.4	437	1.7	1.4	418	1.6	.00	---	---
29	1.4	494	1.9	1.2	242	.78	.00	---	---
30	1.5	720	2.9	1.2	---	.50	.00	---	---
31	---	---	---	1.1	---	.42	---	---	---
TOTAL	48.5	---	341.0	48.3	---	73.40	11.85	---	3.21
YEAR	114.88		523.86						

09306242 CORRAL GULCH NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		OCTOBER			NOVEMBER			DECEMBER	
1	.35	---	.03	.31	---	.04	.31	31	.02
2	.35	---	.03	.31	---	.03	.35	28	.03
3	.31	---	.03	.31	---	.03	.31	19	.01
4	.31	---	.03	.27	35	.03	.31	11	.01
5	.35	---	.03	.27	58	.05	.31	4	.00
6	1.1	---	7.5	.31	154	.14	.35	23	.02
7	.59	---	14	.27	164	.12	.34	31	.02
8	.27	---	.10	.27	54	.04	.43	34	.03
9	.23	---	.09	.27	7	.00	.32	34	.03
10	.23	---	.08	.27	7	.00	.44	---	.07
11	.20	---	.07	.27	14	.01	.27	31	.02
12	.23	107	.07	.27	33	.02	.27	21	.01
13	.27	---	.06	.27	19	.01	.27	24	.02
14	.27	---	.05	.23	23	.01	.27	32	.02
15	.27	---	.05	.23	33	.02	.24	25	.02
16	.27	---	.04	.27	20	.01	.27	22	.02
17	.27	---	.03	.27	38	.02	.24	16	.01
18	.27	---	.03	.27	29	.02	.24	15	.01
19	.27	39	.02	.27	26	.02	.24	15	.01
20	.27	---	.02	.27	33	.02	.24	14	.01
21	.31	---	.02	.27	19	.01	.24	18	.01
22	.27	---	.02	.27	15	.01	.24	33	.02
23	.27	---	.02	.27	26	.02	.24	54	.04
24	.27	---	.02	.27	40	.03	.22	45	.03
25	.27	---	.02	.27	30	.02	.20	47	.03
26	.27	---	.01	.27	33	.02	.20	21	.01
27	.27	24	.02	.27	25	.02	.20	17	.01
28	.27	38	.03	.31	21	.01	.20	18	.01
29	.27	68	.05	.31	51	.04	.20	34	.02
30	.27	---	.05	.31	39	.03	.20	24	.02
31	.27	---	.04	---	---	---	.36	---	.10
TOTAL	9.69	---	22.66	8.30	---	0.85	8.52	---	0.69

09306242 CORRAL GULCH NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		JANUARY			FEBRUARY			MARCH	
1	1.0	---	1.0	.73	5950	11	.20	---	.14
2	.28	340	.26	.79	5760	12	.18	---	.11
3	.22	290	.19	.73	5410	12	.16	---	.08
4	.14	280	.09	.63	4390	8.9	.16	---	.06
5	.18	220	.09	.51	2450	3.0	.18	---	.10
6	.39	170	.19	.63	4850	7.7	.20	---	.13
7	.43	130	.13	.63	4370	7.1	1.1	4010	51
8	.77	200	.50	.64	4180	7.2	.51	160	.22
9	1.3	350	1.3	.63	4760	8.2	.55	170	.34
10	.18	160	.08	.59	4070	6.1	.55	70	.10
11	.16	53	.02	.51	3610	4.6	.39	80	.09
12	.18	34	.01	.51	3800	6.0	.43	60	.06
13	.18	---	.01	.54	2710	2.9	.55	30	.04
14	.18	---	.01	.49	3610	5.2	.47	40	.05
15	.18	---	.01	.49	2660	4.3	2.2	10400	118
16	.18	---	.01	.22	483	.31	2.8	11900	89
17	.20	---	.01	.24	545	.46	2.9	13100	98
18	.20	---	.01	.22	1390	1.7	3.3	15100	132
19	.20	---	.01	.43	3240	4.4	2.0	13600	72
20	.20	---	.01	.35	3180	2.5	1.8	11800	59
21	.20	---	.01	.39	2450	2.3	1.5	12000	56
22	.20	---	.01	.31	1920	2.2	1.9	14300	72
23	.20	---	.01	.14	130	.05	1.8	12800	65
24	.20	---	.01	.16	210	.07	1.5	9180	45
25	.20	---	.01	.16	100	.04	1.2	7890	27
26	1.0	230	.88	.20	---	.07	1.1	8700	27
27	1.2	340	1.1	.20	---	.10	1.0	6670	21
28	1.1	451	1.3	.18	---	.11	.73	2940	6.8
29	.93	1690	4.2	---	---	---	.70	3440	9.8
30	.68	3430	7.0	---	---	---	.46	1170	1.6
31	.59	4560	8.2	---	---	---	.81	2560	5.7
TOTAL	13.25	---	26.67	12.25	---	120.51	33.33	---	957.42

09306242 CORRAL GULCH NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		APRIL			MAY			JUNE	
1	1.2	3950	13	2.3	2440	17	3.2	---	29
2	1.2	3710	13	2.0	1490	8.2	2.8	---	24
3	1.2	3760	12	1.7	1280	6.7	2.8	---	18
4	1.4	4800	20	2.4	2420	16	3.3	2900	26
5	2.3	8660	53	2.8	2690	21	5.0	4350	82
6	2.0	7470	46	2.4	1590	11	4.8	---	48
7	2.2	5180	30	2.9	1490	12	4.4	---	34
8	2.3	4830	29	3.4	2010	19	3.7	1970	20
9	2.1	4360	27	3.4	2540	24	3.7	2720	27
10	2.2	4220	24	3.8	3740	42	4.0	2900	33
11	1.9	3790	20	5.0	5210	73	3.4	2150	20
12	2.1	5480	34	5.4	---	68	3.2	1480	13
13	2.7	5950	43	4.6	4210	53	3.5	1550	17
14	2.6	5190	37	4.2	---	44	5.4	3410	50
15	2.4	4300	29	4.3	3600	42	4.4	---	69
16	2.4	4130	28	4.8	3720	49	6.7	7720	143
17	2.4	4020	26	5.4	4030	61	4.7	4370	57
18	1.8	3680	20	5.0	4330	57	5.2	4120	58
19	2.1	5920	35	3.6	5220	52	4.9	2330	32
20	2.1	4730	29	3.8	4450	46	5.2	---	60
21	2.4	4550	31	3.7	4790	49	5.6	---	73
22	2.1	4110	25	3.0	3490	29	5.1	2730	39
23	2.0	4520	25	2.8	3270	25	4.9	3260	46
24	2.2	4420	30	3.0	2900	24	5.7	2980	46
25	2.1	3860	23	3.2	3300	29	5.8	2820	44
26	1.3	---	8.5	3.0	---	28	5.6	2790	42
27	1.8	2300	12	2.6	---	24	4.6	2460	31
28	2.1	3160	20	2.7	---	24	3.7	1900	19
29	3.0	3750	35	2.6	---	23	4.0	3360	36
30	4.1	4520	50	2.7	---	24	4.1	2490	28
31	---	---	---	2.9	---	24	---	---	---
TOTAL	63.7	---	827.5	105.4	---	1024.9	133.4	---	1264

09306242 CORRAL GULCH NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		JULY			AUGUST			SEPTEMBER	
1	4.2	2390	27	4.2	1690	18	3.2	117	.92
2	4.0	1770	20	4.2	1120	12	3.3	139	1.1
3	3.9	2030	22	3.9	949	10	3.2	115	.96
4	3.9	1750	19	4.0	1180	13	3.2	109	.94
5	4.0	1350	15	3.7	979	10	3.0	115	.94
6	3.8	1680	18	3.9	1020	11	3.2	246	2.1
7	3.7	1840	19	3.8	711	6.9	3.2	189	1.7
8	3.5	1220	12	3.4	703	7.2	3.5	192	1.7
9	3.6	925	9.5	3.4	764	7.7	3.4	---	1.7
10	3.8	1600	17	3.4	971	8.9	3.3	---	1.3
11	4.2	1940	23	3.0	667	6.0	3.6	---	2.4
12	4.1	1780	21	3.1	598	5.6	3.8	---	3.0
13	4.2	1180	13	3.2	1240	13	3.4	---	2.1
14	4.1	1040	12	3.7	1490	16	3.4	212	1.9
15	3.9	891	9.4	3.3	702	7.2	3.3	453	3.9
16	3.8	1110	12	3.1	554	4.8	3.7	256	2.6
17	3.8	703	7.5	3.1	---	3.4	3.8	305	3.0
18	3.9	1080	12	2.8	---	3.0	3.9	404	4.3
19	4.0	1370	16	3.1	---	3.4	3.8	394	4.0
20	4.0	1270	14	3.2	---	3.8	3.7	272	2.8
21	3.9	1840	20	3.0	---	3.3	3.5	342	3.3
22	3.8	1390	15	2.3	172	1.0	3.4	641	6.7
23	3.8	1340	14	2.0	105	.58	2.9	535	4.3
24	3.8	1920	20	2.1	189	1.1	3.0	322	2.6
25	3.7	1440	15	2.7	268	1.9	3.4	661	7.2
26	3.6	1440	15	3.2	348	2.9	4.0	787	8.8
27	3.7	1180	12	3.3	347	3.1	3.7	812	8.5
28	3.9	1440	15	3.3	138	1.2	3.0	524	4.8
29	4.0	958	11	3.4	194	1.8	3.0	957	7.7
30	4.1	970	11	3.2	133	1.0	2.9	866	6.6
31	3.9	1460	16	3.2	219	1.8	---	---	---
TOTAL	120.6	---	482.4	101.2	---	190.58	101.7	---	103.86
YEAR	711.34		5022.04						

SUSPENDED-SEDIMENT, WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DATE	TIME	STREAM-FLOW, INSTAN-TANEOUS (CFS) (00061)	SEDI-MENT, SUS-PENDED (MG/L) (80154)	SEDI-MENT DIS-CHARGE, SUS-PENDED (T/DAY) (80155)	SED. SUSP. SIEVE DIAM. % FINER THAN .062 MM (70331)	SED. SUSP. SIEVE DIAM. % FINER THAN 1.00 MM (70335)	SED. SUSP. SIEVE DIAM. % FINER THAN 2.00 MM (70336)
FEB							
03...	1245	.83	6180	14	95	--	--
MAR							
01...	1410	.20	556	.30	98	--	--
07...	1630	6.9	52000	969	--	99	99
07...	1635	6.0	43800	710	--	--	--
15...	1730	4.0	20100	217	--	93	96
15...	1735	2.9	18400	144	81	--	--
17...	1245	2.5	13100	88	--	92	95
20...	1630	1.8	9600	47	8	--	--
20...	1635	1.8	8570	42	86	--	--
23...	1600	2.0	10400	56	75	--	--
23...	1605	2.0	11400	62	70	--	--
28...	1515	.68	2420	4.4	44	--	--
28...	1520	.68	1540	2.8	67	--	--
APR							
03...	1515	1.0	4670	13	--	98	98
JUN							
05...	1535	13	15600	548	90	--	--
05...	1545	13	16000	562	87	--	--

09306242 CORRAL GULCH NEAR RANGELY, CO--Continued

SUSPENDED-SEDIMENT, WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DATE	SED. SUSP. FALL DIAM. % FINER THAN .002 MM (70337)	SED. SUSP. FALL DIAM. % FINER THAN .004 MM (70338)	SED. SUSP. FALL DIAM. % FINER THAN .062 MM (70342)	SED. SUSP. FALL DIAM. % FINER THAN .125 MM (70343)	SED. SUSP. FALL DIAM. % FINER THAN .250 MM (70344)	SED. SUSP. FALL DIAM. % FINER THAN .500 MM (70345)
FEB						
03...	--	--	--	--	--	--
MAR						
01...	--	--	--	--	--	--
07...	18	28	92	96	98	98
07...	18	32	73	90	94	98
15...	--	--	83	87	89	92
15...	--	--	--	--	--	--
17...	--	--	81	84	87	91
20...	--	--	--	--	--	--
20...	--	--	--	--	--	--
23...	--	--	--	--	--	--
23...	--	--	--	--	--	--
28...	--	--	--	--	--	--
28...	--	--	--	--	--	--
APR						
03...	--	--	96	98	98	--
JUN						
05...	--	--	--	--	--	--
05...	--	--	--	--	--	--

09306255 YELLOW CREEK NEAR WHITE RIVER, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		OCTOBER			NOVEMBER			DECEMBER	
1	.85	99	.23	1.1	---	.60	.48	---	.10
2	.85	81	.19	1.2	175	.57	.50	---	.25
3	.88	58	.14	1.2	---	1.0	.56	---	.35
4	.91	70	.17	1.2	---	.70	.56	---	.35
5	.97	55	.14	1.2	---	.80	.54	220	.32
6	1.0	70	.19	1.3	---	.80	.52	---	.30
7	.94	65	.16	1.3	---	.70	.54	---	.30
8	.97	54	.14	1.2	---	.60	.52	---	.20
9	.97	64	.17	1.0	---	.50	.50	---	.10
10	1.0	60	.16	.90	188	.46	.52	---	.10
11	.97	63	.16	.90	---	.40	.60	---	.15
12	.88	58	.14	.80	---	.40	.60	---	.15
13	.94	---	.17	.80	---	.35	.60	72	.12
14	.94	40	.10	.70	---	.35	.60	---	.15
15	.94	---	.07	.70	---	.35	.60	---	.15
16	.94	---	.07	.62	210	.35	.56	---	.10
17	.94	---	.07	.60	---	.25	.60	---	.15
18	1.0	26	.07	.60	---	.25	.54	---	.10
19	1.1	34	.10	.56	---	.20	.46	---	.10
20	1.1	28	.08	.54	---	.15	.40	---	.05
21	1.1	---	.08	.50	50	.07	.40	---	.05
22	1.1	---	.09	.50	---	.07	.40	---	.05
23	1.1	---	.12	.50	---	.07	.60	---	.10
24	1.1	---	.14	.50	---	.07	.66	---	.15
25	1.1	55	.17	.54	---	.09	.68	---	.15
26	1.0	---	.15	.54	---	.09	.60	---	.10
27	1.0	---	.15	.50	---	.07	.64	---	.10
28	1.0	---	.15	.50	---	.07	.66	64	.11
29	1.1	---	.25	.48	---	.06	.72	60	.12
30	1.1	---	.30	.50	---	.10	.74	52	.10
31	1.1	---	.30	---	---	---	.80	52	.11
TOTAL	30.89	---	4.62	23.48	---	10.54	17.70	---	4.73

09306255 YELLOW CREEK NEAR WHITE RIVER, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		JANUARY			FEBRUARY			MARCH	
1	.75	---	.15	1.2	300	.97	1.6	1700	7.7
2	.68	---	.15	1.2	316	1.0	1.6	1200	5.0
3	.68	---	.15	1.2	228	.74	1.3	1630	7.3
4	.70	---	.15	1.2	356	1.2	1.8	2250	14
5	.75	---	.20	1.2	436	1.4	1.8	---	19
6	.80	112	.24	1.2	444	1.4	2.1	4640	25
7	.90	---	.25	1.2	880	2.9	2.0	4480	25
8	.90	---	.25	1.3	848	3.0	2.0	2990	18
9	1.0	---	.30	1.3	652	2.3	2.0	---	21
10	1.0	---	.30	1.4	328	1.2	2.0	2160	13
11	1.0	---	.30	1.4	880	3.3	1.8	2350	12
12	1.1	---	.35	1.3	1240	4.4	1.9	2610	15
13	1.1	120	.36	1.4	800	3.0	1.6	2350	11
14	1.1	---	.35	1.4	360	1.4	1.4	843	3.1
15	1.2	---	.40	1.3	400	1.4	1.6	2160	12
16	1.2	---	.40	1.4	---	2.8	1.8	2300	11
17	1.3	---	.45	1.4	---	4.5	2.0	2300	13
18	1.4	128	.47	1.8	---	11	2.0	2380	15
19	1.4	---	.45	1.5	---	7.0	2.0	2610	13
20	1.3	---	.45	1.4	---	5.8	1.9	3450	16
21	1.2	---	.40	1.4	---	7.1	1.7	4120	19
22	1.0	---	.30	1.5	---	8.3	2.0	8520	47
23	.95	---	.30	1.7	---	8.6	1.7	3330	17
24	.70	---	.25	1.8	---	8.5	2.6	7700	79
25	.65	---	.20	1.6	---	5.3	1.9	729	3.5
26	.80	---	.50	1.4	---	1.7	1.7	1100	4.8
27	.90	365	.89	1.6	720	3.1	1.6	905	3.9
28	1.1	---	.90	1.7	1350	6.3	1.6	---	3.9
29	1.1	---	.90	---	---	---	1.4	---	3.9
30	1.1	---	.95	---	---	---	1.4	---	3.5
31	1.1	340	1.0	---	---	---	1.4	---	3.0
TOTAL	30.86	---	12.71	39.4	---	109.61	55.2	---	464.6

09306255 YELLOW CREEK NEAR WHITE RIVER, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		APRIL			MAY			JUNE	
1	1.5	---	2.1	1.3	---	.45	.94	20	.05
2	1.5	---	2.1	1.2	98	.33	.94	20	.05
3	1.6	---	2.3	1.1	---	.25	.94	15	.04
4	1.5	315	1.3	1.2	82	.27	.94	20	.05
5	1.7	630	2.9	1.2	79	.26	.94	30	.08
6	1.6	270	1.1	1.2	82	.26	.95	25	.06
7	1.5	---	1.3	1.2	132	.43	.96	25	.06
8	1.4	---	1.2	1.2	120	.39	.93	25	.06
9	1.4	---	1.2	1.1	---	.20	.92	20	.05
10	1.5	308	1.2	1.1	---	.20	.86	50	.01
11	1.4	---	1.2	1.1	---	.20	.84	38	.09
12	1.4	---	1.2	1.0	---	.15	.82	---	.08
13	1.3	---	1.2	.97	---	.12	.74	34	.07
14	1.4	---	1.2	.97	---	.12	.71	42	.08
15	1.4	---	1.2	.94	---	.11	.67	56	.10
16	1.4	---	1.2	.94	42	.11	.65	15	.03
17	1.4	---	1.2	1.1	---	.40	.65	25	.04
18	1.2	---	4.0	1.1	---	.25	.64	20	.04
19	1.3	818	2.9	.97	55	.14	.62	15	.02
20	1.3	---	1.3	.94	35	.08	.62	35	.06
21	1.3	423	1.5	.94	30	.08	.60	15	.02
22	1.4	1180	4.3	.97	25	.06	.59	25	.04
23	1.2	624	2.0	.94	25	.06	.58	25	.04
24	1.2	---	.65	.94	25	.06	.55	12	.02
25	1.2	---	.65	.91	45	.11	.55	15	.02
26	1.2	260	.84	.91	30	.07	.52	27	.04
27	1.3	---	.70	.91	35	.08	.48	20	.03
28	1.2	---	.65	.91	35	.08	.49	28	.04
29	1.3	---	1.0	.91	30	.07	.50	25	.03
30	1.2	---	.65	.91	30	.07	.50	25	.03
31	---	---	---	.91	35	.08	---	---	---
TOTAL	41.2	---	46.24	31.99	---	5.54	21.64	---	1.43

09306255 YELLOW CREEK NEAR WHITE RIVER, CO--Continued

SUSPENDED-SEDIMENT DISCHARGE (TONS/DAY), WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DAY	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)	MEAN DISCHARGE (CFS)	MEAN CONCEN-TRATION (MG/L)	SEDIMENT DISCHARGE (TONS/DAY)
		JULY			AUGUST			SEPTEMBER	
1	.48	35	.04	.31	30	.02	.30	30	.02
2	.50	40	.05	.31	30	.02	.30	30	.02
3	.44	25	.03	.25	35	.02	.31	42	.04
4	.42	---	.03	.25	30	.02	.29	30	.02
5	.42	20	.02	.25	30	.02	.29	28	.02
6	.42	50	.06	.25	30	.02	.29	35	
7	.41	85	.09	.25	25	.02	500	44000	
8	.41	30	.03	.25	35	.02	4.5	10000	
9	.41	35	.04	.24	50	.03	1.1	---	5.0
10	.42	45	.05	.22	12	.01	.48	---	.10
11	.42	35	.04	.21	16	.01	.00	---	.0
12	.42	45	.05	.22	19	.01	.00	---	.0
13	.39	35	.04	.47	315	.56	.00	---	.0
14	.39	60	.06	.43	---	.10	.00	---	.0
15	.39	20	.02	.39	---	.05	.00	---	.0
16	.41	35	.04	.37	---	.05	.00	---	.0
17	.42	25	.03	.32	---	.06	.21	---	.03
18	.43	30	.03	.32	---	.03	.32	58	.05
19	.41	35	.04	.32	---	.02	.34	51	.05
20	.41	30	.03	.32	---	.02	.34	61	.06
21	.40	35	.04	.32	19	.02	.32	45	.04
22	.38	20	.02	.32	17	.01	.32	48	.04
23	.39	40	.04	.34	68	.06	.30	52	.04
24	.38	45	.05	.33	52	.05	.34	32	.03
25	.36	20	.02	.30	56	.04	.28	33	.02
26	.33	20	.02	.31	66	.06	.28	39	.03
27	.29	10	.01	.30	50	.04	.30	47	.04
28	.29	50	.04	.29	39	.03	.28	46	.03
29	.31	20	.02	.29	56	.04	.25	38	.02
30	.30	40	.03	.30	56	.04	.26	34	.02
31	.31	35	.03	.30	42	.03	---	---	---
TOTAL	12.16	---	1.14	9.35	---	1.53	512.00	---	290127.4
YEAR	825.87		290790.09						

SUSPENDED-SEDIMENT, WATER YEAR OCTOBER 1977 TO SEPTEMBER 1978

DATE	TIME	STREAM-FLOW, INSTAN-TANEOUS (CFS) (00061)	SEDI-MENT, SUS-PENDED (MG/L) (80154)	SEDI-MENT DIS-CHARGE, SUS-PENDED (T/DAY) (80155)	SED. SUSP. SIEVE DIAM. % FINER THAN .062 MM (70331)	SED. SUSP. SIEVE DIAM. % FINER THAN .125 MM (70332)	SED. SUSP. SIEVE DIAM. % FINER THAN .250 MM (70333)	SED. SUSP. SIEVE DIAM. % FINER THAN .500 MM (70334)	SED. SUSP. SIEVE DIAM. % FINER THAN 1.00 MM (70335)	SED. SUSP. SIEVE DIAM. % FINER THAN 2.00 MM (70336)
FEB										
27...	1125	1.6	334	1.4	87	--	--	--	--	--
27...	1130	1.6	326	1.4	90	--	--	--	--	--
MAR										
10...	1025	2.1	389	2.2	81	--	--	--	--	--
10...	1030	2.1	391	2.2	79	--	--	--	--	--
22...	1645	1.9	12900	68	97	99	99	97	98	98
SEP										
07...	1140	203	52100	28600	95	--	--	--	--	--

APPENDIX 5-2

Groundwater Data

APPENDIX 5-2.1

ALLUVIAL AQUIFER WATER QUALITY - INDIVIDUAL ANALYSES

(All data since the baseline data collection period are reported herein. Data collected during this reporting period includes 01 December 1978 to 31 May 1979 only.)

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5	6	7	8	9	10	11
DATE	20177.	101377.	11078.	40578.	61378.	92178.	121478.	12679.	33079.	42779.	52579.
DEPTH	0.00	0.00	30.39	25.62	23.26	0.00	27.40	0.00	27.20	24.71	23.33
TEMP	0.0	0.0	7.5	0.0	9.5	0.0	9.0	5.0	7.5	10.0	9.0
LAB ID											
LAB NUM	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
METHOD	03	3	3	3	3	03	03	03	03	03	03
AQUIF.LOC.	A	A	A	A	A	A	A	A	A	A	A
WET											
01106 ALUM	0.200	0.200	0.000	0.000	0.100	0.000	0.000	0.000	0.000	0.400	0.000
71846 AMMO	0.000	0.350	0.000	0.000	1.400	0.000	0.000	0.000	0.000	0.280	0.000
01000 ARSE	0.000	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000
00440 BICA	510.000	490.000	0.000	435.000	465.000	440.000	421.000	0.000	0.000	400.000	435.000
01025 CADM	-0.010	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000
00915 CALC	105.000	105.000	105.000	52.000	105.000	93.000	88.600	49.000	110.000	82.000	105.000
00445 CARB	-0.100	-0.100	-0.100	-0.100	-0.100	-0.100	-0.100	0.000	0.000	-0.100	-0.100
00940 CHLO	9.300	9.900	90.000	2.700	11.000	17.000	45.500	17.000	17.000	20.000	17.000
01030 CHRO	-0.010	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000
01040 COPP	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00950 FLUO	0.200	0.200	0.200	0.400	0.200	0.200	0.340	0.240	0.330	0.300	0.400
71830 HYDR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046 IRON	-0.050	-0.050	0.000	0.000	-0.050	0.000	0.000	0.000	0.000	0.380	0.000
01049 LEAD	0.020	0.020	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	0.010	0.000
00925 MAGN	41.000	19.000	36.000	57.000	25.000	61.000	41.500	31.000	58.000	57.000	51.000
71890 MERC	-0.001	-0.001	0.000	0.000	-0.001	0.000	0.000	0.000	0.000	-0.001	0.000
71851 NITR	3.000	2.200	0.000	2.700	3.300	3.400	4.000	0.000	0.000	16.000	0.000
70507 PHOS	-0.100	-0.100	0.000	0.000	-0.100	0.000	0.000	0.000	0.000	-0.100	0.000
00935 POTA	2.000	1.300	0.200	1.700	2.000	2.000	0.000	0.000	0.000	2.000	1.300
01145 SELE	-0.010	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000
00955 SIL	29.000	11.000	23.000	9.600	10.000	21.400	24.200	22.000	22.000	11.000	21.000
00930 SODI	160.000	185.000	105.000	160.000	200.000	97.000	110.000	61.000	130.000	110.000	91.000
00945 SULF	300.000	290.000	285.000	325.000	270.000	260.000	228.000	150.000	370.000	300.000	315.000
00746 SULF	1.600	-1.000	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.200	0.000
01090 ZINC	-0.100	0.100	0.000	0.000	0.100	0.000	0.000	0.000	0.000	0.500	0.000
01503 GROS	0.000	2.500	0.000	0.000	40.000	0.000	0.000	0.000	0.000	2.500	0.000
03501 GROS	0.000	0.000	0.000	0.000	44.000	0.000	0.000	0.000	0.000	0.000	0.000
00900 HARD	430.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00400 PH	0.000	8.000	4.800	0.000	7.100	7.600	7.200	0.000	7.800	7.400	0.000
00095 COND	860.000	0.000	1120.000	0.000	1390.000	1060.000	1140.000	0.000	1240.000	1420.000	0.000
00540 DIS	-0.050	745.000	0.000	0.000	775.000	0.000	0.000	0.000	0.000	840.000	0.000
01056 MANG	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00410 ALKA	419.000	400.000	365.000	355.000	380.000	360.000	344.000	280.000	525.000	330.000	355.000
00720 CYAN	-0.010	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000
01020 BORO	0.100	-0.100	0.000	0.000	-0.100	0.000	0.000	0.000	0.000	0.100	0.000
01005 BARI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130 LITH	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681 DOC	5.500	6.000	0.000	12.500	22.000	0.000	0.000	0.000	0.000	4.500	0.000
00613 NITR	0.040	-0.010	0.000	-0.010	-0.100	-0.010	-0.010	0.000	0.000	0.000	0.000
71870 BROM	-0.100	0.000	0.000	0.000	-0.100	0.000	0.000	0.000	0.000	-0.100	0.000

SAMPLES		1	2	3	4	5	6	7	8	9	10	11
00340	C.O.	6.900	-0.010	0.000	0.000	30.000	0.000	0.000	0.000	0.000	5.000	0.000
32730	PHEN	-0.001	0.004	0.000	0.000	0.000	-0.001	0.000	0.000	0.000	-0.001	0.000
00625	KJEL	3.400	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	1.800	-0.100	0.000	0.000	1.200	0.000	0.000	0.000	0.000	1.200	0.000
01085	VANA	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00660	ORTH	0.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC												
01006	ALUM	0.050	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.010	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00915	CALC	99999.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.001	0.001	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.001	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00925	MAGN	99999.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.001	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.010	0.001	0.000	0.000	0.020	0.000	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6	7	8	9	10	11
	PLAT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00955	SILI	5.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00930	SODI	10.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.100	0.100	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5	6	7	8	9
DATE	20177.	101077.	61478.	92178.	121478.	12279.	33079.	42779.	52579.
DEPTH	0.00	43.22	35.15	40.00	41.84	42.89	42.50	41.17	35.04
TEMP	0.0	8.0	10.0	8.5	5.0	6.0	7.5	10.5	10.0
LAB ID									
LAB NUM	0.	0.	0.	0.	0.	0.	0.	0.	0.
METHOD	03	03	03	03	03	03	03	03	03
AQUIF.LOC.	A	A	A	A	A	A	A	A	A
WET									
01106 ALUM	0.200	1.000	0.100	0.000	0.000	0.000	0.000	0.000	0.000
71846 AMMO	0.000	0.000	-0.300	0.000	0.000	0.000	0.000	0.000	0.000
01000 ARSE	0.000	-0.010	-0.010	0.000	0.000	0.000	0.000	0.000	0.000
00440 BICA	435.000	420.000	285.000	390.000	384.000	0.000	0.000	430.000	410.000
01025 CADM	-0.010	-0.010	-0.010	0.000	0.000	0.000	0.000	0.000	0.000
00915 CALC	90.000	74.000	49.000	82.000	75.400	39.000	93.000	82.000	93.000
00445 CARB	-0.100	-0.100	12.000	6.000	-0.100	0.000	0.000	-0.100	-0.100
00940 CHLO	9.300	9.900	10.000	17.000	45.500	24.000	14.000	17.000	14.000
01030 CHRO	-0.010	-0.010	-0.010	0.000	0.000	0.000	0.000	0.000	0.000
01040 COPP	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00950 FLUO	0.200	0.200	0.100	0.200	0.340	0.250	0.320	0.300	0.500
71830 HYDR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046 IRON	-0.050	0.050	-0.050	0.000	0.000	0.000	0.000	0.000	0.000
01049 LEAD	0.010	0.030	-0.010	0.000	0.000	0.000	0.000	0.000	0.000
00925 MAGN	27.000	28.000	48.000	55.000	32.900	37.000	49.000	30.000	29.000
71890 MERC	-0.001	-0.001	0.005	0.000	0.000	0.000	0.000	0.000	0.000
71851 NITR	3.400	3.400	2.300	3.400	3.600	0.000	0.000	0.000	0.000
70507 PHOS	-0.100	0.100	-0.100	0.000	0.000	0.000	0.000	0.000	0.000
00935 POTA	1.700	3.000	1.700	2.000	0.000	0.000	0.000	2.000	0.000
01145 SELE	-0.010	-0.010	-0.010	0.000	0.000	0.000	0.000	0.000	0.000
00955 SIL	26.000	9.900	9.800	19.500	21.400	3.400	21.000	15.000	17.000
00930 SODI	130.000	150.000	100.000	74.000	100.000	380.000	76.000	170.000	95.000
00945 SULF	200.000	250.000	185.000	190.000	172.000	330.000	245.000	230.000	210.000
00746 SULF	0.600	-1.000	-0.200	0.000	0.000	0.000	0.000	0.000	0.000
01090 ZINC	-0.100	-0.100	-0.100	0.000	0.000	0.000	0.000	0.000	0.000
01503 GROS	0.000	2.000	4.500	0.000	0.000	0.000	0.000	0.000	0.000
03501 GROS	0.000	0.000	19.000	0.000	0.000	0.000	0.000	0.000	0.000
00900 HARD	335.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00400 PH	0.000	8.100	7.600	7.200	7.400	0.000	7.800	7.000	7.200
00095 COND	0.000	990.000	1060.000	1025.000	1000.000	0.000	1000.000	1260.000	0.000
00540 DIS	700.000	625.000	570.000	0.000	0.000	0.000	0.000	0.000	0.000
01056 MANG	0.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00410 ALKA	355.000	345.000	245.000	320.000	314.000	255.000	655.000	350.000	340.000
00720 CYAN	-0.010	-0.010	-0.010	0.000	0.000	0.000	0.000	0.000	0.000
01020 BORO	0.500	-0.100	0.200	0.000	0.000	0.000	0.000	0.000	0.000
01005 BARI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130 LITH	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681 DOC	6.500	14.000	12.000	0.000	0.000	0.000	0.000	0.000	0.000
00613 NITR	0.050	0.010	-0.010	-0.010	-0.010	0.000	0.000	0.000	0.000
71870 BROM	-0.010	0.000	-0.100	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6	7	8	9
00340	C.O.	9.900	0.000	30.000	0.000	0.000	0.000	0.000	0.000	0.000
32730	PHEN	-0.001	0.000	0.000	-0.001	0.000	0.000	0.000	0.000	0.000
00625	KJEL	2.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	1.400	-0.100	1.000	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00660	ORTH	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.300	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC										
01006	ALUM	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.010	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00915	CALC	99999.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.001	0.010	0.001	0.000	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00925	MAGN	99999.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.100	0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.010	0.001	0.010	0.000	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6	7	8	9
	PLAT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00955	SILI	2.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00930	SODI	10.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.100	0.100	0.100	0.000	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5	6	7	8	9	10	11
DATE	20177.	101077.	11078.	31378.	40778.	61378.	92178.	22079.	33079.	427790.	52579.
DEPTH	0.00	0.00	46.97	49.32	48.65	43.26	0.00	41.18	38.75	0.00	21.29
TEMP	0.0	0.0	15.4	10.5	9.5	10.0	0.0	6.0	9.5	0.0	9.5
LAB ID											
LAB NUM	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
METHOD	03	03	03	03	03	03	03	03	03	03	03
AQUIF.LOC.	A	A	A	A	A	A	A	A	A	A	A
WET											
01106 ALUM	0.100	-0.100	0.000	0.000	0.000	-0.100	0.000	0.000	0.000	-0.100	0.000
71846 AMMO	0.000	0.150	0.000	0.000	0.000	-0.300	0.000	0.000	0.000	0.420	0.000
01000 ARSE	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
00440 BICA	640.000	655.000	0.000	545.000	605.000	495.000	390.000	600.000	0.000	620.000	580.000
01025 CADM	-0.010	-0.010	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
00915 CALC	110.000	90.000	105.000	105.000	64.000	84.000	105.000	120.000	115.000	130.000	200.000
00445 CARB	-0.100	-0.100	-0.100	24.000	-0.100	12.000	-0.100	0.000	0.000	-0.100	-0.100
00940 CHLO	15.000	23.000	45.000	18.000	19.000	17.000	17.000	21.000	27.000	24.000	31.000
01030 CHRO	-0.010	-0.010	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
01040 COPP	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00950 FLUO	0.200	0.100	0.200	0.500	0.400	0.200	0.200	0.400	0.290	0.300	0.200
71830 HYDR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046 IRON	-0.050	-0.050	0.000	0.000	0.000	-0.050	0.000	0.000	0.000	0.230	0.000
01049 LEAD	0.030	0.020	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
00925 MAGN	110.000	92.000	105.000	96.000	125.000	94.000	98.000	110.000	120.000	130.000	115.000
71890 MERC	-0.001	-0.001	0.000	0.000	0.000	-0.001	0.000	0.000	0.000	-0.001	0.000
71851 NITR	12.500	6.400	0.000	3.000	0.200	9.600	5.700	12.000	0.000	11.000	0.000
70507 PHOS	-0.100	-0.100	0.000	-0.100	0.000	-0.100	0.000	0.000	0.000	-0.100	0.000
00935 POTA	3.000	2.300	2.700	3.700	1.700	2.700	2.700	3.000	0.000	4.000	4.000
01145 SELE	-0.010	-0.010	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
00955 SIL	33.000	11.000	24.000	0.000	11.000	12.000	25.300	25.000	25.000	22.000	28.000
00930 SODI	190.000	260.000	200.000	200.000	260.000	300.000	200.000	240.000	250.000	190.000	210.000
00945 SULF	520.000	555.000	520.000	605.000	650.000	545.000	550.000	700.000	785.000	650.000	900.000
00746 SULF	-0.100	-1.000	0.000	0.000	0.000	-0.200	0.000	0.000	0.000	-0.200	0.000
01090 ZINC	-0.100	0.100	0.000	0.000	0.000	-0.100	0.000	0.000	0.000	0.700	0.000
01503 GROS	0.000	0.000	0.000	0.000	0.000	8.600	0.000	0.000	0.000	25.000	0.000
03501 GROS	0.000	0.000	0.000	0.000	0.000	23.000	0.000	0.000	0.000	0.000	0.000
00900 HARD	740.000	0.000	0.000	0.000	0.000	0.000	0.000	760.000	0.000	0.000	0.000
00400 PH	0.000	8.000	6.400	6.800	6.400	7.400	7.800	7.800	7.600	0.000	0.000
00095 COND	0.000	0.000	1625.000	0.000	1700.000	1825.000	1600.000	1900.000	2050.000	0.000	0.000
00540 DIS	1340.000	1250.000	0.000	1130.000	0.000	1170.000	0.000	0.000	0.000	1550.000	0.000
01056 MANG	0.050	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00410 ALKA	525.000	535.000	485.000	0.000	495.000	415.000	470.000	500.000	600.000	510.000	475.000
00720 CYAN	-0.010	-0.010	0,000	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
01020 BORO	0.200	-0.100	0,000	0.000	0.000	-0.100	0.000	0.100	0.000	0.200	0.000
01005 BARI	0.000	0.000	0,000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0,000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0,000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130 LITH	-0.100	0.000	0,000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681 DOC	8.700	5.000	5,000	0.000	10.200	11.000	0.000	0.000	0.000	4.900	0.000
00613 NITR	0.100	-0.010	0,000	0.000	-0.010	-0.010	-0.010	0.000	0.000	0.000	0.000
71870 BROM	-0.100	0.000	0,000	0.000	0.000	-0.100	0.000	0.000	0.000	-0.100	0.000

SAMPLES		1	2	3	4	5	6	7	8	9	10	11
00340	C.O.	9.900	25.000	0.000	0.000	0.000	30.000	0.000	0.000	0.000	5.000	0.000
32730	PHEN	-0.001	0.014	0.000	0.000	0.000	0.000	-0.001	0.000	0.000	-0.001	0.000
00625	KJEL	2.700	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	2.900	-0.100	0.000	0.000	0.000	1.800	0.000	0.000	0.000	2.300	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00660	ORTH	-0.100	0.000	0.000	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC												
01006	ALUM	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00915	CALC	99999.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.001	0.001	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.001	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00925	MAGN	99999.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.100	0.020	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.010	0.001	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6	7	8	9	10	11
	PLAT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00955	SILI	5.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00930	SODI	10.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4
DATE	22079.	33079.	42779.	52579.
DEPTH	47.48	43.92	40.02	31.67
TEMP	6.0	8.5	11.0	9.5
LAB ID				
LAB NUM	0.	0.	0.	0.
METHOD	03	03	03	03
AQUIF.LOC.	A	A	A	A
WET				
01106 ALUM	0.000	0.000	-0.100	0.000
71846 AMMO	0.000	0.000	0.700	0.000
01000 ARSE	0.000	0.000	-0.010	0.000
00440 BICA	670.000	0.000	680.000	750.000
01025 CADM	0.000	0.000	-0.010	0.000
00915 CALC	120.000	130.000	150.000	85.000
00445 CARB	0.000	0.000	-0.100	-0.100
00940 CHLO	45.000	37.000	31.000	31.000
01030 CHRO	0.000	0.000	-0.010	0.000
01040 COPP	0.000	0.000	0.000	0.000
00950 FLUO	0.400	0.300	0.300	0.400
71830 HYDR	0.000	0.000	0.000	0.000
01046 IRON	0.000	0.000	-0.050	0.000
01049 LEAD	0.000	0.000	0.020	0.000
00925 MAGN	150.000	170.000	200.000	135.000
71890 MERC	0.000	0.000	-0.001	0.000
71851 NITR	14.000	0.000	7.000	0.000
70507 PHOS	0.000	0.000	-0.100	0.000
00935 POTA	3.300	0.000	3.000	2.000
01145 SELE	0.000	0.000	-0.010	0.000
00955 SIL	24.000	26.000	18.000	38.000
00930 SODI	210.000	270.000	200.000	230.000
00945 SULF	680.000	1000.000	920.000	615.000
00746 SULF	0.000	0.000	-0.200	0.000
01090 ZINC	0.000	0.000	0.700	0.000
01503 GROS	0.000	0.000	12.000	0.000
03501 GROS	0.000	0.000	0.000	0.000
00900 HARD	900.000	0.000	0.000	0.000
00400 PH	7.800	7.600	7.200	7.400
00095 COND	2350.000	2400.000	2800.000	0.000
00540 DIS	0.000	0.000	1730.000	0.000
01056 MANG	0.000	0.000	0.000	0.000
00410 ALKA	550.000	575.000	560.000	615.000
00720 CYAN	0.000	0.000	-0.010	0.000
01020 BORO	0.300	0.000	0.200	0.000
01005 BARI	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000
01130 LITH	0.000	0.000	0.000	0.000
00681 DOC	0.000	0.000	12.000	0.000
00613 NITR	0.000	0.000	0.000	0.000
71870 BROM	0.000	0.000	-0.100	0.000

SAMPLES		1	2	3	4
00340	C.O.	0.000	0.000	15.000	0.000
32730	PHEN	0.000	0.000	0.001	0.000
00625	KJEL	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	3.500	0.000
01085	VANA	0.000	0.000	0.000	0.000
00660	ORTH	0.000	0.000	0.000	0.000
00608	AMMO	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000
SPECTROGRAPHIC					
01006	ALUM	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000
01020	BORO	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000
00915	CALC	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000
00925	MAGN	0.000	0.000	0.000	0.000
01056	MANG	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4
	PLAT	0.000	0.000	0.000	0.000
00935	POTA	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000
00955	SILI	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000
00930	SODI	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5	6	7	8	9	10	11	12
DATE	20177.	41977.	50977.	101377.	31378.	40778.	61778.	92178.	22079.	33079.	42779.	52579.
DEPTH	0.00	6.78	9.82	0.00	12.21	11.84	5.65	0.00	6.19	6.90	7.33	7.36
TEMP	0.0	6.0	10.8	0.0	6.5	0.0	9.0	0.0	4.5	10.0	8.0	10.0
LAB ID												
LAB NUM	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
METHOD	03	03	03	03	03	03	03	03	03	03	03	03
AQUIF.LOC.	A	A	A	A	A	A	A	A	A	A	A	A
WET												
01106 ALUM	-0.100	0.000	0.000	-0.100	0.000	0.000	-0.100	0.000	0.000	0.000	-0.100	0.000
71846 AMMO	0.000	-0.100	0.100	0.550	0.000	0.000	2.500	0.000	0.000	0.000	0.400	0.000
01000 ARSE	0.000	0.000	0.000	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
00440 BICA	605.000	580.000	615.000	610.000	425.000	580.000	600.000	560.000	530.000	0.000	690.000	565.000
01025 CADM	-0.010	0.000	0.000	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
00915 CALC	110.000	42.000	77.000	98.000	84.000	62.000	88.000	98.000	110.000	105.000	110.000	84.000
00445 CARB	-0.100	-0.100	-0.100	-0.100	42.000	-0.100	-0.100	-0.100	0.000	0.000	-0.100	-0.100
00940 CHLO	16.000	18.000	18.000	13.000	22.000	22.000	14.000	17.000	21.000	20.000	20.000	17.000
01030 CHRO	-0.010	0.000	0.000	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
01040 COPP	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00950 FLUO	0.200	0.200	0.200	0.200	0.400	0.400	0.100	0.200	0.300	0.330	0.300	0.500
71830 HYDR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046 IRON	-0.050	-0.050	-0.050	-0.050	0.000	0.000	-0.050	0.000	0.000	0.000	0.230	0.000
01049 LEAD	0.040	0.000	0.000	0.010	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
00925 MAGN	83.000	130.000	115.000	73.000	98.000	120.000	100.000	110.000	94.000	100.000	100.000	105.000
71890 MERC	-0.001	0.000	0.000	-0.001	0.000	0.000	-0.001	0.000	0.000	0.000	-0.001	0.000
71851 NITR	12.500	8.200	11.400	3.300	7.200	5.300	6.800	5.700	4.300	0.000	12.000	0.000
70507 PHOS	-0.100	0.300	0.000	0.200	-0.100	0.000	0.100	0.000	0.000	0.000	-0.100	0.000
00935 POTA	3.000	1.300	2.800	2.300	2.700	2.000	2.300	2.700	2.700	0.000	3.000	2.300
01145 SELE	-0.010	0.000	0.000	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
00955 SIL	25.000	21.000	20.000	9.200	0.000	9.300	9.800	19.500	20.000	21.000	20.000	21.000
00930 SODI	200.000	170.000	180.000	230.000	145.000	205.000	280.000	165.000	160.000	170.000	180.000	140.000
00945 SULF	480.000	450.000	490.000	490.000	560.000	530.000	500.000	520.000	500.000	550.000	460.000	490.000
00746 SULF	1.600	0.000	0.000	-1.000	0.000	0.000	-0.200	0.000	0.000	0.000	-0.100	0.000
01090 ZINC	-0.100	0.000	0.000	0.100	0.000	0.000	0.100	0.000	0.000	0.000	0.600	0.000
01503 GROS	0.000	0.000	0.000	4.200	0.000	0.000	5.800	0.000	0.000	0.000	11.000	0.000
03501 GROS	0.000	0.000	0.000	0.000	0.000	0.000	28.000	0.000	0.000	0.000	0.000	0.000
00900 HARD	620.000	645.000	654.000	0.000	0.000	0.000	0.000	0.000	660.000	0.000	0.000	0.000
00400 PH	0.000	6.400	6.000	8.100	6.800	0.000	8.000	7.900	7.800	7.600	7.200	0.000
00095 COND	0.000	1650.000	1740.000	0.000	0.000	0.000	1700.000	1520.000	1650.000	1700.000	1900.000	0.000
00540 DIS	1280.000	1280.000	1270.000	1180.000	1000.000	0.000	1160.000	0.000	0.000	0.000	1270.000	0.000
01056 MANG	-0.050	-0.050	-0.050	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00410 ALKA	495.000	475.000	505.000	500.000	0.000	475.000	495.000	460.000	440.000	485.000	560.000	460.000
00720 CYAN	-0.010	0.000	0.000	-0.010	0.000	0.000	-0.010	0.000	0.000	0.000	-0.010	0.000
01020 BORO	0.900	0.100	0.100	-0.100	0.000	0.000	-0.100	0.000	0.200	0.000	0.100	0.000
01005 BARI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130 LITH	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681 DOC	6.500	8.000	12.000	8.000	0.000	11.700	7.000	0.000	0.000	0.000	4.300	0.000
00613 NITR	0.100	0.040	0.200	0.020	0.000	-0.010	-0.010	-0.010	0.000	0.000	0.000	0.000
71870 BROM	-0.100	0.000	0.000	0.000	0.000	0.000	-0.100	0.000	0.000	0.000	-0.100	0.000

SAMPLES		1	2	3	4	5	6	7	8	9	10	11	12
00340	C.O.	6.900	0.000	0.000	30.000	0.000	0.000	48.000	0.000	0.000	0.000	10.000	0.000
32730	PHEN	-0.001	0.000	0.000	0.020	0.000	0.000	0.000	-0.001	0.000	0.000	-0.001	0.000
00625	KJEL	4.100	-0.100	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	2.900	0.000	0.000	-0.100	0.000	0.000	2.000	0.000	0.000	0.000	2.100	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00660	ORTH	-0.100	-0.100	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.200	-0.100	0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	-0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC													
01006	ALUM	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00915	CALC	99999.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.001	0.000	0.000	0.001	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.001	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00925	MAGN	99999.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.000	-0.050	-0.050	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.010	0.000	0.000	0.001	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6	7	8	9	10	11	12
	PLAT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00955	SILI	2.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00930	SODI	10.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.100	0.000	0.000	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5	6	7	8	9	10	11	12
DATE	103177.	112877.	10978.	20378.	31378.	40578.	61378.	121478.	12279.	22079.	33079.	42779.
DEPTH	0.00	27.11	27.41	0.00	14.85	11.97	7.55	15.57	0.00	17.15	15.81	21.17
TEMP	0.0	7.5	6.0	0.0	9.0	8.5	14.5	11.0	7.0	8.0	8.0	11.0
LAB ID												
LAB NUM	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
METHOD	03	03	03	03	03	03	03	03	03	03	03	03
AQUIF.LOC.	A	A	A	A	A	A	A	A	A	A	A	A
WET												
01106 ALUM	0.100	1.200	0.000	0.000	0.000	0.000	0.100	0.000	0.000	0.000	0.000	-0.100
71846 AMMO	0.560	0.560	0.000	0.000	0.000	0.000	0.800	0.000	0.000	0.000	0.000	0.420
01000 ARSE	-0.010	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010
00440 BICA	590.000	545.000	0.000	0.000	490.000	545.000	610.000	531.000	0.000	570.000	0.000	600.000
01025 CADM	-0.010	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010
00915 CALC	130.000	135.000	120.000	0.000	120.000	84.000	52.000	68.900	41.000	100.000	115.000	110.000
00445 CARB	-0.100	-0.100	-0.100	0.000	42.000	24.000	-0.100	-0.100	0.000	0.000	0.000	-0.100
00940 CHLO	20.000	13.000	54.000	0.000	18.000	22.000	14.000	33.000	17.000	10.000	17.000	14.000
01030 CHRO	-0.010	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010
01040 COPP	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00950 FLUO	0.600	0.600	0.300	0.000	0.400	0.200	0.100	0.300	0.170	0.300	0.280	0.300
71830 HYDR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046 IRON	-0.050	0.700	0.000	0.000	0.000	0.000	-0.050	0.000	0.000	0.000	0.000	0.190
01049 LEAD	0.050	0.140	0.000	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010
00925 MAGN	48.000	72.000	68.000	0.000	79.000	91.000	105.000	70.200	55.000	73.000	90.000	77.000
71890 MERC	-0.001	-0.001	0.000	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000	-0.001
71851 NITR	1.900	0.800	0.000	0.000	0.300	-0.100	0.300	1.300	0.000	1.600	0.000	1.800
70507 PHOS	0.100	0.300	0.000	0.000	0.100	0.000	-0.100	0.000	0.000	0.000	0.000	-0.100
00935 POTA	4.500	5.000	31.000	0.000	3.300	2.300	2.500	0.000	0.000	3.000	0.000	3.000
01145 SELE	-0.010	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010
00955 SIL	8.100	9.900	20.000	0.000	0.000	9.500	10.000	19.500	2.900	21.000	23.000	17.000
00930 SODI	250.000	140.000	145.000	0.000	140.000	200.000	260.000	169.000	125.000	200.000	165.000	170.000
00945 SULF	520.000	410.000	430.000	0.000	495.000	490.000	425.000	347.000	285.000	490.000	520.000	400.000
00746 SULF	-0.100	0.000	0.000	0.000	0.000	0.000	-0.200	0.000	0.000	0.000	0.000	-0.200
01090 ZINC	0.100	0.100	0.000	0.000	0.000	0.000	0.100	0.000	0.000	0.000	0.000	0.500
01503 GROS	14.000	14.000	0.000	0.000	0.000	0.000	4.800	0.000	0.000	0.000	0.000	6.900
03501 GROS	0.000	0.000	0.000	0.000	0.000	0.000	8.000	0.000	0.000	0.000	0.000	0.000
00900 HARD	0.000	630.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	550.000	0.000	0.000
00400 PH	8.000	8.100	6.800	8.300	6.800	6.400	7.600	7.600	0.000	8.000	7.600	7.400
00095 COND	0.000	1050.000	1550.000	1200.000	0.000	0.000	1680.000	1500.000	0.000	1650.000	1600.000	1800.000
00540 DIS	1130.000	1050.000	0.000	0.000	990.000	0.000	0.000	0.000	0.000	0.000	0.000	1180.000
01056 MANG	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00410 ALKA	485.000	445.100	455.000	0.000	0.000	465.000	500.000	434.000	410.000	470.000	475.000	490.000
00720 CYAN	-0.010	-0.010	0.000	0.000	0.000	0.000	-0.010	0.000	0.000	0.000	0.000	-0.010
01020 BORO	-0.100	-0.100	0.000	0.000	0.000	0.000	0.300	0.000	0.000	0.200	0.000	0.100
01005 BARI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130 LITH	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681 DOC	0.000	0.000	0.000	8.100	0.000	10.000	11.000	0.000	0.000	0.000	0.000	9.300
00613 NITR	-0.010	-0.010	0.000	0.000	0.000	-0.010	-0.010	-0.010	0.000	0.000	0.000	0.000
71870 BROM	0.000	0.000	0.000	0.000	0.000	0.000	-0.100	0.000	0.000	0.000	0.000	-0.100

SAMPLES		1	2	3	4	5	6	7	8	9	10	11	12
00340	C.O.	0.000	35.000	0.000	0.000	0.000	0.000	38.000	0.000	0.000	0.000	0.000	5.000
32730	PHEN	-0.001	-0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	-0.001
00625	KJEL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	-0.010	-0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	1.200	1.400	0.000	0.000	0.000	0.000	1.600	0.000	0.000	0.000	0.000	1.800
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00660	ORTH	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC													
01006	ALUM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00915	CALC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00925	MAGN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.000	0.000	0.000	0.000	0.000	0.000	0.050	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6	7	8	9	10	11	12
	PLAT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00955	SILI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
00930	SODI	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	13
DATE	52579.
DEPTH	24.67
TEMP	11.0
LAB ID	
LAB NUM	0.
METHOD	03
AQUIF.LOC.	A

WET

01106	ALUM	0.000
71846	AMMO	0.000
01000	ARSE	0.000
00440	BICA	560.000
01025	CADM	0.000
00915	CALC	110.000
00445	CARB	-0.100
00940	CHLO	17.000
01030	CHRO	0.000
01040	COPP	0.000
00950	FLUO	0.500
71830	HYDR	0.000
01046	IRON	0.000
01049	LEAD	0.000
00925	MAGN	74.000
71890	MERC	0.000
71851	NITR	0.000
70507	PHOS	0.000
00935	POTA	2.300
01145	SELE	0.000
00955	SIL	23.000
00930	SODI	140.000
00945	SULF	430.000
00746	SULF	0.000
01090	ZINC	0.000
01503	GROS	0.000
03501	GROS	0.000
00900	HARD	0.000
00400	PH	7.300
00095	COND	0.000
00540	DIS	0.000
01056	MANG	0.000
00410	ALKA	460.000
00720	CYAN	0.000
01020	BORO	0.000
01005	BARI	0.000
01075	SILV	0.000
01065	NICK	0.000
01130	LITH	0.000
00681	DOC	0.000
00613	NITR	0.000
71870	BROM	0.000

SAMPLES 13

00340	C.O.	0.000
32730	PHEN	0.000
00625	KJEL	0.000
01010	BERY	0.000
01060	MOLY	0.000
01080	STRO	0.000
01085	VANA	0.000
00660	ORTH	0.000
00608	AMMO	0.000
00681	DIS-	0.000
38260	MBAS	0.000
31501	TOT	0.000
31615	FEC	0.000
00310	5-DA	0.000

SPECTROGRAPHIC

01006	ALUM	0.000
01095	ANTI	0.000
01000	ARSE	0.000
01005	BARI	0.000
01010	BERY	0.000
01015	BISM	0.000
01020	BORO	0.000
01025	CADM	0.000
00915	CALC	0.000
	CERI	0.000
	CESI	0.000
01030	CHRO	0.000
01035	COBO	0.000
	COLU	0.000
01040	COPP	0.000
	DYSP	0.000
	ERBI	0.000
	EURO	0.000
	GADO	0.000
01120	GALL	0.000
01125	GERM	0.000
	GOLD	0.000
	HAFN	0.000
	HOLM	0.000
	INDI	0.000
	IRID	0.000
01046	IRON	0.000
	LANT	0.000
01049	LEAD	0.000
01130	LITH	0.000
	LUTE	0.000
00925	MAGN	0.000
01056	MANG	0.000
71890	MERC	0.000
01060	MOLY	0.000
	NEOD	0.000
01065	NICK	0.000
	OSMI	0.000
	PALL	0.000

SAMPLES 13

	PLAT	0.000
00935	POTA	0.000
	PRAS	0.000
09503	RADI	0.000
	RHEN	0.000
	RHOD	0.000
01135	RUBI	0.000
	RUTH	0.000
	SAMA	0.000
	SCAN	0.000
01145	SELE	0.000
00955	SILI	0.000
01075	SILV	0.000
00930	SODI	0.000
01080	STRO	0.000
	TANT	0.000
	TERB	0.000
	THAL	0.000
	THOR	0.000
	THUL	0.000
01100	TIN	0.000
01150	TITA	0.000
	TUNG	0.000
22703	URAN	0.000
01085	VANA	0.000
	YTTE	0.000
	YTTR	0.000
01090	ZINC	0.000
01160	ZIRC	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1
DATE	61378.
DEPTH	23.40
TEMP	12.5
LAB ID	
LAB NUM	0.
METHOD	3
AQUIF.LOC.	A

WET

01106	ALUM	0.100
71846	AMMO	0.800
01000	ARSE	-0.010
00440	BICA	160.000
01025	CADM	-0.010
00915	CALC	28.000
00445	CARB	84.000
00940	CHLO	17.000
01030	CHRO	-0.010
01040	COPP	0.000
00950	FLUO	1.000
71830	HYDR	0.000
01046	IRON	-0.050
01049	LEAD	-0.010
00925	MAGN	30.000
71890	MERC	0.017
71851	NITR	4.900
70507	PHOS	0.100
00935	POTA	4.500
01145	SELE	-0.010
00955	SIL	16.000
00930	SODI	500.000
00945	SULF	945.000
00746	SULF	-0.200
01090	ZINC	0.100
01503	GROS	9.300
03501	GROS	3.000
00900	HARD	0.000
00400	PH	8.000
00095	COND	2450.000
00540	DIS	1620.000
01056	MANG	0.000
00410	ALKA	185.000
00720	CYAN	-0.010
01020	BORO	-0.100
01005	BARI	0.000
01075	SILV	0.000
01065	NICK	0.000
01130	LITH	0.000
00681	DOC	7.000
00613	NITR	-0.010
71870	BROM	-0.100

SAMPLES 1

00340	C.O.	38.000
32730	PHEN	0.000
00625	KJEL	0.000
01010	BERY	0.000
01060	MOLY	0.000
01080	STRO	0.500
01085	VANA	0.000
00660	ORTH	0.000
00608	AMMO	0.000
00681	DIS-	0.000
38260	MBAS	0.000
31501	TOT	0.000
31615	FEC	0.000
00310	5-DA	0.000

SPECTROGRAPHIC

01006	ALUM	0.000
01095	ANTI	0.000
01000	ARSE	0.000
01005	BARI	0.000
01010	BERY	0.000
01015	BISM	0.000
01020	BORO	0.000
01025	CADM	0.000
00915	CALC	0.000
	CERI	0.000
	CESI	0.000
01030	CHRO	0.000
01035	COBO	0.000
	COLU	0.000
01040	COPP	0.001
	DYSP	0.000
	ERBI	0.000
	EURO	0.000
	GADO	0.000
01120	GALL	0.000
01125	GERM	0.000
	GOLD	0.000
	HAFN	0.000
	HOLM	0.000
	INDI	0.000
	IRID	0.000
01046	IRON	0.000
	LANT	0.000
01049	LEAD	0.000
01130	LITH	0.001
	LUTE	0.000
00925	MAGN	0.000
01056	MANG	0.000
71890	MERC	0.000
01060	MOLY	0.050
	NEOD	0.000
01065	NICK	0.000
	OSMI	0.000
	PALL	0.000

SAMPLES 1

	PLAT	0.000
00935	POTA	0.000
	PRAS	0.000
09503	RADI	0.000
	RHEN	0.000
	RHOD	0.000
01135	RUBI	0.000
	RUTH	0.000
	SAMA	0.000
	SCAN	0.000
01145	SELE	0.000
00955	SILI	0.000
01075	SILV	0.000
00930	SODI	0.000
01080	STRO	0.000
	TANT	0.000
	TERB	0.000
	THAL	0.000
	THOR	0.000
	THUL	0.000
01100	TIN	0.000
01150	TITA	0.000
	TUNG	0.000
22703	URAN	0.000
01085	VANA	0.000
	YTTE	0.000
	YTTR	0.000
01090	ZINC	0.000
01160	ZIRC	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2
DATE	52678.	22179.
DEPTH	20.14	0.00
TEMP	10.0	8.0
LAB ID		
LAB NUM	0.	0.
METHOD	3	03
AQUIF.LOC.	A	A
WET		
01106 ALUM	0.400	0.000
71846 AMMO	0.000	0.000
01000 ARSE	-0.010	0.000
00440 BICA	695.000	0.000
01025 CADM	-0.010	0.000
00915 CALC	70.000	140.000
00445 CARB	-0.100	0.000
00940 CHLO	18.000	58.000
01030 CHRO	0.010	0.000
01040 COPP	0.000	0.000
00950 FLUO	0.500	0.400
71830 HYDR	0.000	0.000
01046 IRON	-0.050	0.000
01049 LEAD	-0.010	0.000
00925 MAGN	125.000	93.000
71890 MERC	0.006	0.000
71851 NITR	-0.100	0.000
70507 PHOS	-0.100	0.000
00935 POTA	3.300	0.000
01145 SELE	-0.010	0.000
00955 SIL	13.000	22.000
00930 SODI	245.000	280.000
00945 SULF	580.000	620.000
00746 SULF	0.000	0.000
01090 ZINC	-0.100	0.000
01503 GROS	2.400	0.000
03501 GROS	0.000	0.000
00900 HARD	0.000	0.000
00400 PH	7.700	0.000
00095 COND	1950.000	0.000
00540 DIS	1390.000	0.000
01056 MANG	0.380	0.000
00410 ALKA	570.000	520.000
00720 CYAN	0.000	0.000
01020 BORO	0.300	0.000
01005 BARI	0.000	0.000
01075 SILV	0.000	0.000
01065 NICK	0.030	0.000
01130 LITH	0.000	0.000
00681 DOC	6.300	0.000
00613 NITR	-0.010	0.000
71870 BROM	-0.100	0.000

SAMPLES		1	2
00340	C.O.	390.000	0.000
32730	PHEN	0.000	0.000
00625	KJEL	0.000	0.000
01010	BERY	0.000	0.000
01060	MOLY	0.000	0.000
01080	STRO	2.800	0.000
01085	VANA	0.000	0.000
00660	ORTH	0.000	0.000
00608	AMMO	0.000	0.000
00681	DIS-	0.000	0.000
38260	MBAS	0.000	0.000
31501	TOT	0.000	0.000
31615	FEC	0.000	0.000
00310	5-DA	0.000	0.000
SPECTROGRAPHIC			
01006	ALUM	0.000	0.000
01095	ANTI	0.000	0.000
01000	ARSE	0.000	0.000
01005	BARI	0.000	0.000
01010	BERY	0.000	0.000
01015	BISM	0.000	0.000
01020	BORO	0.000	0.000
01025	CADM	0.000	0.000
00915	CALC	0.000	0.000
	CERI	0.000	0.000
	CESI	0.000	0.000
01030	CHRO	0.000	0.000
01035	COBO	0.000	0.000
	COLU	0.000	0.000
01040	COPP	0.000	0.000
	DYSP	0.000	0.000
	ERBI	0.000	0.000
	EURO	0.000	0.000
	GADO	0.000	0.000
01120	GALL	0.000	0.000
01125	GERM	0.000	0.000
	GOLD	0.000	0.000
	HAFN	0.000	0.000
	HOLM	0.000	0.000
	INDI	0.000	0.000
	IRID	0.000	0.000
01046	IRON	0.000	0.000
	LANT	0.000	0.000
01049	LEAD	0.000	0.000
01130	LITH	0.000	0.000
	LUTE	0.000	0.000
00925	MAGN	0.000	0.000
01056	MANG	0.000	0.000
71890	MERC	0.000	0.000
01060	MOLY	0.000	0.000
	NEOD	0.000	0.000
01065	NICK	0.000	0.000
	OSMI	0.000	0.000
	PALL	0.000	0.000

SAMPLES		1	2
	PLAT	0.000	0.000
00935	POTA	0.000	0.000
	PRAS	0.000	0.000
09503	RADI	0.000	0.000
	RHEN	0.000	0.000
	RHOD	0.000	0.000
01135	RUBI	0.000	0.000
	RUTH	0.000	0.000
	SAMA	0.000	0.000
	SCAN	0.000	0.000
01145	SELE	0.000	0.000
00955	SILI	0.000	0.000
01075	SILV	0.000	0.000
00930	SODI	0.000	0.000
01080	STRO	0.000	0.000
	TANT	0.000	0.000
	TERB	0.000	0.000
	THAL	0.000	0.000
	THOR	0.000	0.000
	THUL	0.000	0.000
01100	TIN	0.000	0.000
01150	TITA	0.000	0.000
	TUNG	0.000	0.000
22703	URAN	0.000	0.000
01085	VANA	0.000	0.000
	YTTE	0.000	0.000
	YTTR	0.000	0.000
01090	ZINC	0.000	0.000
01160	ZIRC	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2
DATE	52678.	22179.
DEPTH	21.37	0.00
TEMP	11.0	7.0
LAB ID		
LAB NUM	0.	0.
METHOD	3	03
AQUIF.LOC.	A	A
WET		
01106 ALUM	0.800	0.000
71846 AMMO	0.000	0.000
01000 ARSE	-0.010	0.000
00440 BICA	700.000	0.000
01025 CADM	-0.010	0.000
00915 CALC	69.000	150.000
00445 CARB	-0.100	0.000
00940 CHLO	20.000	58.000
01030 CHRO	0.010	0.000
01040 COPP	0.000	0.000
00950 FLUO	0.400	0.400
71830 HYDR	0.000	0.000
01046 IRON	-0.050	0.000
01049 LEAD	-0.010	0.000
00925 MAGN	140.000	89.000
71890 MERC	-0.001	0.000
71851 NITR	-0.100	0.000
70507 PHOS	0.200	0.000
00935 POTA	3.600	0.000
01145 SELE	-0.010	0.000
00955 SIL	11.000	22.000
00930 SODI	240.000	270.000
00945 SULF	610.000	620.000
00746 SULF	0.000	0.000
01090 ZINC	0.100	0.000
01503 GROS	7.000	0.000
03501 GROS	0.000	0.000
00900 HARD	0.000	0.000
00400 PH	7.700	0.000
00095 COND	1970.000	0.000
00540 DIS	1480.000	0.000
01056 MANG	0.280	0.000
00410 ALKA	575.000	500.000
00720 CYAN	0.000	0.000
01020 BORO	-0.100	0.000
01005 BARI	0.000	0.000
01075 SILV	0.000	0.000
01065 NICK	0.030	0.000
01130 LITH	0.000	0.000
00681 DOC	8.200	0.000
00613 NITR	-0.010	0.000
71870 BROM	-0.100	0.000

SAMPLES		1	2
00340	C.O.	355.000	0.000
32730	PHEN	0.000	0.000
00625	KJEL	0.000	0.000
01010	BERY	0.000	0.000
01060	MOLY	0.000	0.000
01080	STRO	2.700	0.000
01085	VANA	0.000	0.000
00660	ORTH	0.000	0.000
00608	AMMO	0.000	0.000
00681	DIS-	0.000	0.000
38260	MBAS	0.000	0.000
31501	TOT	0.000	0.000
31615	FEC	0.000	0.000
00310	5-DA	0.000	0.000
SPECTROGRAPHIC			
01006	ALUM	0.000	0.000
01095	ANTI	0.000	0.000
01000	ARSE	0.000	0.000
01005	BARI	0.000	0.000
01010	BERY	0.000	0.000
01015	BISM	0.000	0.000
01020	BORO	0.000	0.000
01025	CADM	0.000	0.000
00915	CALC	0.000	0.000
	CERI	0.000	0.000
	CESI	0.000	0.000
01030	CHRO	0.000	0.000
01035	COBO	0.000	0.000
	COLU	0.000	0.000
01040	COPP	0.000	0.000
	DYSP	0.000	0.000
	ERBI	0.000	0.000
	EURO	0.000	0.000
	GADO	0.000	0.000
01120	GALL	0.000	0.000
01125	GERM	0.000	0.000
	GOLD	0.000	0.000
	HAFN	0.000	0.000
	HOLM	0.000	0.000
	INDI	0.000	0.000
	IRID	0.000	0.000
01046	IRON	0.000	0.000
	LANT	0.000	0.000
01049	LEAD	0.000	0.000
01130	LITH	0.000	0.000
	LUTE	0.000	0.000
00925	MAGN	0.000	0.000
01056	MANG	0.000	0.000
71890	MERC	0.000	0.000
01060	MOLY	0.000	0.000
	NEOD	0.000	0.000
01065	NICK	0.000	0.000
	OSMI	0.000	0.000
	PALL	0.000	0.000

SAMPLES		1	2
	PLAT	0.000	0.000
00935	POTA	0.000	0.000
	PRAS	0.000	0.000
09503	RADI	0.000	0.000
	RHEN	0.000	0.000
	RHOD	0.000	0.000
01135	RUBI	0.000	0.000
	RUTH	0.000	0.000
	SAMA	0.000	0.000
	SCAN	0.000	0.000
01145	SELE	0.000	0.000
00955	SILI	0.000	0.000
01075	SILV	0.000	0.000
00930	SODI	0.000	0.000
01080	STRO	0.000	0.000
	TANT	0.000	0.000
	TERB	0.000	0.000
	THAL	0.000	0.000
	THOR	0.000	0.000
	THUL	0.000	0.000
01100	TIN	0.000	0.000
01150	TITA	0.000	0.000
	TUNG	0.000	0.000
22703	URAN	0.000	0.000
01085	VANA	0.000	0.000
	YTTE	0.000	0.000
	YTTR	0.000	0.000
01090	ZINC	0.000	0.000
01160	ZIRC	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2
DATE	52678.	22179.
DEPTH	25.61	0.00
TEMP	10.0	7.5
LAB ID		
LAB NUM	0.	0.
METHOD	3	03
AQUIF.LOC.	A	A
WET		
01106 ALUM	2.600	0.000
71846 AMMO	0.000	0.000
01000 ARSE	-0.010	0.000
00440 BICA	1100.000	0.000
01025 CADM	-0.010	0.000
00915 CALC	57.000	130.000
00445 CARB	-0.100	0.000
00940 CHLO	40.000	200.000
01030 CHRO	0.020	0.000
01040 COPP	0.000	0.000
00950 FLUO	0.700	0.700
71830 HYDR	0.000	0.000
01046 IRON	0.470	0.000
01049 LEAD	-0.010	0.000
00925 MAGN	260.000	240.000
71890 MERC	-0.001	0.000
71851 NITR	-0.100	0.000
70507 PHOS	0.200	0.000
00935 POTA	8.000	0.000
01145 SELE	-0.010	0.000
00955 SIL	15.000	22.000
00930 SODI	670.000	800.000
00945 SULF	1580.000	1600.000
00746 SULF	0.000	0.000
01090 ZINC	0.100	0.000
01503 GROS	8.000	0.000
03501 GROS	0.000	0.000
00900 HARD	0.000	0.000
00400 PH	7.300	0.000
00095 COND	3820.000	0.000
00540 DIS	3140.000	0.000
01056 MANG	0.310	0.000
00410 ALKA	900.000	840.000
00720 CYAN	0.000	0.000
01020 BORO	0.900	0.000
01005 BARI	0.000	0.000
01075 SILV	0.000	0.000
01065 NICK	0.020	0.000
01130 LITH	0.000	0.000
00681 DOC	7.100	0.000
00613 NITR	-0.010	0.000
71870 BROM	-0.100	0.000

SAMPLES		1	2
00340	C.O.	320.000	0.000
32730	PHEN	0.000	0.000
00625	KJEL	0.000	0.000
01010	BERY	0.000	0.000
01060	MOLY	0.000	0.000
01080	STRO	4.800	0.000
01085	VANA	0.000	0.000
00660	ORTH	0.000	0.000
00608	AMMO	0.000	0.000
00681	DIS-	0.000	0.000
38260	MBAS	0.000	0.000
31501	TOT	0.000	0.000
31615	FEC	0.000	0.000
00310	5-DA	0.000	0.000
SPECTROGRAPHIC			
01006	ALUM	0.000	0.000
01095	ANTI	0.000	0.000
01000	ARSE	0.000	0.000
01005	BARI	0.000	0.000
01010	BERY	0.000	0.000
01015	BISM	0.000	0.000
01020	BORO	0.000	0.000
01025	CADM	0.000	0.000
00915	CALC	0.000	0.000
	CERI	0.000	0.000
	CESI	0.000	0.000
01030	CHRO	0.000	0.000
01035	COBO	0.000	0.000
	COLU	0.000	0.000
01040	COPP	0.000	0.000
	DYSP	0.000	0.000
	ERBI	0.000	0.000
	EURO	0.000	0.000
	GADO	0.000	0.000
01120	GALL	0.000	0.000
01125	GERM	0.000	0.000
	GOLD	0.000	0.000
	HAFN	0.000	0.000
	HOLM	0.000	0.000
	INDI	0.000	0.000
	IRID	0.000	0.000
01046	IRON	0.000	0.000
	LANT	0.000	0.000
01049	LEAD	0.000	0.000
01130	LITH	0.000	0.000
	LUTE	0.000	0.000
00925	MAGN	0.000	0.000
01056	MANG	0.000	0.000
71890	MERC	0.000	0.000
01060	MOLY	0.000	0.000
	NEOD	0.000	0.000
01065	NICK	0.000	0.000
	OSMI	0.000	0.000
	PALL	0.000	0.000

SAMPLES		1	2
	PLAT	0.000	0.000
00935	POTA	0.000	0.000
	PRAS	0.000	0.000
09503	RADI	0.000	0.000
	RHEN	0.000	0.000
	RHOD	0.000	0.000
01135	RUBI	0.000	0.000
	RUTH	0.000	0.000
	SAMA	0.000	0.000
	SCAN	0.000	0.000
01145	SELE	0.000	0.000
00955	SILI	0.000	0.000
01075	SILV	0.000	0.000
00930	SODI	0.000	0.000
01080	STRO	0.000	0.000
	TANT	0.000	0.000
	TERB	0.000	0.000
	THAL	0.000	0.000
	THOR	0.000	0.000
	THUL	0.000	0.000
01100	TIN	0.000	0.000
01150	TITA	0.000	0.000
	TUNG	0.000	0.000
22703	URAN	0.000	0.000
01085	VANA	0.000	0.000
	YTTE	0.000	0.000
	YTTR	0.000	0.000
01090	ZINC	0.000	0.000
01160	ZIRC	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2
DATE	52678.	22179.
DEPTH	28.61	0.00
TEMP	10.0	8.0
LAB ID		
LAB NUM	0.	0.
METHOD	3	03
AQUIF.LOC.	A	A
WET		
01106 ALUM	1.500	0.000
71846 AMMO	0.000	0.000
01000 ARSE	-0.010	0.000
00440 BICA	795.000	0.000
01025 CADM	-0.010	0.000
00915 CALC	57.000	98.000
00445 CARB	-0.100	0.000
00940 CHLO	23.000	58.000
01030 CHRO	0.030	0.000
01040 COPP	0.000	0.000
00950 FLUO	0.400	0.400
71830 HYDR	0.000	0.000
01046 IRON	0.080	0.000
01049 LEAD	-0.010	0.000
00925 MAGN	175.000	150.000
71890 MERC	-0.001	0.000
71851 NITR	-0.100	0.000
70507 PHOS	0.100	0.000
00935 POTA	5.000	0.000
01145 SELE	-0.010	0.000
00955 SIL	17.000	20.000
00930 SODI	300.000	360.000
00945 SULF	770.000	770.000
00746 SULF	0.000	0.000
01090 ZINC	0.100	0.000
01503 GROS	13.000	0.000
03501 GROS	0.000	0.000
00900 HARD	0.000	0.000
00400 PH	7.300	0.000
00095 COND	2210.000	0.000
00540 DIS	1750.000	0.000
01056 MANG	0.490	0.000
00410 ALKA	650.000	590.000
00720 CYAN	0.000	0.000
01020 BORO	0.500	0.000
01005 BARI	0.000	0.000
01075 SILV	0.000	0.000
01065 NICK	0.030	0.000
01130 LITH	0.000	0.000
00681 DOC	4.200	0.000
00613 NITR	-0.010	0.000
71870 BROM	-0.100	0.000

SAMPLES		1	2
00340	C.O.	285.000	0.000
32730	PHEN	0.000	0.000
00625	KJEL	0.000	0.000
01010	BERY	0.000	0.000
01060	MOLY	0.000	0.000
01080	STRO	3.400	0.000
01085	VANA	0.000	0.000
00660	ORTH	0.000	0.000
00608	AMMO	0.000	0.000
00681	DIS-	0.000	0.000
38260	MBAS	0.000	0.000
31501	TOT	0.000	0.000
31615	FEC	0.000	0.000
00310	5-DA	0.000	0.000
SPECTROGRAPHIC			
01006	ALUM	0.000	0.000
01095	ANTI	0.000	0.000
01000	ARSE	0.000	0.000
01005	BARI	0.000	0.000
01010	BERY	0.000	0.000
01015	BISM	0.000	0.000
01020	BORO	0.000	0.000
01025	CADM	0.000	0.000
00915	CALC	0.000	0.000
	CERI	0.000	0.000
	CESI	0.000	0.000
01030	CHRO	0.000	0.000
01035	COBO	0.000	0.000
	COLU	0.000	0.000
01040	COPP	0.000	0.000
	DYSP	0.000	0.000
	ERBI	0.000	0.000
	EURO	0.000	0.000
	GADO	0.000	0.000
01120	GALL	0.000	0.000
01125	GERM	0.000	0.000
	GOLD	0.000	0.000
	HAFN	0.000	0.000
	HOLM	0.000	0.000
	INDI	0.000	0.000
	IRID	0.000	0.000
01046	IRON	0.000	0.000
	LANT	0.000	0.000
01049	LEAD	0.000	0.000
01130	LITH	0.000	0.000
	LUTE	0.000	0.000
00925	MAGN	0.000	0.000
01056	MANG	0.000	0.000
71890	MERC	0.000	0.000
01060	MOLY	0.000	0.000
	NEOD	0.000	0.000
01065	NICK	0.000	0.000
	OSMI	0.000	0.000
	PALL	0.000	0.000

SAMPLES		1	2
	PLAT	0.000	0.000
00935	POTA	0.000	0.000
	PRAS	0.000	0.000
09503	RADI	0.000	0.000
	RHEN	0.000	0.000
	RHOD	0.000	0.000
01135	RUBI	0.000	0.000
	RUTH	0.000	0.000
	SAMA	0.000	0.000
	SCAN	0.000	0.000
01145	SELE	0.000	0.000
00955	SILI	0.000	0.000
01075	SILV	0.000	0.000
00930	SODI	0.000	0.000
01080	STRO	0.000	0.000
	TANT	0.000	0.000
	TERB	0.000	0.000
	THAL	0.000	0.000
	THOR	0.000	0.000
	THUL	0.000	0.000
01100	TIN	0.000	0.000
01150	TITA	0.000	0.000
	TUNG	0.000	0.000
22703	URAN	0.000	0.000
01085	VANA	0.000	0.000
	YTTE	0.000	0.000
	YTTR	0.000	0.000
01090	ZINC	0.000	0.000
01160	ZIRC	0.000	0.000

APPENDIX 5-2.2

Alluvial Aquifer Water Quality - Individual Statistical Summaries

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S7

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*&01106	ALUMIN	1		400.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71846	AMMONI	1		0.28	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01000	ARSENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00440	BICARB	3		435.00	400.00	418.42	1.04	452.22	387.15	406.65	418.42	430.53	441.73	448.56
*&01025	CADMIU	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00915	CALCIU	5		110.00	49.00	83.72	1.38	121.40	57.73	67.33	83.72	104.08	126.60	142.33
*&00445	CARBON	3	<	0.10<	0.10<	0.10	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10
*&00940	CHLORI	5		45.50	17.00	21.38	1.53	35.01	13.06	16.02	21.38	28.54	37.01	43.23
*&01030	CHROMI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00950	FLUORI	5		0.40	0.24	0.32	1.21	0.39	0.26	0.28	0.32	0.36	0.40	0.43
*&01046	IRON	1		380.00	380.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01049	LEAD	1		10.00	10.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00925	MAGNES	5		58.00	31.00	46.48	1.30	62.91	34.34	38.93	46.48	55.50	65.10	71.61
*&71890	MERCUR	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71851	NITRAT	2		16.00	4.00	8.00	2.67	157.91	0.41	4.13	8.00	15.50	28.11	40.12
*&70507	PHOSPH	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00935	POTASS	2		2.00	1.30	1.61	1.36	4.07	0.64	1.31	1.61	1.98	2.38	2.66
*&01145	SELENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00955	SIL DI	5		24.20	11.00	19.34	1.38	27.95	13.38	15.59	19.34	24.00	29.14	32.72
*&00930	SODIUM	5		130.00	61.00	97.32	1.34	135.94	69.68	80.02	97.32	118.37	141.16	156.84
*&00945	SULFAT	5		370.00	150.00	260.33	1.42	391.47	173.13	204.99	260.33	330.63	409.91	466.14
*&00746	SULFID	1	<	0.20<	0.20<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01090	ZINC	1		500.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01503	GROSS	1		2.50	2.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00400	PH	3		7.80	7.20	7.47	0.31	8.03	6.91	7.26	7.47	7.67	7.86	7.97
*&00095	CONDUC	3		1420.00	1140.00	1261.46	1.12	1546.26	1029.11	1170.54	1261.46	1359.43	1454.01	1513.69
*&00540	DIS SO	1		840.00	840.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00410	ALKALI	5		525.00	280.00	358.53	1.26	468.37	274.45	306.56	358.53	419.30	482.71	525.11
*&00720	CYANID	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01020	BORON	1		100.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00681	DOC	1		4.50	4.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00613	NITRIT	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71870	BROMID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00340	C.O.D.	1		5.00	5.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&32730	PHENOL	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01080	STRONT	1		1200.00	1200.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S7

REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	5	50,00	41.00	46.58	3.51	50.62	42.54	44.21	46.58	48.95	51.08	52.35
#&00003 DEPTH	4	27,40	23.33	25.66	1.98	28.40	22.92	24.33	25.66	26.99	28.20	28.91

END OF COREHOLE GS-S7 SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S8

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUM	MINIMUM	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*00440	BICARB	3		430.00	384.00	407.56	1.06	452.40	367.17	392.23	407.56	423.49	438.35	447.48
*00915	CALCIU	5		93.00	39.00	73.09	1.44	110.94	48.15	57.23	73.09	93.33	116.28	132.62
*00445	CARBON	3	<	0.10<	0.10<	0.10	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10
*00940	CHLORI	5		45.50	14.00	20.52	1.64	36.36	11.58	14.68	20.52	28.69	38.79	46.45
*00950	FLUORI	5		0.50	0.25	0.33	1.29	0.45	0.25	0.28	0.33	0.40	0.46	0.51
*00925	MAGNES	5		49.00	29.00	34.92	1.24	44.56	27.36	30.27	34.92	40.28	45.80	49.46
*71851	NITRAT	1		3.60	3.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*00935	POTASS	1		2.00	2.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*00955	SIL DI	5		21.40	3.40	13.13	2.16	31.85	5.41	7.81	13.13	22.07	35.21	46.55
*00930	SODIUM	5		380.00	76.00	136.07	1.91	286.28	64.67	88.00	136.07	210.39	311.34	393.57
*00945	SULFAT	5		330.00	172.00	231.97	1.27	305.16	176.33	197.54	231.97	272.41	314.75	343.16
*00400	PH	4		7.80	7.00	7.35	0.34	7.82	6.88	7.12	7.35	7.58	7.79	7.91
*00095	CONDUC	3		1260.00	1000.00	1080.08	1.14	1380.12	845.28	987.06	1080.08	1181.88	1281.58	1345.19
*00410	ALKALI	5		655.00	255.00	362.29	1.42	544.36	241.11	285.39	362.29	459.90	569.95	647.98
*00613	NITRIT	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S8

REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	5	50.90	41.00	46.04	4.34	51.04	41.04	43.11	46.04	48.97	51.61	53.19
#&00003 DEPTH	5	42.89	35.04	40.69	3.22	44.40	36.97	38.51	40.69	42.86	44.82	45.99

END OF COREHOLE GS-S8 SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S11D

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER	DESCRIPTION	NUMBER	MAXIMUM	MINIMUM	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*&00440	BICARB	4	600.00	410.00	497.69	1.22	654.88	378.23	435.50	497.69	568.76	641.29	689.02
*&00915	CALCIU	5	200.00	82.00	116.05	1.41	172.03	78.28	92.14	116.05	146.16	179.85	203.60
*&00445	CARBON	3	< 0.10	< 0.10	0.10	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10
*&00940	CHLORI	5	31.00	14.00	21.10	1.38	30.70	14.50	16.94	21.10	26.29	32.03	36.04
*&00950	FLUORI	5	0.50	0.20	0.32	1.42	0.48	0.22	0.25	0.32	0.41	0.50	0.57
*&00925	MAGNES	5	120.00	29.00	66.70	2.11	157.48	28.25	40.32	66.70	110.34	173.51	227.44
*&71851	NITRAT	1	12.00	12.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00935	POTASS	3	4.00	2.00	2.88	1.42	5.47	1.52	2.28	2.88	3.65	4.51	5.12
*&00955	SIL DI	5	28.00	15.00	21.38	1.31	29.30	15.59	17.77	21.38	25.71	30.36	33.54
*&00930	SODIUM	5	250.00	95.00	182.69	1.48	288.06	115.86	139.90	182.69	238.56	303.25	350.04
*&00945	SULFAT	5	900.00	210.00	473.84	2.03	1070.78	209.68	293.88	473.84	763.99	1173.94	1517.80
*&00400	PH	4	7.80	7.00	7.40	0.37	7.91	6.89	7.15	7.40	7.65	7.87	8.00
*&00095	CONDUC	3	2050.00	1260.00	1699.39	1.30	2749.21	1050.46	1424.08	1699.39	2027.93	2377.28	2614.32
*&00410	ALKALI	5	600.00	340.00	442.46	1.28	585.70	334.25	375.41	442.46	521.48	604.53	660.39
*&01020	BORON	1	100.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE :GS-S11D
REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	5	50.90	42.80	48.38	3.21	52.07	44.69	46.22	48.38	50.54	52.49	53.66
#&00003 DEPTH	5	41.18	21.29	35.49	8.32	45.07	25.90	29.87	35.49	41.10	46.16	49.18

END OF COREHOLE GS-S11D SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS
# -- NO LOG TRANSFORM
& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S11AD

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*&01106	ALUMIN	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71846	AMMONI	1		0.70	0.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01000	ARSENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00440	BICARB	3		750.00	670.00	699.11	1.06	782.44	624.66	670.78	699.11	728.64	756.26	773.28
*&01025	CADMIU	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00915	CALCIU	4		150.00	85.00	118.76	1.27	166.00	84.96	100.91	118.76	139.76	161.81	176.62
*&00445	CARBON	2	<	0.10<	0.10<	0.10	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10
*&00940	CHLORI	4		45.00	31.00	35.57	1.19	45.51	27.79	31.55	35.57	40.10	44.66	47.64
*&01030	CHROMI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00950	FLUORI	4		0.40	0.30	0.35	1.18	0.44	0.28	0.31	0.35	0.39	0.43	0.46
*&01046	IRON	1	<	50.00<	50.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01049	LEAD	1		20.00	20.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00925	MAGNES	4		200.00	135.00	161.99	1.18	204.87	128.08	144.50	161.99	181.58	201.23	213.97
*&71890	MERCUR	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71851	NITRAT	2		14.00	7.00	9.90	1.63	43.98	2.23	7.11	9.90	13.78	18.56	22.17
*&70507	PHOSPH	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00935	POTASS	3		3.30	2.00	2.71	1.30	4.41	1.66	2.26	2.71	3.24	3.80	4.19
*&01145	SELENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00955	SIL DI	4		38.00	18.00	25.56	1.36	39.19	16.67	20.76	25.56	31.47	37.93	42.42
*&00930	SODIUM	4		270.00	200.00	225.99	1.14	271.43	188.15	206.72	225.99	247.05	267.66	280.80
*&00945	SULFAT	4		1000.00	615.00	787.58	1.26	1089.43	569.36	672.62	787.58	922.19	1062.77	1156.89
*&00746	SULFID	1	<	0.20<	0.20<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01090	ZINC	1		700.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01503	GROSS	1		12.00	12.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00400	PH	4		7.80	7.20	7.50	0.26	7.86	7.14	7.33	7.50	7.67	7.83	7.92
*&00095	CONDUC	3		2800.00	2350.00	2508.87	1.10	2990.88	2104.55	2352.00	2508.87	2676.21	2836.20	2936.41
*&00540	DIS SO	1		1730.00	1730.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00410	ALKALI	4		615.00	550.00	574.48	1.05	614.88	536.73	555.80	574.48	593.78	611.70	622.67
*&00720	CYANID	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01020	BORON	2		300.00	200.00	244.95	1.33	586.05	102.38	201.85	244.95	297.25	353.76	392.56
*&00681	DOC	1		12.00	12.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71870	BROMID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00340	C.O.D.	1		15.00	15.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&32730	PHENOL	1		1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01080	STRONT	1		3500.00	3500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S11AD

REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	4	51.80	42.80	47.75	3.78	53.00	42.50	45.20	47.75	50.30	52.60	53.97
#&00003 DEPTH	4	47.48	31.67	40.77	6.79	50.20	31.35	36.19	40.77	45.36	49.48	51.94

END OF COREHOLE GS-S11AD SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S24

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*&01106	ALUMIN	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71846	AMMONI	1		0.40	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01000	ARSENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00440	BICARB	4		690.00	410.00	539.50	1.24	726.83	400.45	466.70	539.50	623.65	710.47	768.06
*&01025	CADMIU	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00915	CALCIU	5		110.00	84.00	99.85	1.13	114.46	87.10	92.17	99.85	108.17	116.24	121.35
*&00445	CARBON	3	<	0.10<	0.10<	0.10	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10
*&00940	CHLORI	5		21.00	14.00	18.20	1.18	22.07	15.02	16.26	18.20	20.38	22.55	23.97
*&01030	CHROMI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00950	FLUORI	5		0.50	0.30	0.38	1.30	0.51	0.28	0.31	0.38	0.45	0.53	0.58
*&01046	IRON	1		230.00	230.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01049	LEAD	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00925	MAGNES	5		105.00	29.00	77.87	1.74	147.33	41.15	53.59	77.87	113.14	158.32	193.55
*&71890	MERCUR	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71851	NITRAT	2		12.00	4.30	7.18	2.07	65.35	0.79	4.40	7.18	11.72	18.21	23.70
*&70507	PHOSPH	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00935	POTASS	3		3.00	2.30	2.65	1.14	3.39	2.07	2.42	2.65	2.90	3.15	3.30
*&01145	SELENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00955	SIL DI	5		21.00	17.00	19.74	1.09	21.83	17.86	18.61	19.74	20.94	22.07	22.78
*&00930	SODIUM	5		180.00	95.00	145.46	1.29	195.31	108.33	122.39	145.46	172.87	201.91	221.56
*&00945	SULFAT	5		550.00	210.00	419.66	1.48	659.44	267.07	322.03	419.66	546.90	693.94	800.14
*&00746	SULFID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01090	ZINC	1		600.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01503	GROSS	1		11.00	11.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00400	PH	4		7.80	7.20	7.45	0.30	7.87	7.03	7.25	7.45	7.65	7.83	7.94
*&00095	CONDUC	3		1900.00	1650.00	1746.74	1.08	2002.38	1523.74	1661.25	1746.74	1836.64	1921.42	1973.98
*&00540	DIS SO	1		1270.00	1270.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00410	ALKALI	5		560.00	340.00	451.15	1.20	556.60	365.68	398.91	451.15	510.23	569.94	608.94
*&00720	CYANID	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01020	BORON	2		200.00	100.00	141.42	1.63	628.32	31.83	101.59	141.42	196.88	265.10	316.72
*&00681	DOC	1		4.30	4.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71870	BROMID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00340	C.O.D.	1		10.00	10.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&32730	PHENOL	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01080	STRONT	1		2100.00	2100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S24
REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	5	50.00	40.10	47.30	4.32	52.27	42.33	44.39	47.30	50.21	52.83	54.40
#&00003 DEPTH	5	35.04	6.19	12.56	12.57	27.05	-1.92	4.08	12.56	21.05	28.68	33.25

END OF COREHOLE GS-S24 SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS
\# -- NO LOG TRANSFORM
& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S27

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*&01106	ALUMIN	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71846	AMMONI	1		0.42	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01000	ARSENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00440	BICARB	4		600.00	531.00	564.71	1.05	605.63	526.56	545.83	564.71	584.25	602.40	613.52
*&01025	CADMIU	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00915	CALCIU	6		115.00	41.00	85.59	1.50	128.46	57.02	65.05	85.59	112.61	144.12	167.03
*&00445	CARBON	3	<	0.10<	0.10<	0.10	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10
*&00940	CHLORI	6		33.00	10.00	16.83	1.48	24.83	11.40	12.94	16.83	21.89	27.72	31.94
*&01030	CHROMI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00950	FLUORI	6		0.50	0.17	0.29	1.41	0.41	0.21	0.23	0.29	0.37	0.46	0.52
*&01046	IRON	1		190.00	190.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01049	LEAD	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00925	MAGNES	6		90.00	55.00	72.44	1.17	85.01	61.73	65.02	72.44	80.71	88.95	94.27
*&71890	MERCUR	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71851	NITRAT	3		1.80	1.30	1.55	1.18	2.10	1.15	1.39	1.55	1.74	1.92	2.04
*&70507	PHOSPH	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00935	POTASS	3		3.00	2.30	2.75	1.17	3.64	2.07	2.48	2.75	3.05	3.34	3.53
*&01145	SELENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00955	SIL DI	6		23.00	2.90	14.84	2.24	33.26	6.62	8.60	14.84	25.60	41.80	56.05
*&00930	SODIUM	6		200.00	125.00	159.70	1.18	188.33	135.43	142.87	159.70	178.52	197.33	209.51
*&00945	SULFAT	6		520.00	285.00	403.79	1.25	504.81	322.98	347.23	403.79	469.55	537.78	583.23
*&00746	SULFID	1	<	0.20<	0.20<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01090	ZINC	1		500.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01503	GROSS	1		6.90	6.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00400	PH	5		8.00	7.30	7.58	0.27	7.89	7.27	7.40	7.58	7.76	7.92	8.02
*&00095	CONDUC	4		1800.00	1500.00	1633.96	1.08	1815.15	1470.86	1552.50	1633.96	1719.70	1800.63	1850.84
*&00540	DIS SO	1		1180.00	1180.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00410	ALKALI	6		490.00	410.00	455.69	1.07	486.60	426.75	435.93	455.69	476.35	495.73	507.69
*&00720	CYANID	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01020	BORON	2		200.00	100.00	141.42	1.63	628.32	31.83	101.59	141.42	196.88	265.10	316.72
*&00681	DOC	1		9.30	9.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00613	NITRIT	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71870	BROMID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00340	C.O.D.	1		5.00	5.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&32730	PHENOL	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01080	STRONT	1		1800.00	1800.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S27

REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	6	51.80	44.60	48.80	3.35	52.15	45.45	46.54	48.80	51.06	53.10	54.31
#&00003 DEPTH	5	24.67	15.57	18.87	3.94	23.41	14.33	16.21	18.87	21.53	23.93	25.36

END OF COREHOLE GS-S27 SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S28D

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*#00915 CALCIU	2	140.00	41.00	75.76	2.38	1064.01	5.39	42.16	75.76	136.15	230.64	316.11
*#00940 CHLORI	2	58.00	17.00	31.40	2.38	440.19	2.24	17.48	31.40	56.41	95.52	130.89
*#00950 FLUORI	2	0.40	0.17	0.26	1.83	1.64	0.04	0.17	0.26	0.39	0.57	0.71
*#00925 MAGNES	2	93.00	55.00	71.52	1.45	221.42	23.10	55.66	71.52	91.90	115.14	131.76
*#00955 SIL DI	2	22.00	2.90	7.99	4.19	624.86	0.10	3.04	7.99	21.01	50.14	84.34
*#00930 SODIUM	2	280.00	125.00	187.08	1.77	1060.70	33.00	127.31	187.08	274.92	388.63	478.01
*#00945 SULFAT	2	620.00	285.00	420.36	1.73	2237.95	78.96	290.07	420.36	609.16	850.37	1038.13
*#00410 ALKALI	2	520.00	410.00	461.74	1.18	769.96	276.90	412.22	461.74	517.20	572.75	608.78

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S28D

REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER	DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011	TEMPER	2	46.40	44.60	45.50	1.27	49.37	41.63	44.64	45.50	46.36	47.13	47.59

END OF COREHOLE GS-S28D SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S28AD

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*&00915 CALCIU	2	150.00	41.00	78.42	2.50	1277.60	4.81	42.23	78.42	145.65	254.15	354.55
*&00940 CHLORI	2	58.00	17.00	31.40	2.38	440.19	2.24	17.48	31.40	56.41	95.52	130.89
*&00950 FLUORI	2	0.40	0.17	0.26	1.83	1.64	0.04	0.17	0.26	0.39	0.57	0.71
*&00925 MAGNES	2	89.00	55.00	69.96	1.41	197.06	24.84	55.60	69.96	88.03	108.23	122.47
*&00955 SIL DI	2	22.00	2.90	7.99	4.19	624.86	0.10	3.04	7.99	21.01	50.14	84.34
*&00930 SODIUM	2	270.00	125.00	183.71	1.72	963.19	35.04	127.20	183.71	265.32	369.25	449.96
*&00945 SULFAT	2	620.00	285.00	420.36	1.73	2237.95	78.96	290.07	420.36	609.16	850.37	1038.13
*&00410 ALKALI	2	500.00	410.00	452.77	1.15	693.91	295.43	411.85	452.77	497.75	542.01	570.33

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S28AD

REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	2	44.60	44.60	44.60	0.01	44.63	44.57	44.59	44.60	44.61	44.61	44.62

END OF COREHOLE GS-S28AD SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S29D

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)	25%	50%	75%	90%	95%
*&00915 CALCIU	2	130.00	41.00	73.01	2.26	874.20	6.10	42.09	73.01	126.64	207.81	279.45
*&00940 CHLORI	2	200.00	17.00	58.31	5.71	11724.51	0.29	17.98	58.31	189.11	544.79	1025.72
*&00950 FLUORI	2	0.70	0.17	0.34	2.72	7.25	0.02	0.18	0.34	0.68	1.24	1.79
*&00925 MAGNES	2	240.00	55.00	114.89	2.83	2734.77	4.83	56.87	114.89	232.11	436.83	637.61
*&00955 SIL DI	2	22.00	2.90	7.99	4.19	624.86	0.10	3.04	7.99	21.01	50.14	84.34
*&00930 SODIUM	2	800.00	125.00	316.23	3.72	17159.19	5.83	130.38	316.23	766.99	1701.42	2739.94
*&00945 SULFAT	2	1600.00	285.00	675.28	3.39	27640.67	16.50	296.38	675.28	1538.54	3226.33	5023.80
*&00410 ALKALI	2	840.00	410.00	586.86	1.66	2746.07	125.42	416.73	586.86	826.43	1124.36	1351.63

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S29D

REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	2	45,50	44.60	45.05	0.64	46.99	43.11	44.62	45.05	45.48	45.87	46.10

END OF COREHOLE GS-S29D SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S29AD

REPORT TYPE :C AQUIFER :A WET SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*&00915 CALCIU	2	98.00	41.00	63.39	1.85	413.26	9.72	41.82	63.39	96.08	139.66	174.66
*&00940 CHLORI	2	58.00	17.00	31.40	2.38	440.19	2.24	17.48	31.40	56.41	95.52	130.89
*&00950 FLUORI	2	0.40	0.17	0.26	1.83	1.64	0.04	0.17	0.26	0.39	0.57	0.71
*&00925 MAGNES	2	150.00	55.00	90.83	2.03	786.50	10.49	56.27	90.83	146.62	225.54	291.78
*&00955 SIL DI	2	20.00	2.90	7.62	3.92	485.32	0.12	3.03	7.62	19.14	43.85	71.98
*&00930 SODIUM	2	360.00	125.00	212.13	2.11	2065.32	21.79	128.04	212.13	351.46	553.41	726.05
*&00945 SULFAT	2	770.00	285.00	468.46	2.02	3975.15	55.21	291.50	468.46	752.82	1153.34	1488.52
*&00410 ALKALI	2	590.00	410.00	491.83	1.29	1076.22	224.77	413.40	491.83	585.14	684.08	751.07

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-S29AD

REPORT TYPE :C AQUIFER :A SPEC SAMPLES DATE 07/02/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#‡00011 TEMPER	2	46.40	44.60	45.50	1.27	49.37	41.63	44.64	45.50	46.36	47.13	47.59

END OF COREHOLE GS-S29AD SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

‡ -- BESTFIT IS ONLY AN ESTIMATE

APPENDIX 5-2.3

Alluvial Aquifer Water Quality - Combined Statistical Summaries

COREHOLE WATER STATISTICAL ANALYSIS

REPORT TYPE :A AQUIFER :A WET SAMPLES DATE 07/11/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
&01106	ALUMIN	1		400.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71846	AMMONI	1		0.28	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01000	ARSENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00440	BICARB	6		435.00	384.00	412.95	1.05	432.83	394.00	400.05	412.95	426.28	438.63	446.18
&01025	CADMIU	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
00915	CALCIU	10		110.00	39.00	91.55	1.15	101.29	82.75	83.10	91.55	100.86	110.03	115.91
&00445	CARBON	6	<	0.10<	0.10<	0.10	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10
00940	CHLORI	10		45.50	14.00	17.58	1.23	20.34	15.19	15.28	17.58	20.22	22.93	24.72
&01030	CHROMI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
00950	FLUORI	10		0.50	0.24	0.32	1.16	0.36	0.29	0.29	0.32	0.36	0.39	0.41
&01046	IRON	1		380.00	380.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01049	LEAD	1		10.00	10.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
00925	MAGNES	10		58.00	29.00	41.18	1.33	50.26	33.74	34.03	41.18	49.84	59.17	65.57
&71890	MERCUR	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71851	NITRAT	3		16.00	3.60	6.13	2.30	28.29	1.33	3.50	6.13	10.75	17.82	24.11
&70507	PHOSPH	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00935	POTASS	3		2.00	1.30	1.73	1.28	2.74	1.10	1.46	1.73	2.05	2.38	2.61
&01145	SELENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
00955	SIL DI	10		24.20	3.40	20.94	1.27	24.77	17.70	17.83	20.94	24.59	28.42	30.99
00930	SODIUM	10		380.00	61.00	101.17	1.43	130.12	78.67	79.50	101.17	128.75	159.91	182.05
00945	SULFAT	10		370.00	150.00	258.77	1.38	325.39	205.78	207.77	258.77	322.28	392.61	441.80
&00746	SULFID	1	<	0.20<	0.20<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01090	ZINC	1		500.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01503	GROSS	1		2.50	2.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
#&00400	PH	7		7.80	7.00	7.40	0.31	7.67	7.13	7.19	7.40	7.61	7.79	7.90
&00095	CONDUC	6		1420.00	1000.00	1167.25	1.15	1340.84	1016.13	1062.87	1167.25	1281.89	1394.56	1466.61
&00540	DIS SO	1		840.00	840.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
00410	ALKALI	10		655.00	255.00	332.82	1.11	359.18	308.40	309.38	332.82	358.03	382.33	397.64
&00720	CYANID	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01020	BORON	1		100.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00681	DOC	1		4.50	4.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00613	NITRIT	2	<	0.01<	0.01<	0.01	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01
&71870	BROMID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00340	C.O.D.	1		5.00	5.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&32730	PHENOL	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01080	STRONT	1		1200.00	1200.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

REPORT TYPE :A AQUIFER :A SPEC SAMPLES DATE 07/11/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
# 00011 TEMPER	10	50.90	41.00	46.32	3.66	48.90	43.74	43.85	46.32	48.79	51.01	52.34
#&00003 DEPTH	9	42.89	23.33	34.01	8.33	40.29	27.73	28.39	34.01	39.63	44.69	47.71

END OF AQUIFER A SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS
# -- NO LOG TRANSFORM
& -- BESTFIT IS ONLY AN ESTIMATE

APPENDIX 5-2.4

Deep Oil Shale Aquifer Water Quality - Individual Analyses

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5
DATE	12279.	21679.	32879.	42579.	52579.
DEPTH	35.20	35.50	36.26	35.70	34.48
TEMP	8.0	8.5	9.5	9.0	1.0
LAB ID					
LAB NUM	0.	0.	0.	0.	0.
METHOD	03	03	03	03	03
AQUIF.LOC.	U	U	U	U	U
WET					
01106 ALUM	0.000	0.000	0.000	0.000	0.000
71846 AMMO	0.000	0.000	0.000	0.000	0.000
01000 ARSE	0.000	0.000	0.000	0.000	0.000
00440 BICA	0.000	0.000	0.000	490.000	410.000
01025 CADM	0.000	0.000	0.000	0.000	0.000
00915 CALC	33.000	41.000	39.000	34.000	23.000
00445 CARB	0.000	0.000	0.000	6.100	12.000
00940 CHLO	17.000	24.000	14.000	14.000	7.000
01030 CHRO	0.000	0.000	0.000	0.000	0.000
01040 COPP	0.000	0.000	0.000	0.000	0.000
00950 FLUO	1.300	1.400	1.200	1.300	1.200
71830 HYDR	0.000	0.000	0.000	0.000	0.000
01046 IRON	0.000	0.000	0.000	0.000	0.000
01049 LEAD	0.000	0.000	0.000	0.000	0.000
00925 MAGN	57.000	55.000	62.000	57.000	32.000
71890 MERC	0.000	0.000	0.000	0.000	0.000
71851 NITR	0.000	0.000	0.000	0.000	0.000
70507 PHOS	0.000	0.000	0.000	0.000	0.000
00935 POTA	0.000	0.000	0.000	0.000	0.000
01145 SELE	0.000	0.000	0.000	0.000	0.000
00955 SIL	11.000	16.000	13.000	14.000	5.000
00930 SODI	310.000	180.000	165.000	170.000	190.000
00945 SULF	230.000	89.000	285.000	270.000	220.000
00746 SULF	0.000	0.000	0.000	0.000	0.000
01090 ZINC	0.000	0.000	0.000	0.000	0.000
01503 GROS	0.000	0.000	0.000	0.000	0.000
03501 GROS	0.000	0.000	0.000	0.000	0.000
00900 HARD	0.000	0.000	0.000	0.000	0.000
00400 PH	0.000	8.000	7.800	8.000	8.000
00095 COND	0.000	1220.000	1160.000	1300.000	0.000
00540 DIG	0.000	0.000	0.000	0.000	0.000
01056 MANG	0.000	0.000	0.000	0.000	0.000
00410 ALKA	370.000	395.000	370.000	410.000	350.000
00720 CYAN	0.000	0.000	0.000	0.000	0.000
01020 BORO	0.000	0.000	0.000	0.000	0.000
01005 BARI	0.000	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000	0.000
01130 LITH	0.000	0.000	0.000	0.000	0.000
00681 DOC	0.000	0.000	0.000	0.000	0.000
00613 NITR	0.000	0.000	0.000	0.000	0.000
71870 BROM	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5
00340	C.O.	0.000	0.000	0.000	0.000	0.000
32730	PHEN	0.000	0.000	0.000	0.000	0.000
00625	KJEL	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000
00660	ORTH	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.000	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC						
01006	ALUM	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000
00915	CALC	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000
00925	MAGN	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5
	PLAT	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000
00955	SILI	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000
00930	SODI	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES		1	2	3	4	5	6
DATE		62778.	12679.	21679.	32879.	42579.	52479.
DEPTH		644.01	0.00	598.15	609.25	617.95	627.62
TEMP		21.0	9.0	10.0	12.5	14.5	14.5
LAB ID							
LAB NUM		0.	0.	0.	0.	0.	0.
METHOD		3	03	03	03	03	03
AQUIF.LOC.		U	U	U	U	U	U
WET							
01106	ALUM	0.400	0.000	0.000	0.000	0.000	0.000
71846	AMMO	-0.300	0.000	0.000	0.000	0.000	0.000
01000	ARSE	-0.010	0.000	0.000	0.000	0.000	0.000
00440	BICA	260.000	0.000	0.000	0.000	400.000	390.000
01025	CADM	0.010	0.000	0.000	0.000	0.000	0.000
00915	CALC	8.200	18.000	46.000	34.000	39.000	32.000
00445	CARB	96.000	0.000	0.000	0.000	-0.100	-0.100
00940	CHLO	10.000	17.000	24.000	17.000	14.000	14.000
01030	CHRO	-0.010	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000	0.000	0.000
00950	FLUO	0.800	0.170	0.100	0.200	0.300	0.300
71830	HYDR	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	-0.050	0.000	0.000	0.000	0.000	0.000
01049	LEAD	-0.010	0.000	0.000	0.000	0.000	0.000
00925	MAGN	23.000	30.000	29.000	30.000	30.000	30.000
71890	MERC	-0.001	0.000	0.000	0.000	0.000	0.000
71851	NITR	0.100	0.000	0.000	0.000	0.000	0.000
70507	PHOS	-0.100	0.000	0.000	0.000	0.000	0.000
00935	POTA	2.700	0.000	0.000	0.000	0.000	0.000
01145	SELE	-0.010	0.000	0.000	0.000	0.000	0.000
00955	SIL	2.000	3.400	19.000	18.000	20.000	18.000
00930	SODI	200.000	380.000	240.000	240.000	230.000	240.000
00945	SULF	175.000	330.000	270.000	370.000	340.000	360.000
00746	SULF	0.400	0.000	0.000	0.000	0.000	0.000
01090	ZINC	-0.100	0.000	0.000	0.000	0.000	0.000
01503	GROS	0.000	0.000	0.000	0.000	0.000	0.000
03501	GROS	0.000	0.000	0.000	0.000	0.000	0.000
00900	HARD	0.000	0.000	0.000	0.000	0.000	0.000
00400	PH	8.000	0.000	7.800	7.200	7.400	7.200
00095	COND	1090.000	0.000	1340.000	1280.000	1450.000	0.000
00540	DIS	670.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.000	0.000	0.000	0.000	0.000	0.000
00410	ALKA	295.000	285.000	385.000	300.000	330.000	320.000
00720	CYAN	-0.010	0.000	0.000	0.000	0.000	0.000
01020	BORO	-0.100	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000	0.000	0.000
00681	DOC	4.000	0.000	0.000	0.000	0.000	0.000
00613	NITR	-0.010	0.000	0.000	0.000	0.000	0.000
71870	BROM	-0.100	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6
00340	C.O.	38.000	0.000	0.000	0.000	0.000	0.000
32730	PHEN	0.000	0.000	0.000	0.000	0.000	0.000
00625	NJEL	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.900	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000
00660	ORTH	0.000	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.000	0.000	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC							
01006	ALUM	0.000	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.000	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000	0.000
00915	CALC	0.000	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.001	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.001	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000	0.000
00925	MAGN	0.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.001	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.100	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6
	PLAT	0.000	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.000	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000	0.000
00955	SILI	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000	0.000
00930	SODI	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5	6
DATE	62778.	10879.	21979.	32779.	42579.	52479.
DEPTH	218.60	217.80	217.16	217.89	217.60	218.18
TEMP	20.5	9.0	7.5	10.0	11.5	11.5
LAB ID						
LAB NUM	0.	0.	0.	0.	0.	0.
METHOD	3	03	03	03	03	03
AQUIF.LOC.	U	U	U	U	U	U
WET						
01106 ALUM	0.400	-0.100	0.000	0.000	0.000	0.000
71846 AMMO	-0.300	0.000	0.000	0.000	0.000	0.000
01000 ARSE	-0.010	-0.050	0.000	0.000	0.000	0.000
00440 BICA	475.000	495.000	0.000	0.000	220.000	570.000
01025 CADM	0.010	-0.010	0.000	0.000	0.000	0.000
00915 CALC	44.000	41.000	66.000	4.900	8.200	69.000
00445 CARB	12.000	18.000	0.000	0.000	190.000	-0.100
00940 CHLO	3.500	25.000	17.000	10.000	68.000	14.000
01030 CHRO	0.010	-0.010	0.000	0.000	0.000	0.000
01040 COPP	0.000	0.000	0.000	0.000	0.000	0.000
00950 FLUO	0.300	-0.150	0.100	-0.150	-0.150	0.200
71830 HYDR	0.000	0.000	0.000	94.000	0.000	0.000
01046 IRON	-0.050	-0.050	0.000	0.000	0.000	0.000
01049 LEAD	-0.010	-0.010	0.000	0.000	0.000	0.000
00925 MAGN	135.000	130.000	150.000	17.000	85.000	150.000
71890 MERC	-0.001	-0.001	0.000	0.000	0.000	0.000
71851 NITR	0.100	2.300	0.000	0.000	0.000	0.000
70507 PHOS	-0.200	-0.100	0.000	0.000	0.000	0.000
00935 POTA	2.000	2.700	0.000	0.000	0.000	0.000
01145 SELE	-0.010	-0.010	0.000	0.000	0.000	0.000
00955 SIL	8.000	13.000	21.000	10.000	2.000	19.000
00930 SODI	190.000	210.000	220.000	340.000	260.000	230.000
00945 SULF	615.000	630.000	560.000	410.000	470.000	750.000
00746 SULF	-0.200	-0.200	0.000	0.000	0.000	0.000
01090 ZINC	-0.010	-0.100	0.000	0.000	0.000	0.000
01503 GROS	0.000	0.000	0.000	0.000	0.000	0.000
03501 GROS	0.000	0.000	0.000	0.000	0.000	0.000
00900 HARD	0.000	0.000	0.000	0.000	0.000	0.000
00400 PH	7.500	8.300	7.600	8.000	8.400	7.200
00095 COND	1880.000	1200.000	1925.000	1240.000	1875.000	0.000
00540 DIS	1270.000	1300.000	0.000	0.000	0.000	0.000
01056 MANG	0.000	0.000	0.000	0.000	0.000	0.000
00410 ALKA	400.000	420.000	450.000	0.000	340.000	470.000
00720 CYAN	-0.010	-0.010	0.000	0.000	0.000	0.000
01020 BORO	-0.100	-0.100	0.000	0.000	0.000	0.000
01005 BARI	0.000	0.000	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000	0.000	0.000
01130 LITH	0.000	0.000	0.000	0.000	0.000	0.000
00681 DOC	3.800	6.000	0.000	0.000	0.000	0.000
00613 NITR	-0.010	-0.010	0.000	0.000	0.000	0.000
71870 BROM	-0.100	-0.100	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6
00340	C.O.	10.000	20.000	0.000	0.000	0.000	0.000
32730	PHEN	0.000	0.040	0.000	0.000	0.000	0.000
00625	KJEL	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	4.200	2.100	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000
00660	ORTH	0.000	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.000	0.700	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC							
01006	ALUM	0.000	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.000	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000	0.000
00915	CALC	0.000	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000	0.000
00925	MAGN	0.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.001	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.001	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6
	PLAT	0.000	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.000	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000	0.000
00955	SILI	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000	0.000
00930	SODI	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5
DATE	12279.	21679.	32879.	42579.	52479.
DEPTH	0.00	12.56	12.10	12.40	12.39
TEMP	9.0	8.5	10.0	11.0	10.0
LAB ID					
LAB NUM	0.	0.	0.	0.	0.
METHOD	03	03	03	03	03
AQUIF.LOC.	U	U	U	U	U
WET					
01106 ALUM	0.550	0.000	0.000	0.000	0.000
71846 AMMO	-0.140	0.000	0.000	0.000	0.000
01000 ARSE	-0.010	0.000	0.000	0.000	0.000
00440 BICA	0.000	0.000	0.000	280.000	380.000
01025 CADM	-0.010	0.000	0.000	0.000	0.000
00915 CALC	8.200	13.000	8.200	4.900	16.000
00445 CARB	120.000	0.000	0.000	160.000	91.000
00940 CHLO	45.000	17.000	24.000	17.000	21.000
01030 CHRO	-0.010	0.000	0.000	0.000	0.000
01040 COPP	0.000	0.000	0.000	0.000	0.000
00950 FLUO	1.700	1.800	1.500	1.700	1.800
71830 HYDR	0.000	0.000	0.000	0.000	0.000
01046 IRON	0.090	0.000	0.000	0.000	0.000
01049 LEAD	-0.010	0.000	0.000	0.000	0.000
00925 MAGN	56.000	65.000	58.000	56.000	62.000
71890 MERC	-0.001	0.000	0.000	0.000	0.000
71851 NITR	0.470	0.000	0.000	0.000	0.000
70507 PHOS	-0.100	0.000	0.000	0.000	0.000
00935 POTA	2.000	0.000	0.000	0.000	1.700
01145 SELE	-0.010	0.000	0.000	0.000	0.000
00955 SIL	3.900	4.600	20.000	-1.000	6.000
00930 SODI	300.000	270.000	310.000	260.000	260.000
00945 SULF	330.000	460.000	350.000	270.000	360.000
00746 SULF	-0.100	0.000	0.000	0.000	0.000
01090 ZINC	0.500	0.000	0.000	0.000	0.000
01503 GROS	0.000	0.000	0.000	0.000	0.000
03501 GROS	0.000	0.000	0.000	0.000	0.000
00900 HARD	0.000	0.000	0.000	0.000	0.000
00400 PH	0.000	7.800	8.000	8.900	8.300
00095 COND	0.000	1550.000	1440.000	0.000	0.000
00540 DIS	910.000	0.000	0.000	0.000	0.000
01056 MANG	0.000	0.000	0.000	0.000	0.000
00410 ALKA	450.000	0.000	360.000	360.000	390.000
00720 CYAN	-0.010	0.000	0.000	0.000	0.000
01020 BORO	0.180	0.000	0.000	0.000	0.000
01005 BARI	0.000	0.000	0.000	0.000	0.000
01075 SILV	-0.010	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000	0.000
01130 LITH	0.000	0.000	0.000	0.000	0.000
00681 DOC	16.000	0.000	0.000	0.000	0.000
00613 NITR	-0.010	0.000	0.000	0.000	0.000
71870 BROM	0.150	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5
00340	C.O.	2.500	0.000	0.000	0.000	0.000
32730	PHEN	-0.001	0.000	0.000	0.000	0.000
00625	KJEL	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000
01080	STRO	2.500	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000
00660	ORTH	0.000	0.000	0.000	0.000	0.000
00608	AMMO	-0.140	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC						
01006	ALUM	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000
00915	CALC	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000
00925	MAGN	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5
	PLAT	0.000	0.000	0,000	0.000	0.000
00935	POTA	0.000	0.000	0,000	0.000	0.000
	PRAS	0.000	0.000	0,000	0.000	0.000
09503	RADI	0.000	0.000	0,000	0.000	0.000
	RHEN	0.000	0.000	0,000	0.000	0.000
	RHOD	0.000	0.000	0,000	0.000	0.000
01135	RUBI	0.000	0.000	0,000	0.000	0.000
	RUTH	0.000	0.000	0,000	0.000	0.000
	SAMA	0.000	0.000	0,000	0.000	0.000
	SCAN	0.000	0.000	0,000	0.000	0.000
01145	SELE	0.000	0.000	0,000	0.000	0.000
00955	SILI	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000
00930	SODI	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5	6
DATE	62678.	10879.	21979.	32779.	42579.	52479.
DEPTH	510.00	523.60	532.48	538.50	540.00	542.93
TEMP	19.0	9.0	9.0	11.0	14.0	14.5
LAB ID						
LAB NUM	0.	0.	0.	0.	0.	0.
METHOD	3	03	03	03	03	03
AQUIF.LOC.	U	U	U	U	U	U
WET						
01106 ALUM	0.300	-0.100	0.000	0.000	0.000	0.000
71846 AMMO	-0.300	0.000	0.000	0.000	0.000	0.000
01000 ARSE	-0.010	-0.050	0.000	0.000	0.000	0.000
00440 BICA	545.000	620.000	0.000	0.000	700.000	670.000
01025 CADM	0.010	-0.010	0.000	0.000	0.000	0.000
00915 CALC	48.000	64.000	105.000	41.000	95.000	120.000
00445 CARB	-0.100	6.000	0.000	0.000	-0.100	-0.100
00940 CHLO	14.000	32.000	29.000	24.000	17.000	28.000
01030 CHRO	-0.010	-0.010	0.000	0.000	0.000	0.000
01040 COPP	0.000	0.000	0.000	0.000	0.000	0.000
00950 FLUO	0.200	0.190	0.100	0.300	-0.150	0.300
71830 HYDR	0.000	0.000	0.000	0.000	0.000	0.000
01046 IRON	0.370	-0.050	0.000	0.000	0.000	0.000
01049 LEAD	-0.010	-0.010	0.000	0.000	0.000	0.000
00925 MAGN	125.000	120.000	135.000	110.000	130.000	130.000
71890 MERC	-0.001	-0.001	0.000	0.000	0.000	0.000
71851 NITR	-0.100	0.460	0.000	0.000	0.000	0.000
70507 PHOS	-0.100	-0.100	0.000	0.000	0.000	0.000
00935 POTA	2.700	3.000	0.000	0.000	0.000	0.000
01145 SELE	-0.010	-0.010	0.000	0.000	0.000	0.000
00955 SIL	8.000	-0.100	31.000	28.000	27.000	27.000
00930 SODI	225.000	250.000	240.000	250.000	240.000	250.000
00945 SULF	595.000	650.000	645.000	550.000	680.000	730.000
00746 SULF	-0.200	-0.200	0.000	0.000	0.000	0.000
01090 ZINC	-0.100	-0.100	0.000	0.000	0.000	0.000
01503 GROS	0.700	0.000	0.000	0.000	0.000	0.000
03501 GROS	0.000	0.000	0.000	0.000	0.000	0.000
00900 HARD	0.000	0.000	0.000	0.000	0.000	0.000
00400 PH	7.400	0.000	0.000	0.000	7.000	7.800
00095 COND	1950.000	0.000	0.000	0.000	2300.000	0.000
00540 DIS	1300.000	1600.000	0.000	0.000	0.000	0.000
01056 MANG	0.000	0.000	0.000	0.000	0.000	0.000
00410 ALKA	445.000	510.000	510.000	460.000	570.000	550.000
00720 CYAN	-0.010	-0.010	0.000	0.000	0.000	0.000
01020 BORO	-0.100	-0.100	0.000	0.000	0.000	0.000
01005 BARI	0.000	0.000	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000	0.000	0.000
01130 LITH	0.000	0.000	0.000	0.000	0.000	0.000
00681 DOC	4.500	16.000	0.000	0.000	0.000	0.000
00613 NITR	0.050	-0.010	0.000	0.000	0.000	0.000
71870 BROM	-0.100	-0.100	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6
00340	C.O.	23.000	20.000	0.000	0.000	0.000	0.000
32730	PHEN	0.000	0.010	0.000	0.000	0.000	0.000
00625	NJEL	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	2.300	0.900	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000
00660	ORTH	0.000	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.000	1.400	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC							
01006	ALUM	0.000	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.000	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000	0.000
00915	CALC	0.000	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000	0.000
00925	MAGN	0.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.010	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6
	PLAT	0.000	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.000	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000	0.000
00955	SILI	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000	0.000
00930	SODI	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES	1	2	3	4	5	6
DATE	62678.	10879.	21979.	32779.	42579.	52579.
DEPTH	274.65	292.30	295.05	298.60	299.60	300.52
TEMP	13.5	10.5	10.0	11.0	11.5	0.0
LAB ID						
LAB NUM	0.	0.	0.	0.	0.	0.
METHOD	3	03	03	03	03	03
AQUIF.LOC.	U	U	U	U	U	U
WET						
01106 ALUM	0.400	-0.100	0.000	0.000	0.000	0.000
71846 AMMO	1.400	0.000	0.000	0.000	0.000	0.000
01000 ARSE	-0.010	-0.050	0.000	0.000	0.000	0.000
00440 BICA	405.000	510.000	0.000	0.000	410.000	620.000
01025 CADM	0.010	-0.010	0.000	0.000	0.000	0.000
00915 CALC	25.000	67.000	62.000	34.000	82.000	133.000
00445 CARB	18.000	30.000	0.000	0.000	30.000	-0.100
00940 CHLO	10.000	18.000	24.000	31.000	20.000	17.000
01030 CHRO	0.010	-0.010	0.000	0.000	0.000	0.000
01040 COPP	0.000	0.000	0.000	0.000	0.000	0.000
00950 FLUO	1.400	0.740	0.500	1.400	0.600	0.500
71830 HYDR	0.000	0.000	0.000	0.000	0.000	0.000
01046 IRON	-0.050	-0.050	0.000	0.000	0.000	0.000
01049 LEAD	-0.010	-0.010	0.000	0.000	0.000	0.000
00925 MAGN	87.000	120.000	135.000	110.000	150.000	170.000
71890 MERC	-0.001	-0.001	0.000	0.000	0.000	0.000
71851 NITR	-0.100	3.000	0.000	0.000	0.000	0.000
70507 PHOS	-0.100	0.120	0.000	0.000	0.000	0.000
00935 POTA	4.000	4.500	0.000	0.000	0.000	0.000
01145 SELE	-0.010	-0.010	0.000	0.000	0.000	0.000
00955 SIL	6.800	18.000	21.000	30.000	14.000	22.000
00930 SODI	235.000	300.000	250.000	290.000	150.000	230.000
00945 SULF	525.000	750.000	815.000	600.000	730.000	1000.000
00746 SULF	2.200	-0.200	0.000	0.000	0.000	0.000
01090 ZINC	-0.100	-0.100	0.000	0.000	0.000	0.000
01503 GROS	0.000	0.000	0.000	0.000	0.000	0.000
03501 GROS	0.000	0.000	0.000	0.000	0.000	0.000
00900 HARD	0.000	0.000	0.000	0.000	0.000	0.000
00400 PH	7.600	0.000	7.800	8.000	8.100	0.000
00095 COND	1700.000	0.000	2050.000	1800.000	1900.000	0.000
00540 DIS	1150.000	1400.000	0.000	0.000	0.000	0.000
01056 MANG	0.000	0.000	0.000	0.000	0.000	0.000
00410 ALKA	345.000	440.000	410.000	380.000	360.000	500.000
00720 CYAN	-0.010	-0.010	0.000	0.000	0.000	0.000
01020 BORO	0.100	-0.100	0.000	0.000	0.000	0.000
01005 BARI	0.000	0.000	0.000	0.000	0.000	0.000
01075 SILV	0.000	0.000	0.000	0.000	0.000	0.000
01065 NICK	0.000	0.000	0.000	0.000	0.000	0.000
01130 LITH	0.000	0.000	0.000	0.000	0.000	0.000
00681 DOC	1.600	0.000	0.000	0.000	0.000	0.000
00613 NITR	-0.010	-0.010	0.000	0.000	0.000	0.000
71870 BROM	-0.100	-0.100	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6
00340	C.O.	15.000	20.000	0.000	0.000	0.000	0.000
32730	PHEN	0.000	0.020	0.000	0.000	0.000	0.000
00625	KJEL	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	2.500	2.700	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000
00660	ORTH	0.000	0.000	0.000	0.000	0.000	0.000
00608	AMMO	0.000	1.400	0.000	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000	0.000	0.000
SPECTROGRAPHIC							
01006	ALUM	0.000	0.000	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000	0.000	0.000
01020	BORO	0.000	0.000	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000	0.000	0.000
00915	CALC	0.000	0.000	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000	0.000	0.000
00925	MAGN	0.000	0.000	0.000	0.000	0.000	0.000
01056	MANG	0.001	0.000	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000	0.000	0.000
01060	MOLY	0.001	0.000	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4	5	6
	PLAT	0.000	0.000	0.000	0.000	0.000	0.000
00935	POTA	0.000	0.000	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000	0.000	0.000
00955	SILI	0.000	0.000	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000	0.000	0.000
00930	SODI	0.000	0.000	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000	0.000	0.000

JOB#- 741-40.11 OWNER LOCATIONS: X- 0.00 Y- 0.00 Z- 0.00
DATE DRILL COMPL- 0 DATE CONV TO MONITOR- 0 AQUIFER 1: 0.00- 0.00FT AQUIFER 2: 0.00- 0.00FT

SAMPLES		1	2	3	4
DATE		10879.	21979.	32779.	42579.
DEPTH		372.07	371.03	371.64	372.53
TEMP		0.0	10.0	11.0	12.5
LAB ID					
LAB NUM		0.	0.	0.	0.
METHOD		03	03	03	03
AQUIF.LOC.		L	L	L	L
WET					
01106	ALUM	-0.100	0.000	0.000	0.000
71846	AMMO	0.000	0.000	0.000	0.000
01000	ARSE	-0.050	0.000	0.000	0.000
00440	BICA	1700.000	0.000	0.000	1520.000
01025	CADM	-0.010	0.000	0.000	0.000
00915	CALC	3.200	9.800	3.300	4.900
00445	CARB	54.000	0.000	0.000	55.000
00940	CHLO	53.000	17.000	44.000	47.000
01030	CHRO	-0.010	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000
00950	FLUO	47.000	5.400	25.000	18.000
71830	HYDR	0.000	0.000	0.000	0.000
01046	IRON	-0.050	0.000	0.000	0.000
01049	LEAD	-0.010	0.000	0.000	0.000
00925	MAGN	57.000	73.000	64.000	60.000
71890	MERC	-0.001	0.000	0.000	0.000
71851	NITR	1.800	0.000	0.000	0.000
70507	PHOS	1.600	0.000	0.000	0.000
00935	POTA	6.500	0.000	0.000	0.000
01145	SELE	-0.010	0.000	0.000	0.000
00955	SIL	7.600	3.000	20.000	3.000
00930	SODI	770.000	310.000	580.000	580.000
00945	SULF	270.000	410.000	400.000	270.000
00746	SULF	-0.200	0.000	0.000	0.000
01090	ZINC	-0.100	0.000	0.000	0.000
01503	GROS	0.000	0.000	0.000	0.000
03501	GROS	0.000	0.000	0.000	0.000
00900	HARD	0.000	0.000	0.000	0.000
00400	PH	8.400	0.000	0.000	0.000
00095	COND	3100.000	1625.000	2300.000	3400.000
00540	DIS	2100.000	0.000	0.000	0.000
01056	MANG	0.000	0.000	0.000	0.000
00410	ALKA	1400.000	620.000	900.000	1290.000
00720	CYAN	-0.010	0.000	0.000	0.000
01020	BORO	1.600	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000
00681	DOC	0.000	0.000	0.000	0.000
00613	NITR	-0.010	0.000	0.000	0.000
71870	BROM	-0.100	0.000	0.000	0.000

SAMPLES		1	2	3	4
00340	C.O.	20.000	0.000	0.000	0.000
32730	PHEN	0.030	0.000	0.000	0.000
00625	KJEL	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000
01080	STRO	0.250	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000
00660	ORTH	0.000	0.000	0.000	0.000
00608	AMMO	1.400	0.000	0.000	0.000
00681	DIS-	0.000	0.000	0.000	0.000
38260	MBAS	0.000	0.000	0.000	0.000
31501	TOT	0.000	0.000	0.000	0.000
31615	FEC	0.000	0.000	0.000	0.000
00310	5-DA	0.000	0.000	0.000	0.000
SPECTROGRAPHIC					
01006	ALUM	0.000	0.000	0.000	0.000
01095	ANTI	0.000	0.000	0.000	0.000
01000	ARSE	0.000	0.000	0.000	0.000
01005	BARI	0.000	0.000	0.000	0.000
01010	BERY	0.000	0.000	0.000	0.000
01015	BISM	0.000	0.000	0.000	0.000
01020	BORO	0.000	0.000	0.000	0.000
01025	CADM	0.000	0.000	0.000	0.000
00915	CALC	0.000	0.000	0.000	0.000
	CERI	0.000	0.000	0.000	0.000
	CESI	0.000	0.000	0.000	0.000
01030	CHRO	0.000	0.000	0.000	0.000
01035	COBO	0.000	0.000	0.000	0.000
	COLU	0.000	0.000	0.000	0.000
01040	COPP	0.000	0.000	0.000	0.000
	DYSP	0.000	0.000	0.000	0.000
	ERBI	0.000	0.000	0.000	0.000
	EURO	0.000	0.000	0.000	0.000
	GADO	0.000	0.000	0.000	0.000
01120	GALL	0.000	0.000	0.000	0.000
01125	GERM	0.000	0.000	0.000	0.000
	GOLD	0.000	0.000	0.000	0.000
	HAFN	0.000	0.000	0.000	0.000
	HOLM	0.000	0.000	0.000	0.000
	INDI	0.000	0.000	0.000	0.000
	IRID	0.000	0.000	0.000	0.000
01046	IRON	0.000	0.000	0.000	0.000
	LANT	0.000	0.000	0.000	0.000
01049	LEAD	0.000	0.000	0.000	0.000
01130	LITH	0.000	0.000	0.000	0.000
	LUTE	0.000	0.000	0.000	0.000
00925	MAGN	0.000	0.000	0.000	0.000
01056	MANG	0.000	0.000	0.000	0.000
71890	MERC	0.000	0.000	0.000	0.000
01060	MOLY	0.000	0.000	0.000	0.000
	NEOD	0.000	0.000	0.000	0.000
01065	NICK	0.000	0.000	0.000	0.000
	OSMI	0.000	0.000	0.000	0.000
	PALL	0.000	0.000	0.000	0.000

SAMPLES		1	2	3	4
	PLAT	0.000	0.000	0.000	0.000
00935	POTA	0.000	0.000	0.000	0.000
	PRAS	0.000	0.000	0.000	0.000
09503	RADI	0.000	0.000	0.000	0.000
	RHEN	0.000	0.000	0.000	0.000
	RHOD	0.000	0.000	0.000	0.000
01135	RUBI	0.000	0.000	0.000	0.000
	RUTH	0.000	0.000	0.000	0.000
	SAMA	0.000	0.000	0.000	0.000
	SCAN	0.000	0.000	0.000	0.000
01145	SELE	0.000	0.000	0.000	0.000
00955	SILI	0.000	0.000	0.000	0.000
01075	SILV	0.000	0.000	0.000	0.000
00930	SODI	0.000	0.000	0.000	0.000
01080	STRO	0.000	0.000	0.000	0.000
	TANT	0.000	0.000	0.000	0.000
	TERB	0.000	0.000	0.000	0.000
	THAL	0.000	0.000	0.000	0.000
	THOR	0.000	0.000	0.000	0.000
	THUL	0.000	0.000	0.000	0.000
01100	TIN	0.000	0.000	0.000	0.000
01150	TITA	0.000	0.000	0.000	0.000
	TUNG	0.000	0.000	0.000	0.000
22703	URAN	0.000	0.000	0.000	0.000
01085	VANA	0.000	0.000	0.000	0.000
	YTTE	0.000	0.000	0.000	0.000
	YTTR	0.000	0.000	0.000	0.000
01090	ZINC	0.000	0.000	0.000	0.000
01160	ZIRC	0.000	0.000	0.000	0.000

APPENDIX 5-2.5

Deep Oil Shale Aquifer Water Quality - Individual Statistical Summaries

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : AM-3

REPORT TYPE :C AQUIFER :U WET SAMPLES DATE 07/11/79

PARAMETER	DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
&00440	BICARB	2	490.00	410.00	448.22	1.13	657.72	305.45	411.66	448.22	488.02	526.82	551.48
&00915	CALCIU	5	41.00	23.00	33.35	1.25	43.31	25.68	28.62	33.35	38.87	44.60	48.43
&00445	CARBON	2	12.00	6.10	8.56	1.61	36.68	2.00	6.19	8.56	11.82	15.80	18.80
&00940	CHLORI	5	24.00	7.00	14.11	1.57	23.69	8.41	10.42	14.11	19.12	25.11	29.56
&00950	FLUORI	5	1.40	1.20	1.28	1.07	1.38	1.19	1.22	1.28	1.34	1.39	1.42
&00925	MAGNES	5	62.00	32.00	51.28	1.31	69.77	37.69	42.81	51.28	61.41	72.23	79.59
&00955	SIL DI	5	16.00	5.00	10.99	1.58	18.68	6.46	8.05	10.99	14.99	19.83	23.44
&00930	SODIUM	5	310.00	165.00	197.09	1.30	265.58	146.26	165.49	197.09	234.73	274.67	301.74
&00945	SULFAT	5	285.00	89.00	203.21	1.61	350.80	117.72	147.58	203.21	279.82	373.09	443.13
#&00400	PH	4	8.00	7.80	7.95	0.10	8.09	7.81	7.88	7.95	8.02	8.08	8.11
&00095	CONDUC	3	1300.00	1160.00	1225.33	1.06	1360.86	1103.30	1179.00	1225.33	1273.48	1318.40	1346.01
&00410	ALKALI	5	410.00	350.00	378.42	1.06	406.43	352.34	362.91	378.42	394.59	409.72	419.04

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : AM-3

REPORT TYPE :C AQUIFER :U SPEC SAMPLES DATE 07/11/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	5	49.10	33.80	44.96	6.32	52.24	37.68	40.69	44.96	49.23	53.06	55.36
#&00003 DEPTH	5	36.26	34.48	35.43	0.66	36.18	34.67	34.99	35.43	35.87	36.27	36.51

END OF COREHOLE AM-3 SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS
# -- NO LOG TRANSFORM
& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-M1

REPORT TYPE :C AQUIFER :U WET SAMPLES DATE 07/11/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
&00440	BICARB	2		400.00	390.00	394.97	1.02	417.11	374.00	390.22	394.97	399.78	404.15	406.79
&00915	CALCIU	5		48.00	18.00	32.57	1.44	49.67	21.36	25.44	32.57	41.71	52.09	59.50
&00445	CARBON	2	<	0.10<	0.10<	0.10	1.00	0.10	0.10	0.10	0.10	0.10	0.10	0.10
&00940	CHLORI	5		24.00	14.00	16.85	1.25	21.72	13.08	14.53	16.85	19.55	22.35	24.21
&00950	FLUORI	5		0.30	0.10	0.20	1.58	0.34	0.12	0.15	0.20	0.27	0.36	0.42
&00925	MAGNES	5		30.00	29.00	29.80	1.02	30.32	29.28	29.49	29.80	30.10	30.38	30.55
&00955	SIL DI	5		20.00	3.40	13.32	2.15	32.12	5.52	7.95	13.32	22.31	35.48	46.82
&00930	SODIUM	5		380.00	230.00	260.87	1.24	332.68	204.56	226.23	260.87	300.82	341.94	369.17
&00945	SULFAT	5		370.00	270.00	332.03	1.13	383.07	287.78	305.34	332.03	361.04	389.30	407.24
#&00400	PH	4		7.80	7.20	7.40	0.28	7.79	7.01	7.21	7.40	7.59	7.76	7.87
&00095	CONDUC	3		1450.00	1280.00	1354.86	1.07	1521.30	1206.63	1298.39	1354.86	1413.79	1468.96	1502.98
&00410	ALKALI	5		385.00	285.00	322.27	1.12	367.73	282.43	298.29	322.27	348.17	373.24	389.09

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-M1

REPORT TYPE :C AQUIFER :U SPEC SAMPLES DATE 07/11/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	5	58.10	48.20	53.78	4.56	59.04	48.52	50.70	53.78	56.86	59.63	61.29
#&00003 DEPTH	4	627.62	598.15	613.24	12.55	630.66	595.82	604.77	613.24	621.71	629.33	633.89

END OF COREHOLE GS-M1 SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-M2

REPORT TYPE :C AQUIFER :U WET SAMPLES DATE 07/11/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
&01106	ALUMIN	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01000	ARSENI	1	<	50.00<	50.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00440	BICARB	3		570.00	220.00	395.94	1.67	1017.56	154.07	279.91	395.94	560.08	765.05	921.91
&01025	CADMIU	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00915	CALCIU	5		69.00	4.90	23.72	3.44	98.40	5.72	10.30	23.72	54.59	115.54	180.90
&00445	CARBON	3		190.00<	0.10	6.99	47.59	8442.17	0.01	0.52	6.99	94.84	989.07	4019.39
&00940	CHLORI	5		68.00	10.00	20.96	2.09	48.97	8.97	12.75	20.96	34.46	53.89	70.41
&01030	CHROMI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00950	FLUORI	5		0.20	0.10	0.15	1.28	0.19	0.11	0.12	0.15	0.17	0.20	0.22
&01046	IRON	1	<	50.00<	50.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01049	LEAD	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00925	MAGNES	5		150.00	17.00	84.18	2.52	244.07	29.03	45.11	84.18	157.07	275.22	384.91
&71890	MERCUR	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71851	NITRAT	1		2.30	2.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&70507	PHOSPH	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00935	POTASS	1		2.70	2.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01145	SELENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00955	SIL DI	5		21.00	2.00	10.07	2.59	30.15	3.37	5.30	10.07	19.15	34.11	48.19
&00930	SODIUM	5		340.00	210.00	248.06	1.21	309.94	198.54	217.72	248.06	282.64	317.83	340.93
&00945	SULFAT	5		750.00	410.00	551.44	1.27	725.10	419.36	469.70	551.44	647.39	747.85	815.23
&00746	SULFID	1	<	0.20<	0.20<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01090	ZINC	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
#&00400	PH	5		8.40	7.20	7.90	0.50	8.48	7.32	7.56	7.90	8.24	8.54	8.72
&00095	CONDUC	4		1925.00	1200.00	1522.33	1.29	2172.95	1066.52	1280.42	1522.33	1809.94	2114.70	2320.94
&00540	DIS SO	1		1300.00	1300.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00410	ALKALI	4		470.00	340.00	416.88	1.15	508.81	341.56	378.37	416.88	459.30	501.13	527.94
&00720	CYANID	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01020	BORON	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00681	DOC	1		6.00	6.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00613	NITRIT	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71870	BROMID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00340	C.O.D.	1		20.00	20.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&32730	PHENOL	1		40.00	40.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01080	STRONT	1		2100.00	2100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-M2

REPORT TYPE :C AQUIFER :U SPEC SAMPLES DATE 07/11/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	5	52.70	45.50	49.82	3.08	53.37	46.27	47.74	49.82	51.90	53.77	54.88
#&00003 DEPTH	5	218.18	217.16	217.73	0.38	218.16	217.29	217.47	217.73	217.98	218.21	218.35

END OF COREHOLE GS-M2 SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -= ESTIMATE USING METHOD OF MOMENTS
# -- NO LOG TRANSFORM
& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-M3

REPORT TYPE :C AQUIFER :U WET SAMPLES DATE 07/11/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
&01106	ALUMIN	1		550.00	550.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71846	AMMONI	1	<	0.14<	0.14<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01000	ARSENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00440	BICARB	2		380.00	280.00	326.19	1.24	629.24	169.09	281.95	326.19	377.37	430.23	465.31
&01025	CADMIU	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00915	CALCIU	5		16.00	4.90	9.27	1.59	15.76	5.45	6.79	9.27	12.65	16.74	19.78
&00445	CARBON	3		160.00	91.00	120.44	1.33	202.26	71.72	99.55	120.44	145.71	172.94	191.59
&00940	CHLORI	5		45.00	17.00	23.08	1.49	36.64	14.54	17.61	23.08	30.26	38.60	44.65
&01030	CHROMI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00950	FLUORI	5		1.80	1.50	1.70	1.08	1.85	1.56	1.61	1.70	1.78	1.87	1.92
&01046	IRON	1		90.00	90.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01049	LEAD	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00925	MAGNES	5		65.00	56.00	59.30	1.07	63.98	54.95	56.71	59.30	62.00	64.54	66.10
&71890	MERCUR	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71851	NITRAT	1		0.47	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&70507	PHOSPH	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00935	POTASS	2		2.00	1.70	1.84	1.12	2.62	1.30	1.71	1.84	1.99	2.14	2.23
&01145	SELENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00955	SIL DI	5		20.00<	1.00	4.64	2.92	15.93	1.35	2.25	4.64	9.56	18.31	27.01
&00930	SODIUM	5		310.00	260.00	279.23	1.09	307.16	253.84	264.06	279.23	295.27	310.48	319.94
&00945	SULFAT	5		460.00	270.00	348.82	1.21	434.77	279.86	306.58	348.82	396.87	445.71	477.75
&00746	SULFID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01090	ZINC	1		500.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
#&00400	PH	4		8.90	7.80	8.25	0.48	8.92	7.58	7.93	8.25	8.57	8.86	9.04
&00095	CONDUC	2		1550.00	1440.00	1493.99	1.05	1750.15	1275.32	1442.45	1493.99	1547.37	1597.00	1627.44
&00540	DIS SO	1		910.00	910.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00410	ALKALI	4		450.00	360.00	388.35	1.11	449.42	335.57	361.72	388.35	416.94	444.44	461.74
&00720	CYANID	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01020	BORON	1		180.00	180.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00681	DOC	1		16.00	16.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00613	NITRIT	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71870	BROMID	1		0.15	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00340	C.O.D.	1		2.50	2.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&32730	PHENOL	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01080	STRONT	1		2500.00	2500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-M3
REPORT TYPE :C AQUIFER :U SPEC SAMPLES DATE 07/11/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	5	51.80	47.30	49.46	1.75	51.48	47.44	48.28	49.46	50.64	51.71	52.35
#&00003 DEPTH	4	12.56	12.10	12.36	0.19	12.63	12.10	12.23	12.36	12.49	12.61	12.68

END OF COREHOLE GS-M3 SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS
# -- NO LOG TRANSFORM
& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-M4

REPORT TYPE :C AQUIFER :U WET SAMPLES DATE 07/11/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
&01106	ALUMIN	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01000	ARSENI	1	<	50.00<	50.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00440	BICARB	3		700.00	620.00	662.50	1.06	741.69	591.77	635.58	662.50	690.57	716.82	732.99
&01025	CADMIU	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00915	CALCIU	5		120.00	41.00	79.33	1.55	131.25	47.94	59.06	79.33	106.55	138.92	162.80
&00445	CARBON	3		6.00<	0.10	0.39	10.63	30.11	0.01	0.08	0.39	1.93	8.11	19.12
&00940	CHLORI	5		32.00	17.00	24.47	1.27	32.13	18.64	20.86	24.47	28.70	33.13	36.10
&01030	CHROMI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00950	FLUORI	5		0.30	0.10	0.19	1.60	0.33	0.11	0.14	0.19	0.26	0.35	0.41
&01046	IRON	1	<	50.00<	50.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01049	LEAD	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00925	MAGNES	5		135.00	110.00	124.67	1.09	137.04	113.42	117.95	124.67	131.77	138.51	142.70
&71890	MERCUR	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71851	NITRAT	1		0.46	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&70507	PHOSPH	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00935	POTASS	1		3.00	3.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01145	SELENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00955	SIL DI	5		31.00<	0.10	9.13	12.48	167.10	0.50	1.66	9.13	50.13	231.97	579.85
&00930	SODIUM	5		250.00	240.00	245.95	1.02	252.37	239.70	242.27	245.95	249.69	253.10	255.16
&00945	SULFAT	5		730.00	550.00	648.24	1.11	730.92	574.90	604.21	648.24	695.48	740.89	769.46
&00746	SULFID	1	<	0.20<	0.20<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01090	ZINC	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
#&00400	PH	2		7.80	7.00	7.40	0.57	9.12	5.68	7.02	7.40	7.78	8.13	8.33
&00095	CONDUC	1		2300.00	2300.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00540	DIS SO	1		1600.00	1600.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00410	ALKALI	5		570.00	460.00	518.59	1.09	570.40	471.50	490.46	518.59	548.35	576.56	594.12
&00720	CYANID	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01020	BORON	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00681	DOC	1		16.00	16.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00613	NITRIT	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71870	BROMID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00340	C.O.D.	1		20.00	20.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&32730	PHENOL	1		10.00	10.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01080	STRONT	1		900.00	900.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-M4

REPORT TYPE :C AQUIFER :U SPEC SAMPLES DATE 07/11/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#‡00011 TEMPER	5	58.10	48.20	52.70	4.76	58.19	47.21	49.49	52.70	55.91	58.81	60.53
#‡00003 DEPTH	5	542.93	523.60	535.50	7.67	544.34	526.67	530.33	535.50	540.68	545.33	548.12

END OF COREHOLE GS-M4 SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

‡ -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-15U

REPORT TYPE :C AQUIFER :U WET SAMPLES DATE 07/11/79

PARAMETER	DESCRIPTION	NUMBER		MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
&01106	ALUMIN	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01000	ARSENI	1	<	50.00<	50.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00440	BICARB	3		620.00	410.00	506.11	1.23	740.14	346.09	440.15	506.11	581.97	659.84	711.30
&01025	CADMIU	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00915	CALCIU	5		133.00	34.00	68.79	1.64	121.44	38.97	49.31	68.79	95.97	129.48	154.88
&00445	CARBON	3		30.00<	0.10	4.48	26.93	1900.26	0.01	0.49	4.48	41.38	305.41	1009.34
&00940	CHLORI	5		31.00	17.00	21.46	1.28	28.42	16.20	18.20	21.46	25.30	29.34	32.06
&01030	CHROMI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00950	FLUORI	5		1.40	0.50	0.69	1.53	1.13	0.42	0.52	0.69	0.92	1.19	1.39
&01046	IRON	1	<	50.00<	50.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01049	LEAD	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00925	MAGNES	5		170.00	110.00	135.36	1.19	165.25	110.87	120.42	135.36	152.15	169.02	179.99
&71890	MERCUR	1	<	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71851	NITRAT	1		3.00	3.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&70507	PHOSPH	1		0.12	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00935	POTASS	1		4.50	4.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01145	SELENI	1	<	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00955	SIL DI	5		30.00	14.00	20.35	1.32	28.09	14.75	16.85	20.35	24.58	29.13	32.24
&00930	SODIUM	5		300.00	150.00	237.17	1.32	326.72	172.16	196.58	237.17	286.13	338.75	374.72
&00945	SULFAT	5		1000.00	600.00	768.31	1.20	951.10	620.66	678.00	768.31	870.66	974.28	1042.05
&00746	SULFID	1	<	0.20<	0.20<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01090	ZINC	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
#&00400	PH	3		8.10	7.80	7.97	0.15	8.25	7.69	7.86	7.97	8.07	8.16	8.22
&00095	CONDUC	3		2050.00	1800.00	1913.93	1.07	2157.98	1697.49	1831.37	1913.93	2000.22	2081.12	2131.07
&00540	DIS SO	1		1400.00	1400.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00410	ALKALI	5		500.00	360.00	415.20	1.14	481.56	357.98	380.65	415.20	452.89	489.69	513.11
&00720	CYANID	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01020	BORON	1	<	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00613	NITRIT	1	<	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&71870	BROMID	1	<	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&00340	C.O.D.	1		20.00	20.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&32730	PHENOL	1		20.00	20.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
&01080	STRONT	1		2700.00	2700.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-15U

REPORT TYPE :C AQUIFER :U SPEC SAMPLES DATE 07/11/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	4	52.70	50.00	51.35	1.16	52.96	49.74	50.57	51.35	52.13	52.84	53.26
#&00003 DEPTH	5	300.52	292.30	297.21	3.44	301.18	293.25	294.89	297.21	299.54	301.63	302.87

END OF COREHOLE GS-15U SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS
# -- NO LOG TRANSFORM
& -- BESTFIT IS ONLY AN ESTIMATE

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-15L

REPORT TYPE :C AQUIFER :L WET SAMPLES DATE 07/03/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
*&01106 ALUMIN	1 <	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01000 ARSENI	1 <	50.00<	50.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00440 BICARB	2	1700.00	1520.00	1607.48	1.08	2045.06	1263.54	1523.88	1607.48	1695.67	1779.10	1830.95
*&01025 CADMIU	1 <	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00915 CALCIU	4	9.80	3.20	4.75	1.68	9.78	2.30	3.34	4.75	6.75	9.25	11.18
*&00445 CARBON	2	55.00	54.00	54.50	1.01	56.69	52.39	54.02	54.50	54.98	55.41	55.67
*&00940 CHLORI	4	53.00	17.00	36.95	1.69	76.38	17.87	25.95	36.95	52.60	72.26	87.37
*&01030 CHROMI	1 <	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00950 FLUORI	4	47.00	5.40	18.38	2.48	64.89	5.21	9.96	18.38	33.95	58.93	81.95
*&01046 IRON	1 <	50.00<	50.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01049 LEAD	1 <	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00925 MAGNES	4	73.00	57.00	63.22	1.11	73.34	54.50	58.82	63.22	67.96	72.51	75.38
*&71890 MERCUR	1 <	1.00<	1.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71851 NITRAT	1	1.80	1.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&70507 PHOSPH	1	1.60	1.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00935 POTASS	1	6.50	6.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01145 SELENI	1 <	10.00<	10.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00955 SIL DI	4	20.00	3.00	6.08	2.48	21.40	1.73	3.30	6.08	11.21	19.44	27.02
*&00930 SODIUM	4	770.00	310.00	532.33	1.47	907.61	312.22	410.67	532.33	690.03	871.37	1001.85
*&00945 SULFAT	4	410.00	270.00	330.67	1.26	457.73	238.88	282.30	330.67	387.32	446.50	486.14
*&00746 SULFID	1 <	0.20<	0.20<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01090 ZINC	1 <	100.00<	100.00<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
#&00400 PH	1	********	********	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00095 CONDUC	4	3400.00	1625.00	2505.28	1.40	3979.14	1577.33	2000.51	2505.28	3137.41	3841.00	4335.04
*&00540 DIS SO	1	2100.00	2100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00410 ALKALI	4	1400.00	620.00	1001.93	1.45	1681.73	596.92	778.86	1001.93	1288.90	1616.52	1850.98
*&00720 CYANID	1 <	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01020 BORON	1	1600.00	1600.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00613 NITRIT	1 <	0.01<	0.01<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&71870 BROMID	1 <	0.10<	0.10<	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&00340 C.O.D.	1	20.00	20.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&32730 PHENOL	1	30.00	30.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
*&01080 STRONT	1	250.00	250.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1

COREHOLE WATER STATISTICAL ANALYSIS

COREHOLE : GS-15L

REPORT TYPE :C AQUIFER :L SPEC SAMPLES DATE 07/03/79

PARAMETER DESCRIPTION	NUMBER	MAXIMUN	MINIMUN	MEAN	STD. DEV.	95% C.L.(U-L)		25%	50%	75%	90%	95%
#&00011 TEMPER	3	54.50	50.00	52.10	2.26	56.26	47.94	50.57	52.10	53.63	55.00	55.83
#&00003 DEPTH	4	372.53	371.03	371.82	0.64	372.70	370.93	371.39	371.82	372.25	372.64	372.87

END OF COREHOLE GS-15L SAMPLES REPORTING PERIOD IS 120178. THRU 53179.

---

* -- ESTIMATE USING METHOD OF MOMENTS

\# -- NO LOG TRANSFORM

& -- BESTFIT IS ONLY AN ESTIMATE

APPENDIX 5-2.6

Statistics Equations

Student's t-test:

$$t = \frac{\bar{x}_1 - \bar{x}_2}{S_p \, (1/n_1) - (1/n_2)}$$

$$S_p^2 = \frac{(n_1 - 1)S_1^2 + (n_2 - 1)S_2^2}{n_1 + n_2 - 2}$$

F-test:

$$F = \frac{s_1^2}{s_2^2}$$

t'-test:

$$t' = \frac{\bar{x}_1 - \bar{x}_2}{\sqrt{(S_1^2/n_1) + (S_2^2/n_2)}}$$

$\bar{x}_1$ = Log of the baseline mean

$\bar{x}_2$ = Log of the MDP mean

s_1 = Log of the baseline standard deviation

s_2 = Log of the MDP standard deviation

n_1 = Number of items in control group

n_2 = Number of items in treatment group

APPENDIX 5-3
OPERATIONAL DATA

APPENDIX 5-3.1

Erosion and Sedimentation Data

and Representative Cross-Sections

Appendix 5-3.1 Erosion and Sedimentation MDP Pump Test Summary

	1978	1979				
Station Number	Dec.	Jan.	Feb.	Mar.	Apri.**	May**
1A	1*	I	1	1		
3	1	I	2	7		
4	1	I	2	7		
5	1	I	2	7		
6	1	I	2	7		
7	1	I	2	9		
8	1	I	1	9	6	7
9	1	I	2	9	5	7
10	1	I	2	9	6	7
11	1	I	2	9	7	7
12	1	I	1	1		
13	1	I	1	1		
14	1	I	1	1		
15	1	I	1	1		
16	1	I				

* Number of cross-sections measured during month

I Inaccessible due to deep snow pack.


EROSION SEDIMENTATION STATION : 1A
DECEMBER 1978 — MAY 1979, TRACT C-A
0.0
10.0
HEIGHT (FT)
10
20
30
40
50
60
70
80
WIDTH (FT)
1: 120878
2: 022279
3: 030679


EROSION SEDIMENTATION STATION : 3
DECEMBER 1978 — MAY 1979, TRACT C-A
0.0
10.0
HEIGHT (FT)
10
20
30
40
50
60
70
80
WIDTH (FT)
1: 120878
2: 022279
3: 030879
4: 032279

EROSION SEDIMENTATION STATION : 4
DECEMBER 1978 — MAY 1979, TRACT C-A




EROSION SEDIMENTATION STATION : 5
DECEMBER 1978 — MAY 1979, TRACT C-A
0.0
10.0
HEIGHT (FT)
10
20
30
40
50
60
70
80
WIDTH (FT)
1: 120878
2: 022279
3: 030879
4: 032279

EROSION SEDIMENTATION STATION : 6
DECEMBER 1978 — MAY 1979, TRACT C-A




EROSION SEDIMENTATION STATION : 7
DECEMBER 1978 — MAY 1979, TRACT C-A
0.0
10.0
HEIGHT (FT)
10
20
30
40
50
60
70
80
WIDTH (FT)
1: 120678
2: 022279
3: 040579
4: 053079

EROSION SEDIMENTATION STATION : 8
DECEMBER 1978 — MAY 1979, TRACT C-A




EROSION SEDIMENTATION STATION : 9
DECEMBER 1978 - MAY 1979, TRACT C-A
0.0
10.0
HEIGHT (FT)
10
20
30
40
50
60
70
80
WIDTH (FT)
1: 122278
2: 022279
3: 040579
4: 053079

EROSION SEDIMENTATION STATION : 10
DECEMBER 1978 — MAY 1979, TRACT C-A




EROSION SEDIMENTATION STATION : 11
DECEMBER 1978 — MAY 1979, TRACT C-A
0.0
10.0
HEIGHT (FT)
10
20
30
40
50
60
70
80
WIDTH (FT)
1: 122278
2: 022279
3: 041679
4: 053079

EROSION SEDIMENTATION STATION : 12
DECEMBER 1978 — MAY 1979, TRACT C-A



EROSION SEDIMENTATION STATION : 13
DECEMBER 1978 — MAY 1979, TRACT C-A



EROSION SEDIMENTATION STATION : 14
DECEMBER 1978 — MAY 1979, TRACT C-A



EROSION SEDIMENTATION STATION : 15
DECEMBER 1978 — MAY 1979, TRACT C-A



EROSION SEDIMENTATION STATION : 16
DECEMBER 1978 - MAY 1979, TRACT C-A



```
1A
1200
120878
NO
0.55
32.6
0.35,0.62,0.90,1.06,1.23,1.56,1.90,2.03,2.16,2.30
2.44,2.63,2.83,2.92,3.01,3.14,3.28,3.47,3.66,3.63
3.60,3.80,4.00,3.95,3.91,3.84,3.78,3.85,3.92,3.90
3.89,3.81,3.73,3.76,3.80,3.75,3.70,3.68,3.64,3.58
3.52,3.47,3.43,3.36,3.29,3.28,3.27,3.26,3.26,3.20
3.14,3.06,2.99,2.88,2.78,2.73,2.68,2.56,2.40,2.11
1.82,1.50,1.18,0.89,0.60,ES
1A
0930
022279
NO
0.30
32.6
0.52,0.73,0.77,1.23,1.73,1.86,2,01,2.51,2.68,2.65
2.65,2.79,2,95,2.90,3.02,3.15,2,85,3.27,3.33,3.28
3.30,3.25,3.35,3.47,3.30,3.47,3,50,3.45,3.58,3.52
3.50,3.58,3.60,3.65,3.75,3.70,3,65,3.68,3.60,3.65
3.70,3.35,3.40,3.20,3.15,3.53,3,60,3.52,3.25,3.15
3.05,2.95,2.60,2.45,2.30,2.25,2,28,2.15,2,00,1.50
1.43,1.30,1.18,0.90,0.50,ES
1A
1200
030879
NO
0.33
32.6
0.55,0.75,0.80,1.26,1.75,1.89,2,03,2.55,2.69,2.68
2.67,2.83,2.98,2.93,3.05,3.18,2,89,3.30,3.37,3.33
3.33,3.30,3.39,3.50,3.32,3.50,3,50,3.49,3.61,3.57
3.53,3.62,3.63,3.69,3.78,3.73,3,73,3.69,3.71,3.63
3.68,3.73,3.39,3.40,3.25,3.18,3,55,3.61,3.59,3.30
3.21,3.12,3.07,2.69,2.48,2.34,2,28,2.28,2.20,2.02
1.53,1.44,1.31,1.21,0.95,0.52,ES
```

EXPLANATION

1A	Station Number
1200	Time of Measurement
120878	Date of Measurement
No	Flow at Station
0.55	Right Stake
32.6	Wire Length
Data in Feet (Left to Right)	

```
3
1200
120878
YES
0.40
37.6
0.73,0.77,0.80,1.06,1.32,1.61,1,89,2.05,2.20,2.35
2.50,2.56,2.61,2.59,2.57,2.67,2,77,2.85,2.93,2.93
2.92,2.83,2.73,2.77,2.80,2.81,2,82,2.84,2.85,3.04
3.22,3.48,3.74,3.83,3.91,3.89,3,87,3.94,4.00,4.05
4.10,4.13,4.16,4.06,3.95,3.99,4,03,3.95,4.02,7.09
7.14,7.15,7.21,6.94,2.78,2.69,2,59,2.53,2.46,2.48
2.49,2.41,2.32,2.37,2.41,2.45,2,49,2.33,2.17,1.98
1.78,1.53,1.28,0.94,0.59,ES
3
1015
022279
YES
0.40
37.6
0.72,0.68,0.83,1.08,1.47,1.45,1,55,1.02,1.95,1.67
2.16,2.35,2.35,2.57,2.65,2.65,2,65,2.70,2.72,2.60
2.80,2.72,2.45,2.77,2.75,2.68,2,85,2.87,2.90,2.98
3.73,3.80,3.65,3.85,3.35,3.95,3,95,3.99,3.83,4.13
4.00,4.25,4.00,4.00,3.85,4.00,4,05,7.05,7.05,7.00
6.95,6.95,6.90,6.85,6.60,5.80,5,40,5.00,2.60,2.56
2.50,2.45,2.45,2.50,2.50,2.40,2,37,2.25,1.95,1.85
1.65,ES
3
1200
022679
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
4.14,4.35,3.80,3.80,3.90,4.03,4,10,6.97,7.08,6.92
7.10,7.11,7.03,6.88,6.84,6.10,5,50,4.75,2.69,2.57
2.48,ES
3
1200
030179
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,4.18,3.81,3.82,3.91,4.00,6.95,6.94,6.97
7.00,7.02,7.00,6.85,6.80,6.06,5.56,5.10,4.40,2.53
2.46,2.41,2.41,ES
3
1125
030579
YES
0.0
0.0
```

0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,4.29,3.80,3.75,3.92,6.80,6.95,7.04,6.95
7.06,6.74,6.89,7.00,6.79,6.03,5,61,5.14,4.86,2.58
2.48,2.45,2.47,ES
3
1050
030879
YES
0.72
37.6
0.74,0.90,1.13,1.51,1.49,1.55,1,57,1.99,1.69,2.20
2.38,2.38,2.60,2.70,2.70,2.70,2,73,2.77,2.64,2.82
2.70,2.49,2.75,2.75,2.70,2.88,2,90,2.93,3.00,3.75
3.80,3.69,3.90,3.40,4.00,4.03,4,00,3.83,4.17,4.05
4.27,4.22,4.00,3.90,5.42,6.80,7,00,6.93,7.02,6.90
7.07,7.06,7.00,7.00,6.82,6.68,5,78,5.19,4.25,2.58
2.50,2.50,2.50,2.50,2.49,2.43,2,39,2.32,2.00,1.90
1.68,1.47,1.32,1.10,0.70,0.40,E$
3
1200
031279
YES
0.72
37.6
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,3.97,3.97,3.95,5.92,6.87,6.98,6.95,7.06,7.10
7.05,6.99,6.90,6.83,6.80,6.15,5,62,5.13,3.80,2.55
2.48,2.43,ES
3
1325
031579
YES
0.72
37.6
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,4.16,4.15,4.15,5.68,6.24,6.86,6.93,7.01,7.04
6.96,6.89,7.02,6.75,6.91,6.96,5,84,4.08,3.63,2.77
2.51,2.50,ES
3
1421
031979
YES
0.72
37.6
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,3.94
4.00,4.08,4.30,4.75,6.15,6.76,6,81,6.95,6.92,6.92
6.90,6.96,6.96,6.85,6.90,6.10,5,55,5.15,2.86,2.64
2.50,2.47,2.47,2.52,ES

```
3
1030
032279
YES
0.72
37.6
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,4.20,4.63,6.15,6.90,6.95,7.12,6.95,7.03
7.00,6.98,6.95,6.80,6.75,6.15,5.55,4.80,4.60,2.70
2.48,2.54,ES
```

```
4
1200
120878
YES
1.70
27.75
0.62,0.72,0.81,1.09,1.36,1.53,1,70,1.84,1.97,2.04
2.11,2.38,2.53,2.82,2.98,2.91,2,90,3.05,3.05,3.01
3.00,2.86,2.79,2.77,2.71,2.77,2,71,2.70,2.69,2.79
2.79,2.67,2.67,2.69,2.70,2.68,2,67,2.62,2.61,2.57
2.62,2.64,2.62,2.70,2.71,2.61,2,59,2.55,2.54,2.56
2.56,2.52,2.52,2.39,2.09,1.69,E$
4
1030
022279
YES
1.10
22.70
0.68,0.70,0.92,1.15,1.50,1.65,1,74,1.92,2.05,2.32
2.60,2.72,2.80,2.75,2.75,2.70,2,70,2.65,2.65,2.60
2.85,2.55,2.50,2.50,2.50,2.50,2,50,2.45,2.52,2.60
2.60,2.55,2.50,2.50,2.45,2.55,2,60,2.60,2.60,2.45
2.45,2.45,2.42,2.42,2.55,2.60,2,65,2.65,2.75,2.65
2.58,2.48,2.55,2.50,2.70,1.30,E$
4
1220
022679
YES
1.15
27.8
0,0,0,0,0,0,1.78,2.00,2.12,2.31
2.62,2.70,2.75,2.60,2.62,2.60,2,55,2.45,2.45,2.50
2.48,2.44,2.44,2.45,2.45,2.43,2,45,2.48,2.53,2.50
2.58,2.56,2.55,2.52,2.45,2.50,2.55,2.55,2.53,2.40
2.38,2.37,2.40,2.43,2.59,2.60,2,62,2.80,2.90,3.06
3.10,2.98,2.62,2.70,2.49,1.37,E$
4
1200
030179
YES
0.0
0.0
0,0,0,0,0,0,1.82,1.96,2.15,2.44
2.65,2.57,2.44,2.40,2.38,2.40,2.41,2.40,2.45,2.50
2.56,2.56,2.56,2.45,2.40,2.40,2.45,2.45,2.50,2.45
2.45,2.50,2.41,2.42,2.52,2.55,2.57,2.60,2.58,2.55
2.55,2.55,2.60,2.59,2.50,2.50,2.53,2.55,2.58,2.50
2.43,2.60,2.62,2.54,2.45,2.40,E$
4
1217
030579
YES
0.0
0.0
0,0,0,0,0,0,0,0,2.13,2.55
2.69,2.67,2.40,2.40,2.58,2.39,2.43,2.60,2.65,2.65
2.65,2.65,2.67,2.54,2.40,2.47,2.44,2.45,2.49,2.50
2.50,2.50,2.45,2.50,2.60,2.57,2.57,2.59,2.60,2.72
2.67,2.77,2.76,2.74,2.61,2.60,2.55,2.68,2.60,2.58
2.54,2.73,2.65,2.57,2.51,1.54,E$
```

```
4
1032
030879
YES
.76
27.8
0.80,0.98,1.30,1.50,1.65,1.80,1,90,2.10,2.20,2.62
2.66,2.65,2.50,2.50,2.47,2.45,2,45,2.50,2.55,2.65
2.75,2.70,2.60,2.50,2.45,2.43,2,40,2.47,2.44,2.46
2.46,2.40,2.45,2.46,2.50,2.53,2,50,2.50,2.55,2.57
2.55,2.55,2.48,2.51,2.50,2.48,2,40,2.45,2.45,2.46
2.43,2.45,2.43,2.47,2.10,1.55,E$
4
1200
031279
YES
0.76
27.8
0,0,0,0,0,1.80,1.90,2.05,2.22,2,65
2.78,2.97,3.07,3.11,3.12,3.12,3,10,3.05,2.90,2.87
2.86,2.85,2.81,2.78,2.80,2.78,2,78,2.75,2.70,2.65
2.62,2.60,2.65,2.60,2.60,2.55,2,50,2.50,2.41,2.47
2.46,2.38,2.35,2.38,2.40,2.40,2,50,2.65,2.75,2.65
2.50,2.35,2.42,2.38,1.30,1.40,E$
4
1310
031579
YES
0.76
27.8
0,0,0,0,0,1.76,1.89,2.06,2.20,2,78
2.78,2.78,2.87,2.84,2.81,2.70,2,61,2.67,2.65,2.64
2.70,2.66,2.64,2.63,2.46,2.52,2,50,2.39,2.52,2.52
2.50,2.45,2.42,2.52,2.52,2.59,2,57,2.62,2.62,2.62
2.55,2.49,2.46,2.43,2.40,2.37,2,36,2.26,2.37,2.46
2.36,2.39,2.38,2.40,2.45,1.48,E$
4
1432
031979
YES
0.76
27.8
0,0,0,0,0,1.70,1.85,2.02,2.17,2.55
2.66,2.70,2.74,2.65,2.67,2.62,2.60,2.56,2.57,2.50
2.50,2.50,2.47,2.45,2.42,2.40,2.40,2.38,2.39,2.40
2.37,2.33,2.30,2.34,2.30,2.33,2.31,2.40,2.47,2.55
2.57,2.54,2.48,2.33,2.27,2.29,2.26,2.28,2.35,2.44
2.31,2.40,2.30,2.45,1.80,1.40,E$
4
1035
032279
YES
0.76
27.8
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,2.32,2.42,2.45,2.50,2.55,2.60,2.64
2.60,2.52,2.50,2.43,2.30,2.26,E$
```

```
5
1200
120878
YES
0.90
54.9
0.52,0.68,0.84,1.03,1.21,1.41,1.60,1.76,1.92,1.95
1.97,1.92,1.87,1.91,1.94,1.96,1.97,1.89,1.80,1.75
1.70,1.65,1.59,1.61,1.62,1.63,1.63,1.59,1.54,1.56
1.57,1.61,1.65,1.70,1.74,1.78,1.82,1.80,1.78,1.75
1.71,1.84,1.97,1.99,2.00,1.94,1.88,1.85,1.81,1.80
1.91,2.05,2.33,2.82,5.21,5.14,5.08,4.89,4.82,4.77
4.63,3.93,3.68,3.47,2.81,1.71,1.66,1.63,1.60,1.56
1.52,1.52,1.52,1.48,1.44,1.41,1.37,1.40,1.42,1.47
1.52,1.52,1.51,1.60,1.68,1.74,1.79,1.65,1.51,1.60
1.68,1.64,1.59,1.44,1.29,1.49,1.69,1.64,1.59,1.51
1.42,1.43,1.43,1.32,1.21,1.23,1.24,1.10,0.96,ES
5
1045
022279
YES
1.00
54.9
0.72,0.80,1.07,1.35,1.40,1.53,1.80,1.90,1.90,1.85
1.85,1.85,1.85,1.85,1.90,1.80,1.65,1.55,1.50,1.45
1.50,1.50,1.70,1.65,1.70,1.80,1.70,1.70,1.70,1.65
1.65,1.80,1.80,1.85,1.90,1.90,2.00,1.90,1.80,1.80
1.75,2.00,2.00,2.00,1.95,1.90,1.95,1.90,1.95,2.00
2.20,3.95,4.40,4.95,5.10,5.08,5.10,5.00,4.90,4.68
4.70,4.00,3.80,3.55,2.85,1.75,1.70,1.70,1.65,1.65
1.50,1.60,1.50,1.50,1.45,1.45,1.60,1.65,1.50,1.68
1.70,1.65,1.55,1.70,1.85,1.90,1.93,1.73,1.40,1.80
1.60,1.85,1.68,1.60,1.55,1.65,1.65,1.55,1.80,1.75
1.65,1.55,1.50,1.40,1.20,1.10,1.30,0.80,1.00,1.05
1.05,ES
5
1200
022679
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,1.91,1.89,1.93,2.04
2.36,3.73,4.34,4.97,5.02,5.15,5.13,5.06,4.95,4.75
4.50,4.30,3.94,3.62,2.95,2.35,2.00,ES
5
1200
030179
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,1.94,1.94,1.94,2.00
2.66,3.60,4.35,4.92,5.00,5.02,4.97,5.02,4.90,4.79
```

```
4.60,4.44,3.95,3.50,2.82,2.05,1.70,ES
5
1234
030579
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,1.85,1.83,1.83,1.85
2.40,3.64,4.25,4.38,4.96,5.00,4.94,4.94,4.78,4.64
4.45,4.15,4.71,3.20,2.69,2.17,1.70,1.54,1.07,ES
5
1015
030879
YES
1.00
54.9
0.73,0.81,1.09,1.40,1.43,1.55,1.82,1.91,1.91,1.89
1.89,1.89,1.89,1.89,1.92,1.85,1.67,1.58,1.52,1.48
1.53,1.53,1.70,1.69,1.72,1.83,1.74,1.75,1.74,1.68
1.82,1.81,1.84,1.85,1.91,1.91,2.02,1.93,1.81,1.81
1.77,2.01,2.01,2.02,1.94,2.56,3.05,3.80,4.30,4.60
4.75,4.90,5.05,5.05,5.05,5.07,5.10,4.56,4.12,3.50
2.65,2.05,1.96,1.90,1.84,1.70,1.70,1.70,1.70,1.69
1.52,1.63,1.50,1.50,1.50,1.50,1.67,1.72,1.57,1.69
1.73,1.67,1.56,1.72,1.87,1.93,1.98,1.75,1.49,1.78
1.68,1.84,1.72,1.64,1.58,1.69,1.70,1.58,1.79,1.78
1.65,1.55,1.49,1.41,1.23,1.12,1.30,0.83,1.02,1.07
ES
5
1200
031279
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,2.00,2.30,3.03,3.78,3.95,4.61
4.72,4.90,5.03,5.00,5.05,5.10,5.13,4.70,4.35,3.80
3.00,2.21,2.00,ES
5
1300
031579
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,3.97,4.53
4.76,5.00,5.00,5.04,5.03,5.06,5.00,4.91,4.48,4.06
3.97,ES
5
1445
```

```
031979
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,1.70,1.74,1.85,2.18,2.80,3.40,3.98,4.37
4.55,4.72,4.80,4.80,4.85,4.86,4.84,4.53,4.10,3.63
2.92,2.05,1.82,1.80,ES
5
1055
032279
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,2.00,2.15,3.15,3.83,4.27,4.51
4.75,4.90,5.03,5.03,5.08,5.01,4.95,4.67,4.23,3.70
2.92,2.21,1.95,ES
```

```
6
1200
120878
YES
1.10
70.5
1.20,1.33,1.46,1.59,1.72,1.78,1.83,1.81,1.79,1.85
1.90,1.89,1.87,1.84,1.81,1.80,1.78,1.78,1.77,1.75
1.72,1.73,1.73,1.70,1.67,1.67,1.67,1.66,1.64,1.63
1.62,1.63,1.63,1.61,1.58,1.56,1.54,1.66,1.77,1.80
1.83,1.80,1.77,1.80,1.83,1.83,1.83,1.84,1.85,1.81
1.76,1.80,1.83,1.89,1.94,1.87,1.80,1.88,1.95,2.03
2.10,2.17,2.24,2.20,2.16,2.21,2.25,2.27,2.28,2.22
2.15,2.16,2.17,2.25,2.33,2.32,2.30,2.31,2.31,2.37
2.42,2.54,2.65,2.70,2.75,2.70,2.79,3.10,2.85,2.88
3.12,3.35,3.40,3.36,3.33,3.33,3.35,3.35,3.36,3.39
3.44,3.51,3.93,4.21,4.40,5.34,5.35,5.36,5.42,5.50
5.30,5.32,5.08,5.16,4.66,4.62,4.58,4.42,4.31,4.17
4.09,3.75,3.08,2.51,2.17,2.13,2.09,2.02,1.95,1.93
1.90,2.00,2.10,2.03,1.96,1.86,1.76,1.69,1.62,1.42
1.22,ES
6
1115
022279
YES
1.11
70.5
1.35,1.35,1.50,1.45,1.40,1.40,1.30,1.50,1.50,1.63
1.60,1.60,1.65,1.65,1.55,0.90,0.90,0.90,0.95,1.55
1.55,1.60,1.60,1.30,1.50,1.40,1.50,1.40,1.50,1.40
1.45,1.50,1.30,1.40,1.40,1.35,1.00,1.50,1.20,1.60
1.60,1.50,1.65,1.60,1.60,1.65,1.60,1.60,1.60,1.60
1.50,1.50,1.60,1.60,1.50,1.50,1.60,1.70,1.85,1.90
1.90,1.95,2.05,2.05,1.90,2.05,1,90,2.00,2.00,1.95
2.00,1.95,2.10,2.10,2.15,2.20,2.10,2.20,2.15,2.25
2.10,2.40,2.40,2.55,2.55,2.60,2.30,2.30,2.80,2.80
3.30,3.05,3.10,3.10,2.90,2.95,2.95,2.90,3.00,3.55
3.50,3.70,3.80,4.15,4.90,5.20,5,23,5.25,5.30,5.30
5.45,5.40,5.35,5.20,5.10,4.80,4,65,4.20,3.90,3.70
3.90,3.70,3.00,2.50,2.25,2.20,1.75,1.75,2.00,1.85
1.90,1.90,2.00,2.05,1.90,1.90,1,95,1.65,1.70,1.60
1.25,ES
6
1200
022679
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,3.22,3.45
3.45,3.54,4.00,4.64,4.98,5.28,5,32,5.28,5.38,5.20
5.45,5.49,5.25,5.26,5.03,4.70,4,33,4.05,4.00,ES
```

```
6
1200
030179
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
3.35,3.56,3.72,4.46,5.05,5.15,5.21,5.25,5.28,5.35
5.35,5.30,5.20,5.19,4.97,4.60,4.45,3.97,3.65,ES
6
1254
030579
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
3.05,3.15,3.64,4.14,4.68,4.86,4.92,4.99,5.07,5.14
5.17,5.05,4.97,4.97,4.84,4.31,4.28,3.90,3.30,3.14
2.86,2.58,2.59,2.12,ES
6
1000
030879
YES
1.35
70.5
1.35,1.50,1.46,1.39,1.39,1.32,1,51,1.52,1.60,1.60
1.60,1.66,1.67,1.56,0.92,0.92,0,97,1.58,1.55,1.62
1.33,1.54,1.41,1.50,1.43,1.51,1,42,1.45,1.50,1.33
1.41,1.41,1.36,1.02,1.50,1.24,1,62,1.62,1.54,1.69
1.62,1.62,1.67,1.60,1.60,1.60,1,60,1.52,1.52,1.61
1.61,1.59,1.59,1.60,1.72,1.87,1,92,1.92,1.95,2.05
2.05,1.93,2.05,1.95,2.02,2.03,1,97,2.01,1.99,2.10
2.10,2.17,2.21,2.12,2.24,2.15,2,25,2.09,2.43,2.43
2.56,2.55,2.60,2.30,2.32,2.80,2,82,3.29,2.07,3.11
3.11,2.95,2.95,2.95,2.95,3.01,3,57,3.80,4.70,4.72
4.87,4.10,4.58,5.02,5.32,5.32,5,40,5.55,5.52,5.62
5.48,5.45,5.40,5.10,5.00,4.73,4,46,3.85,3.60,3.93
3.71,3.07,3.52,2.27,2.21,1.80,1,80,2.01,1.89,1.94
1.94,2.05,2.07,1.92,1.90,1.97,1,67,1.72,1.62,1.27
1.11,ES
6
1200
```

```
031279
YES
1.35
70.5
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,3.56,3.75
3.78,4.10,4.57,5.06,5.32,5.33,5.37,5.48,5.44,5.50
5.40,5.37,5.36,5.12,4.80,4.51,4.36,3.78,3.73,ES
6
1250
031579
YES
1.35
70.5
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,3.81,4.17,4.52,5.08,5.25,5.31,5.34,5.41,5.43
5.49,5.41,5.34,5.29,5.07,4.90,4.59,4.39,ES
6
1458
031979
YES
1.35
70.5
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,3.00,3.14
3.30,3.55,4.05,4.53,4.72,4.82,4.85,4.91,4.95,5.00
4.80,4.84,4.82,4.57,4.35,4.25,4.10,ES
6
1105
032279
YES
1.35
70.5
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
```

```
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,3.97,4.37,4.55,5.00,5.28,5.26,5.30,5.37,5.45
5.45,5.42,5.40,5.33,5.12,4.83,4,69,4.60,ES
```

```
7
1200
120878
YES
0.65
28.2
0.52,0.60,0.67,0.73,0.78,0.92,1.06,1.25,1.44,1.88
2.27,2.76,3.32,4.08,5.43,5.44,5.42,5.30,5.25,4.91
4.63,4.38,3.91,3.83,3.51,3.32,3.13,2.88,2.63,2.51
2.39,2.34,2.28,2.28,2.27,2.26,2.25,2.23,2.20,2.22
2.23,2.22,2.20,2.12,2.04,1.98,1.93,1.77,1.61,1.45
1.28,1.16,1.04,0.90,0.76,0.71,0.65,ES
7
1150
022279
YES
0.50
28.2
0.30,0.30,0.38,0.80,0.92,1.08,1.15,1.40,1.60,2.03
2.55,4.55,5.05,5.35,5.30,5.32,5.30,5.30,5.45,5.30
5.00,4.25,3.50,3.55,3.35,3.25,2.95,2.85,2.65,2.55
2.32,2.32,1.90,2.10,2.20,1.90,2.15,2.20,2.30,2.30
2.00,2.20,2.10,2.10,2.00,2.10,1.90,1.80,1.75,1.65
1.40,1.35,1.20,1.00,0.80,0.70,0.50,ES
7
1200
022679
YES
0.0
0.0
0,0,0,0,0,0,0,0,1.50,2.13
2.47,2.72,5.05,5.33,5.35,5.43,5.50,5.54,5.57,5.35
5.11,4.72,3.92,3.58,3.38,ES
7
1200
030179
YES
0.0
0.0
0,0,0,0,0,0,0,0,1.50,2.00
2.45,2.80,5.10,5.50,5.50,5.50,5.75,5.80,5.80,5.45
5.13,4.88,4.13,ES
7
1346
030579
YES
0.0
0.0
0,0,0,0,0,0,1.23,1.40,1.50,1.80
2.41,4.83,5.38,5.70,5.90,5.88,5.85,6.15,5.93,5.30
5.13,4.87,3.95,3.64,3.29,ES
7
0940
030879
0.31
28.2
0.30,0.34,0.42,0.83,0.96,1.12,1.24,1.42,1.62,2.08
3.79,5.00,5.40,5.90,5.87,5.82,5.84,5.80,5.88,5.20
5.00,4.45,4.10,3.55,3.36,3.25,3.00,2.89,2.64,2.60
2.35,2.35,1.93,2.08,2.19,1.94,2.17,2.22,2.32,2.31
```

```
2.01,2.23,2.10,2.10,2.01,2.10,1,91,1.82,1.77,1.67
1.41,1.35,1.20,1.01,0.83,0.71,0,50,ES
7
0940
031279
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.60,2.28
4.21,4.75,5.83,5.88,5.88,5.96,6,07,5.97,5.50,5.27
5.06,4.49,4.16,3.89,3.50,ES
7
1240
031579
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.64,2.09
4.04,4.88,5.41,6.16,6.15,6.10,5,96,6.05,6.03,5.51
5.00,4.85,4.30,ES
7
1333
031979
YES
0.31
28.2
0,0,0,0,0,0,1.28,1.45,1.63,2.25
4.15,4.65,5.70,6.00,6.07,6.05,6,05,6.07,6.05,5.60
5.05,4.65,4.05,3.71,3.40,ES
7
1007
032279
YES
0.31
28.2
0,0,0,0,0,0,0,0,0,0
4.20,4.80,5.56,6.13,6.05,6.12,6,15,6.17,6.06,5.02
5.03,4.80,4.45,ES
7
0922
032679
YES
0.31
28.2
0,0,0,0,0,0,0,0,0,0
3.85,4.61,5.21,6.26,6.10,6.11,6,15,6.20,6.08,5.30
5.07,4.73,4.58,4.05,3.55,ES
7
1019
032979
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.75,2.30
4.45,5.00,5.86,6.30,6.46,6.30,6,21,6.15,6.06,5.15
4.91,4.65,4.20,ES
7
1450
040379
YES
```

```
0.31
28.2
0,0,0,0,0,0,1.32,1.50,1.54,2.15
4.14,4.80,5.66,6.25,6.20,6.18,6.19,6.10,6.05,5.12
4.98,4.72,4.43,3.98,3.65,ES
7
1004
040579
YES
0.31
28.2
0,0,0,0,0,0,1.25,1.45,1.70,2.15
4.20,4.80,5.62,6.28,6.22,6.13,6.12,6.10,6.01,5.10
4.83,4.60,4.30,4.00,3.13,3.30,2.99,2.78,2.60,ES
7
1003
040979
YES
0.31
28.2
0,0,0,0,0,0,1.26,1.45,1.62,2.15
4.81,5.81,6.21,6.20,6.18,6.22,6.07,6.06,6.09,5.13
4.88,4.70,4.38,3.99,3.56,3.36,3.00,2.85,2.61,ES
7
1010
041279
YES
0.31
28.2
0,0,0,0,0,0,1.17,1.36,1.54,2.05
4.10,4.60,5.59,6.18,6.15,6.14,6.12,6.05,5.98,5.10
4.83,4.66,4.38,3.96,3.55,3.32,3.02,2.80,2.63,ES
7
0955
041979
YES
0.31
28.2
0,0,0,0,0,0,0,0,0,0
4.10,5.00,5.71,6.15,6.20,6.20,6.14,6.08,6.10,5.56
5.00,4.80,4.55,4.22,3.74,ES
7
1000
042379
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.62,2.10
4.40,5.30,5.85,6.20,6.21,6.23,6.18,6.10,6.06,5.60
5.08,4.75,4.47,4.22,3.70,ES
7
0910
050379
YES
0.31
28.2
0,0,0,0,0,0,0,0,0,0
4.04,4.54,5.61,6.23,6.30,6.28,6.32,6.17,6.15,5.40
4.98,ES
7
```

```
1200
050779
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.75,2.19
4.30,5.00,5.62,6.20,6.18,6.15,6,28,6.14,6.10,5.50
5.00,4.65,4.45,4.11,3.70,3.38,3,07,ES
7
1000
051079
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.70,2.23
4.13,4.70,5.75,6.20,6.21,6.30,6,46,6.34,6.18,5.56
5.08,4.78,4.64,4.26,3.81,3.40,3,17,ES
7
1614
051579
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.60,2.02
4.02,5.12,5.57,6.31,6.26,6.29,6,29,6.29,6.24,4.48
4.94,4.68,4.46,ES
7
1200
051779
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.61,2.07
4.20,5.05,5.60,6.29,6.27,6.28,6,24,6.26,6.23,5.50
4.97,4.73,4.54,4.30,3.71,ES
7
1200
052579
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.64,2.07
4.29,5.05,5.61,6.27,6.28,6.28,6,26,6.28,6.30,5.48
4.97,ES
7
1200
053079
YES
0.31
28.2
0,0,0,0,0,0,0,0,1.68,2.05
4.30,5.01,5.65,6.32,6.30,6.28,6,27,6.26,6.39,5.52
4.95,4.73,4.50,4.35,3.70,ES
```

```
8
1200
120878
YES
0.70
69.2
0.34,0.52,0.70,0.73,0.75,0.83,0.91,1.05,1.19,1.27
1.34,1.52,1.69,1.74,1.78,1.78,1.77,1.71,1.64,1.64
1.63,1.55,1.46,1.47,1.48,1.44,1.39,1.43,1.46,1.58
1.69,1.73,1.77,1.81,1.84,1.81,1.78,1.71,1.63,1.64
1.65,1.72,1.78,1.82,1.86,1.90,1.94,1.89,1.84,1.99
2.14,2.25,2.36,2.35,2.34,4.04,4.08,4.04,4.02,4.11
4.13,4.26,3.08,2.30,2.16,1.67,1.55,1.48,1.41,1.36
1.31,1.28,1.24,1.22,1.19,1.17,1.14,1.13,1.11,1.10
1.09,1.06,1.02,1.05,1.07,1.11,1.15,1.12,1.09,1.05
1.01,0.93,0.84,0.82,0.80,0.79,0.78,0.76,0.73,0.71
0.69,0.68,0.66,0.71,0.75,0.71,0,67,0.59,0.51,0.55
0.58,0.67,0.76,0.70,0.63,0.77,0,90,0.94,0.97,1.01
1.05,1.04,1.03,1.07,1.11,1.14,1,16,1.24,1.31,1.30
1.29,1.27,1.25,1.16,1.06,1,00,0,94,0.82,0.70,ES
8
1210
022279
YES
0.75
69.0
0.49,0.60,0.75,0.74,0.78,0.85,0,98,1.20,1.20,1.10
1.15,1.50,1.65,1.40,1.70,1.70,1,70,1.70,1.70,1.60
1.65,1.70,1.40,1.50,1.20,1.40,1,60,1.55,1.65,1.70
1.80,1.90,1.95,2.00,2.00,1.95,1,90,1.85,1.80,1.90
1.85,1.90,1.85,2.00,2.00,2.00,2,00,1.95,1.95,2.10
2.35,2.40,2.50,2.45,3.80,3.90,4,00,3.95,4.00,4.10
4.25,4.25,3.55,2.30,1.95,1.60,1,45,1.30,1.30,1.50
1.50,1.30,1.35,1.25,1.30,1.40,1,25,1.20,1.30,1.10
1.20,1.20,1.20,1.10,1.20,1.25,1,10,1.30,1.30,1.20
1.10,1.00,1.10,0.90,0.90,0.70,0,80,0.70,0.70,0.70
0.70,0.60,0.80,0.90,0.80,1.00,0,80,0.70,0.60,0.90
0.70,0.60,0.80,0.55,0.65,0.65,0,50,1.05,1.15,1.10
1.20,1.15,1.10,1.10,1.20,1.40,1,15,1.10,1.20,0.80
1.20,1.35,1.40,1.20,1.20,1.10,1,10,0.95,ES
8
1200
030179
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
2.30,2.40,2.55,2.60,3.90,3.95,3.95,3.98,3.95,3.95
3.87,3.90,3.69,2.47,2.04,1.60,1.50,ES
8
1423
030579
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
```

0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
2.07,2.21,2.39,3.59,3.79,3.82,3.82,3.82,3.79,3.70
3.70,3.79,3.69,2.21,1.91,1.43,1.29,ES
8
0920
030879
YES
0.49
69.0
0,0,0,0.60,0.76,0.72,0.75,0.87,1.00,1.18
1.18,1.15,1.16,1.50,1.65,1.38,1.74,1.74,1.74,1.74
1.74,1.61,1.67,1.72,1.44,1.49,1.23,1.42,1.61,1.55
1.67,1.70,1.80,1.91,1.93,2.01,1.99,1.97,1.91,1.88
1.90,1.90,1.87,1.93,1.96,2.04,2.04,2.03,2.04,1.93
1.92,1.86,1.80,1.95,2.10,3.20,3.43,3.70,3.75,3.73
3.70,3.65,3.60,3.70,3.80,2.10,1.95,1.50,1.25,1.33
1.52,1.52,1.31,1.34,1.25,1.31,1.43,1.28,1.22,1.29
1.10,1.20,1.20,1.20,1.15,1.22,1.27,1.14,1.30,1.29
1.23,1.11,1.01,1.13,0.95,0.94,0.72,0.81,0.70,0.70
0.70,0.70,0.65,0.81,0.92,0.89,0.84,1.03,0.81,0.69
0.62,0.91,0.70,0.61,0.83,0.58,0.68,0.68,0.50,1.07
1.16,1.11,1.21,1.17,1.14,1.14,1.23,1.41,1.67,1.11
1.23,0.84,1.21,1.36,1.40,1.22,1.21,1.12,1.12,0.95
0.75,ES
8
1200
031279
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2025,2.36,2.50,3.56,3.95,3.99,4.02,3.98
3.95,3.95,3.90,3.91,4.00,2.43,2.12,1.78,1.55,ES
8
1220
031579
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.05,2.20,2.32,3.09,3.76,3.83,3.80,3.78
3.73,3.64,3.65,3.73,3.64,2.18,1.95,ES
8
1205
031979
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0

```
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.19,2.30,2.47,3.21,3.85,3.92,3.90,3.91
3.90,3.80,3.75,3.68,3.64,2.29,2.22,1.82,1.70,ES
8
0958
032279
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,2.40,2.50,3.52,3.93,4.02,4.02
3.93,3.91,3.92,3.95,3.85,3.70,2.45,2.25,1.88,ES
8
0910
032679
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.25,2.39,2.55,4.01,4.12,4.02,3.98,3.90
3.98,3.93,3.90,3.83,3.60,2.47,2.28,1.90,1.78,ES
8
1004
032979
YES
0.49
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.30,2.40,2.55,3.90,3.97,3.95,3.90,3.94
3.96,3.92,3.93,3.80,3.60,2.50,2.40,1.92,1.78,ES
8
1127
040379
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.07,2.24,2.49,3.78,3.82,3.86,3.99,4.03
4.03,3.96,4.00,3.91,2.33,2.15,1.72,1.58,ES
8
0950
040579
```

```
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.15,2.30,2.80,3.33,3.96,3.98,3.99
3.97,3.90,3.95,4.00,3.95,2.40,2.21,1.78,1.67,ES
8
0955
040979
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.10,2.21,2.92,3.87,3.94,3.94,3.92,3.93
3.92,3.91,3.90,3.92,3.80,2.30,2.20,1.77,1.65,ES
8
0955
041279
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,1.96,2.04,2.42,3.21,3.85,3.93,3.86,3.90
3.92,3.89,3.85,3.80,3.73,2.31,2.12,1.75,1.60,ES
8
0940
041979
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.31,2.46,3.27,4.09,4.15,4.20,4.34,4.35
4.27,4.16,4.13,4.02,4.06,2.57,2.42,1.86,1.80,ES
8
0946
042379
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
```

```
0,0,2.26,2.40,2.58,3.31,4.10,4.13,4.30,4.38
4.34,4.30,4.21,4.02,4.00,2.58,2.40,1.90,1.80,ES
8
1200
050379
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.22,2.37,3.31,4.06,4.09,4.27,4.17
4.16,4.21,4.22,4.19,3.74,2.50,2.39,ES
8
1200
050779
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.15,2.20,2.92,3.78,4.02,4.00,4.14,4.14
4.21,4.11,4.05,4.10,4.10,2.41,2,26,2.01,1.73,ES
8
1200
051079
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.18,2.35,3.05,3.32,4.03,4.09,4.14,4.22
4.21,4.20,4.20,4.15,4.10,2.45,2,33,1.89,1.70,ES
8
1548
051579
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.22,2.35,2.98,3.31,4.11,4.18,4.25,4.36
4.36,4.31,4.30,4.18,3.80,2.48,2.36,ES
8
0917
051779
YES
0.49
69.0
```

```
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.24,2.39,3.03,3.94,4.28,4.36,4.37,4.33
4.40,4.28,4.37,4.35,3.87,2.54,2.42,ES
8
1200
052579
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.24,2.42,3.04,3.90,4.32,4.40,4.37,4.34
4.39,4.39,4.45,4.34,2.90,2.56,2.40,ES
8
1200
053079
YES
0.49
69.0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,0,0,0,0,0,0,0,0
0,0,2.43,2.47,3.08,3.87,4.38,4.39,4.39,4.40
4.45,4.43,4.50,4.39,2.93,2.57,2.41,ES
```

```
9
1200
122278
YES
0.58
21.6
0.60,0.85,1.09,1.82,2.55,3.10,3.64,3.76,3.88,4.02
4.15,4.30,4.44,4.58,4.71,5.06,5.18,5.36,5.40,5.42
5.35,5.04,4.96,4.83,4.91,4.82,4.73,4.69,4.65,4.58
4.51,4.44,4.37,4.19,4.01,3.81,3.61,3.45,3.28,3.09
2.89,1.78,0.66,ES
9
1350
022279
YES
0.65
2.67
0.69,0.85,1.15,1.25,3.07,3.40,3.60,3.25,3.87,4.00
4.10,4.10,4.20,4.50,4.60,5.20,5.45,5.60,5.60,5.60
5.55,5.55,4.85,4.75,4.65,4.45,4.15,4.18,4.20,4.12
4.35,4.35,4.15,3.75,3.95,3.75,3.35,3.20,2.95,3.00
2.90,1.00,0.75,ES
9
1055
022679
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
4.02,4.02,4.17,4.35,4.54,5.30,5,46,5.60,5.62,6.65
5.55,5.55,4.77,4.65,4.60,4.40,4,50,4.10,4.22,ES
9
1200
030179
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,4.20,4.38,4.52,5.20,5.56,5.60,5.52,5.60
5.65,5.65,5.60,4.95,4.66,4.56,4,40,ES
9
1446
030579
YES
0.0
0.0
0,0,1.19,1.37,2.95,3.40,3.65,3.77,3.89,4.04
4.19,4.21,4.24,4.51,4.66,5.24,5,37,5.44,5.51,5.52
5.40,5.40,4.79,4.72,4.70,4.62,4,52,4.40,4.32,4.28
ES
9
0859
030879
YES
0.75
21.66
0,0.75,1.01,2.92,3.00,2.99,3.19,3.40,3.80,4.20
4.30,4.37,4.48,4.73,5.20,5.48,5,47,5.52,5.60,5.55
5.52,5.45,5.42,5.37,5.27,4.92,4,80,4.78,4.63,4.69
4.37,4.18,4.10,4.10,4.01,3.86,3,78,3.62,3.41,3.10
```

```
1.29,1.20,0.86,0.69,ES
9
1200
031279
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.48,4.60,4.75,5.17,5.28,5.48,5.46,5.54,5.55
5.58,5.42,5.40,5.06,4.97,4.84,4.69,4.64,4.51,4.62
4.49,4.35,ES
9
1200
031579
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.52,4.71,4.84,5.19,5.41,5.45,5.53,5.59,5.60
5.77,5.86,5.56,5.48,5.40,5.30,5.04,5.00,4.71,4.73
4.64,4.50,4.41,4.24,ES
9
1146
031979
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.43,4.56,4.67,4.82,5.18,5.44,5.45,5.50,5.50
5.60,5.48,5.20,5.04,5.02,5.00,4,80,4.82,4.65,4.66
ES
9
0935
032279
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.45,4.55,4.72,5.14,5.40,5.50,5.54,5.50,5.50
5.45,5.23,5.10,5.00,4.90,4.84,4,76,4.72,ES
9
0855
032679
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.50,4.61,4.81,5.20,5.44,5.42,5.48,5.39,5.40
5.30,5.02,5.03,4.91,4.95,4.85,4,80,4.70,4.64,4.66
ES
9
0950
032979
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.53,4.70,4.80,5.10,5.43,5.51,5.50,5.55,5.60
5.50,5.08,5.00,4.96,4.96,4.85,4,82,4.70,4.60,4.67
4.59,4.44,ES
```

```
9
1108
040379
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.55,4.64,4.82,5.12,5.03,5.45,5.47,5.51,5.38
5.27,5.15,5.22,5.00,5.25,4.75,4,63,4.60,4.60,ES
9
0940
040579
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.45,4.65,4.85,5.14,5.27,5.33,5.50,5.45,5.53
5.50,5.30,5.13,5.10,5.01,4.95,4,80,4.67,4.65,4.63
ES
9
0940
040979
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.40,4.59,4.75,5.12,4.41,5.30,5.49,5.40,5.45
5.37,5.30,5.18,5.10,4.93,4.85,4,82,4.70,4.66,4.62
4.59,4.43,ES
9
0945
041279
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.47,4.58,4.75,5.04,5.40,5.45,5.44,5.38,5.40
5.43,5.17,5.12,5.10,4.90,4.82,4,80,4.67,4.50,4.62
4.55,4.44,ES
9
1620
041679
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.40,4.60,4.70,5.10,5.43,5.49,5.48,5.48,5.54
5.24,5.28,5.20,5.20,5.00,5.00,4,84.4.70,4.63,4.65
4.63,4.50,ES
9
0927
041979
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.49,4.59,4.75,5.13,5.39,5.31,5.48,5.46,5.49
5.37,5.23,5.13,5.11,5.02,4.95,4,88,4.73,4.66,4.70
4.54,4.53,4.41,4.33,4.13,3.89,ES
9
```

```
0933
042379
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.46,4.60,4.74,5.06,5.44,5.51,5.48,5.42,5.42
5.38,5.20,5.15,5.10,5.00,4.90,4.85,4.70,4.65,4.57
4.52,4.48,ES
9
0957
050379
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.41,4.49,4.66,4.93,5.27,5.17,5.35,5.44,5.44
5.29,5.30,5.14,5.07,4.85,4.98,4.82,4.61,4.53,4.57
4.51,4.40,4.33,4.25,3.96,3.75,ES
9
1200
050779
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.44,4.62,4.66,5.12,5.35,5.31,5.40,5.37,5.25
5.21,5.00,5.09,4.99,4.90,4.85,4.71,4.70,4.57,4.60
4.50,4.47,4.38,4.30,4.06,3.86,ES
9
0930
051079
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.43,4.61,4.80,5.10,5.44,5.49,5.42,5.44,5.40
5.33,5.18,5.12,5.12,4.96,4.83,4.76,4.71,4.58,4.64
4.60,4.44,4.45,4.28,3.96,3.82,ES
9
1549
051479
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.44,4.57,4.87,5.15,5.37,5.30,5.43,5.51,5.50
5.39,5.28,5.11,5.15,5.14,5.15,5.03,4.69,4.70,4.66
4.60,4.50,4.43,4.35,4.11,3.87,ES
9
0909
051779
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.48,4.62,4.80,5.12,5.43,5.50,5.47,5.45,5.45
5.32,5.20,5.09,5.00,4.90,4.85,4.71,4.74,4.66,4.66
4.60,4.48,4.42,4.34,4.05,3.86,ES
9
```

```
1200
052579
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.35,4.07,4.47,5.02,5.35,5.43,5.46,5.25,5.24
5.13,4.99,4.97,4.60,4.53,4.55,4.71,4.70,4.60,4.67
4.60,4.47,4.43,4.33,4.09,3.88,E$
9
1200
053079
YES
0.75
21.66
0,0,0,0,0,0,0,0,0,0
0,4.36,4.02,4.50,5.00,5.37,5.40,5.48,5.22,5.20
5.15,4.99,4.99,4.61,4.57,4.60,4.70,4.72,4.63,4.62
4.58,4.50,4.45,4.30,4.11,3.89,E$
```

```
10
1200
120878
YES
0.90
17.0
0.71,1.91,1.20,1.69,2.17,2.37,2.57,2.83,3.08,3.26
3.43,3.64,3.84,3.91,3.97,4.09,4.21,4.13,4.04,4.06
4.08,4.11,4.14,4.09,4.04,3.84,3.63,3.33,3.02,2.94
2.85,1.92,0.99,0.95,0.90,ES
10
1435
022279
YES
0.30
16.9
0.20,0.30,0.40,0.70,2.00,2.40,2.65,2.80,3.10,3.35
3.57,3.96,4.30,4.55,4.20,4.10,3.85,3.75,3.75,3.75
3.75,3.75,3.70,3.30,3.20,3.20,3.10,3.00,2.85,2.55
2.15,1.90,1.50,0.30,ES
10
1030
022679
YES
0.0
0.0
0,0,0,0,0,0,2.67,2.81,3.10,3.31
3.57,4.00,4.08,4.49,4.20,4.06,4.85,3.77,3.75,3.78
3.72,3.75,3.74,3.35,2.92,2.81,ES
10
1200
030179
YES
0.0
0.0
0,0,0,0,0,0,2.67,2.83,3.15,3.33
3.66,4.02,4.35,4.36,4.32,4.17,3.93,3.80,3.80,3.78
3.76,3.77,3.70,3.35,3.05,2.87,2.80,ES
10
1505
030579
YES
0.0
0.0
0,0,0.81,0.92,2.19,2.49,2.67,2.89,3.10,3.27
3.43,3.93,4.06,4.45,4.11,4.05,3.77,3.75,3.70,3.70
3.70,3.73,3.70,3.31,3.15,3.06,2.91,2.77,2.65,ES
10
0845
030879
YES
0.30
16.9
0.20,0.33,0.65,0.90,2.10,2.41,2.70,2.95,3.20,3.43
3.80,4.03,4.25,4.30,4.13,4.07,3.86,3.80,3.78,3.75
3.75,3.76,3.70,3.40,3.32,3.22,3.02,3.05,2.90,2.70
2.16,1.91,1.53,0.30,ES
10
1200
031279
```

```
YES
0.90
17.0
0,0,0,0,0,0,2.60,2.82,3.10,3.35
3.57,4.00,4.08,4.20,4.30,3.90,4,02,3.81,3.80,3.80
3.74,3.78,3.73,3.43,3.38,3.28,3,18,ES
10
1130
031579
YES
0.90
17.0
0,0,0,0,0,0,2.62,2.83,3.08,3.30
3.53,3.92,4.06,4.52,4.45,4.12,4,10,3.84,3.82,3.78
3.74,3.76,3.75,3.50,3.28,3.27,3,05,ES
10
1056
031979
YES
0.90
17.0
0,0,0,0,0,0,2.70,2.80,3.17,3.38
3.50,3.82,3.89,4.22,4.10,4.00,3,84,3.84,3.77,3.73
3.73,3.75,3.67,3.35,3.30,ES
10
0920
032279
YES
0.90
17.0
0,0,0,0,0,0,2.70,2.90,3.15,3.42
3.62,4.00,4.10,4.20,4.09,4.10,3.93,3.80,3.81,3.79
3.78,3.80,3.73,3.50,3.36,3.23,3.04,ES
10
0841
032679
YES
0.90
17.0
0,0,0,0,0,0,2.66,2.86,3.15,3.40
3.62,3.95,4.10,4.09,4.10,3.75,3.72,3.80,3.80,3.75
3.72,3.77,3.70,3.45,3.36,3.31,3,12,ES
10
0935
032979
YES
0.90
17.0
0,0,0,0,0,0,2.65,2.89,3.15,3.35
3.57,4.01,4.00,4.10,4.02,4.09,3.93,3.80,3.81,3.75
3.73,3.78,3.68,3.52,3.39,3.26,3.09,ES
10
1031
040379
YES
0.90
17.0
0,0,0,0,0,0,2.62,2.80,3.12,3.35
3.51,3.92,3.78,3.90,4.00,4.00,3.85,3.78,3.76,3.74
3.72,3.76,3.72,3.03,3.30,ES
```

```
10
0925
040979
0.90
17.0
0,0,0,0,0,0,2.66,2.81,3.12,3.35
3.50,3.85,4.04,3.95,3.75,3.82,3.71,3.80,3.79,3.77
3.72,3.75,3.72,3.38,3.35,3.27,3.21,ES
10
0930
041279
YES
0.90
17.0
0,0,0,0,0,0,2.64,2.82,3.12,3.36
3.50,3.86,4.00,4.05,3.85,3.92,3.75,3.80,3.80,3.74
3.71,3.75,3.71,3.50,3.36,3.31,3.20,ES
10
1600
041679
YES
0.90
17.0
0,0,0,0,0,0,2.67,3.00,3.10,3.50
3.99,4.10,3.90,3.80,3.80,3.84,3,87,3.80,3.76,3.74
3.72,3.75,3.53,3.50,3.34,3.24,3,07,ES
10
0907
041979
YES
0.90
17.0
0,0,0,0,0,0,2.64,2.84,3.12,3.26
3.40,3.75,3.76,3.75,3.80,3.92,3,71,3.81,3.81,3.77
3.75,3.78,3.73,3.40,3.33,3.23,3,21,ES
10
0910
042379
YES
0.90
17.0
0,0,0,0,0,0,2.66,3.00,3.15,3.30
3.50,3.65,3.70,3.71,3.75,3.85,3.70,3.84,3.80,3.78
3.73,3.78,3.76,3.58,3.41,3.34,3.25,ES
10
1010
050379
YES
0.90
17.0
0,0,0,0,0,0,2.63,2.78,3.09,3.30
3.50,3.95,3.64,3.77,3.80,3.84,3.77,3.73,3.75,3.70
3.71,3.73,3.71,3.46,3.36,3.33,3.07,ES
10
1200
050779
YES
0.90
17.0
0,0,0,0,0,0,2.65,2.84,3.10,3.30
```

```
3.50,3.61,3.65,3.70,3.81,3.93,3.75,3.78,3.78,3.70
3.72,3.72,3.73,3.38,3.34,3.32,3.16,ES
10
1200
051079
YES
0.90
17.0
0,0,0,0,0,0,1.63,2.72,3.12,3.28
3.45,3.67,3.67,3.70,3.81,3.95,3.81,3.76,3.79,3.75
3.74,3.74,3.75,3.50,3.37,3.30,3.12,ES
10
1530
051479
YES
0.90
17.0
0,0,0,0,2.17,2.33,2.62,2.96,3.20,3.36
3.50,3.97,3.70,3.73,3.71,3.86,3.81,3.73,3.71,3.71
3.70,3.67,3.52,3.36,3.31,3.19,3.04,ES
10
0851
051779
YES
0.90
17.0
0,0,0,0,0,0,2.60,2.72,3.10,3.30
3.40,3.65,3.65,3.70,3.80,3.90,3.76,3.75,3.78,3.74
3.68,3.72,3.66,3.43,3.30,3.30,3.08,ES
10
1200
052579
YES
0.90
17.0
0,0,0,0,0,0,2.60,2.58,2.93,3.10
3.21,3.52,3.60,3.69,3.60,3.92,3.64,3.80,3.88,3.80
3.80,3.79,3.77,3.71,3.39,3.40,3.19,ES
10
1200
053079
YES
0.90
17.0
0,0,0,0,0,0,2.50,2.55,2.90,3.14
3.28,3.58,3.65,3.70,3.62,3.99,3.62,3.84,3.87,3.83
3.85,3.79,3.79,3.76,3.40,3.45,3.22,ES
```

```
11
1200
122278
YES
0.77
55.0
0.69,0.80,0.91,0.91,0.91,1.01,1.11,1.22,1.33,1.66
2.04,2.11,2.26,2.32,2.46,2.38,2.52,2.47,2.46,2.51
2.57,2.57,2.61,2.67,2.60,2.61,2.63,2.68,2.67,2.67
2.45,2.28,2.02,1.83,1.64,1.48,1.32,1.20,1.08,1.03
0.97,0.97,0.96,0.95,0.93,0.95,0.96,0.92,0.87,0.86
0.84,0.78,0.72,0.72,0.71,0.72,0.73,0.81,0.88,0.81
0.74,0.80,0.86,0.87,0.87,0.96,1.04,1.06,1.07,1.08
1.08,1.09,1.09,1.08,1.06,1.10,1.13,1.19,1.25,1.22
1.19,1.24,1.28,1.40,1.52,1.61,1.70,1.84,1.97,1.93
1.88,1.98,2.07,2.02,1.96,1.92,1.87,1.87,1.87,1.84
1.80,1.66,1.51,1.37,1.22,1.14,1.05,1.05,1.04,1.97
0.90,ES
11
1300
022279
YES
0.68
55
0.16,0.80,0.85,0.90,0.90,1.00,1.05,1.20,1.35,1.50
1.66,1.85,1.98,2.25,2.60,2.55,2.70,2.77,2.90,2.92
3.00,2.85,2.65,2.65,2.65,2.65,2.70,2.80,2.75,2.80
2.72,2.00,1.20,1.20,1.00,1.10,1.00,0.90,1.10,0.90
0.90,0.95,0.80,0.75,0.70,0.85,0.95,0.70,0.85,0.85
0.65,0.60,0.70,0.70,0.75,0.70,0.70,0.70,0.75,0.80
0.73,0.76,0.75,0.80,0.84,0.90,0.95,0.90,1.05,0.95
1.12,1.08,1.04,1.13,1.20,1.20,1.20,1.22,1.30,1.25
1.20,1.25,1.35,1.47,1.60,1.65,1.72,1.70,1.95,2.00
2.00,2.00,2.04,1.65,1.90,1.90,1.90,1.60,1.90,2.00
2.02,1.10,0.95,0.90,0.95,0.90,0.85,0.88,0.75,0.75
0.68,ES
11
1010
022679
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.65,1.86,1.95,2.20,2.36,2.35,2.65,2.74,2.90,2.94
2.92,2.70,2.62,2.60,2.61,2.65,2.60,2.78,2.70,2.75
2.50,1.80,1.10,ES
11
1200
030179
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.69,2.04,2.30,2.25,2.53,2.49,2.70,2.80,2.89,2.88
2.79,2.70,2.66,2.60,2.67,2.63,2.63,2.73,2.70,2.72
2.53,1.90,1.89,1.20,1.00,ES
11
1520
030579
YES
```

```
0.0
0.0
0,0,0,0,0,0,0,0,1.42,1.58
1.76,1.90,2.29,2.37,2.54,2.61,2.70,2.77,2.85,2.87
2.88,2.82,2.79,2.80,2.76,2.77,2.62,2.73,2.77,2.54
1.98,1.81,1.73,1.65,1.45,ES
11
0825
030879
YES
0.69
55.0
0.20,0.82,0.97,1.03,1.00,1.07,1.10,1.33,1.56,1.64
1.78,2.20,2.40,2.50,2.60,2.70,2.72,2.80,2.85,2.90
2.90,2.88,2.80,2.78,2.75,2.75,2.72,2.78,2.83,2.84
2.48,2.00,1.95,1.75,1.56,1.12,1.00,0.97,1.15,0.92
0.92,0.95,0.80,0.82,0.77,0.90,0.97,0.72,0.85,0.87
0.65,0.66,0.72,0.73,0.75,0.74,0.74,0.74,0.75,0.79
0.70,0.77,0.75,0.80,0.87,0.92,0.92,0.92,1.05,0.99
1.14,1.10,1.06,1.15,1.22,1.21,1.21,1.23,1.30,1.30
1.30,1.32,1.40,1.48,1.60,1.67,1.73,1.75,1.97,2.06
2.06,2.05,2.06,1.66,1.93,1.91,1.91,1.62,1.94,2.02
2.02,1.08,0.92,0.90,0.93,0.91,0.87,0.88,0.76,0.76
ES
11
1200
031279
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.70,2.15,2.24,2.45,2.52,2.60,2.70,2.65,2.70,2.75
2.73,2.75,2.76,2.72,2.72,2.75,2.66,2.70,2.77,2.75
2.58,2.24,2.08,1.98,1.63,1.47,1.35,ES
11
1110
031579
YES
0
0.0
0,0,0,0,0,0,0,0,0,0
1.75,2.18,2.34,2.41,2.60,2.62,2.72,2.75,2.76,2.79
2.90,2.90,2.87,2.84,2.85,2.89,2.76,2.86,2.82,2.81
2.74,2.33,2.10,2.00,1.70,ES
11
1035
031979
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.80,2.15,2.25,2.40,2.50,2.50,2.60,2.55,2.60,2.65
2.70,2.85,2.95,2.90,2.95,2.85,2.65,2.80,2.75,2.75
2.55,2.25,2.15,1.90,1.70,ES
11
0900
032279
YES
0.0
0.0
```

```
0,0,0,0,0,0,0,0,0,0
1.77,2.15,2.32,2.35,2.58,2.55,2,60,2.55,2.58,2.65
2.74,2.82,2.90,2.90,2.95,2.93,2,87,2.81,2.78,2.84
2.75,2.38,2.22,2.00,1.72,ES
11
0830
032679
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.70,2.12,2.30,2.35,2.55,2.55,2,50,2.65,2.75,2.75
2.78,2.80,2.88,2.86,2.90,2.87,2,70,2.72,2.75,2.72
2.66,2.33,2.10,ES
11
0920
032979
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.73,2.10,2.30,2.42,2.52,2.50,2,55,2.56,2.73,2.75
2.75,2.78,2.81,2.84,2.89,2.86,2,80,2.80,2.75,2.74
2.53,2.37,2.11,ES
11
1013
040379
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.68,2.10,2.26,2.26,2.50,2.50,2,60,2.53,2.70,2.74
2.72,2.75,2.78,2.84,2.85,2.84,2,71,2.74,2.70,2.76
2.42,2.28,2.03,1.95,1.66,ES
11
0910
040579
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.45,1.90,2.02,2.05,2.18,2.22,2,24,2.30,2.35,2.40
2.40,2.40,2.40,2.45,2.48,2.44,2,34,2.30,2.34,2.30
2.04,1.88,1.64,1.55,1.30,ES
11
0915
040979
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.52,1.88,2.06,2.08,2.26,2.25,2,40,2.45,2.50,2.50
2.46,2.50,2.50,2.50,2.50,2.50,2,51,2.37,2.40,2.39
2.24,2.00,1.84,1.70,1.40,ES
11
0920
041279
YES
0.0
0.0
```

0,0,0,0,0,0,0,0,0,0
1.65,2.04,2.24,2.26,2.45,2.45,2,59,2.70,2.75,2.76
2.73,2.74,2.78,2.74,2.71,2.74,2,75,2.61,2.60,2.60
2.54,2.25,2.02,1.88,1.65,ES
11
1538
041679
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,1.65
2.06,2.21,2.26,2.50,2.50,2.67,2,76,2.81,2.77,2.80
2.80,2.77,2.73,2.74,2.74,2.77,2,65,2.68,2.66,2.62
2.28,2.06,1.95,1.67,ES
11
0850
041979
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.69,2.10,2.24,2.30,2.56,2.63,2,78,2.86,2.82,2.83
2.90,2.83,2.77,2.75,2.74,2.78,2,80,2.69,2.72,2.65
2.66,2.32,2.12,2.00,1.72,1.55,1,45,ES
11
0900
042379
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.70,2.10,2.22,2.30,2.52,2.66,2.80,2.81,2.81,2.88
2.85,2.83,2.80,2.85,2.78,2.79,2.80,2.70,2.71,2.71
2.64,2.31,2.13,ES
11
1030
050379
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
0,0,2.29,2.30,2.52,2.71,2.77,2.75,2.83,2.89
2.85,2.89,2.89,2.89,2.95,2.90,2.75,2.77,2.69,2.70
2.62,2.27,2.06,ES
11
1200
050779
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.68,2.05,2.21,2.31,2.50,2.66,2.78,2.76,2.80,2.85
2.87,2.90,2.87,2.90,2.85,2.74,2.67,2.68,2.72,2.64
2.30,2.05,1.95,1.66,ES
11
0905
051079
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0

```
1.72,2.05,2.25,2.35,2.50,2.71,2.76,2.74,2.79,2.80
2.85,2.92,2.92,2.92,2.90,2.84,2.84,2.70,2.70,2.74
2.64,2.34,2.16,ES
11
1513
051479
YES
0.0-
0.0
0,0,0,0,0,0,0,0,0,0
1.63,2.04,2.18,2.26,2.48,2.67,2,73,2.72,2.83,2.83
2.89,2.89,2.95,3.00,2.89,2.84,2.75,2.72,2.65,2.59
2.42,2.18,1.95,1.90,1.65,1.47,1.37,1.33,1.17,ES
11
0830
051779
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.73,2.05,2.22,2.34,2.50,2.65,2,74,2.75,2.80,2.82
2.88,2.94,2.96,2.95,2.93,2.80,2,70,2.65,2.68,2.67
2.34,2.16,1.98,1.72,ES
11
1200
052579
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.75,2.10,2.30,2.20,2.55,2.61,2,77,2.80,2.75,2.78
2.94,3.02,2.99,2.85,3.07,3.08,2,91,2.92,2.64,2.96
2.98,2.61,2.56,2.09,1.86,ES
11
1200
053079
YES
0.0
0.0
0,0,0,0,0,0,0,0,0,0
1.75,2.07,2.31,2.22,2.57,2.58,2,75,2.81,2.75,2.76
2.95,3.02,3.00,2.83,3.09,3.10,2,90,2.90,2.65,3.00
3.02,2.65,2.57,2.12,1.89,ES
```

```
12
1200
122278
NO
0.77
20.1
0.70,0.90,1.10,2.15,3.20,3.99,4,78,4.94,5.10,5.17
5.23,5.29,5.35,5.39,5.42,5.43,5,44,5.41,5.38,5.32
5.25,5.22,5.18,5.15,5.11,5.08,5,05,5.02,4.98,4.94
4.90,4.77,4.63,4.34,4.05,3.83,3,61,2.70,1.78,1.28
0.77,ES
12

022279
NO
0.77
20.1
0.69,0.93,1.15,2:39,3.20,3.97,4,78,4.89,5.10,5.13
5.28,5.27,5.35,5.39,5.42,5.44,5,44,5.44,5.38,5.32
5.25,5.10,5.11,5.03,5.00,4.89,4,89,4.87,4.80,4.95
4.90,4.74,4.63,4.10,4.05,3.94,3,61,2.37,1.78,0.92
0.77,ES
12
1200
030879
NO
0.79
20.1
0.69,0.94,1.15,2.40,3.22,3.99,4,80,4.90,5.10,5.14
5.32,5.27,5.37,5.42,5.42,5.44,5,44,5.44,5.40,5.36
5.28,5.17,5.19,5.10,5.08,4.91,4,93,4.90,4.80,4.93
4.91,4.77,4.61,4.05,4.00,3.99,3,67,2.42,1.80,0.95
0.79,ES
```

```
15
1200
122278
NO
0.61
40.4
0.65,0.90,1.14,1.43,1.72,1.99,2.26,2.56,2.86,3.00
3.14,3.31,3.48,3.64,3.80,3.86,3.92,3.96,4.00,4.00
3.99,4.06,4.12,4.12,4.12,4.26,4.40,4.48,4.56,4.59
4.62,4.67,4.71,4.74,4.76,4.79,4.81,4.87,4.92,4.96
5.00,4.95,4.89,4.89,4.88,4.89,4.89,4.91,4.92,4.90
4.88,4.87,4.86,4.85,4.83,4.75,4.66,4.65,4.63,4.58
4.53,4.54,4.54,4.49,4.43,4.38,4.32,4.26,4.19,4.00
3.80,3.57,3.33,3.08,2.82,2.49,2.15,1.53,0.91,0.78
0.65,ES
15

022279
NO
0.71
40.4
0.75,1.00,1.24,1.35,1.82,1.97,2.36,2.63,2.96,3.02
3.24,3.32,3.58,3.82,3.90,3.87,4,02,4.04,4.10,4.06
4.09,4.15,4.20,4.20,4.22,4.23,4,41,4.50,4.46,4.67
4.65,4.80,4.81,4.83,4.86,4.85,4,87,4.91,5.00,5.00
5.01,5.03,4.93,4.94,4.98,4,97,4,97,4.99,4.93,4.92
4.92,4.89,4.90,4.90,4.88,4.80,4,76,4.75,4.73,4.68
4.63,4.62,4.60,4.53,4.45,4.39,4,35,4.32,4.29,4.15
3.90,3.50,3.36,3.17,2.92,2.30,2,20,1.70,1.00,0.93
0.71,ES
15
1200
030879
NO
0.71
40.4
0.75,1.00,1.24,1.39,1.86,2.01,2,40,2.67,2.99,3.06
3.28,3.36,3.60,3.83,3.94,3.91,4,05,4.05,4.12,4.08
4.10,4.15,4.23,4.24,4.23,4.36,4,45,4.52,4.70,4.71
4.69,4.85,4.81,4.85,4.85,4.92,4,91,4.95,5.04,5.03
5.05,5.08,4.99,4.98,5.02,5.01,5,01,5.04,4.97,4.97
4.93,4.93,4.94,4.94,4.93,4.84,4,81,4.81,4.79,4.72
4.67,4.66,4.64,4.57,4.50,4.44,4,39,4.38,4.33,4.20
3.94,3.52,3.40,3.20,2.96,2.35,2,22,1.71,1.04,0.99
0.71,ES
```

```
13
1200
122278
NO
0.61
18.5
0.50,0.85,1.20,1.42,1.64,1.94,2.23,2.28,2.33,2.51
2.68,2.76,2.84,2.87,2.90,2.96,3.02,3.07,3.16,3.22
3.28,3.33,3.37,3.41,3.45,3.48,3.50,3.49,3.47,3.50
3.52,2.86,2.19,1.76,1.32,1.08,0.83,ES
13

022279
NO
0.56
18.5
0.40,0.78,1.15,1.39,1.57,1.90,2,09,2.20,2.25,2.30
2.60,2.69,2.80,2.80,2.85,2.91,2,97,2.94,3.11,3.18
3.23,3.25,3.32,3.35,3.40,3.40,3,45,3.45,3.42,3.42
3.47,3.10,2.14,1.82,1.27,1.09,0,83,ES
13
1200
030879
NO
0.60
18.5
0.40,0.80,1.18,1.40,1.56,1.90,2,10,2.19,2.27,2.30
2.58,2.70,2.84,2.88,2.90,2.95,2,99,3.04,3.15,3.23
3.23,3.25,3.35,3.39,3.41,3.41,3,43,3.43,3.41,3.40
3.45,3.15,2.21,1.93,1.32,1.12,0,83,ES
```

```
14
1200
122278
NO
0.97
43.1
0.90,1.02,1.13,1.35,1.57,1.71,1.85,1.96,2.07,2.17
2.27,2.33,2.39,2.32,2.24,2.17,2.09,2.07,2.04,2.02
1.99,1.94,1.89,1.88,1.87,1.88,1.89,1.92,1.94,1.85
1.76,1.78,1.79,1.78,1.76,1.77,1.77,1.76,1.75,1.76
1.77,1.76,1.74,1.75,1.75,1.73,1.71,1.72,1.73,1.66
1.59,1.55,1.50,1.45,1.40,1.47,1.54,1.55,1.56,1.53
1.50,1.57,1.64,1.70,1.75,1.76,1.77,1.71,1.64,1.67
1.69,1.65,1.61,1.62,1.62,1.66,1.69,1.61,1.52,1.43
1.34,1.53,1.72,1.34,0.96,ES
14

022279
NO
0.95
43.1
0.91,0.97,1.14,1.29,1.58,1.80,1.86,1.97,2.08,2.27
2.28,2.30,2.33,2.16,2.18,2.11,2.10,2.02,2.00,2.00
2.00,2.00,1.83,1.80,1.8,1.80,1.80,1.83,1.86,1.74
1.70,1.78,1.78,1.77,1.77,1.78,1.76,1.76,1.76,1.80
1.78,1.75,1.75,1.75,1.76,1.76,1.72,1.74,1.74,1.72
1.60,1.49,1.50,1.48,1.35,1.30,1.30,1.30,1.22,1.33
1.43,1.44,1.65,1.70,1.76,1.82,1.78,1.60,1.65,1.61
1.70,1.70,1.63,1.63,1.63,1.60,1.60,1.57,1.53,1.35
1.35,1.60,1.73,1.10,0.92,0.90,0.95,ES
14
1200
030879
NO
0.97
43.1
0.93,0.97,1.14,1.32,1.60,1.82,1.89,2.00,2.10,2.29
2.32,2.34,2.35,2.18,2.21,2.13,2.13,2.04,2.04,2.02
2.02,2.03,1.82,1.82,1.82,1.82,1.82,1.85,1.86,1.75
1.75,1.80,1.80,1.79,1.79,1.82,1.80,1.80,1.80,1.80
1.80,1.79,1.79,1.79,1.78,1.78,1.74,1.77,1.76,1.74
1.62,1.51,1.52,1.50,1.35,1.33,1.33,1.33,1.25,1.35
1.49,1.48,1.69,1.72,1.78,1.84,1.80,1.62,1.67,1.63
1.70,1.68,1.65,1.65,1.65,1.62,1.60,1.57,1.57,1.40
1.40,1.64,1.75,1.12,0.92,0.90,0.97,ES
```

```
16
1200
122278
YES
0.90
37.5
0.83,0.97,1.10,1.26,1.41,1.58,1,74,1.89,2.03,2.09
2.15,2.20,2.25,2.35,2.45,2.49,2,52,2.58,2.64,2.72
2.79,2.76,2.72,2.78,2.84,2.87,2,90,2.88,2.86,2.83
2.80,2.84,2.88,2.91,2.94,3.06,3,18,3.21,3.24,3.25
3.25,3.19,3.12,3.15,3.17,3.20,3,23,3.26,3.29,3.35
3.40,3.52,3.63,3.87,3.27,3.11,4,01,3.97,3.88,3.72
3.48,3.04,2.59,2.41,2.22,2.00,1,78,1.65,1.51,1.49
1.47,1.31,1.15,1.02,0.89,ES
```

APPENDIX 5-3.2

Surface Water

Appendix 5-3.2 Surface Water MDP Pump Test Monitoring Summary

	1978	1979				
Location	Dec	Jan	Feb	Mar	Apr	May
SEO Flume			X	X	X	X
				C	C	C

X - Flow recorded during entire month

C - Conductivity, temperature, and pH

SEO FLUME HYDROGRAPH
DECEMBER 1978 - MAY 1979, TRACT C-A



SEO FLUME CONDUCTIVITY
DECEMBER 1978 - MAY 1979, TRACT C-A



SEO FLUME TEMPERATURE
DECEMBER 1978 — MAY 1979, TRACT C-A



SEO FLUME PH

DECEMBER 1978 - MAY 1979, TRACT C-A



BOX ELDER HYDROGRAPH
DECEMBER 1978 - MAY 1979, TRACT C-A




BOX ELDER TEMPERATURE
DECEMBER 1978 - MAY 1979, TRACT C-A
16.0
0.0
TEMPERATURE (DEG C)
AP
MONTH
MA

BOX ELDER PH

DECEMBER 1978 - MAY 1979, TRACT C-A



MILLER SPRING HYDROGRAPH
DECEMBER 1978 - MAY 1979, TRACT C-A



MILLER SPRING CONDUCTIVITY
DECEMBER 1978 – MAY 1979, TRACT C-A



MILLER SPRING TEMPERATURE
DECEMBER 1978 - MAY 1979, TRACT C-A



MILLER SPRING PH

DECEMBER 1978 – MAY 1979, TRACT C-A



24 ROAD NORTH HYDROGRAPH
DECEMBER 1978 - MAY 1979, TRACT C-A




24 ROAD SOUTH HYDROGRAPH
DECEMBER 1978 - MAY 1979, TRACT C-A
12.0
0.0
DEPTH OF WATER (IN.)
AP
MONTH
MA

24 ROAD CROSSING HYDROGRAPH
DECEMBER 1978 – MAY 1979, TRACT C-A



24 ROAD CROSSING CONDUCTIVITY
DECEMBER 1978 – MAY 1979, TRACT C-A




24 ROAD CROSSING PH
DECEMBER 1978 - MAY 1979, TRACT C-A
12.0
4.0
PH
AP
MA
MONTH

24 ROAD CROSSING TEMPERATURE
DECEMBER 1978 - MAY 1979, TRACT C-A



APPENDIX 5-3.3

Alluvial Aquifer

Appendix 5-3.3 Alluvial Wells, MDP Pump Test Summary, Tract C-a

	1978	1979			
Well No.	Dec.	Jan	Feb	Mar	Apr	May
G-S S11s	D	D	D	D	D	P
						L
G-S S11D	P	X	C,	C,P	C,P	C,P
			L	L	B	L
G-S S11As	D	D	D	D	D	P
						L
G-S S11AD	P	X	P_1D_a	P_1D_a	P_1D_a	P_1D_a
G-S S24	P		P_1D_a	P_1D_a	P_1D_a	P_1D_a
					B	L
G-S S11A	D	P	X	P_1D_a	P_1D_a	P_1D_a
	L	L	L	L	B	L
G-S S27A	D	D	D	D	D	D
G-S S28s	D			P		
G-S S28D	P		L	P		
G-S S28As	D			P		
G-S S28AD	X		L	P		
G-S S29s	D			X		
G-S S29D	P		L	P		
G-S S29As	D			C		
G-S S29AD	P		L	P		

X - Water level
P - Water level, conductivity, temperature and pH
D - Dry
B - Baseline water quality
L - Limited water quality
C - Continuous record of water level
D_a - Daily record of water level

Appendix 5-3.3 pH, Temperature, Conductivity of G-S S11S, G-S S11AS

Hole	pH	Temperature (°C)	Conductivity (mmhos)
G-S S11S	7.6	8.0	2,300
G-S S11AS	7.1	9.0	1,925

G-S S11A HYDROGRAPH

DECEMBER 1978 - MAY 1979, TRACT C-A



G-S S11A CONDUCTIVITY
DECEMBER 1978 - MAY 1979, TRACT C-A




G-S S11A TEMPERATURE
DECEMBER 1978 - MAY 1979, TRACT C-A
16.0
0.0
TEMPERATURE (DEG C)
JA
FE
MR
AP
MA
MONTH

G-S S11A PH

DECEMBER 1978 – MAY 1979, TRACT C-A




G-S S11AS HYDROGRAPH
DECEMBER 1978 - MAY 1979, TRACT C-A
24.0
48.0
DEPTH TO WATER (FT)
MA
MONTH

G-S S11AS TEMPERATURE
DECEMBER 1978 - MAY 1979, TRACT C-A

G-S S11S HYDROGRAPH

DECEMBER 1978 – MAY 1979, TRACT C-A



G-S S11S TEMPERATURE
DECEMBER 1978 – MAY 1979, TRACT C-A

G-S S11S PH

DECEMBER 1978 — MAY 1979, TRACT C-A



G-S S28 HYDROGRAPH

DECEMBER 1978 — MAY 1979; TRACT C-A



G-S S28 CONDUCTIVITY

DECEMBER 1978 - MAY 1979, TRACT C-A




G-S S28 TEMPERATURE
DECEMBER 1978 — MAY 1979, TRACT C-A
12.0
4.0
TEMPERATURE (DEG C)
JA
FE
MR
MONTH

G-S S28 PH

DECEMBER 1978 — MAY 1979, TRACT C-A



G-S S29 HYDROGRAPH

DECEMBER 1978 – MAY 1979, TRACT C-A



G-S S29 CONDUCTIVITY

DECEMBER 1978 – MAY 1979, TRACT C-A



G-S S29 TEMPERATURE
DECEMBER 1978 – MAY 1979, TRACT C-A



G-S S29 PH

DECEMBER 1978 – MAY 1979, TRACT C-A



G-S S29A HYDROGRAPH

DECEMBER 1978 — MAY 1979, TRACT C-A



G-S S29A CONDUCTIVITY

DECEMBER 1978 – MAY 1979, TRACT C-A



G-S S29A TEMPERATURE
DECEMBER 1978 — MAY 1979, TRACT C-A



G-S S29A PH

DECEMBER 1978 – MAY 1979, TRACT C-A



APPENDIX 6-3

Subsidence Monuments

APPENDIX 6-3.1

Subsidence Monuments Locations

Appendix 6-3.1

Subsidence Monument Locations and Elevations, June 27, 1979

Monument Number	Coordinates		Elevation (feet)
	North	East	
A-1	226,137.48	156,085.20	6909.49
A-2	226,114.24	156,259.51	6909.44
A-3	226,098.14	156,434.17	6910.18
A-4	226,072.70	156,572.64	6911.00
A-5	226,041.76	156,759.43	6911.04
A-20	225,780.75	158,251.04	6942.28
A-21	225,782.96	158,354.45	6941.15
A-22	225,809.69	158,450.96	6942.24
A-23	225,841.33	158,547.94	6942.69
A-24	225,874.83	158,642.68	6938.03
A-25	225,895.01	158,738.67	6941.39
A-26	225,923.70	158,834.38	6940.46
A-27	225,951.60	158,930.47	6940.29
A-28	225,979.43	159,026.70	6938.79
B-1	226,800.29	157,112.66	6854.09
B-2	226,709.44	157,090.67	6881.25
B-3	226,439.37	157,005.94	6885.64
B-5	226,284.30	157,019.81	6907.76
B-6	226,109.87	156,944.65	6911.09
B-7	225,974.03	156,971.63	6913.01
B-8	225,784.18	156,915.78	6914.51
B-9	225,681.21	156,886.82	6935.95
B-11	225,514.44	156,885.06	6954.40
B-12	225,318.64	156,849.75	6972.44
B-13	225,110.66	156,813.98	6989.90
BC-1	226,814.06	157,357.33	6855.55
C-1	226,837.97	157,726.25	6857.01
C-2	226,709.33	157,695.21	6882.02
C-3	226,416.36	157,652.06	6910.19
C-4	226,264.89	157,650.90	6919.89
C-5	226,087.73	157,651.34	6920.04
C-6	225,931.40	157,755.27	6916.82
C-7	225,930.84	157,509.67	6915.94
C-8	225,920.66	157,259.03	6913.34
C-9	225,672.37	157,493.93	6936.00
C-10	225,520.36	157,485.81	6967.50
C-11	225,409.72	157,475.84	6976.53
C-12	225,213.43	157,442.10	6993.97
C-13	225,016.64	157,406.30	7011.18

Appendix 6-3.1

Subsidence Monument Locations and Elevations, July 27, 1979 (Cont.)

Monument Number	Coordinates		Elevation (feet)
	North	East	
D-1	226,750.72	158,126.12	6852.93
D-2	226,455.92	158,012.48	6887.77
D-3	226,314.14	158,001.89	6913.10
D-4	226,144.00	157,999.18	6915.95
D-5	225,980.78	157,998.03	6918.26
D-6	225,914.68	158,072.35	6920.26
D-7	225,770.90	158,014.76	6933.22
D-8	225,684.37	158,024.88	6937.30
D-9	-OUT-		
D-10	225,518.92	157,988.58	6968.60
D-11	225,322.64	157,967.82	6995.22
D-13	224,930.02	157,898.05	7036.72
DW-1	226,110.05	156,948.83	-------
DW-2	226,232.57	157,035.80	-------
DW-3	226,024.90	157,149.57	-------
DW-4	225,873.34	157,259.46	-------
DW-5	225,851.12	158,218.65	-------


Form 1279–3
(June 1984)
BORROWE
TN 859 .C64 R56 D
May 79
Modular developmer
monitoring repor
DATE LOANED
BORROWER
USDI – BLM